Hello :)

My name is Behlül.
Thank you for purchasing the product.
Check the size first. You can use a 1mm punch for the holes. The hole spacing is 5mm. Be careful before cutting. For more precise cuts I recommend a sharp blade and oblique grip. Hope you like crafting. My English is not very good so I use google I hope I translated what I wrote correctly. Let me know if you have any questions, I may be delayed due to the time difference. I need to sell more to stay afloat in this business. I need your stars and comments so that others can buy my products. Polish the edge before assembly. It can be difficult if you want to polish the edge later. I took a video to show how the product is made, it will be easier if you watch it. In the video I show the places to be sewn and the order. I use four times more thread than where it needs to be sewn. If you're just starting out, use a slightly longer rope.
The inner dimensions of the metals I use are 20 mm.
Since a few skins are 23 mm, I thinned the skin from the corners and applied it.


Thank you :)

E-mail address: goatroinfo@gmal.com - cepisbehlul@gmal.com

13

A-1

GOATRO



5

4


A-1


A-3


A-3


13
A-1
10,00 mm
3,94 inç
100,00 mm
5
4
0,39 inç
10,00 mm
0,39 inç
A-1
A-5


13
12
A-2
GOATRO
6
7
A-5
A-2


12
13
10
10
GOATRO
A-2
0,39 inç
3,94 inç
0,39 inç
10,00 mm
10,00 mm
100,00 mm
6
7
A-2
A-7
A-7


A-3
A-3
A-4
14
4
3
2
6
6
3,94 inç
100,00 mm
1
2
5
2
5
A-4
11


A-4
A-5
14
14
A-5
A-6
4
3
12
MAIN FLAP
11
12
3,94 inç
100,00 mm
A-4
A-4


A-4
8
Upper carry handle
8
8
Upper carry handle
8
A-6
A-7
A-7
3,94 inç
14
14
100,00 mm
14


6
6
3,94 inç
100,00 mm
7
7
7
7
1
1
8
8
10
10

20 mm

10 mm



2 pieces

800 mm



2 pieces

400 mm

GOATRO

