

kiõy purs

A SEWING PATTERN BY



kitty purse

SEWING TUTORIAL



DIFFICULTY : ■ ■ ■ ■ ■ ■ ■ ■ □ □


MAKES :


BEFORE YOU BEGIN:

1.
2.
3.
4.




the inner bag






kitty purse


SEWING TUTORIAL






kitty purse


SEWING TUTORIAL





kitty purse

SEWING TUTORIAL




U I F


sew desu ne?

| WWW .CHOLYKNIGHT.COM |

kitty purse


SEWING TUTORIAL






kitty purse

SEWING TUTORIAL







kitty purse

SEWING TUTORIAL


the outer bag






kitty purse


SEWING TUTORIAL






kitty purse


SEWING TUTORIAL






kitty purse

SEWING TUTORIAL







the extra bits

kitty purse


SEWING TUTORIAL






kitty purse

SEWING TUTORIAL




U I F



kitty purse

SEWING TUTORIAL











kitty purse


SEWING TUTORIAL







kitty purse

SEWING TUTORIAL




A1 A2
sew desu ne?
Kitty Purse
PATTERN
OUTER FRONT & BACK
Cut 2 of ou˜er fabric
Cut 2 of lightweight fusible in˜erfacing
Cut 2 of heavyweight sew-in in˜erfacing
½fl seam allowance
applique placement
B1 B2




Kitty

PATTER

INNER

Cut 2 of ou
Cut 2 of lightweight
½fl seam



ty Purse
TTERN

NER FACING
2 of ou˜er fabric
tweight fusible in˜erfacing
l seam allowance

A5 A6

opening for turning

zipper guideline

A3 A4

sew desu ne?


Kitty Purse


PATTERN


LINING FRONT & BACK

Cut 2 of lining fabric
½fl seam allowance


B5 B6


zipper
A5 A6
A7 A8
sew desu ne?
Kitty Purse
PATTERN
HIDDEN POCKET
Cut 2 of lining fabric
¼fl seam allowance
B7 B8


zipper guideline
A7 A8


B9B1

B1 B2




Kitty Purse

PATTERN

GUSSET

Cut 1 on fold of ou˜er fabric
Cut 1 on fold of lining fabric
Cut 1 on fold of lightweight fusible in˜erfacing
Cut 1 on fold of heavyweight sew-in in˜erfacing
½fl seam allowance

C1 C2




Kitty Purse

PATTERN

BUCKLE LOOP

Cut 1 of ou˜er fabric





Kitty Purse

PATTERN

WHISKER APPLIQUE

Cut 6


B5 B6
C3 C4
C5 C6
cut on fold



Kitty Purse

PATTERN

STRAP

Cut 1 on fold of ou˜er fabric

Cut 1 on fold of lightweight fusible in˜erfacing (sans seam allowances)

½fl seam allowance

B9 B10

Kitty Purse

PATTERN

LINING POCKETS

Cut 4 of lining fabric
Cut 2 of quilt batting (sans seam allowances)
¼" seam allowance

C7 C8

mark points on
one end only