

LEATHER SHOULDER STRAP PATTERN


W„]vı ’°«vPW ð ^ ıμ o ’]Ì°_



2 cm




6.3 cm



2 cm

94 cm

Shoulder strap 1



2 cm

55 cm

Shoulder strap 2



1 cm

1 cm

LEATHER SHOULDER STRAP PATTERN

ASSEMBLY INSTRUCTI

ˇ]8 µoıÇ o˚À˚oW ˝ ’Ç
}u›o˚ }v u˚W ïì r òì u]v

NECESSARY TOOLS

r Ÿt W„]vı˚„U
r ^]’’}„’ }„ µ©˚„U
r ,}o˚ ›µv Z˚„U
r >˚ ıZ˚„ ’ı„ › v^ (˚Á ’ „ ›’U
r ï› ’ µ©}v ’ıµ^’U
r ð› ’ ^}µ o˚r › „]À˚ı’U
r î› ’ îìuu u˚ı o ’Á]À˚or’v ›’X

PRINTING THE PATTERN

^˚ı µ› Ç}µ„ › ›˚„ ’]Ì˚ ı} ð v^ Z}}’˚ ıµ o ’]Ì˚]v ıZ˚ ›„]vı˚„ ’˚«




Wo˚ ’˚ }vı ı u˚](Ç}µ v˚˚^ ıZ˚ › ©˚„v ı} ˚ ›„]vı˚^]v v}ıZ˚„ ’]

Evi
LEATHERCRAFT

LET'S BEGIN.

STEP 1. Print the paper patterns and use them to cut the leather parts. After you are done cutting you should have everything as shown below.

If you want to glue the leather parts, then you should also stitch shoulder straps.



STEP 2. Start by attaching the metal swivel-snap for the straps.







Shoulder strap(a) is attached to the swivel-snap holder(b) by using double-cap rivets(c). Do the same with the other strap.





STEP 3. Stud closures(a) should be attached to the shoulder strap1(b).





STEP 4. Finally, join the shoulder straps together.

Your strap is done and can be attached to your bag.

