

Bài tập

```
public class circle {  
    private double length;  
    private double width;
```

```
By: public class circle {  
    private double radius = 1.0;  
    private String color; *
```

```
    public circle() {  
    }
```

```
    public circle(double radius) {  
        this.radius = radius;  
    }
```

```
    public circle(double radius, String color) {  
        this.radius = radius;  
        this.color = color;  
    }
```

```
public double getRadius() {  
    return return radius;  
}
```

```
public void setRadius (double radius) {  
    this.radius = radius;  
}
```

```
public String getColor() {  
    return return color;  
}
```

```
public void setColor (String color) {  
    this.color = color;  
}
```

```
public double getArea() {  
    return Math.PI * radius * radius;  
}
```

```
public String toString() {  
    return "Circle [radius = " + radius + ", color  
= " + color + " ]";  
}
```

Bài 2:

```
Public class Rectangle {  
    private int length;  
    private int width;
```

```
    Public Rectangle () {  
    }
```

```
    Public Rectangle (int length, int width) {  
        this.length = length;  
        this.width = width;  
    }
```

```
    Public int getLength () {  
        return length;  
    }
```

```
    Public void setLength (int length) {  
        this.length = length;  
    }
```

```

public void set width (in width) {
    this.width = width;
}

```

```

public String toString () {
    return "Rectangle (length = " + length
    + ", width = " + width + ")";
}
}

```

Bài 3:

```

public class Employee {
    private int id;
    private String firstName;
    private String lastName;
    private int salary;
}

```

```

public Employee (int id, String firstName,
String lastName, int salary) {
    this.id = id; this.firstName = firstName;
}

```



```
this.lastName = last Name; this.Salary = Salary;
```

```
public int getId () { return id; }
```

```
public String getFirst Name () { return firstName; }
```

```
public String get last Name () { return last Name; }
```

```
public String get full Name () {
```

```
    return last Name + " " + first Name; }
```

```
public int get Salary () { return Salary; }
```

```
public void set Salary (int Salary) {
```

```
    this.Salary = Salary;
```

```
}
```

```
public int get Annual Salary () { return Salary  
Salary * 12; }
```

```
public int up to Salary (int percent) {
```

```
    return Salary + (Salary * percent) / 100;
```

```
}
```

```
public String toString() {  
    return "Employee[id = " + id + ", name = " +  
    getFullName() + ", salary = " + salary + "];"  
}
```

}

Bài 4:

```
public class Account {
```

```
    private String id, name name;
```

```
    private int balance balance;
```

```
    public class Account (String id, String name, int  
    balance) {
```

```
        this.id = id;
```

```
        this.name = name;
```

```
        this.balance = balance;
```

}

```
    public String getID() {  
        return id;
```

}

```
    public String getName() {
```

```
        return name;  
    }  
    public int get Balance() {  
        return balance;  
    }  
}
```

```
public int credit (int amount) {  
    if (amount > 0) balance += amount;  
    return balance;  
}
```

```
public int debit (int amount) {  
    if (amount <= balance) balance -= amount;  
    else
```

```
        System.out.println("Munk tồn le hong thanh cong");  
    return balance;  
}
```

```
public int transferTo (Account account, int  
amount) {
```

```
    if (amount <= balance) {  
        this.balance -= amount;
```



```
System.out.println(a2);
```

```
a1.credit(100);
```

```
a2.credit(50);
```

```
a1.TransferTo(a2, 100);
```

```
System.out.println(a1);
```

```
System.out.println(a2);
```

```
}
```

Bài 5:

```
public class Date {
```

```
    private int day, month, year;
```

```
    public Date(int day, int month, int year)
```

```
    { this.day = day;
```

```
      this.month = month;
```

```
      this.year = year;
```

```
}
```



```
public int getDay () {  
    return day;  
}
```

```
public int getMonth () {  
    return month;  
}
```

```
public void setDay (int day) {  
    this.day = day;  
}
```

```
public int getMonth () {  
    return month;  
}
```

```
public void setMonth (int month) {  
    this.month = month;  
}
```

```
public int getYear () {  
    return year;  
}
```

```

        account.balance += amount;
    }
    else {
        System.out.println("Chuyển tiền thất bại" + thành
        công?);
    }
    return balance;
}

public String toString() {
    return "account [id=" + id + ", name="
    + name + ", balance=" + balance + "];"
}
}

```

```

public public class main {
    public static void main (String[] args) {
        Account a1 = new
        Account ("A101", "Tan Ah Teck", 88);
        Account a2 = new
        Account ("A102", "Kmar", 0);
        System.out.println(a1);
    }
}

```

```
public void setYear (int year) {  
    this.year = year;  
}
```

```
public void setDate (int day, int month, int  
year) {
```

```
    this.day = day;  
    this.month = month;  
    this.year = year;  
}
```

```
public boolean isLeapYear () {
```

```
    return (year % 400 == 0) || (year %  
4 == 0 && year % 100 != 0);  
}
```

@Override

```
public String toString () {
```

```
    return String.format ("%02d/%02d/%04d",  
day, month, year);  
}
```

```
}
```


public class main {

public static void main (String[] args) {

Date dt = new Date (1, 4, 2020)

System.out.println ("Ngay: " + dt.to

String ());

System.out.println ("Nam nhuan: " + dt.

isLeapYear ());

dt.setYear (2023);

System.out.println ("Nam moi: " + dt.get

Year ());

System.out.println ("Nam nhuan: "

+ dt.isLeapYear ());

}

}