
Pedagogical Policy

01 / CONCEPTUAL QUESTION INTAKE

Scenario 1: Conceptual questions




Student response states following a tutor-generated question or hint may invoke the Question Review Subprocess (Page 5).

Pedagogical Policy

02 / ADAPTIVE SUPPORT AND APPLICATION

Scenario 1: Conceptual questions




Student response states following a tutor-generated question or hint may invoke the Question Review Subprocess (Page 5).

Pedagogical Policy

01 / PROJECT APPLICATION QUESTION INTAKE

Scenario 2: Project application questions




Student may request review of any LLM-generated question, hint or response (Page 5).

Pedagogical Policy

02 / ADAPTIVE SUPPORT AND APPLICATION

Scenario 2: Project application questions



Each insufficient support response counts as one failed attempt; initial diagnosis does not count. Keep the count when returning to D. Reset once, when the interaction ends.

L: question blocked by the prerequisite gap (original or guiding). Retrying L stays within support.


Student may request review of any LLM-generated question, hint or response (Page 5).

Pedagogical Policy

05 / QUESTION APPROPRIATENESS REVIEW

Shared review: LLM-generated questions, hints and responses

This subprocess is triggered when a student explicitly requests a review of a tutor-generated question or hint. The system temporarily saves the current interaction state and evaluates whether the question or hint is appropriate for the student's current DES project stage and demonstrated understanding. Depending on the evaluation outcome, the system regenerates, rephrases, or retains the question or hint while providing additional guidance when appropriate. The previous interaction is then resumed without increasing the failed-attempt counter or advancing the learning stage.



Out of Scope or Incorrect Question / Hint: regenerate to fit the student's DES project stage and demonstrated understanding. Too Ambiguous: rephrase while preserving the learning objective. Appropriate: retain AND provide a more explicit hint; do not regenerate merely because review was requested. Resume with conversation context, diagnosed understanding, failed-attempt counter, and learning stage preserved. Keep the review outcome applied.