Norvaline

Table of Contents

summary

History

Sources

Uses

Dietary Supplementation

Therapeutic Implications

Food Additive

Regulatory and Research Considerations

Mechanism of Action

Promotion of Nitric Oxide Production

Impact on Branched-Chain Amino Acid Metabolism

Mechanisms of Regulation

Safety and Side Effects

Toxicity Concerns

Long-Term Effects

Individual Variability

Research

Toxicity and Health Effects

Clinical Applications

Exercise and Athletic Performance

Check https://storm.genie.stanford.edu/article/1166374 for more details

Stanford University Open Virtual Assistant Lab

The generated report can make mistakes.

Please consider checking important information.

The generated content does not represent the developer's viewpoint.

summary

Norvaline is a non-proteinogenic amino acid that has garnered significant interest in the fields of nutrition, health, and agriculture due to its potential to enhance nitric oxide (NO) production and influence metabolic functions. It is naturally found in a variety of food sources, including meat, dairy, legumes, and whole grains, as well as in certain microorganisms, which underscores its importance in dietary protein intake. [1][2][3] The growing body of research on norvaline highlights its promising applications, particularly in athletic performance enhancement, cardiovascular health, and metabolic interventions for chronic diseases such as type 2 diabetes. [4][5]

One of the primary mechanisms by which norvaline exerts its effects is through the inhibition of arginase, an enzyme that competes with nitric oxide synthase for L-arginine, the substrate necessary for NO synthesis. This action not only promotes vascular health by improving blood flow but also plays a role in regulating blood pressure, making norvaline a compound of interest for both athletes and individuals with metabolic dysfunctions.[1][4] Furthermore, norvaline is increasingly included in dietary supplements aimed at boosting exercise performance, alongside other ingredients like branched-chain amino acids and protein.[6]

Despite its potential benefits, the use of norvaline as a dietary supplement has sparked some controversy regarding its safety and efficacy. Research has raised concerns about potential toxicity at high doses, as well as possible long-term effects on health, including risks of neurological damage and metabolic disruptions.[7][8] The variability in individual responses to norvaline supplementation further complicates its use, emphasizing the necessity for additional rigorous studies to establish safety profiles and therapeutic applications.[9][10] Consequently, consumers are advised to consult healthcare providers before incorporating norvaline into their diets, particularly in supplement form.[6][7]

As the scientific community continues to explore norvaline's multifaceted roles, its significance in nutrition and health remains a dynamic area of investigation. The ongoing research not only aims to clarify its physiological effects but also addresses ethical considerations surrounding the use of amino acids in supplementation, ensuring compliance with health guidelines and regulations. [11][6][12]

History

Norvaline, a non-proteinogenic amino acid, has been the subject of research due to its potential applications in various fields including agriculture and health. The initial studies surrounding norvaline primarily focused on its biochemical properties and the necessity of understanding its role in nitric oxide (NO) production, which is crucial for various physiological processes.[1]

Significant advancements in the research of norvaline were supported by programs such as the National Key Basic Research Program, which provided funding for investigations into its effects and applications.[11] Collaborative efforts by researchers have resulted in comprehensive reviews that highlight the challenges in enhancing the endogenous production of NO, thus emphasizing the importance of norvaline in these processes.[1]

The involvement of multiple authors in the research initiatives demonstrates a growing interest in norvaline's potential, as they collectively analyzed various publications and contributed to the expansion of knowledge regarding its applications and bene-

fits.[11] Moreover, ethical considerations have been strictly adhered to, as evidenced by compliance with animal care and use guidelines in related experiments.[11]

Sources

Norvaline is an amino acid that can be found in various animal and plant-based food sources, contributing to dietary protein intake. Common dietary sources rich in norvaline include beef, chicken, pork, fish, tofu, yogurt, beans, podded peas, seeds, nuts, and whole grains such as oatmeal[2][13]. For individuals concerned about meeting their daily requirements of essential amino acids, increasing the intake of protein-rich foods, such as eggs, fish, and Greek yogurt, is often recommended[2][14].

In addition to its natural occurrence in foods, norvaline has been reported in certain microorganisms, including, , and, indicating its presence in some ecological systems[3]. Furthermore, norvaline can also be synthesized chemically for various applications, such as in biochemical research and material science[15][16].

For those seeking to augment their diet with norvaline or other amino acids, dietary supplements are also available, allowing for targeted nutritional intake[2][14]. However, it is advisable to adhere to a balanced diet to naturally obtain adequate amounts of essential amino acids[6].

Uses

Norvaline, an amino acid analogue, has garnered attention for its potential applications in various fields, particularly in nutrition and health.

Dietary Supplementation

Norvaline is often included in dietary supplements aimed at enhancing exercise and athletic performance. It is believed to play a role in promoting nitric oxide (NO) production, which helps relax blood vessels, thereby improving blood flow and regulating blood pressure. This function is crucial for cardiovascular health and athletic performance enhancement[4]. The amino acid is frequently marketed alongside other ingredients purported to support muscle growth and recovery, such as branched-chain amino acids (BCAAs), protein, and creatine[6].

Therapeutic Implications

Recent research has explored the implications of impaired BCAA metabolism, including norvaline's role in potential therapeutic applications for chronic diseases linked to metabolic dysfunction[5]. Specifically, norvaline supplementation has been studied for its effects on endothelial function, particularly in patients with type 2 diabetes (T2D), where it has shown promise in improving endothelial dysfunction[1]. This aspect suggests a broader scope of applications for norvaline beyond sports nutrition, potentially extending to metabolic health interventions.

Food Additive

In addition to its use in supplements, norvaline is also utilized as a food additive due to its nutritional and functional characteristics that are beneficial to health. It is incorporated into various food products to enhance their nutritional profiles, aligning with the growing trend of functional foods aimed at promoting overall well-being[12].

Regulatory and Research Considerations

As the popularity of norvaline and similar supplements increases, it is important for users to be aware of the regulatory status and the need for scientific validation of claims associated with these products. Many supplements, including those containing norvaline, lack rigorous clinical testing to substantiate their efficacy and safety profiles, making it crucial for consumers to consult healthcare providers before use[6][17].

Mechanism of Action

Norvaline, a non-proteinogenic amino acid, is recognized for its influence on nitric oxide (NO) production and branched-chain amino acid (BCAA) metabolism, which play critical roles in various physiological functions.

Promotion of Nitric Oxide Production

Norvaline is known to act as an inhibitor of arginase, an enzyme that competes with nitric oxide synthase (NOS) for L-arginine, the substrate necessary for NO synthesis. By inhibiting arginase activity, norvaline effectively increases the availability of L-arginine for NOS, thereby promoting the endogenous production of NO. This mechanism is particularly important for enhancing vascular function and blood flow, as NO is a potent vasodilator critical for cardiovascular health[1]. Moreover, norvaline's action may help in mitigating conditions associated with reduced NO bioavailability, such as endothelial dysfunction and hypertension.

Impact on Branched-Chain Amino Acid Metabolism

Norvaline has been implicated in the modulation of BCAA metabolism, which is crucial for muscle health and metabolic regulation. Research indicates that norvaline may influence the activity of branched-chain aminotransferases (BCATs), enzymes that facilitate the transamination of BCAAs, thus impacting their catabolism and overall metabolism in skeletal muscle[5]. Altered BCAA metabolism, particularly in the context of muscle wasting and fatigue, suggests that norvaline's effects on BCAT activity could contribute to improved muscle protein synthesis and recovery following exercise[5].

Mechanisms of Regulation

The mechanisms through which norvaline exerts its effects on NO production and BCAA metabolism involve a complex interplay of transcriptional and post-translational modifications. For instance, the regulation of eNOS (endothelial nitric oxide synthase) activity can be modulated by various factors including shear stress, oxidative stress, and the availability of cofactors such as tetrahydrobiopterin (BH4), which stabilizes eNOS dimers and prevents the generation of harmful superoxide[1]. By influencing these pathways, norvaline may indirectly enhance eNOS activity and promote optimal NO production.

Furthermore, the relationship between BCAA catabolism and lipid metabolism highlights that norvaline's effects may extend beyond simple inhibition of arginase to include broader metabolic implications, particularly in the context of exercise and dietary interventions[5].

Safety and Side Effects

L-norvaline is generally considered safe for most individuals when taken in recommended doses. However, some potential side effects may arise, including gastrointestinal discomfort, such as bloating or diarrhea, and occasional headaches, possibly due to changes in blood flow[7][18]. It is crucial for individuals with pre-existing medical conditions or those taking medications, particularly those affecting blood pressure or nitric oxide levels, to consult a healthcare professional before using L-norvaline[7][18].

Toxicity Concerns

While L-norvaline can enhance nitric oxide levels and overall performance, excessive intake can lead to toxicity. Extremely high doses of L-valine, a related branched-chain amino acid, may cause the body to produce excess ammonia, which is toxic and can result in neurological symptoms such as skin tingling or hallucinations[19]. Furthermore, those with kidney or liver disease are advised to avoid high amounts of amino acids, including L-norvaline, unless supervised by a healthcare provider. Children should not use BCAAs unless specifically recommended by a medical professional[19].

Long-Term Effects

Recent studies have raised concerns about the long-term use of L-norvaline, indicating potential damage to brain cells and mitochondrial dysfunction after extended supplementation periods[8][20]. Research suggests that although users may not initially experience adverse physical effects, prolonged consumption could lead to significant metabolic disruptions and cellular damage over time[20].

Individual Variability

It is important to note that individual responses to L-norvaline supplementation can vary significantly. Some users may experience beneficial effects at lower doses, while higher doses could become detrimental to health[9][6]. Given the lack of extensive studies specifically addressing L-norvaline's side effects, particularly in non-athletic populations, further research is necessary to fully understand its safety profile and potential risks associated with its use[6].

Research

Toxicity and Health Effects

Recent studies have raised concerns about the potential toxicity of L-norvaline, particularly regarding its effects on human cells. One study specifically investigated the toxicity of L-norvaline in human cells, focusing on its impact on brain health. However, subsequent rebuttals highlighted that the initial claims of toxicity were overstated, noting that in vivo toxicity has not been established and that the study primarily used a cell culture model with high concentrations of norvaline that are not representative of typical human exposure[8][21].

Clinical Applications

L-norvaline has garnered attention for its potential therapeutic applications. In particular, low branched-chain amino acid (BCAA) levels in subjects with urea cycle disorders (UCD) suggest a rationale for using BCAAs, including norvaline, as therapeutic agents. Despite the potential benefits, reports of clinical application remain limited, with only a small percentage of patients in European centers receiving BCAA supplementation for these conditions[22].

Exercise and Athletic Performance

In the context of exercise and athletic performance, various dietary supplements have been studied for their ergogenic effects, including those containing L-norvaline. However, research involving recreational exercisers and non-conditioned athletes is scarce, and much of the existing literature focuses on trained individuals. This limitation raises questions about the applicability of findings across different populations and activity levels[6].

Further research is needed to fully understand the efficacy, safety, and mechanisms of action of L-norvaline and similar supplements, particularly in enhancing exercise performance and muscle recovery. While preliminary findings suggest potential physiological benefits, the variability in response based on individual factors underscores the need for more comprehensive studies[10][23].

References

- [1]: Promotion of nitric oxide production: mechanisms, strategies, and ...
- [2]: Novel metabolic and physiological functions of branched chain ...
- [3]: Essential Amino Acids: Definition, Benefits, and Food Sources

- [4]: Top 10 Foods Highest in Valine My Food Data
- [5]: 9 Essential Amino Acids | Food Sources to Find Them FoodUnfolded
- [6]: Norvaline | C5H11NO2 | CID 65098 PubChem
- [7]: L-Norvaline Powder SYNTHETIKA
- [8]: Stereoselective synthesis of S-norvaline and related amino acids ...
- [9]: <u>Dietary Supplements for Exercise and Athletic Performance</u>
- [10]: Pre-Workout Supplements and Their Effects on Cardiovascular Health
- [11]: Branched-chain Amino Acids: Catabolism in Skeletal Muscle and ...
- [12]: DL -Norvaline analytical standard 760-78-1 Sigma-Aldrich
- [13]: [PDF] Preparticipation Physical Examinations and Disqualifying Condition
- [14]: Benefits of L-Norvaline Coco Active Nutrition
- [15]: Benefits of L-Norvaline Coco Active Nutrition
- [16]: L-VALINE: A GUIDE ON WHAT TO KNOW NF Sports
- [17]: Protein supplement L-norvaline may lead to neurodegenerative ...
- [18]: Popular bodybuilding supplement L-norvaline could be harmful to ...
- [19]: L-Norvaline: Benefits, Side Effects & Dosage |
- [20]: Is L-Norvaline Bad for the Brain? The Supplement Engineer
- [21]: Branched-chain amino acids in health and disease
- [22]: [PDF] Efficacy of amino acids in sports nutrition- review of clinical evidences
- [23]: Prohibited List | World Anti Doping Agency WADA