

To understand Continuous Integration by installing and configuring Jenkins with Maven to set up a build job."

- Set up an environment to support automated builds and testing.
 - Connect a version control system (GitHub) with Jenkins.
 - Set up Jenkins jobs that automatically respond to code changes.
-

Part A: Environment and Tool Setup

Step 1: Install Java JDK

Why?

Jenkins, Maven, and Gradle are Java-based tools and require the JDK to run.

Check Java Installation

```
bash
```

```
java -version
```

This command checks if Java is already installed and prints the current version (should be 11 or higher for compatibility).

◆ If Not Installed

Windows:

1. Download from Oracle:
<https://www.oracle.com/java/technologies/javase-jdk11-downloads.html>
2. After installation, **set the JAVA_HOME** environment variable:
 - Go to **System Properties → Environment Variables**
 - Add a new **System Variable**:
 - Name: JAVA_HOME

- Value: path to your JDK installation (e.g., C:\Program Files\Java\jdk-11)
- Add %JAVA_HOME%\bin to the PATH variable.

Step 2: Install Jenkins

Why?

Jenkins is the automation server that performs builds, tests, and integrates code changes automatically.

Recommended Method: WAR File

```
bash
```

```
wget http://mirrors.jenkins.io/war-stable/latest/jenkins.war
```

```
java -jar jenkins.war
```

This is the easiest setup for students without requiring system-level services.

◆ Access Jenkins in Browser:

Go to:

`http://localhost:8080`

◆ Unlock Jenkins

```
bash
```

```
cat ~/.jenkins/secrets/initialAdminPassword
```

Paste this password into the browser setup wizard.

◆ Install Plugins (Suggested Plugins)

- Jenkins automatically recommends essential plugins (Git, Maven, Pipeline, etc.)
- Select **Install Suggested Plugins** to continue.

◆ Create First Admin User

Fill out:

- Username
- Password
- Full Name
- Email

This account will be used to access the Jenkins dashboard.

Step 3: Install Build Tools (Maven/Gradle)

Why?

These are **build automation tools** for Java:

- **Maven** uses XML (pom.xml)
-

◆ A. Maven Installation

Windows:

1. Download from <https://maven.apache.org/download.cgi>
 2. Unzip and set MAVEN_HOME and add to PATH.
-

◆ Validate Installation

bash

java -version

mvn -v

Make sure all commands return valid version info. If not, installation is incomplete.

Part B: Configure Jenkins Tools

Step 1: Configure Global Tools

Go to:

Jenkins Dashboard → Manage Jenkins → Global Tool Configuration

◆ Java Configuration

- Name: JDK11
- Uncheck “Install automatically”
- Provide full JDK path (e.g., /usr/lib/jvm/java-11-openjdk)

Avoid auto-install for consistent environment across machines.

◆ Maven Configuration

- Name: Maven3
 - Uncheck “Install automatically”
 - Provide Maven path (e.g., /usr/share/maven or output of which mvn)
-

Step 2: Install Essential Plugins

Go to:

Manage Jenkins → Plugin Manager → Available Tab

Search and install:

- Git Plugin (to clone GitHub repos)
- Maven Integration Plugin
- GitHub Integration Plugin (for webhook & SCM link)
- JUnit Plugin (for test reports)
- Pipeline Plugin (optional, for advanced builds)

Restart Jenkins if prompted.

Part C: Connect Jenkins to GitHub Repository

Step 1: Create or Fork Java Project

Option A: Use Sample Maven Project

[e.g., Spring PetClinic](#)

Option B: Create your own Maven project

(Ensure you have pom.xml and sample test files)

Step 2: Configure GitHub Webhook

Go to your repository on GitHub → **Settings** → **Webhooks**

1. **Click Add Webhook**
2. Set:
 - **Payload URL:** `http://<your-local-ip>:8080/github-webhook/`
 - **Content type:** `application/json`
 - **Events:** Select “Just the push event”
3. **Click Add Webhook**

Use ngrok if Jenkins is running locally and GitHub needs external access:

```
bash
```

```
ngrok http 8080
```

Step 3: Add GitHub Credentials in Jenkins

(Only needed if the repo is private)

1. Jenkins → **Manage Jenkins** → **Credentials** → **(global)** → **Add Credentials**
2. Choose:

- **Kind:** Username with password
 - **Username:** your GitHub username
 - **Password:** your GitHub Personal Access Token (PAT)
-

How to Create a PAT

1. Go to GitHub → Profile → **Settings** → **Developer Settings** → **Tokens**
 2. Generate a classic token with scopes:
 - repo – full repo access
 - workflow – required for GitHub Actions access
 3. Copy and paste the token into Jenkins credentials
-

Part D: Create Jenkins Freestyle Project

Step 1: Create Job

1. Go to Jenkins Dashboard
 2. Click **New Item**
 3. Enter name: MyJavaCIJob
 4. Select **Freestyle Project**
 5. Click OK
-

Step 2: Configure Source Code Management

Under **Source Code Management:**

- Choose: Git
- Enter the **GitHub repository URL** (e.g., <https://github.com/your-name/spring-petclinic.git>)
- If repo is private → select credentials from dropdown

Step 3: Configure Build Triggers

Check:

GitHub hook trigger for GITScm polling

This allows Jenkins to automatically build the job every time code is pushed to GitHub (via webhook)

Step 4: Configure Build Environment

Optionally check:

Delete workspace before build starts

Ensures that each build starts fresh (no leftover artifacts)

Step 5: Add Build Steps

◆ **A. If using Maven:**

bash

mvn clean install

- clean: removes previous builds
- install: compiles code, runs tests, installs package to local repo

You can also add:

bash

mvn test

To run only unit tests.

Result:

- Jenkins pulls latest code on every push
- Compiles and tests the project
- Creates .jar or .war file
- Optionally, displays test reports (if configured)