
SAS Enterprise Miner Report

User = s198134
Date = 21:58:20 April 20
Project = AMS4640 (Car)
Diagram = 2023 04 18 2301

Start Node = Report2
Node label = Reporter
Nodes = ALL
Showall = Y

Format = PDF
Style = LISTING



SAS Enterprise Miner Report

Node=Save Data (3)
Summary

Node id = EMSave3
Node label = Save Data (3)
Meta path = FIMPORT => Stat => Part => Repl => AutoNeural => EMSave3
Notes =

Node=Save Data (3)
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	EMSave		Name			Train	Y	
AllObs	Y		OutObs	1000		Transaction	Y	
AllRoles	Y		Replace	Y		Type	XLSX	SAS7DBAT
DirectorySelector	D:\an		Score	Y		Validate	Y	
Lib			Test	Y				

Node=Save Data (3)
Variable Summary

Role	Level	Frequency Count	Name
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

Node=Save Data (3)
Data

Output Location	Total Observations	Saved Observations	Number of Variables
D:\an\em_save_TRAIN.xlsx	1218	MAX	20
D:\an\em_save_TEST.xlsx	527	MAX	20

SAS Enterprise Miner Report

Node=File Import
Summary

Node id = FIMPORT
Node label = File Import
Meta path = FIMPORT
Notes =

Node=File Import
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	FileImport		GuessRows	500		NameRow	Y	
AccessTable	NoTableName		IFileName	D:\Car1.csv		Password	NoPassword	
AdvancedAdvisor	N		ImportType	Local	LOCAL	Role	TRAIN	
Delimiter	,		MaxCols	10000		SkipRows	0	
FileType	csv	XLS	MaxRows	1000000		Summarize	N	

Node=File Import
Data Attributes

Attribute	Value	Attribute	Value	Attribute	Value
Data Name	FIMPORT_DATA	Date Created	20Apr2023:21:54:48	Data Size	132096
Data Type	DATA	Date Modified	20Apr2023:21:54:48	Role	TRAIN
Data Label		Number Rows	1745	Segment	
Engine	V9	Number Columns	7	Data Library	EMWS1

Node=File Import
Variables List

Name	Label	Role	Level	Type	Length	Format	Creator
Class		TARGET	ORDINAL	N	8	BEST12.0	
buying		INPUT	ORDINAL	N	8	BEST12.0	
door		INPUT	NOMINAL	N	8	BEST12.0	
lug_boot		INPUT	ORDINAL	N	8	BEST12.0	
maint		INPUT	ORDINAL	N	8	BEST12.0	
persons		INPUT	NOMINAL	N	8	BEST12.0	
safety		INPUT	ORDINAL	N	8	BEST12.0	

Node=File Import
Created Variables List

Name	Label	Role	Type	Length
buying		INPUT	N	8
Class		TARGET	N	8
door		INPUT	N	8
lug_boot		INPUT	N	8
maint		INPUT	N	8
persons		INPUT	N	8
safety		INPUT	N	8

SAS Enterprise Miner Report

Node=StatExplore
Summary

Node id = Stat
Node label = StatExplore
Meta path = FIMPORT => Stat
Notes =

Node=StatExplore
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	StatExplore		Correlation	Y		NObs	100000	1000000
BySegment	N	Y	DropRejected	Y		Pearson	Y	
ChiSquare	Y		HideVariable	Y		Spearman	N	
ChiSquareInterval	N		IntervalDistribution	Y		UseScore	N	
ChiSquareIntervalNBins	5		LevelSummary	Y		UseTest	N	
ClassDistribution	Y		MaximumVars	1000		UseValidate	N	

Node=StatExplore
Variable Summary

Role	Level	Frequency Count	Name
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

Node=StatExplore
Class Variables

Data Role	Target	Target Level	Variable Name	Level	CODE	Frequency Count	Type	Percent Within	Level Index	Role	Label	Percent	Plot
TRAIN	Class	.	buying	.	0	6	N	35.2941	1	INPUT	buying	0.00344	1
TRAIN	Class	.	buying	0	1	2	N	11.7647	2	INPUT	buying	0.00115	1
TRAIN	Class	0	buying	0	3	258	N	21.3223	2	INPUT	buying	0.14785	1
TRAIN	Class	1	buying	0	3	89	N	23.1771	2	INPUT	buying	0.05100	1
TRAIN	Class	2	buying	0	1	46	N	66.6667	2	INPUT	buying	0.02636	1
TRAIN	Class	3	buying	0	1	39	N	60.0000	2	INPUT	buying	0.02235	1
TRAIN	Class	.	buying	1	2	3	N	17.6471	3	INPUT	buying	0.00172	1
TRAIN	Class	0	buying	1	2	268	N	22.1488	3	INPUT	buying	0.15358	1
TRAIN	Class	1	buying	1	2	115	N	29.9479	3	INPUT	buying	0.06590	1
TRAIN	Class	2	buying	1	0	23	N	33.3333	3	INPUT	buying	0.01318	1
TRAIN	Class	3	buying	1	0	26	N	40.0000	3	INPUT	buying	0.01490	1
TRAIN	Class	.	buying	2	3	3	N	17.6471	4	INPUT	buying	0.00172	1
TRAIN	Class	0	buying	2	1	324	N	26.7769	4	INPUT	buying	0.18567	1
TRAIN	Class	1	buying	2	1	108	N	28.1250	4	INPUT	buying	0.06189	1
TRAIN	Class	.	buying	3	4	3	N	17.6471	5	INPUT	buying	0.00172	1
TRAIN	Class	0	buying	3	0	360	N	29.7521	5	INPUT	buying	0.20630	1
TRAIN	Class	1	buying	3	0	72	N	18.7500	5	INPUT	buying	0.04126	1
TRAIN	Class	.	door	.	0	6	N	35.2941	1	INPUT	door	0.00344	1
TRAIN	Class	0	door	2	0	326	N	26.9421	2	INPUT	door	0.18682	1
TRAIN	Class	1	door	2	0	81	N	21.0938	2	INPUT	door	0.04642	1

Data Role	Target	Target Level	Variable Name	Level	CODE	Frequency Count	Type	Percent Within	Level Index	Role	Label	Percent	Plot
TRAIN	Class	2	door	2	0	15	N	21.7391	2	INPUT	door	0.00860	1
TRAIN	Class	3	door	2	0	10	N	15.3846	2	INPUT	door	0.00573	0
TRAIN	Class	0	door	3	1	300	N	24.7934	3	INPUT	door	0.17192	0
TRAIN	Class	1	door	3	1	99	N	25.7813	3	INPUT	door	0.05673	0
TRAIN	Class	2	door	3	1	18	N	26.0870	3	INPUT	door	0.01032	0
TRAIN	Class	3	door	3	1	15	N	23.0769	3	INPUT	door	0.00860	0
TRAIN	Class	0	door	4	2	292	N	24.1322	4	INPUT	door	0.16734	0
TRAIN	Class	1	door	4	2	102	N	26.5625	4	INPUT	door	0.05845	0
TRAIN	Class	2	door	4	2	18	N	26.0870	4	INPUT	door	0.01032	0
TRAIN	Class	3	door	4	2	20	N	30.7692	4	INPUT	door	0.01146	0
TRAIN	Class	0	door	5	3	292	N	24.1322	5	INPUT	door	0.16734	0
TRAIN	Class	1	door	5	3	102	N	26.5625	5	INPUT	door	0.05845	0
TRAIN	Class	2	door	5	3	18	N	26.0870	5	INPUT	door	0.01032	0
TRAIN	Class	3	door	5	3	20	N	30.7692	5	INPUT	door	0.01146	0
TRAIN	Class	.	door	20	8	1	N	5.8824	6	INPUT	door	0.00057	0
TRAIN	Class	.	door	80	7	1	N	5.8824	7	INPUT	door	0.00057	0
TRAIN	Class	.	door	1.3699	6	1	N	5.8824	8	INPUT	door	0.00057	0
TRAIN	Class	.	door	1.7544	9	1	N	5.8824	9	INPUT	door	0.00057	0
TRAIN	Class	.	door	4.0094	2	1	N	5.8824	10	INPUT	door	0.00057	0
TRAIN	Class	.	door	7.8767	5	1	N	5.8824	11	INPUT	door	0.00057	0
TRAIN	Class	.	door	10.9589	3	1	N	5.8824	12	INPUT	door	0.00057	0
TRAIN	Class	.	door	29.8246	10	1	N	5.8824	13	INPUT	door	0.00057	0
TRAIN	Class	.	door	68.4211	11	1	N	5.8824	14	INPUT	door	0.00057	0
TRAIN	Class	.	door	79.7945	4	1	N	5.8824	15	INPUT	door	0.00057	0
TRAIN	Class	.	door	95.9906	1	1	N	5.8824	16	INPUT	door	0.00057	0
TRAIN	Class	.	lug_boot	.	0	6	N	35.2941	1	INPUT	lug_boot	0.00344	0
TRAIN	Class	0	lug_boot	0	0	450	N	37.1901	2	INPUT	lug_boot	0.25788	0
TRAIN	Class	1	lug_boot	0	0	105	N	27.3438	2	INPUT	lug_boot	0.06017	0
TRAIN	Class	2	lug_boot	0	0	21	N	30.4348	2	INPUT	lug_boot	0.01203	0
TRAIN	Class	.	lug_boot	1	9	1	N	5.8824	3	INPUT	lug_boot	0.00057	0
TRAIN	Class	0	lug_boot	1	1	392	N	32.3967	3	INPUT	lug_boot	0.22464	0
TRAIN	Class	1	lug_boot	1	1	135	N	35.1563	3	INPUT	lug_boot	0.07736	0
TRAIN	Class	2	lug_boot	1	1	24	N	34.7826	3	INPUT	lug_boot	0.01375	0
TRAIN	Class	3	lug_boot	1	1	25	N	38.4615	3	INPUT	lug_boot	0.01433	0
TRAIN	Class	.	lug_boot	2	8	1	N	5.8824	4	INPUT	lug_boot	0.00057	0
TRAIN	Class	0	lug_boot	2	2	368	N	30.4132	4	INPUT	lug_boot	0.21089	0
TRAIN	Class	1	lug_boot	2	2	144	N	37.5000	4	INPUT	lug_boot	0.08252	0
TRAIN	Class	2	lug_boot	2	2	24	N	34.7826	4	INPUT	lug_boot	0.01375	0
TRAIN	Class	3	lug_boot	2	0	40	N	61.5385	4	INPUT	lug_boot	0.02292	0
TRAIN	Class	.	lug_boot	4	6	1	N	5.8824	5	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	8	7	1	N	5.8824	6	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	17	10	1	N	5.8824	7	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	23	5	1	N	5.8824	8	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	32	3	1	N	5.8824	9	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	34	2	1	N	5.8824	10	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	39	11	1	N	5.8824	11	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	233	4	1	N	5.8824	12	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	lug_boot	814	1	1	N	5.8824	13	INPUT	lug_boot	0.00057	0
TRAIN	Class	.	maint	.	0	6	N	35.2941	1	INPUT	maint	0.00344	0
TRAIN	Class	.	maint	0	1	2	N	11.7647	2	INPUT	maint	0.00115	0
TRAIN	Class	0	maint	0	3	268	N	22.1488	2	INPUT	maint	0.15358	0

Data Role	Target	Target Level	Variable Name	Level	CODE	Frequency Count	Type	Percent Within	Level Index	Role	Label	Percent	Plot
TRAIN	Class	1	maint	0	1	92	N	23.9583	2	INPUT	maint	0.05272	0
TRAIN	Class	2	maint	0	0	46	N	66.6667	2	INPUT	maint	0.02636	0
TRAIN	Class	3	maint	0	1	26	N	40.0000	2	INPUT	maint	0.01490	0
TRAIN	Class	.	maint	1	2	4	N	23.5294	3	INPUT	maint	0.00229	0
TRAIN	Class	0	maint	1	2	268	N	22.1488	3	INPUT	maint	0.15358	0
TRAIN	Class	1	maint	1	0	115	N	29.9479	3	INPUT	maint	0.06590	0
TRAIN	Class	2	maint	1	1	23	N	33.3333	3	INPUT	maint	0.01318	0
TRAIN	Class	3	maint	1	0	26	N	40.0000	3	INPUT	maint	0.01490	0
TRAIN	Class	.	maint	2	3	2	N	11.7647	4	INPUT	maint	0.00115	0
TRAIN	Class	0	maint	2	1	314	N	25.9504	4	INPUT	maint	0.17994	0
TRAIN	Class	1	maint	2	2	105	N	27.3438	4	INPUT	maint	0.06017	0
TRAIN	Class	3	maint	2	2	13	N	20.0000	4	INPUT	maint	0.00745	0
TRAIN	Class	.	maint	3	4	3	N	17.6471	5	INPUT	maint	0.00172	0
TRAIN	Class	0	maint	3	0	360	N	29.7521	5	INPUT	maint	0.20630	0
TRAIN	Class	1	maint	3	3	72	N	18.7500	5	INPUT	maint	0.04126	0
TRAIN	Class	.	persons	.	0	6	N	35.2941	1	INPUT	persons	0.00344	0
TRAIN	Class	0	persons	0	0	576	N	47.6033	2	INPUT	persons	0.33009	0
TRAIN	Class	0	persons	1	1	312	N	25.7851	3	INPUT	persons	0.17880	0
TRAIN	Class	1	persons	1	0	198	N	51.5625	3	INPUT	persons	0.11347	0
TRAIN	Class	2	persons	1	0	36	N	52.1739	3	INPUT	persons	0.02063	0
TRAIN	Class	3	persons	1	0	30	N	46.1538	3	INPUT	persons	0.01719	0
TRAIN	Class	0	persons	2	2	322	N	26.6116	4	INPUT	persons	0.18453	0
TRAIN	Class	1	persons	2	1	186	N	48.4375	4	INPUT	persons	0.10659	0
TRAIN	Class	2	persons	2	1	33	N	47.8261	4	INPUT	persons	0.01891	0
TRAIN	Class	3	persons	2	1	35	N	53.8462	4	INPUT	persons	0.02006	0
TRAIN	Class	.	persons	0.3731	9	1	N	5.8824	5	INPUT	persons	0.00057	0
TRAIN	Class	.	persons	3.7825	3	1	N	5.8824	6	INPUT	persons	0.00057	0
TRAIN	Class	.	persons	4.4444	8	1	N	5.8824	7	INPUT	persons	0.00057	0
TRAIN	Class	.	persons	8.8889	6	1	N	5.8824	8	INPUT	persons	0.00057	0

Node=StatExplore
Cell Chi-Squares

Data Role	Segment	Segment Id	Segment Name:Value	Target	Input	Target: Formatted Value	Input: Formatted Value	Frequency Count	Target: Numeric Value	Input: Numeric Value	Chi-Square	Log Chi Square	Role	Label
TRAIN			_OVERALL_	Class	buying	.	.	6	.	.	603.941	6.40348	INPUT	buying
TRAIN			_OVERALL_	Class	buying	.	0	2	.	0.000	1.174	0.16053	INPUT	buying
TRAIN			_OVERALL_	Class	buying	.	1	3	.	1.000	0.362	-1.01734	INPUT	buying
TRAIN			_OVERALL_	Class	buying	.	2	3	.	2.000	0.362	-1.01734	INPUT	buying
TRAIN			_OVERALL_	Class	buying	.	3	3	.	3.000	0.362	-1.01734	INPUT	buying
TRAIN			_OVERALL_	Class	buying	0	0	258	0	0.000	6.127	1.81269	INPUT	buying
TRAIN			_OVERALL_	Class	buying	0	1	268	0	1.000	3.750	1.32182	INPUT	buying
TRAIN			_OVERALL_	Class	buying	0	2	324	0	2.000	1.659	0.50594	INPUT	buying
TRAIN			_OVERALL_	Class	buying	0	3	360	0	3.000	11.294	2.42428	INPUT	buying
TRAIN			_OVERALL_	Class	buying	1	0	89	1	0.000	0.443	-0.81407	INPUT	buying
TRAIN			_OVERALL_	Class	buying	1	1	115	1	1.000	3.881	1.35615	INPUT	buying
TRAIN			_OVERALL_	Class	buying	1	2	108	1	2.000	1.574	0.45366	INPUT	buying
TRAIN			_OVERALL_	Class	buying	1	3	72	1	3.000	5.880	1.77157	INPUT	buying
TRAIN			_OVERALL_	Class	buying	2	0	46	2	0.000	48.464	3.88081	INPUT	buying
TRAIN			_OVERALL_	Class	buying	2	1	23	2	1.000	1.955	0.67058	INPUT	buying
TRAIN			_OVERALL_	Class	buying	3	0	39	3	0.000	32.251	3.47356	INPUT	buying


Data Role	Segment	Segment Id	Segment Name:Value	Target	Input	Target: Formatted Value	Input: Formatted Value	Frequency Count	Target: Numeric Value	Input: Numeric Value	Chi-Square	Log Chi Square	Role	Label
TRAIN			_OVERALL_	Class	buying	3	1	26	3	1.000	5.923	1.77884	INPUT	buying
TRAIN			_OVERALL_	Class	door	.	.	6	.	.	603.941	6.40348	INPUT	door
TRAIN			_OVERALL_	Class	door	.	20	1	.	20.000	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	80	1	.	80.000	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	1.3699	1	.	1.370	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	1.7544	1	.	1.754	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	4.0094	1	.	4.009	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	7.8767	1	.	7.877	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	10.9589	1	.	10.959	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	29.8246	1	.	29.825	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	68.4211	1	.	68.421	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	79.7945	1	.	79.795	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	.	95.9906	1	.	95.991	100.657	4.61172	INPUT	door
TRAIN			_OVERALL_	Class	door	0	2	326	0	2.000	2.335	0.84799	INPUT	door
TRAIN			_OVERALL_	Class	door	0	3	300	0	3.000	0.001	-7.31272	INPUT	door
TRAIN			_OVERALL_	Class	door	0	4	292	0	4.000	0.190	-1.65840	INPUT	door
TRAIN			_OVERALL_	Class	door	0	5	292	0	5.000	0.190	-1.65840	INPUT	door
TRAIN			_OVERALL_	Class	door	1	2	81	1	2.000	2.081	0.73279	INPUT	door
TRAIN			_OVERALL_	Class	door	1	3	99	1	3.000	0.163	-1.81461	INPUT	door
TRAIN			_OVERALL_	Class	door	1	4	102	1	4.000	0.506	-0.68133	INPUT	door
TRAIN			_OVERALL_	Class	door	1	5	102	1	5.000	0.506	-0.68133	INPUT	door
TRAIN			_OVERALL_	Class	door	2	2	15	2	2.000	0.254	-1.37141	INPUT	door
TRAIN			_OVERALL_	Class	door	2	3	18	2	3.000	0.049	-3.00903	INPUT	door
TRAIN			_OVERALL_	Class	door	2	4	18	2	4.000	0.049	-3.00903	INPUT	door
TRAIN			_OVERALL_	Class	door	2	5	18	2	5.000	0.049	-3.00903	INPUT	door
TRAIN			_OVERALL_	Class	door	3	2	10	3	2.000	2.306	0.83555	INPUT	door
TRAIN			_OVERALL_	Class	door	3	3	15	3	3.000	0.074	-2.60285	INPUT	door
TRAIN			_OVERALL_	Class	door	3	4	20	3	4.000	0.949	-0.05209	INPUT	door
TRAIN			_OVERALL_	Class	door	3	5	20	3	5.000	0.949	-0.05209	INPUT	door
TRAIN			_OVERALL_	Class	lug_boot	.	.	6	.	.	603.941	6.40348	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	1	1	.	1.000	3.799	1.33476	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	2	1	.	2.000	3.799	1.33476	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	4	1	.	4.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	8	1	.	8.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	17	1	.	17.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	23	1	.	23.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	32	1	.	32.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	34	1	.	34.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	39	1	.	39.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	233	1	.	233.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	.	814	1	.	814.000	100.657	4.61172	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	0	0	450	0	0.000	6.409	1.85777	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	0	1	392	0	1.000	0.164	-1.80862	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	0	2	368	0	2.000	2.575	0.94584	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	1	0	105	1	0.000	3.733	1.31726	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	1	1	135	1	1.000	0.507	-0.67837	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	1	2	144	1	2.000	2.283	0.82562	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	2	0	21	2	0.000	0.138	-1.97705	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	2	1	24	2	1.000	0.061	-2.78875	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	2	2	24	2	2.000	0.061	-2.78875	INPUT	lug_boot

Data Role	Segment	Segment Id	Segment Name:Value	Target	Input	Target: Formatted Value	Input: Formatted Value	Frequency Count	Target: Numeric Value	Input: Numeric Value	Chi-Square	Log Chi Square	Role	Label
TRAIN			_OVERALL_	Class	lug_boot	3	1	25	3	1.000	0.572	-0.55810	INPUT	lug_boot
TRAIN			_OVERALL_	Class	lug_boot	3	2	40	3	2.000	15.936	2.76860	INPUT	lug_boot
TRAIN			_OVERALL_	Class	maint	.	.	6	.	.	603.941	6.40348	INPUT	maint
TRAIN			_OVERALL_	Class	maint	.	0	2	.	0.000	1.174	0.16053	INPUT	maint
TRAIN			_OVERALL_	Class	maint	.	1	4	.	1.000	0.014	-4.23851	INPUT	maint
TRAIN			_OVERALL_	Class	maint	.	2	2	.	2.000	1.174	0.16053	INPUT	maint
TRAIN			_OVERALL_	Class	maint	.	3	3	.	3.000	0.362	-1.01734	INPUT	maint
TRAIN			_OVERALL_	Class	maint	0	0	268	0	0.000	3.605	1.28245	INPUT	maint
TRAIN			_OVERALL_	Class	maint	0	1	268	0	1.000	3.898	1.36034	INPUT	maint
TRAIN			_OVERALL_	Class	maint	0	2	314	0	2.000	0.567	-0.56778	INPUT	maint
TRAIN			_OVERALL_	Class	maint	0	3	360	0	3.000	11.294	2.42428	INPUT	maint
TRAIN			_OVERALL_	Class	maint	1	0	92	1	0.000	0.129	-2.05087	INPUT	maint
TRAIN			_OVERALL_	Class	maint	1	1	115	1	1.000	3.784	1.33089	INPUT	maint
TRAIN			_OVERALL_	Class	maint	1	2	105	1	2.000	0.944	-0.05762	INPUT	maint
TRAIN			_OVERALL_	Class	maint	1	3	72	1	3.000	5.880	1.77157	INPUT	maint
TRAIN			_OVERALL_	Class	maint	2	0	46	2	0.000	48.464	3.88081	INPUT	maint
TRAIN			_OVERALL_	Class	maint	2	1	23	2	1.000	1.924	0.65460	INPUT	maint
TRAIN			_OVERALL_	Class	maint	3	0	26	3	0.000	5.982	1.78873	INPUT	maint
TRAIN			_OVERALL_	Class	maint	3	1	26	3	1.000	5.865	1.76892	INPUT	maint
TRAIN			_OVERALL_	Class	maint	3	2	13	3	2.000	0.620	-0.47786	INPUT	maint
TRAIN			_OVERALL_	Class	persons	.	.	6	.	.	603.941	6.40348	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	0.3731	1	.	0.373	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	3.7825	1	.	3.783	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	4.4444	1	.	4.444	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	8.8889	1	.	8.889	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	12.6866	1	.	12.687	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	16.6667	1	.	16.667	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	35.4167	1	.	35.417	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	47.9167	1	.	47.917	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	86.6667	1	.	86.667	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	86.9403	1	.	86.940	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	.	96.2175	1	.	96.218	100.657	4.61172	INPUT	persons
TRAIN			_OVERALL_	Class	persons	0	0	576	0	0.000	78.082	4.35776	INPUT	persons
TRAIN			_OVERALL_	Class	persons	0	1	312	0	1.000	19.127	2.95111	INPUT	persons

Target	Variable	Importance	Worth	Analysis Variable	Label	plot
Class	safety	1	0.15480	1	safety	.
Class	persons	2	0.09979	1	persons	.
Class	buying	3	0.02428	1	buying	.
Class	maint	4	0.01890	1	maint	.
Class	lug_boot	5	0.00855	1	lug_boot	.
Class	door	6	0.00226	1	door	.

Data Role	Segment	Segment Id	Segment Name:Value	Target	Input	Cramer's V	Prob	Chi-Square	Df	Role	Label	Ordered Inputs	Group	Plot
TRAIN			_OVERALL_	Class	safety	0.56511	<.0001	2229.0380	60	INPUT	safety	1	1	1
TRAIN			_OVERALL_	Class	persons	0.55111	<.0001	2119.9899	56	INPUT	persons	2	2	1
TRAIN			_OVERALL_	Class	door	0.50150	<.0001	1755.4869	60	INPUT	door	3	3	1
TRAIN			_OVERALL_	Class	lug_boot	0.47755	<.0001	1591.8134	48	INPUT	lug_boot	4	4	1

Data Role	Segment	Segment Id	Segment Name:Value	Target	Input	Cramer's V	Prob	Chi-Square	Df	Role	Label	Ordered Inputs	Group	Plot
TRAIN			_OVERALL_	Class	buying	0.33900	<.0001	802.1508	16	INPUT	buying	5	5	1
TRAIN			_OVERALL_	Class	maint	0.32913	<.0001	756.1272	16	INPUT	maint	6	6	1



SAS Enterprise Miner Report

Node=Data Partition Summary

Node id = Part
Node label = Data Partition
Meta path = FIMPORT => Stat => Part
Notes =

Node=Data Partition Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	Partition		Method	DEFAULT		TestPct	30	
ClassDistribution	Y		OutputType	DATA		TrainPct	70	40
IntervalDistribution	Y		RandomSeed	12345		ValidatePct	0	30

Node=Data Partition Variable Summary

Role	Level	Frequency Count	Name
TARGET	ORDINAL	1	Class
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

Node=Data Partition Class Variables

Data	Variable	Numeric Value	Formatted Value	Frequency Count	Percent	Label
DATA	Class	.	.	17	0.9742	
DATA	Class	0	0	1210	69.3410	
DATA	Class	1	1	384	22.0057	
DATA	Class	2	2	69	3.9542	
DATA	Class	3	3	65	3.7249	
TEST	Class	.	.	6	1.1385	
TEST	Class	0	0	364	69.0702	
TEST	Class	1	1	116	22.0114	
TEST	Class	2	2	21	3.9848	
TEST	Class	3	3	20	3.7951	
TRAIN	Class	.	.	11	0.9031	
TRAIN	Class	0	0	846	69.4581	
TRAIN	Class	1	1	268	22.0033	
TRAIN	Class	2	2	48	3.9409	
TRAIN	Class	3	3	45	3.6946	

SAS Enterprise Miner Report

Node=Replacement
Summary

Node id = Repl
Node label = Replacement
Meta path = FIMPORT => Stat => Part => Repl
Notes =

Node=Replacement
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	Replace		IntervalMethod	NONE		SpacingsCutoff	9.0	9
CalcMethod	STDDEV		MADSCutoff	9.0	9	StddevCutoff	3.0	3
CountReport	Y		PercentsCutoff	0.5		UnknownLevel	NONE	MODE
HideVariable	N		ReplaceMethod	COMPUTED				

Node=Replacement
Variable Summary

Role	Level	Frequency Count	Name
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

SAS Enterprise Miner Report

Node=Transform Variables Summary

Node id = Trans
Node label = Transform Variables
Meta path = FIMPORT => Stat => Part => Repl => Trans
Notes =

Node=Transform Variables Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	Transform		EmSampleSize	DEFAULT		MissingValue	USEINSEARCH	
DefaultClassMethod	NONE		GroupCutoff	0.1		NumberofBins	VARIABLES	
DefaultClassTargetMethod	NONE		GroupMissing	N		Offset	1	
DefaultMethod	NONE		HideVariable	Y		RejectVariable	Y	
DefaultTargetMethod	NONE		MaxOptimalBins	4		SummaryStatistics	Y	
EmRandomSeed	12345		MinOffset	Y		SummaryVariables	TRANSFORMED	
EmSampleMethod	FIRSTN		MissingAsLevel	N		UseMetaTransform	Y	

Node=Transform Variables Variable Summary

Role	Level	Frequency Count	Name
TARGET	ORDINAL	1	Class
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

SAS Enterprise Miner Report

Node=Neural Network
Summary

Node id = Neural
Node label = Neural Network
Meta path = FIMPORT => Stat => Part => Repl => Trans => Neural
Notes =

Node=Neural Network
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	NeuralNetwork		Hidden	3		Prelim	Y	
AbsConvValue	-1.34078E154	-7.237006E75	HiddenActivation	DEFAULT		PrelimMaxTime	1 HOUR	
AbsFTime	1		HiddenBias	Y		PrelimMaxiter	10	
AbsFValue	0		HiddenCombFunction	DEFAULT		PrelimOutest		
AbsGTime	1		HiddenUnits	N		PreliminaryRuns	5	
AbsGValue	0.00001		InitialDs			RandDist	NORMAL	
AbsXTime	1		InitialSeed	12345		RandLoc	0	
AbsXValue	1E-8		InputStandardization	STD		RandScale	0.1	
Accelerate	1.2		Learn	0.1		Residuals	Y	
AddHidden	Y		MaxLearn	50		Standardizations	N	
CodefileNoRes			MaxMomentum	1.75		SuppressOutput	N	
CodefileRes			Maxiter	50		TargetActivation	DEFAULT	
ConvDefaults	Y		Maxtime	4 HOURS		TargetBias	Y	
Decelerate	0.5		MinLearn	0.00001		TargetCombFunction	DEFAULT	
DirectConnection	Y	N	ModelSelectionCriterion	PROFIT/LOSS		TargetError	DEFAULT	
FConvTime	1		Momentum	0		Tilt	0	
FConvValue	0		NetworkArchitecture	MLP		TrainCode		
GConvTime	1		Outest			TrainingTechnique	BPROP	DEFAULT
GConvValue	1E-6		Outfit			UseEstimates	N	

Node=Neural Network
Variable Summary

Role	Level	Frequency Count	Name
TARGET	ORDINAL	1	Class
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety


Node=Neural Network
Model Fit Statistics

Target=Class Target Label=' '

Label of Statistic	Train	Validation	Test
Total Degrees of Freedom	3621.00	.	.
Degrees of Freedom for Error	3416.00	.	.
Model Degrees of Freedom	205.00	.	.
Number of Estimated Weights	205.00	.	.
Akaike's Information Criterion	1874.66	.	.

Target=Class Target Label=' '

Label of Statistic	Train	Validation	Test
Schwarz's Bayesian Criterion	3144.53	.	.
Average Squared Error	0.08	.	0.08
Maximum Absolute Error	0.96	.	0.96
Divisor for ASE	4828.00	.	2084.00
Sum of Frequencies	1207.00	.	521.00
Root Average Squared Error	0.28	.	0.28
Sum of Squared Errors	381.43	.	165.34
Sum of Case Weights Times Freq	4828.00	.	2084.00
Final Prediction Error	0.09	.	.
Mean Squared Error	0.08	.	0.08
Root Final Prediction Error	0.30	.	.
Root Mean Squared Error	0.29	.	0.28
Average Error Function	0.30	.	0.31
Error Function	1464.66	.	637.51
Misclassification Rate	0.26	.	0.26
Number of Wrong Classifications	309.00	.	135.00




Node=Neural Network
Event Classification


Target Variable=Class Data Role=TRAIN


Target	Outcome	State	Frequency Count	Percent
.	0	Incorrect	5	0.4105
0	0	Correct	809	66.4204
1	0	Incorrect	179	14.6962
2	0	Incorrect	42	3.4483
3	0	Incorrect	15	1.2315


Target Variable=Class Data Role=TRAIN


Target	Outcome	State	Frequency Count	Percent
.	1	Incorrect	5	0.4105
0	1	Incorrect	37	3.0378
1	1	Correct	89	7.3071
2	1	Incorrect	6	0.4926
3	1	Incorrect	30	2.4631
.	3	Incorrect	1	0.0821




SAS Enterprise Miner Report
Node=Neural Network
Model Assessment Scores where TARGET='Class'
Data Role = TRAIN
Cumulative Lift
Depth
0
5
10
15
20
0
20
40
60
80
100
Cumulative Lift
Baseline Cumulative Lift
Best Cumulative Lift


SAS Enterprise Miner Report
Node=Neural Network
Model Assessment Scores where TARGET='Class'
Data Role = TRAIN
Cumulative % Captured Response
Depth
0
20
40
60
80
100
0
20
40
60
80
100
Cumulative % Captured Response
Baseline Cumulative % Captured Response
Best Cumulative % Captured Response





Node=Neural Network
Score Distributions

Target Variable=Class Data Role=TRAIN

Posterior Probability Range	Number of Events	Percentage of Events	Percentage of Nonevents	Cumulative Percentage of Events	Cumulative Percentage of Nonevents
0.80-0.85	0	0.0000	0.0853	0.000	0.085
0.10-0.15	10	22.2222	4.3478	22.222	4.433
0.05-0.10	35	77.7778	21.7391	100.000	26.172
0.00-0.05	0	0.0000	73.8278	100.000	100.000

SAS Enterprise Miner Report

Node=AutoNeural
Summary

Node id = AutoNeural
Node label = AutoNeural
Meta path = FIMPORT => Stat => Part => Repl => AutoNeural
Notes =

Node=AutoNeural
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	AutoNeural		HistoryDs			Tanh	Y	
AdjustIterations	Y		Identity	N		TargetError	DEFAULT	
Architecture	SINGLE LAYER		Logistic	N		Termination	OVERFITTING	
Bestds			MaxIter	8		Tolerance	MEDIUM	
Direct	Y		Normal	Y		TotalHidden	30	
Exponential	N		Reciprocal	N		TotalTime	1 HOUR	1 Hour
FinalIter	5		Residuals	Y		TrainAction	SEARCH	
FinalTrain	Y		Sine	Y		estds		
Freeze	N		Softmax	N		outfit		
Hidden	2		Square	N		weights		
HiddenUnits	N		Standardizations	N				

Node=AutoNeural
Variable Summary

Role	Level	Frequency Count	Name
TARGET	ORDINAL	1	Class
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety


Node=AutoNeural
Model Fit Statistics

Target=Class Target Label=' '

Label of Statistic	Train	Validation	Test
Total Degrees of Freedom	3621.00	.	.
Degrees of Freedom for Error	3006.00	.	.
Model Degrees of Freedom	615.00	.	.
Number of Estimated Weights	615.00	.	.
Akaike's Information Criterion	13665.93	.	.
Schwarz's Bayesian Criterion	17475.55	.	.
Average Squared Error	0.29	.	0.29
Maximum Absolute Error	1.00	.	1.00
Divisor for ASE	4828.00	.	2084.00
Sum of Frequencies	1207.00	.	521.00
Root Average Squared Error	0.53	.	0.54
Sum of Squared Errors	1381.83	.	596.82
Sum of Case Weights Times Freq	4828.00	.	2084.00

Target=Class Target Label=' '

Label of Statistic	Train	Validation	Test
Final Prediction Error	0.40	.	.
Mean Squared Error	0.34	.	0.29
Root Final Prediction Error	0.64	.	.
Root Mean Squared Error	0.59	.	0.54
Average Error Function	2.58	.	2.67
Error Function	12435.93	.	5572.18
Misclassification Rate	0.67	.	0.68
Number of Wrong Classifications	804.00	.	354.00




Node=AutoNeural
Event Classification


Target Variable=Class Data Role=TRAIN


Target	Outcome	State	Frequency Count	Percent
.	0	Incorrect	5	0.4105
0	0	Correct	161	13.2184
1	0	Incorrect	3	0.2463
.	1	Incorrect	2	0.1642
0	1	Incorrect	490	40.2299
1	1	Correct	192	15.7635
.	2	Incorrect	2	0.1642
0	2	Incorrect	99	8.1281
1	2	Incorrect	58	4.7619
2	2	Correct	15	1.2315
3	2	Incorrect	10	0.8210
.	3	Incorrect	2	0.1642
0	3	Incorrect	96	7.8818


Target Variable=Class Data Role=TRAIN


Target	Outcome	State	Frequency Count	Percent
1	3	Incorrect	15	1.2315
2	3	Incorrect	33	2.7094
3	3	Correct	35	2.8736




SAS Enterprise Miner Report
Node=AutoNeural
Model Assessment Scores where TARGET='Class'
Data Role = TRAIN
Cumulative Lift
Depth
Cumulative Lift
Baseline Cumulative Lift
Best Cumulative Lift


SAS Enterprise Miner Report
Node=AutoNeural
Model Assessment Scores where TARGET='Class'
Data Role = TRAIN
Cumulative % Captured Response
Depth
Cumulative % Captured Response
Baseline Cumulative % Captured Response
Best Cumulative % Captured Response





Node=AutoNeural
Score Distributions

Target Variable=Class Data Role=TRAIN

Posterior Probability Range	Number of Events	Percentage of Events	Percentage of Nonevents	Cumulative Percentage of Events	Cumulative Percentage of Nonevents
0.95-1.00	18	40.0000	4.3478	40.000	4.348
0.90-0.95	3	6.6667	1.7903	46.667	6.138
0.85-0.90	6	13.3333	1.5345	60.000	7.673
0.80-0.85	1	2.2222	1.0230	62.222	8.696
0.75-0.80	2	4.4444	0.7673	66.667	9.463
0.70-0.75	2	4.4444	0.6820	71.111	10.145
0.65-0.70	1	2.2222	0.5115	73.333	10.656
0.60-0.65	0	0.0000	0.5968	73.333	11.253
0.55-0.60	0	0.0000	0.9378	73.333	12.191
0.50-0.55	2	4.4444	0.2558	77.778	12.447
0.45-0.50	0	0.0000	0.2558	77.778	12.702
0.40-0.45	0	0.0000	0.7673	77.778	13.470
0.35-0.40	0	0.0000	0.6820	77.778	14.152
0.30-0.35	0	0.0000	0.4263	77.778	14.578
0.25-0.30	2	4.4444	0.8525	82.222	15.431
0.20-0.25	0	0.0000	0.9378	82.222	16.368
0.15-0.20	1	2.2222	0.9378	84.444	17.306
0.10-0.15	1	2.2222	1.6198	86.667	18.926
0.05-0.10	3	6.6667	1.7903	93.333	20.716
0.00-0.05	3	6.6667	79.2839	100.000	100.000

SAS Enterprise Miner Report

Node=Reporter
Summary

Node id = Report3
Node label = Reporter
Meta path = FIMPORT => Stat => Part => Repl => Trans => Neural => Report3
Notes =

Node=Reporter
Properties

Property	Value	Default	Property	Value	Default	Property	Value	Default
Component	Reporter		LiftChart	Y		basicoutput	Y	
Classification	Y		Nodes	ALL	PATH	headersize	8	
CompareMdl	Y		ShowAll	N		textfont	Arial	
CrossTabs	Y		Style	LISTING	DEFAULT	textsize	6	
FitStat	Y		Summarization	Y		titlesize	10	
Format	PDF		VarRanking	Y				

Node=Reporter
Variable Summary

Role	Level	Frequency Count	Name
INPUT	NOMINAL	2	door persons
INPUT	ORDINAL	4	buying lug_boot maint safety

End of Report