
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
US_01 BlueRentalCars Positive Login	1 m 9.338 s	4	0	4	0	28	20	4	4	

#	Feature Name	Scenario Name
1	US_01 BlueRentalCars Positive Login	TC_01 User logs in with valid information
2		TC_01 User logs in with valid information
3		TC_01 User logs in with valid information
4		TC_01 User logs in with valid information


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@blue_rental_car_positive	4	0	4	0	1	0	1	0
@test_runner	4	0	4	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	US_01 BlueRentalCars Positive Login	4	0	4	0	1 m 9.338 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_01 BlueRentalCars Positive Login	TC_01 User logs in with valid information	7	5	1	1	21.529 s
2		TC_01 User logs in with valid information	7	5	1	1	15.957 s
3		TC_01 User logs in with valid information	7	5	1	1	15.935 s
4		TC_01 User logs in with valid information	7	5	1	1	15.879 s

DETAILED SECTION -- 7 --

US_01 BlueRentalCars Positive Login



TC_01 User logs in with valid information




#	Step / Hook Details	Status	Duration
1	Given User goes to "https://www.bluerentalcars.com/"	PASSED	4.668 s
2	When User clicks on login button to go to login page	PASSED	0.903 s
3	And User enters valid username "kate.brown@bluerentalcars.com"	PASSED	0.331 s
4	And User enters valid password "tad1\$Fas"	PASSED	0.301 s
5	And User clicks on login button	PASSED	0.229 s
6	Then User verifies that he is logged into the page	FAILED	15.061 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#dropdown\-basic\-button"} (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3d4b9fe5a4aaa87f38a956519b6a63fc, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\tugba\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51324/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3d4b9fe5a4aaa87f38a956519b6a63fc		

DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source)		
	at stepdefinitions.BlueRentalCarsDefinitions.user_verifies_that_he_is_logged_into_the_page(BlueRentalCarsDefinitions.java:36)		
	at ?.User verifies that he is logged into the page(file:///C:/Users/tugba/IdeaProjects/Batch103Cucumber/./src/test/resources/features/		
	bluerentalcarspositive.feature:11)		
	* Not displayable characters are replaced by '?'.		
7	And User close the application	SKIPPED	0.001 s

TC_01 User logs in with valid information




#	Step / Hook Details	Status	Duration
1	Given User goes to "https://www.bluerentalcars.com/"	PASSED	0.263 s
2	When User clicks on login button to go to login page	PASSED	0.422 s
3	And User enters valid username "sam.walker@bluerentalcars.com"	PASSED	0.130 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
4	And User enters valid password "c!fas_art"	PASSED	0.061 s
5	And User clicks on login button	PASSED	0.039 s
6	Then User verifies that he is logged into the page	FAILED	15.037 s
6	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector":"selector":"selector":"selector":"selector":"selector":"selector":"selector":"selenium.devidocumentation.orbotherior.bleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d4b9fe5a4aaa8738a956519b6a63fc, findElement (using=id, value-dropdown-basic-button)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: (chromedriverVersion: 119.0.6045.1	FAILED	15.037 s
	* Not displayable characters are replaced by '?'.	OLUBBER	0.000 -
7	And User close the application	SKIPPED	0.000 s

DETAILED SECTION -- 10 --




#	Step / Hook Details	Status	Duration
1	Given User goes to "https://www.bluerentalcars.com/"	PASSED	0.241 s
2	When User clicks on login button to go to login page	PASSED	0.391 s
3	And User enters valid username "raj.khan@bluerentalcars.com"	PASSED	0.118 s
4	And User enters valid password "v7Hg_va^"	PASSED	0.071 s
5	And User clicks on login button	PASSED	0.044 s
6	Then User verifies that he is logged into the page	FAILED	15.066 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"selector";"fdropdown\-basic\-button"} (Session info: chrome=119.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.11.0', revision: '0.40bc5406b' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium. chrome. ChromeDriver Command: [3d4b9fe5a4aaa87f38a956519b6a63fc, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:Users\tugbalAppDataLloca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51324/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:mlargeBlob: true, webauthn:extension:mlargeBlob: true, webauthn:extension:mlargeBlob: true, webauthn:extension:mlinPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3d4b9fe5a4aaa87f38a956519b6a63fc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.acdec.w3c.W3CHttpResp		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source)		
	at stepdefinitions.BlueRentalCarsDefinitions.user_verifies_that_he_is_logged_into_the_page(BlueRentalCarsDefinitions.java:36)		
	at ?.User verifies that he is logged into the page(file:///C:/Users/tugba/IdeaProjects/Batch103Cucumber/./src/test/resources/features/		
	bluerentalcarspositive.feature:11)		
	* Not displayable characters are replaced by '?'.		
7	And User close the application	SKIPPED	0.001 s

TC_01 User logs in with valid information



#	Step / Hook Details	Status	Duration
1	Given User goes to "https://www.bluerentalcars.com/"	PASSED	0.180 s
2	When User clicks on login button to go to login page	PASSED	0.381 s
3	And User enters valid username "pam.raymond@bluerentalcars.com"	PASSED	0.127 s
4	And User enters valid password "Nga^g6!"	PASSED	0.069 s
5	And User clicks on login button	PASSED	0.048 s
6	Then User verifies that he is logged into the page	FAILED	15.070 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"#dropdown\-basic\-button"} (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3d4b9fe5a4aaa87f38a956519b6a63fc, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\tugba\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	ws://localhost:51324/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 3d4b9fe5a4aaa87f38a956519b6a63fc		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source)		
	at stepdefinitions.BlueRentalCarsDefinitions.user_verifies_that_he_is_logged_into_the_page(BlueRentalCarsDefinitions.java:36)		
	at ?.User verifies that he is logged into the page(file:///C:/Users/tugba/IdeaProjects/Batch103Cucumber/./src/test/resources/features/		
	bluerentalcarspositive.feature:11)		
	* Not displayable characters are replaced by '?'.		
7	And User close the application	SKIPPED	0.001 s