Supplementary Information for Literary Deepfakes: When Readers Prefer Machine-Authored to Human-Authored Works

MATERIALS AND METHODS

S1: DETAILS ABOUT WRITING TASK

S1.1 Author List

Table 2 shows the list of 50 authors that were chosen by English Literature Ph.D. students. This chosen author list consists of canon-plus-global giants (Ernest Hemingway, Virginia Woolf, William Faulkner, Gabriel Garcia Márquez, Stephen King, Haruki Murakami, Kazuo Ishiguro), a strong set of contemporary prominent literary voices (Margaret Atwood, Ian McEwan, Jonathan Franzen, Colson Whitehead, George Saunders, Louise Erdrich, Octavia Butler, Salman Rushdie, Maya Angelou, Percival Everett), and a group of critically acclaimed/emerging authors (Ottessa Moshfegh, Tony Tulathimutte, Roxane Gay). Additionally, our author list is culturally diverse, with several of the authors writing primarily in a non-English language (Han Kang, Yoko Ogawa, Annie Ernaux). Roughly two-thirds (34) have secured at least one major international or national prize (e.g., Nobel, Booker, Pulitzer, National Book Award, MacArthur Fellowship, Women's Prize, International Booker, Hugo/Nebula). 8 of the authors are Nobel Prize winners in Literature, and 8 are Pulitzer Prize winners.

Table 1: List of Authors

#	Author	#	Author	#	Author
1	Alice Munro	19	J.D. Salinger	37	Philip Roth
2	Annie Ernaux (✓)	20	Jhumpa Lahiri (✓)	38	Rachel Cusk
3	Annie Proulx (✓)	21	Joan Didion	39	Roxane Gay (✓)
4	Ben Lerner (✓)	22	Jonathan Franzen (✓)	40	Sally Rooney (✓)
5	Charles Bukowski	23	Junot Díaz (✓)	41	Salman Rushdie (✓)
6	Cheryl Strayed (✓)	24	Kazuo Ishiguro (✓)	42	Shirley Jackson
7	Chimamanda Ngozi Adichie (✓)	25	Louise Erdrich (✓)	43	Sigrid Nunez (✓)
8	Colson Whitehead (✓)	26	Lydia Davis (✓)	44	Stephen King
9	Cormac McCarthy	27	Margaret Atwood (✓)	45	Tony Tulathimutte (✓)
10	David Foster Wallace	28	Marilynne Robinson (✓)	46	V. S. Naipaul
11	Ernest Hemingway	29	Maya Angelou	47	Virginia Woolf
12	Flannery O'Connor	30	Milan Kundera	48	William Faulkner
13	Gabriel García Márquez	31	Min Jin Lee (✓)	49	Yoko Ogawa (✓)
14	George Saunders (✓)	32	Nora Ephron	50	Zadie Smith (✓)
15	Han Kang (✓)	33	Octavia Butler		
16	Haruki Murakami (✓)	34	Orhan Pamuk (✓)		
17	Hunter S. Thompson	35	Ottessa Moshfegh (✓)		
18	Ian McEwan (✓)	36	Percival Everett (✓)		

Table 2: Author list for our pool of 50 authors. (✓) denotes authors who were used in the fine-tuning experiment

S1.2 Writing Prompt

Writing Prompt

You will be given 20 excerpts written by Chimamanda Ngozi Adichie. Very carefully observe their style and voice. Then you will be given some content and you need to write an excerpt about that content using the style and voice of this author

Excerpt_1:
Princeton, in the summer, smelled of nothing [...] But she did not like that she had to go to Trenton to braid her hair.

Excerpt_2:
"How are you?" Aunty Ifeka asked [...] "Your life belongs to you and you alone, soso gi."

Excerpt_3:
Amaka used to write the office of the Head of State [...] It is like telling a crawling baby who tries to walk, and then falls back on his buttocks, to stay there.

Excerpt_4:
We teach girls to shrink themselves, to make themselves smaller [...] I know an unmarried woman in Nigeria who, when she goes to conferences, wears a wedding ring because she wants her colleagues to—according to her—"give her respect."

Excerpt_5:
The weeks passed and the water started running again [...] Since she had lost her savings, then she could not possibly lose her sister too; the custodians of fate were not that wicked.

Excerpt_6:
Grief is a cruel kind of education [...] One morning, Okey calls me a little earlier than usual and I think, Just tell me, tell me immediately, who has died now.

Excerpt_7:
"I sifted through my memories, as though through debris, trying to find a reason [...] "I just don't understand it. It's as if an artery burst inside him and suddenly his whole body is wired differently and he is no longer the person he was," I told Mmiliaku.

Excerpt_8:
So this guy said to Professor Hunk, "White privilege is nonsense. How can I be privileged?" [...] And Professor Hunk replied—that is exactly what white privilege is, that you can say that. Race doesn't really exist for you because it has never been a barrier.

Excerpt_9:
It was the last summer you spent in Nigeria, the summer before your parents' divorce [...] Grandmama told you the snake was called the echi eteka, "Tomorrow Is Too Far."

Excerpt_10:
Before, our driver, Kevin, would pick me up first at Daughters of the Immaculate Heart [...] "Mama is pregnant," I said. "We will take care of the baby; we will protect him."

Excerpt_11:
She stood in line outside the American embassy in Lagos [...] the splash on his chest so red she wanted to scold him about playing with the palm oil in the kitchen. He was only four years old.

Excerpt_12:
"What bigger picture?" Master asked [...] "I am Nigerian because a white man created Nigeria and gave me that identity. But I was Igbo before the white man came."

Excerpt_13:
I have always longed to be known, truly known, by another human being [...] On Zoom calls, everyone echoed, reaching but not touching, the distance between us all further hollowed out.

Excerpt_14:
Why does the image of two red butterflies on a T-shirt make me cry? [...] Grief has, as one of its many egregious components, the onset of doubt. Yes, my father truly was lovely.

Excerpt_15:
Inside the house, Obinna went straight to the children's room [...] He wanted to stop thinking of what could have been, of another life he could have had. And he wanted Amara to come home.

Excerpt_16:
That evening she received an e-mail: YOUR TALK WAS BALONEY. YOU ARE A RACIST [...] Her post about trying to date online, "What's Love Got to Do with It?" continued to draw comments, like something sticky, after many months.

Excerpt_17:
Okoloma was one of my greatest childhood friends [...] He told me that people were saying my novel was feminist, and his advice to me was that I should never call myself a feminist since feminists are women who are unhappy because they cannot find husbands. So I decided to call myself a Happy Feminist.

Excerpt_18:
"You did not tie your scarf well," Jaja says to Mama [...] "We'll plant new orange trees in Abba when we come back, and Jaja will plant purple hibiscus, too, and I'll plant ixora so we can suck the juices of the flowers."

Excerpt_19:
Olanna had wanted to give the scent of his mother's visit some time to diffuse [...] he whispered, "We will have a brilliant child, nkem, a brilliant child," and she said, Yes, yes. But they did not conceive a child, she knew.

Excerpt_20:
He was attractive, the kind of attractiveness that grew on you [...] "Or we could act. I want to act." He paused, shifted. "Ifem, I'm chasing you."

Stylistic Features:
The author uses both Igbo and English in their works, with Igbo phrases shown in italics and followed by an English translation [...] In developing characters, the author often exaggerates attitudes to contrast the differences between traditional and western cultures [...] The author's style often focuses on strong women and adds a gendered perspective to topics previously explored by other authors, such as colonialism, religion, and power relationships [...] They often incorporate humour, and use anecdotes, irony and satire to underscore a particular point of view. Their works about African diaspora consistently examine themes of belonging, adaptation and discrimination.

Content:
This excerpt is written primarily in the third person, but it contains a lengthy first-person monologue delivered by the character Ifemelu. Ifemelu, emboldened by white wine, speaks candidly about race, specifically the experience of being Black in America and dating a white person [...] Her words are bold, unfiltered, and challenge the comfort of her "nice liberal" audience. The scene unfolds at a dinner party attended by liberal guests [...] The excerpt ends as Ifemelu, unsure of her standing but spurred on by attention and drink, prepares to share more, this time about her ex-boyfriend Curt. This moment signals an impending emotional and narrative unraveling, rooted in race, intimacy, and truth-telling.

Now write a 400 word excerpt about the content above emulating the style and voice of the author as seen in the 20 excerpts and the mentioned stylistic features.

Figure 5: In-Context Writing Prompt used in AI Condition 1.

Our writing prompt can be seen in Figure 5. We provided the same prompt to both experts (MFA candidates) and LLMs.

The prompt reads: "You will be given 20 excerpts written by Chimamanda Ngozi Adichie. Very carefully observe their style and voice. Then you will be given some content and you need to write an excerpt about that content using the style and voice of this author." It ends: "Now write a 400 word excerpt about the content above emulating the style and voice of the author as seen in the 20 excerpts and the mentioned stylistic features."

S1.3 Fine-tuning details




Figure 6: The pipeline used to fine-tune ChatGPT on an author's entire oeuvre

For fine-tuning, we bought digital EPUB versions of these authors' books and transformed them into plain text files. If the EPUB file was basically a wrapper around scanned page images, then we ignored that EPUB. The number of books written by each author varies a lot. For instance, *Tony Tulathimutte* has written only two books, *Private Citizens* and *Rejection,* so we could only fine-tune GPT-4o on two of them. While for *Haruki Murakami* we could fine-tune on 22 books *A Wild Sheep Chase*, *After Dark*, *After the Quake*, *Blind Willow, Sleeping Woman*, *Colorless Tsukuru Tazaki and his Years of Pilgrimage*, *Dance Dance Dance*, *First Person Singular*, *Hard-boiled Wonderland and the End of the World*, *Hear the Wind Sing*, *Kafka on the Shore*, *Killing Commendatore*, *Men Without Women*, *Norwegian Wood*, *Novelist as a Vocation*, *One and Two*, *Pinball, 1973*, *South of the Border, West of the Sun*, *Sputnik Sweetheart*, *The City and Its Uncertain Walls*, *The Elephant Vanishes*, *The Wind-Up Bird Chronicle*, *What I Talk About When I Talk About Running*, *Wind/Pinball: Two Novels*

Our entire fine-tuning pipeline can be seen in Figure 6. We first converted the EPUB files to txt using https://github.com/kevinboone/epub2txt2. We then segmented the entire book into context-independent excerpts. At a first pass, we naively split the entire book text by existing double newlines and rejoined them to

enforce excerpt size bounds(250-650 words). For the rare cases where the naive splitting would lead to excerpts longer than 650 words, we used GPT-4o to segment them again using the prompt: "*Segment it into excerpts of minimum length 300-350 words such that each excerpt is grammatical from the start and doesn't feel abruptly cut off. There should be zero deletion and break into excerpts at grammatically natural places. Maintain the original word count. Avoid breaking into too many small excerpts. Start directly. Don't say Here's or Here is ....*"

Excerpt

My father tried to kill my mother one Sunday in June, in the early afternoon. I had been to Mass at a quarter to twelve as usual. I must have brought back some cakes from the baker in the new shopping precinct—a cluster of temporary buildings erected after the war while reconstruction was under way. When I got home, I took off my Sunday clothes and slipped on a dress that washed easily. After the customers had left and the shutters had been pinned down over the store window, we had lunch, probably with the radio on, because at that hour there was a funny program called Courtroom, in which Yves Deniaud played some wretched subordinate continually charged with the most preposterous offenses and condemned to ridiculous sentences by a judge with a quavering voice. My mother was in a bad temper. The argument she started with my father as soon as she sat down lasted throughout the meal. After the table was cleared and the oilcloth wiped clean, she continued to fire criticism at my father, turning round and round in the tiny kitchen—squeezed in between the café, the store and the steps leading upstairs—as she always did when she was upset. My father was still seated at the table, saying nothing, his head turned toward the window. Suddenly he began to wheeze and was seized with convulsive shaking. He stood up and I saw him grab hold of my mother and drag her through the café, shouting in a hoarse, unfamiliar voice. I rushed upstairs and threw myself on to the bed, my face buried in a cushion. Then I heard my mother scream: "My daughter!" Her voice came from the cellar adjoining the café. I rushed downstairs, shouting "Help!" as loud as I could. In the poorly-lit cellar, my father had grabbed my mother by the shoulders, or maybe the neck. In his other hand, he was holding the scythe for cutting firewood which he had wrenched away from the block where it belonged. At this point all I can remember are sobs and screams. Then the three of us are back in the kitchen again. My father is sitting by the window, my mother is standing near the cooker and I am crouching at the foot of the stairs. I can't stop crying. My father wasn't his normal self; his hands were still trembling and he had that unfamiliar voice. He kept on repeating, "Why are you crying? I didn't do anything to you." I can recall saying this sentence, "You'll breathe disaster on me." My mother was saying, "Come on, it's over."

Extract Content

The paragraph is written in the first person, primarily from the perspective of a daughter recounting a traumatic event involving her parents. The main characters are the narrator, her father, and her mother. The father attempted to harm the mother one Sunday in June. The narrator had returned home from attending Mass and having lunch with her parents when an argument between her parents escalated. The mother, visibly upset, continued to criticize the father throughout the meal and afterward. The situation intensified when the father, after being silent, suddenly began to shake and shouted in a hoarse voice, dragging the mother through the café. The narrator fled upstairs but soon heard her mother scream from the cellar, prompting her to call for help. In the dimly lit cellar, the father had the mother by the shoulders or neck and held a scythe, intending harm. The scene ends with all three back in the kitchen, the narrator sobbing, the father acting unusually, and the mother trying to calm the situation by insisting it's over.

Figure 7: Original author-written excerpt and extracted content using an LLM

After fine-tuning was completed, at inference time we then generated an excerpt conditioned on a similar instruction that contained novel content. We specifically excluded the original author-written excerpt used for our experiments during fine-tuning so that the model did not get an unfair advantage. We also ensured that the generated outputs did not contain any memorized snippets from the original author-written excerpt. On the rare occasion that a model regurgitated verbatim snippets/ngrams from the original author-written text, we resampled it and manually verified that there was no verbatim overlap before using it for evaluation. While supervised fine-tuning in most cases ensured that the generated output contained all the information in the extracted content details, on the rare occasion that it did not, we resampled/regenerated it again. Last but not least, sometimes supervised fine-tuning can lead to ungrammatical output or output with minor inconsistencies. To make sure these mistakes don't impact human evaluation, we performed a post-processing step using GPT-4o with the following prompt: "*Fix grammar, tense, typo, spelling or punctuation error or any other awkward construction/ logical inconsistency*"




Figure 8: Total training token distribution for each author

For *Margaret Atwood, Kazuo Ishiguro, Salman Rushdie and Haruki Murakami* we fine-tuned GPT-4o for 1 epoch, as they had multiple books/longer books. For the rest of the author,s we fine-tuned for 3 epochs. We used default fine-tuning parameters set by OpenAI in addition to setting batch size to 1 and LR multiplier to 2. Figure 19 shows that fine-tuned models don't regurgitate much verbatim text from the training corpus (author's entire oeuvre). We should also note that some of these words are also part of the Content in the instruction, which would anyway appear in the text and would not be penalized. For all generation (prompting or fine-tuning, default temperature=1.0 was used)

S1.4 Why recruit MFAs as expert writers

An MFA is typically recognized as a terminal degree for practitioners of visual art, design, dance, photography, theatre, film/video, new media, and creative writing—meaning that it is considered the highest degree in its field, qualifying an individual to become a professor at the university level in these disciplines. As can be seen in Figure 11, most top writers have an MFA degree. While there are exceptional writers without any formal training, the space for such individuals is enormous and difficult to systematically sample, whereas MFA graduates can be more readily identified and tracked through institutional records.

Author	MFA Program	Primary Category	Major Award(s)
Ada Limón	NYU	Poetry	NBCC; U.S. Poet Laureate
Adam Haslett	Iowa	Fiction	Pulitzer & NBA Finalist
Adam Johnson	McNeese State	Fiction	Pulitzer Prize; National Book Award
Aimee Bender	UC Irvine	Fiction	O. Henry; World Fantasy Finalist
Alexander Chee	Iowa	Fiction	Whiting Award
Andrew Porter	Iowa	Fiction	Flannery O'Connor Award
Andrew Sean Greer	Montana	Fiction	Pulitzer Prize
Angela Flournoy	Iowa	Fiction	NBA Finalist
Ann Patchett	Iowa	Fiction	PEN/Faulkner; Women's Prize
Anne Boyer	Wichita State	Nonfiction	Pulitzer Prize (General Nonfiction)
Anthony Doerr	Bowling Green	Fiction	Pulitzer Prize; Carnegie Medal
Anthony Marra	Iowa	Fiction	NBCC John Leonard; Whiting
Ben Lerner	Brown	Fiction/Poetry	MacArthur; NBCC (Poetry)
Brandon Taylor	Iowa	Fiction	Booker Shortlist
Carmen Maria Machado	Iowa	Fiction/Nonfiction	Lambda; NBA Finalist
Celeste Ng	Michigan	Fiction	ALA Medal; Mass. Book Award
Chang-rae Lee	Michigan	Fiction	PEN/Hemingway; Dayton
Cheryl Strayed	Oregon	Nonfiction	Alex Award; Film adaptation (Wild)
Chimamanda Ngozi Adichie	Johns Hopkins	Fiction	Women's Prize (Orange); NBCC
Chris Adrian	Iowa	Fiction	Guggenheim; O. Henry
Curtis Sittenfeld	Iowa	Fiction	James Tait Black shortlist
Daniel Alarcón	Iowa	Fiction	PEN/Faulkner Finalist; MacArthur
Denis Johnson	Iowa	Fiction	National Book Award
Edwidge Danticat	Brown	Fiction/Nonfiction	NBCC; American Book Award; MacArthur
Elissa Washuta	Iowa	Nonfiction	PNW Book Award; Lambda Finalist
Elizabeth Acevedo	University of Maryland	Fiction/YA	National Book Award
Elizabeth Strout	Syracuse	Fiction	Pulitzer; Booker Shortlist
Emily Ruskovich	Iowa	Fiction	International Dublin Literary Award
Eula Biss	Iowa	Nonfiction	NBCC Award
Flannery O'Connor	Iowa	Fiction	National Book Award
Garth Greenwell	Iowa	Fiction/Nonfiction	NBCC Finalist; British Book Award Shortlist
George Saunders	Syracuse	Fiction	Booker Prize; Story Prize
Heidi Julavits	Columbia	Fiction/Nonfiction	PEN Syndicated Fiction
Jamel Brinkley	Iowa	Fiction	Story Prize Finalist; NBCC John Leonard Finalist
Jericho Brown	University of New Orleans	Poetry	Pulitzer Prize (Poetry)
Jesmyn Ward	Michigan	Fiction	National Book Award (×2)
Jhumpa Lahiri	Boston University	Fiction	Pulitzer Prize
Jo Ann Beard	Iowa	Nonfiction	Whiting; Guggenheim
John D'Agata	Iowa	Nonfiction	Pushcart; NEA
John Irving	Iowa	Fiction	National Book Award
Jorie Graham	Iowa	Poetry	Pulitzer Prize (Poetry)
Joshua Ferris	UC Irvine	Fiction	PEN/Hemingway; NBA Finalist
Joy Harjo	Iowa	Poetry	U.S. Poet Laureate; Ruth Lilly
Julie Buntin	NYU	Fiction	Notable Book lists

Author	MFA Program	Primary Category	Major Award(s)
Julie Otsuka	Columbia	Fiction	PEN/Faulkner Award
Julie Schumacher	Cornell	Fiction	Thurber Prize
Junot Díaz	Cornell	Fiction	Pulitzer Prize
Karan Mahajan	Michigan	Fiction	NBA Finalist
Karen Russell	Columbia	Fiction	MacArthur; Pulitzer Finalist
Kelly Link	UNC Greensboro	Fiction	MacArthur; World Fantasy
Kevin Brockmeier	Iowa	Fiction	O. Henry (×multiple)
Kevin Powers	UT Austin (Michener)	Fiction	PEN/Hemingway; Guardian First Book Award
Kevin Wilson	UT Austin (Michener)	Fiction	Shirley Jackson Award
Kevin Young	Brown	Poetry/Nonfiction	Lenore Marshall Prize
Kiese Laymon	Indiana University	Nonfiction	Andrew Carnegie Medal
Lauren Groff	Wisconsin–Madison	Fiction	NBA Finalist; Prix de l'Académie de Bretagne
Leslie Jamison	Iowa	Nonfiction	NBCC Finalist; Guggenheim
Ling Ma	Cornell	Fiction	Kirkus Prize (Fiction)
Lorrie Moore	Cornell	Fiction	Irish Times Int'l Fiction Prize
Marilyn Chin	Iowa	Poetry	Anisfield-Wolf Award
Mary Karr	Goddard	Nonfiction	NBCC (Memoir)
Meghan Daum	Columbia	Nonfiction	National Magazine Award; Guggenheim
Melissa Febos	Sarah Lawrence	Nonfiction	NBCC (Criticism); Lambda
Michael Chabon	UC Irvine	Fiction	Pulitzer Prize
Michael Cunningham	Iowa	Fiction	Pulitzer; PEN/Faulkner
Nam Le	Iowa	Fiction	Dylan Thomas Prize
Natasha Trethewey	UMass Amherst	Poetry	Pulitzer Prize (Poetry)
Nathan Englander	Iowa	Fiction	Frank O'Connor Award; PEN/Malamud
Nathan Hill	UMass Amherst	Fiction	L.A. Times First Fiction
Nick Flynn	NYU	Nonfiction/Poetry	PEN/Joyce Osterweil; Guggenheim
Ocean Vuong	NYU	Fiction/Poetry	T.S. Eliot Prize; MacArthur
Ottessa Moshfegh	Brown	Fiction	Booker Shortlist; PEN/Hemingway
Paul Beatty	Brooklyn College	Fiction	Booker Prize
Paul Harding	Iowa	Fiction	Pulitzer Prize
Phil Klay	Hunter College	Fiction	National Book Award
Rachel Kushner	Columbia	Fiction	NBA Finalist; Prix Médicis Étranger
Richard Ford	UC Irvine	Fiction	Pulitzer; PEN/Faulkner
Rita Dove	Iowa	Poetry	Pulitzer Prize (Poetry)
Sigrid Nunez	Columbia	Fiction	National Book Award
Stuart Dybek	Iowa	Fiction	MacArthur; PEN/Malamud
T.C. Boyle	Iowa	Fiction	PEN/Faulkner Award
Téa Obreht	Cornell	Fiction	Women's Prize (Orange)
Tommy Orange	IAIA	Fiction	PEN/Hemingway; Pulitzer Finalist
Tony Tulathimutte	Iowa	Fiction	Whiting Award; O. Henry; NBA Longlist
Tracy K. Smith	Columbia	Poetry	Pulitzer Prize (Poetry)
Yaa Gyasi	Iowa	Fiction	NBCC John Leonard; PEN/Hemingway Finalist
Yiyun Li	Iowa	Fiction	MacArthur; PEN/Hemingway
ZZ Packer	Iowa	Fiction	PEN/Malamud

Figure 9: Table showing how several award-winning authors from US all had MFA degree

School	Writer	Distinctions
Boston University	Jhumpa Lahiri	Pulitzer Prize for *Interpreter of Maladies*
	Weike Wang	PEN/Hemingway; Whiting
	Lisa Taddeo	2× Pushcart; #1 NYT bestseller
Stony Brook	Helen Simonson	NYT bestseller *Major Pettigrew's Last Stand*
	Genevieve Sly Crane	Whiting Award
	Vanessa Cuti	Best American Short Stories 2021
University of Michigan	Jesmyn Ward	2× National Book Award; MacArthur
	Celeste Ng	ALA Alex Award; NYT bestseller
	Chigozie Obioma	2× Booker finalist
	Elizabeth Kostova	Hopwood Awards; *The Historian*
NYU	Ocean Vuong	T. S. Eliot Prize; MacArthur
	Garth Risk Hallberg	*City on Fire*; NBCC finalist
Columbia University	Sigrid Nunez	National Book Award
	Julie Otsuka	PEN/Faulkner
	Victor LaValle	World Fantasy; Shirley Jackson
	Emma Cline	Plimpton Prize; NBCC finalist
	Rivka Galchen	Rona Jaffe; *New Yorker* staff writer
Iowa Writers' Workshop	Flannery O'Connor	National Book Award (*Collected Stories*)
	John Irving	Oscar (screenplay); global bestseller
	T. C. Boyle	PEN/Faulkner
	Paul Harding	Pulitzer Prize
	Yiyun Li	PEN/Hemingway; MacArthur
	Carmen Maria Machado	NBCC John Leonard; Folio Prize
	Garth Greenwell	PEN/Faulkner (2025)
	Anthony Marra	NBCC John Leonard; Anisfield-Wolf

Figure 10: Table showing a few accomplished alumni with an MFA degree from programs where we recruited our participants

Writer	Age when listed	MFA program
Chimamanda Ngozi Adichie	32	Johns Hopkins
Chris Adrian	39	Iowa
Daniel Alarcón	33	Iowa
David Bezmozgis	37	No writing MFA
Sarah Shun-lien Bynum	38	Iowa
Joshua Ferris	35	UC Irvine
Jonathan Safran Foer	33	No MFA
Nell Freudenberger	35	NYU
Rivka Galchen	34	Columbia
Nicole Krauss	35	No MFA
Yiyun Li	37	Iowa
Dinaw Mengestu	31	Columbia
Philipp Meyer	36	Michener Center (UT Austin)
C. E. Morgan	33	No MFA
Téa Obreht	24	Cornell
Z Z Packer	37	Iowa
Karen Russell	28	Columbia
Salvatore Scibona	35	Iowa
Gary Shteyngart	37	Hunter
Wells Tower	37	Columbia

Figure 11: Table showing breakdown of New Yorkers 20 under 40 Fiction List

S2: Details about Evaluation Task

S2.1 Evaluation Interface




Figure 12: Evaluation Interface for writing quality evaluation where readers just see two excerpts without any disclaimer of its source and choose their preference supported by a reason

Figures 12 and 13 show the evaluation interface shown to both MFA-trained and college-educated general readers. Readers read two excerpts for quality evaluation

and three excerpts for stylistic fidelity evaluation, given that the stylistic emulation is evaluated with respect to the original author-written excerpt.





Figure 13: Evaluation Interface for stylistic fidelity evaluation where readers see three excerpts (original and two emulations) without any disclaimer of its source and choose their preference supported by a reason

S2.2 How much is faithful style/voice emulation important for good writing?



	In-context Prompting	Fine-tuning
MFA-trained	9.6e-36	8.7e-08
College-educated	2.1e-22	2.7e-10

p-values

Figure 14: Pearson Correlation Coefficient between writing quality and style judgments

As can be seen in Figure 14, writing quality has a strong correlation with faithful style/voice fidelity for the In-context Prompting condition compared to the Fine-tuning condition. The high expert correlation for In-context Prompting suggests that models cannot emulate an author's style properly just by prompting and that experts use stylistic cues as a major factor in quality judgments - likely detecting "AI-ness" (clichés, purple prose, too much exposition, lack of subtext, mixed metaphors) in the style that makes them rate quality lower too. After fine-tuning, experts' quality judgments depend much less on their style judgments (the correlation falls from 0.64 to 0.39). One interpretation is that, once the model's output no longer shows the telltale features of AI-generated prose, experts judge writing quality and stylistic fidelity separately rather than penalizing a passage on both dimensions for the same AI "tells." For college-educated general readers, the correlation only dropped slightly from 0.52 (In-context prompting) to 0.45 (fine-tuned), compared to experts' dramatic drop from 0.64 to 0.39. This also means that college-educated general readers might focus on more surface-level features such as grammar, clarity, or flow rather than subtle stylistic markers that distinguish AI from human writing.

S2.4 Example of emulations

Figure 15,16, 17 and 18 show emulations of the original excerpt written by Colson Whitehead, Ottessa Moshfegh, Jonathan Franzen, and Han Kang. Each author has 3 distinct MFA emulations (MFA1, MFA2, MFA3). For the In-context Prompting setup, we prompted Claude 3.5 Sonnet (AI1), Gemini 1.5 Pro (AI2), and GPT-4o(AI3) to produce excerpts that can be pitted against MFA-written excerpts. In the fine-tuning setup, we fine-tuned GPT-4o and compared the this output AI4 against MFA1, MFA2, and MFA3. We generated the output from fine-tuned GPT-4o (AI4) using default hyperparameters.



Figure 15: In AI Condition 1(In-context prompt), we contrasted MFA1/2/3 vs AI1/2/3. In AI Condition 2(Fine-tuning) we contrasted MFA1/2/3 vs AI4



Figure 16: In AI Condition 1(In-context prompt), we contrast MFA1/2/3 vs AI1/2/3. In AI Condition 2(Fine-tuning) we contrasted MFA1/2/3 vs AI4



Figure 17: In AI Condition 1(In-context prompt), we contrasted MFA1/2/3 vs AI1/2/3. In AI Condition 2(Fine-tuning) we contrasted MFA1/2/3 vs AI4



Figure 18: In AI Condition 1(In-context prompt), we contrasted MFA1/2/3 vs AI1/2/3. In AI Condition 2(Fine-tuning) we contrasted MFA1/2/3 vs AI4

Writer	Overlap Words	Phrases	Overlap %
Kazuo Ishiguro	20	4	10.2%
Ian McEwan	22	4	9.5%
Colson Whitehead	30	2	9.2%
Haruki Murakami	20	2	8.2%
Chimamanda Ngozi Adichie	33	5	7.8%
Annie Ernaux	15	3	6.2%
Roxane Gay	23	4	5.9%
Sigrid Nunez	15	3	5.2%
Margaret Atwood	15	3	4.9%
Sally Rooney	15	3	4.8%
Lydia Davis	10	2	4.8%
Percival Everett	18	3	4.7%
Zadie Smith	11	2	4.7%
Jhumpa Lahiri	10	2	4.4%
Orhan Pamuk	13	2	4.0%
Min Jin Lee	11	2	3.2%
Junot Díaz	10	2	3.2%
Jonathan Franzen	11	2	3.0%
Han Kang	5	1	2.5%
Cheryl Strayed	5	1	2.4%
Salman Rushdie	5	1	2.3%
Annie Proulx	5	1	1.8%
Yoko Ogawa	5	1	1.6%
Rachel Cusk	5	1	1.4%
Marilynne Robinson	5	1	1.3%
George Saunders	0	0	0.0%
Ottessa Moshfegh	0	0	0.0%
Tony Tulathimutte	0	0	0.0%
Ben Lerner	0	0	0.0%
Louise Erdrich	0	0	0.0%

Figure 19: Total overlap percentage calculated by the number of words in the generated output that come from authors' overall corpus

S2.5 Dissecting Preference Evaluations from MFA-trained readers

Figure 20 and 21 show the writing quality preference evaluation results from expert readers. Expert preferences are often grounded in solid reasoning, and they frequently agree on similar snippets to support their reasoning. For instance, look at "**uncooked spaghetti"** as an overwrought/awkward metaphor highlighted by both MFA-trained Reader 1 and 3, while "**tarot card predicting his fate"** was highlighted by MFA-trained Reader 2 and 3. Because readers had to support each choice with written

reasons, we can see which features of the text they relied on in reaching their judgments. It is also worth noticing that the preference often shifts towards AI once it is fine-tuned on an author's' entire oeuvre. Fine-tuning helps get rid of the officious, disembodied robovoice that is characteristic of ChatGPT. Here experts praise the model for its idiosyncratic narrative voice. By default, due to post-training guardrail,s GPT-4o generates a rather safe and somewhat polite text in the in-context prompting setup. But what is particularly impressive here is that, when fine-tuned, the vocabulary of the model-generated text veers towards ribald and somewhat profane text that is characteristic of Tulathimutte's voice (particularly Rejection, from which the text is drawn). In Figure 22, we see that experts prefer the MFA emulation as more faithful to Junot Diaz's voice. In fact, the excerpt written by Gemini-1.5-Pro is oddly poetic and rife with purple prose and clichés, which is nothing like Junot Diaz's voice, which is often marked by a dazzling hash of Spanish, English, slang, literary flourishes, and pure virginal dorkiness, as noted by all three MFA-trained readers. However, when fine-tuned on authors' entire oeuvre (Figure 23), we see that the model learns these references and uses them in a rather wry and humorous manner (*papi chulo*, *fifty pendejas*, *little pito off*, *las plagas*) that is appreciated by MFA-trained readers, leading them to prefer AI over MFAs.




Figure 20: MFA vs AI emulation of Tony Tulathimutte, read by 3 expert(MFA-trained) readers, all of whom agree that the MFA-written excerpt is superior in terms of writing quality.



Figure 21: MFA vs AI emulation of Tony Tulathimutte, judged by 3 expert(MFA-trained) readers, all of whom agree that the fine-tuned AI-written excerpt is superior in terms of writing quality




Figure 22: MFA vs AI emulation of Junot Diaz, judged by 3 expert readers(MFA-trained), all of whom agree that the MFA-written excerpt is superior in terms of stylistic fidelity.




Figure 23: MFA vs AI emulation of Junot Diaz, judged by 3 expert readers(MFA-trained), all of whom agree that the fine-tuned AI-written excerpt is superior in terms of stylistic fidelity

S3: Details about AI detection and Stylometry

S3.1 AI detection thresholds




Figure 24: Pangram AI likelihood scores vs GPTZero AI Likelihood scores for MFA, In-context and Fine-tuned

Based on AI likelihood scores from Pangram and GPTZero across 330 (150 MFA, 150 In-context AI, 30 Fine-tuned AI) evaluations, we observed that Pangram is bimodal. This means that AI likelihood scores are 0 most of the time for human-written text. While there are few spikes, a conservative threshold of 0.9 drastically reduces any chance of a False Positive. Similarly, AI likelihood scores are 1.0 most of the time for AI-written text, with few exceptions. GPTZero is less accurate compared to Pangram; however, a threshold of 0.9 holds as a good threshold for it

too. GPTZero considers fine-tuned AI generation to be more human-like compared to Pangram.

S3.2 Calculating Cliché Density




Figure 25: Prompt to identify Clichés

Language models are good at identifying specific patterns. Taking advantage of this, we prompted Claude 4.1 Opus to generate a list of clichés given an excerpt. Figure 25 shows the prompt used to identify Clichés. However, sometimes language models can overgenerate and penalize expressions that are not clichés. To address this, two authors of the paper separately annotated which expressions in the list are actually clichés. We took the intersection of their individual list as the final list of clichés per paragraph. To calculate Cliché Density, we used the following formula

$$\text{Cliché Density} = \left(\frac{\text{Total Words in Clichés}}{\text{Total Word Count of Excerpt}} \right) \times 100 \quad (1)$$

S4: Statistical Modeling and Analysis

S4.1: Data Structure and Notation

The analysis employs trial-level data in long format where each row represents a reader's preference decision for a single excerpt within a pairwise comparison. Each pairwise judgment contributes two rows (one per excerpt with $i \in \{1,2\}$ sharing the same j,k). Let $Y_{ijk} \in \{0,1\}$ denoted the preference outcome where $Y_{ijk} = 1$ if excerpt i is preferred by reader j in comparison k, and 0 otherwise. The dataset comprised:

- In-context prompting: 6,600 *judgments*; 13,200 long-format *rows*.
- Fine-tuning: 4,320 *judgments*; 8,640 long-format *rows*.

Key variables included writer type $W_i \in \{Human, GPT-4o, Claude, Gemini, GPT-4o-FT\}$, reader type $J_j \in \{MFA-trained, College-educated\}$, and for H3, the Pangram AI-detection score $s_i \in [0,1]$. Throughout, Human and MFA-trained readers served as reference categories unless otherwise specified. Standard errors used CR2 with readers as the clustering unit; rows within a judgment pair are not independent, but in this design clustering by reader (the source of repeated measures) is the dominant dependence.

S4.2: Primary Models for H1 and H2

We tested our preregistered hypotheses using fixed-effects logistic regression with CR2 cluster-robust standard errors. The CR2 estimator provides improved finite-sample performance compared with standard cluster-robust estimators, which is particularly important given our relatively small number of readers.

S4.2.1: H1: Baseline LLMs vs Human (In-context Setting)

For H1, we analyzed only the in-context prompting trials containing Human and baseline LLMs (GPT-4o, Claude, Gemini), excluding fine-tuned excerpts. We fit the logistic regression:

$$\begin{aligned}\operatorname{logit} P(Y_{ijk}=1) = \alpha &+ \sum_{m\in\mathscr{M}} \beta_m \mathbf{1}[W_i = m] + \gamma \mathbf{1}[J_j = \text{College-educated}] \\ &+ \sum_{m\in\mathscr{M}} \phi_m \mathbf{1}[W_i = m]\cdot \mathbf{1}[J_j = \text{College-educated}]\end{aligned} \tag{2}$$

where $\mathscr{M} = \{GPT-4o, Claude, Gemini\}$ and Human serves as the reference category. The interaction terms ϕ_m capture differential preferences between MFA-trained and college-educated general readers. The preregistered H1 contrast tests whether humans outperform the average of baseline LLMs:

$$\Delta_g^{\mathrm{H1}} = \frac{1}{3} \sum_{m \in \mathscr{M}} \eta(m,g) - \eta(\mathrm{Human},g) \tag{3}$$

where $\eta(w,g)$ denotes the linear predictor (fitted log-odds) for writer w and reader group $g \in \{MFA-trained, College-educated\}$. The odds ratio $OR_g^{H1} = exp\left(\Delta_g^{H1}\right)$ quantifies the relative preference, with values < 1 indicating human preference and values > 1 indicating AI preference.

S4.2.2: H2: Fine-tuned GPT-4o vs Human

For H2, we analyzed only the fine-tuning trials containing Human and GPT-4o-FT excerpts. We fit:

$$\begin{aligned} \mathrm{logit}\, P(Y_{ijk}=1) = \alpha + \beta_{\mathrm{FT}} \mathbf{1}[W_i = \text{GPT-4o-FT}] + \gamma \mathbf{1}[J_j = \text{College-educated}] \\ + \phi_{\mathrm{FT}} \mathbf{1}[W_i = \text{GPT-4o-FT}] \cdot \mathbf{1}[J_j = \text{College-educated}] \end{aligned} \tag{4}$$

The H2 contrast directly compared fine-tuned GPT-4o to human writers:

$$\Delta_g^{\mathrm{H2}} = \eta(\text{GPT-4o-FT},g) - \eta(\mathrm{Human},g) \tag{5}$$

yielding $OR_g^{H2} = exp\left(\Delta_g^{H2}\right)$. This tests whether fine-tuning achieved parity (OR $\approx$ 1) or superiority (OR > 1) compared to human experts.

All contrasts and confidence intervals used Wald (normal) inference with the CR2 covariance matrix. Specifically, 95 percent CIs were computed as estimate $\pm 1.96 \cdot$ SE on the log-odds scale, then exponentiated. We applied a Holm correction across the two reader-group contrasts within each outcome (style, quality) and hypothesis (H1, H2).

S4.3: H3: AI Detection and Preference

To test whether AI detectability influences preferences and whether fine-tuning removes this relationship, we modeled:

$$\begin{aligned} \mathrm{logit}\, P(Y_{ijk}=1) = \alpha + \beta_1 s_i + \beta_2 \mathbf{1}[\text{Setting}_i = \text{FT}] + \beta_3 \mathbf{1}[J_j = \text{College-educated}] \\ + \beta_{12}\, s_i \cdot \mathbf{1}[\text{Setting}_i = \text{FT}] + \beta_{13}\, s_i \cdot \mathbf{1}[J_j = \text{College-educated}] \\ + \beta_{23}\, \mathbf{1}[\text{Setting}_i = \text{FT}] \cdot \mathbf{1}[J_j = \text{College-educated}] \\ + \beta_{123}\, s_i \cdot \mathbf{1}[\text{Setting}_i = \text{FT}] \cdot \mathbf{1}[J_j = \text{College-educated}] \end{aligned} \tag{6}$$

where s_i is the Pangram score (continuous, 0-1) and Setting indicates in-context vs fine-tuned. The coefficient β_1 captures the detection penalty in the baseline condition—how much AI detectability reduces preference. The interaction term β_{12} tests whether fine-tuning attenuates this relationship; a positive value indicated that fine-tuning removes the penalty associated with AI detection.

S4.4: Exploratory Analyses

S4.4.1: Stylometric Mediation

The mediation analysis examined which textual features could explain the link between AI detection and human preferences. We followed a two-stage approach. First, we regressed Pangram scores on stylometric features using elastic net regularization to handle multicollinearity:

$$s_i = \alpha + \sum_k \lambda_k X_{ik} + \varepsilon_i \tag{7}$$

where X_{ik} includes cliché density, sentence-length variance, and parts-of-speech proportions. We then included features that survived regularization alongside Pangram scores in the preference model to decompose the total effect into direct and mediated components. We calculated the mediated proportion using the product-of-coefficients method.

S4.4.2: Author-Level Heterogeneity

To assess variability across the 30 fine-tuned authors, we computed empirical preference rates using Jeffreys prior estimates to stabilize small-sample authors:

$$\hat{p}_a = \frac{k_a + 0.5}{n_a + 1} \tag{8}$$

with 95 percent intervals from Beta($\frac{1}{2}$, $\frac{1}{2}$) priors. We assessed the relationship between preference rates and fine-tuning corpus size (in millions of tokens) via OLS regression with heteroskedasticity-robust standard errors.

S4.5: Mapping to Figures

The model outputs map directly to figures in the main text:

- **Figures 2A-B**: Exponentiated contrasts OR_g^{H1} and OR_g^{H2} with 95 percent CIs computed on log-odds scale then transformed
- **Figures 2C-D**: Predicted probabilities $p(w,g) = logit^{-1}(\eta(w,g))$ with delta-method confidence intervals
- **Figure 2F**: Model-implied probabilities from H3 evaluated at $s \in \{0.1, 0.3, 0.5, 0.7, 0.9\}$
- **Figure 3**: Author-level preference rates $\widehat{p}_a$ plotted against corpus size with OLS regression lines
- **Figure 4A**: Stylometric mediation analysis showing proportion of Pangram effect explained by textual features
- **Figure 4B**: Fine-tuning premium (difference in AI preference between fine-tuned and in-context) versus corpus size

- **Figure 4C**: Cost comparison for producing 100,000 words of text

Inter-rater agreement quantifies consistency beyond chance using Fleiss' kappa, appropriate here as each pair was evaluated by multiple readers (3 MFA-trained and 19 in-context/21 fine-tuning college-educated general readers):

$$\kappa = \frac{\bar{P} - \bar{P}_e}{1 - \bar{P}_e} \tag{9}$$

where $\bar{P}$ represents mean observed agreement and $\bar{P}_e$ expected agreement by chance. MFA-trained readers achieved moderate agreement ($\kappa = 0.41 - 0.67$) while college-educated general readers showed minimal agreement ($\kappa = 0.08 - 0.26$), reflecting the subjective nature of literary evaluation.

We provide the full code and exact package versions used to generate Figures 2-4 in the GitHub repository (https://github.com/tuhinjubcse/Author-Style-Personalization) and the OSF preregistration (https://osf.io/zt4ad).

S5.1: Cell Counts by Experimental Conditions

Unless noted otherwise, counts below refer to *reader-level long-format observations* entering the logistic models (two rows per judgment—one row per alternative in the pair). In the in-context prompting setting, **150** human–AI pairs were evaluated (evenly split across three baseline models: 50 Human vs GPT-4o, 50 Human vs Claude 3.5 Sonnet, and 50 Human vs Gemini 1.5 Pro). Because 3 MFA-trained readers and 19 college-educated general readers evaluated each pair, this yielded **3,300** judgments per outcome and **6,600** long-format rows. In the fine-tuned setting, **90** human–AI pairs were evaluated; with 3 MFA-trained readers and 21 college-educated general readers per pair, this yields **2,160** judgments per outcome and **4,320** long-format rows. Human rows were three times more frequent than any single AI baseline in the in-context prompting setting because every pair contains a Human excerpt, while the 150 pairs are split evenly across the three baseline models. In the fine-tuned setting, Human and GPT-4o fine-tuned rows occur equally often.

Table 3: Observation counts for stylistic fidelity in the in-context prompting setting. Each row is a long-format observation entering the H1 analysis.

Outcome	Setting	Writer type	Reader type	*n*
style	In_Context	Human	MFA-trained	450
style	In_Context	Human	College-educated	2850
style	In_Context	GPT-4o_baseline	MFA-trained	150
style	In_Context	GPT-4o_baseline	College-educated	950
style	In_Context	Claude_baseline	MFA-trained	150
style	In_Context	Claude_baseline	College-educated	950
style	In_Context	Gemini_baseline	MFA-trained	150
style	In_Context	Gemini_baseline	College-educated	950

Table 4: Observation counts for stylistic fidelity in the fine-tuned setting. Balanced counts (Human = GPT-4o_finetuned) reflect the one-to-one comparison design for H2.

Outcome	Setting	Writer type	Reader type	*n*
style	Fine_tuned	Human	MFA-trained	270
style	Fine_tuned	Human	College-educated	1890
style	Fine_tuned	GPT-4o_finetuned	MFA-trained	270
style	Fine_tuned	GPT-4o_finetuned	College-educated	1890

Table 5: Observation counts for writing quality in the in-context prompting setting (same Human:AI baseline ratio as stylistic fidelity).

Outcome	Setting	Writer type	Reader type	*n*
quality	In_Context	Human	MFA-trained	450
quality	In_Context	Human	College-educated	2850
quality	In_Context	GPT-4o_baseline	MFA-trained	150
quality	In_Context	GPT-4o_baseline	College-educated	950
quality	In_Context	Claude_baseline	MFA-trained	150
quality	In_Context	Claude_baseline	College-educated	950
quality	In_Context	Gemini_baseline	MFA-trained	150
quality	In_Context	Gemini_baseline	College-educated	950

Table 6: Observation counts for writing quality in the fine-tuned setting.

Outcome	Setting	Writer type	Reader type	*n*
quality	Fine_tuned	Human	MFA-trained	270
quality	Fine_tuned	Human	College-educated	1890
quality	Fine_tuned	GPT-4o_finetuned	MFA-trained	270
quality	Fine_tuned	GPT-4o_finetuned	College-educated	1890

S5.2: Writer Category Mapping

Table 7 maps raw data labels to the analysis categories used in Section S4. This mapping ensures reproducibility and clarifies the distinction between baseline (in-context) and fine-tuned AI conditions.

Table 7: Mapping of writer categories from raw data fields to analysis labels.

Writer category	Description	Mapping rule (from raw fields)
Human	Human-written (MFA authors)	excerpt_type = Human
GPT-4o_baseline	GPT-4o in-context prompting	AI excerpt; excerpt_model ∈ {GPT-4o}; setting = In_Context
Claude_baseline	Claude 3.5 Sonnet (in-context)	AI excerpt; excerpt_model = Claude3.5Sonnet; setting = In_Context
Gemini_baseline	Gemini 1.5 Pro (in-context)	AI excerpt; excerpt_model = Gemini_1.5_Pro; setting = In_Context
GPT-4o_finetuned	GPT-4o fine-tuned	AI excerpt; excerpt_model = GPT-4o_Finetuned

S6: Main GLM Results and Contrasts (Figure 2)

This section presents the numerical results from the logistic regression models specified in Section S4. All models use CR2 cluster-robust standard errors, clustering

at the reader level. The reference category throughout is Human × MFA-trained. These tables provide the complete statistical foundation for Figure 2 in the main text.

S6.1: Model Coefficients

Table 8 reports the full coefficient tables for all four primary models. The dramatic sign reversal between in-context prompting and fine-tuned settings is immediately apparent: negative coefficients for AI writers in in-context prompting (indicating human preference) become positive in fine-tuning (indicating AI preference).

The writer type × reader type interactions in the in-context prompting models reveal that college-educated general readers are substantially more favorable to AI-generated text than MFA-trained readers, and the updated fine-tuned models show that this difference persists after fine-tuning rather than disappearing (style p=0.021; quality p=6.41×10^{-5}).

Table 8: GLM coefficients with CR2 robust standard errors for all primary models. Negative coefficients indicate preference for the reference category (Human), while positive coefficients indicate preference for AI. The sign reversal between in-context prompting and fine-tuned models represents the core finding. In fine-tuned models, the writer-type × reader-type interaction is significant, indicating that college-educated general readers favor AI by a wider margin than MFA-trained readers.

Term	Est. (log-odds)	SE	*z*	*p*
Style — In-context Prompting (n = 6,600)				
(Intercept)	0.901	0.148	6.098	1.08e-09
writer_typeGPT-4o_baseline	−1.655	0.402	−4.121	3.78e-05
writer_typeClaude_baseline	−1.390	0.276	−5.039	4.67e-07
writer_typeGemini_baseline	−2.510	0.426	−5.894	3.77e-09
reader_typeCollege-educated	−0.929	0.153	−6.053	1.43e-09
writer_typeGPT-4o_baseline:reader_typeCollege-educated	1.784	0.414	4.307	1.66e-05
writer_typeClaude_baseline:reader_typeCollege-educated	1.583	0.292	5.412	6.22e-08
writer_typeGemini_baseline:reader_typeCollege-educated	2.357	0.438	5.384	7.27e-08
Style — Fine-tuned (n = 4,320)				
(Intercept)	−1.050	0.141	−7.435	1.04e-13
writer_typeGPT-4o_finetuned	2.100	0.282	7.435	1.04e-13
reader_typeCollege-educated	−0.356	0.154	−2.308	0.021
writer_typeGPT-4o_finetuned:reader_typeCollege-educated	0.713	0.309	2.308	0.021
Quality — In-context Prompting (n = 6,600)				
(Intercept)	0.978	0.174	5.634	1.76e-08
writer_typeGPT-4o_baseline	−2.406	0.473	−5.083	3.71e-07
writer_typeClaude_baseline	−1.246	0.368	−3.390	7.00e-04
writer_typeGemini_baseline	−2.406	0.421	−5.711	1.13e-08
reader_typeCollege-educated	−1.275	0.179	−7.127	1.03e-12
writer_typeGPT-4o_baseline:reader_typeCollege-educated	3.197	0.484	6.601	4.08e-11
writer_typeClaude_baseline:reader_typeCollege-educated	1.935	0.381	5.073	3.91e-07
writer_typeGemini_baseline:reader_typeCollege-educated	2.716	0.433	6.268	3.65e-10
Quality — Fine-tuned (n = 4,320)				
(Intercept)	−0.314	0.122	−2.571	0.010
writer_typeGPT-4o_finetuned	0.627	0.244	2.571	0.010
reader_typeCollege-educated	−0.531	0.133	−3.997	6.41e-05
writer_typeGPT-4o_finetuned:reader_typeCollege-educated	1.062	0.266	3.997	6.41e-05

S6.2: Primary Hypothesis Tests

Table 9 presents the preregistered contrasts testing H1 and H2, corresponding to panels A–B in Figure 2. The odds ratios reveal a striking reversal: MFA-trained readers' 6–8-fold preference for human writing in in-context prompting conditions (OR = 0.16 for style, 0.13 for quality) transformed into an 8-fold preference for AI in fine-tuning (OR = 8.16 for style). College-educated general readers showed directionally consistent but substantially larger shifts, particularly after fine-tuning (OR = 16.65 for style, 5.42 for quality), indicating that this reader group favored AI-generated text by a wider margin than MFA-trained readers.

Table 9: Primary contrasts testing H1 (baseline LLMs vs Human) and H2 (fine-tuned vs Human). We applied Holm correction within each outcome and hypothesis across reader types. The OR column shows odds ratios with values < 1 favoring humans and > 1 favoring AI. *Note:* The p and p_{Holm} columns report exact two-sided Wald p-values and their Holm-corrected counterparts. The main text reports Holm-corrected p-values using inequality bounds ($p < 10^{-k}$), capped at $p < 10^{-15}$ as a conservative floor reflecting the practical limits of the normal approximation.

Outcome	**Hyp.**	**Reader**	**Est. (log-odds)**	**SE (log-odds)**	p	p_{Holm}	**OR exp(Est.)**	**95% CI (OR scale)**
style	H1	MFA-trained	−1.852	0.314	3.65e-09	7.31e-09	0.157	[0.08, 0.29]
style	H1	College-educated	0.056	0.083	0.501	0.501	1.058	[0.90, 1.25]
style	H2	MFA-trained	2.100	0.282	1.04e-13	1.04e-13	8.163	[4.69, 14.20]
style	H2	College-educated	2.813	0.125	4.91e-112	9.81e-112	16.652	[13.03, 21.28]
quality	H1	MFA-trained	−2.020	0.381	1.19e-07	1.19e-07	0.133	[0.06, 0.28]
quality	H1	College-educated	0.597	0.087	6.00e-12	1.20e-11	1.816	[1.53, 2.15]
quality	H2	MFA-trained	0.627	0.244	1.02e-02	1.02e-02	1.873	[1.16, 3.02]
quality	H2	College-educated	1.690	0.105	4.63e-58	9.27e-58	5.417	[4.41, 6.66]

S6.3: Model-Predicted Probabilities

Table 10 reports the predicted probabilities displayed in Figure 2 panels C–D. These probabilities, derived from the inverse-logit transformation of linear predictors, show that while MFA-trained readers strongly prefer humans over all baseline models in in-context prompting settings (probabilities 0.17–0.43), fine-tuning elevates AI preference to 0.74 for MFA-trained readers and 0.80 for college-educated general readers on stylistic fidelity, and to 0.58 versus 0.70 on writing quality. Unlike the in-context condition, both reader groups now favor fine-tuned AI, but college-educated general readers do so by a significantly wider margin.

Table 10: Predicted probabilities of selecting AI excerpts by model and reader type, corresponding to Figure 2C–D. Values above 0.5 indicate AI preference. After fine-tuning, both reader groups prefer AI, but college-educated general readers show higher predicted probabilities than MFA-trained readers.

Outcome	Setting	Model	Reader	$\hat{p}$	95% CI
style	In_Context	GPT-4o (In-Context)	MFA-trained	0.320	[0.21, 0.45]
style	In_Context	GPT-4o (In-Context)	College-educated	0.525	[0.49, 0.56]
style	In_Context	Claude (In-Context)	MFA-trained	0.380	[0.30, 0.46]
style	In_Context	Claude (In-Context)	College-educated	0.541	[0.51, 0.57]
style	In_Context	Gemini (In-Context)	MFA-trained	0.167	[0.10, 0.27]
style	In_Context	Gemini (In-Context)	College-educated	0.455	[0.42, 0.49]
style	Fine_tuned	GPT-4o (Fine-tuned)	MFA-trained	0.741	[0.68, 0.79]
style	Fine_tuned	GPT-4o (Fine-tuned)	College-educated	0.803	[0.78, 0.82]
quality	In_Context	GPT-4o (In-Context)	MFA-trained	0.193	[0.11, 0.31]
quality	In_Context	GPT-4o (In-Context)	College-educated	0.621	[0.59, 0.65]
quality	In_Context	Claude (In-Context)	MFA-trained	0.433	[0.33, 0.54]
quality	In_Context	Claude (In-Context)	College-educated	0.597	[0.56, 0.63]
quality	In_Context	Gemini (In-Context)	MFA-trained	0.193	[0.12, 0.29]
quality	In_Context	Gemini (In-Context)	College-educated	0.503	[0.47, 0.54]
quality	Fine_tuned	GPT-4o (Fine-tuned)	MFA-trained	0.578	[0.52, 0.64]
quality	Fine_tuned	GPT-4o (Fine-tuned)	College-educated	0.699	[0.68, 0.72]

S6.4: Interaction Diagnostics

Tables 11 and 12 examine the writer-type × reader-type interactions in detail. The significant interactions in in-context prompting models (all $p < 0.001$) quantify college-educated general readers' greater tolerance for AI-generated text. Unlike the previous analysis with a smaller college-educated sample, the interactions in fine-tuned models are now also significant (style $p = 0.021$; quality $p = 6.41 \times 10^{-5}$), indicating that college-educated general readers favor fine-tuned AI by a wider margin than MFA-trained readers rather than converging to similar preference levels. These interaction tests were not part of our preregistered analysis plan (see S9); we report them for transparency, and they should be read as exploratory rather than confirmatory.

Table 11: Individual interaction terms showing differential preferences between MFA-trained and college-educated general readers. Large positive coefficients indicate college-educated general readers are more favorable to AI. In fine-tuned models, interactions are significant, indicating that reader-group differences persist after fine-tuning.

Outcome	**Setting**	**Term**	**Est.**	**SE**	*z*	*p*
style	In_Context	GPT-4o_baseline:reader_typeCollege-educated	1.784	0.414	4.307	1.66e-05
style	In_Context	Claude_baseline:reader_typeCollege-educated	1.583	0.292	5.412	6.22e-08
style	In_Context	Gemini_baseline:reader_typeCollege-educated	2.357	0.438	5.384	7.27e-08
style	Fine_tuned	GPT-4o_finetuned:reader_typeCollege-educated	0.713	0.309	2.308	0.021
quality	In_Context	GPT-4o_baseline:reader_typeCollege-educated	3.197	0.484	6.601	4.08e-11
quality	In_Context	Claude_baseline:reader_typeCollege-educated	1.935	0.381	5.073	3.91e-07
quality	In_Context	Gemini_baseline:reader_typeCollege-educated	2.716	0.433	6.268	3.65e-10
quality	Fine_tuned	GPT-4o_finetuned:reader_typeCollege-educated	1.062	0.266	3.997	6.41e-05

Table 12: Joint Wald tests for writer-type × reader-type interactions. Interactions are significant in both in-context prompting and fine-tuned models, indicating that college-educated general readers are more favorable to AI than MFA-trained readers in both conditions.

Outcome	Setting	Term	df	χ^2	p
style	In_Context	writer_type:reader_type	3	36.606	5.57e-08
style	Fine_tuned	writer_type:reader_type	1	5.328	0.021
quality	In_Context	writer_type:reader_type	3	46.884	3.68e-10
quality	Fine_tuned	writer_type:reader_type	1	15.978	6.41e-05

The results in this section provide compelling statistical evidence for the paper's central finding: fine-tuning on author-specific corpora fundamentally transforms AI-generated text from clearly inferior (as judged by experts) to preferred over human writing. Rather than converging after fine-tuning, both reader groups prefered fine-tuned AI, but college-educated general readers did so by a significantly wider margin than MFA-trained readers. This pattern suggests that fine-tuning produces improvements that are meaningful to both audiences while leaving a persistent difference in how strongly each audience favors the AI output.

S7: Author-Level Heterogeneity (Figure 3)

This section examines variation in AI preference rates across the 30 fine-tuned authors. Despite substantial differences in training corpus sizes (0.89M to 10.9M tokens) and fine-tuning costs ($22 to $273), we found no detectable relationship between data quantity and model performance within this token range, suggesting that even authors with limited published works can be effectively emulated.

S7.1: Per-Author Success Rates

Table 13 presents author-level AI preference rates using Jeffreys prior estimates to stabilize small-sample authors. Each author now has 72 pooled trials (9 from MFA-trained readers and 63 from college-educated general readers), so the pooled rates are weighted approximately 87.5 percent toward the college-educated group. The results reveal striking heterogeneity. For **style**, AI preference rates ranged from

18 percent (Tony Tulathimutte) to 98 percent (Roxane Gay), with 29 of 30 authors showing AI superiority (rate > 0.5). For **quality**, the range spans 49 percent (Kazuo Ishiguro and Min Jin Lee) to 92 percent (Cheryl Strayed), with 28 of 30 authors favoring AI.

Notably, some authors show divergent patterns across outcomes. Tony Tulathimutte represents an extreme case: readers found his *style* uniquely difficult to emulate (18 percent AI preference) yet rated AI *quality* as acceptable (55 percent). This suggests certain idiosyncratic voices resist algorithmic mimicry even when AI achieves technical writing competence.

Table 13: Per-author AI preference rates (Jeffreys-smoothed and raw) ranked by performance. Values above 0.5 indicate AI preference. Each author has 72 pooled trials (9 MFA-trained, 63 college-educated general readers). Note the wide variation across authors and the divergence between **style** and quality rankings for some authors.

Outcome	Author	Rank	AI Win Rate (Jeffreys)	Human Win Rate (Jeffreys)	AI Win Rate (Raw)
quality	Cheryl Strayed	1	0.92	0.08	0.931
quality	Marilynne Robinson	2	0.91	0.09	0.917
quality	Han Kang	3	0.88	0.12	0.889
quality	Salman Rushdie	4	0.84	0.16	0.847
quality	Lydia Davis	5	0.80	0.20	0.806
quality	Zadie Smith	6	0.80	0.20	0.806
quality	Haruki Murakami	7	0.77	0.23	0.778
quality	Junot Diaz	8	0.77	0.23	0.778
quality	Orhan Pamuk	9	0.77	0.23	0.778
quality	Sigrid Nunez	10	0.76	0.24	0.764
quality	Colson Whitehead	11	0.73	0.27	0.736
quality	Roxane Gay	12	0.71	0.29	0.708
quality	Percival Everett	13	0.69	0.31	0.694
quality	Jhumpa Lahiri	14	0.68	0.32	0.681
quality	Rachel Cusk	15	0.68	0.32	0.681
quality	Ben Lerner	16	0.66	0.34	0.667
quality	Margaret Atwood	17	0.66	0.34	0.667
quality	Louise Erdrich	18	0.65	0.35	0.653
quality	George Saunders	19	0.64	0.36	0.639
quality	Jonathan Franzen	20	0.64	0.36	0.639
quality	Sally Rooney	21	0.64	0.36	0.639
quality	Annie Proulx	22	0.60	0.40	0.597
quality	Chimamanda Ngozi Adichie	23	0.58	0.42	0.583
quality	Annie Ernaux	24	0.55	0.45	0.556
quality	Tony Tulathimutte	25	0.55	0.45	0.556
quality	Yoko Ogawa	26	0.54	0.46	0.542
quality	Ian McEwan	27	0.51	0.49	0.514
quality	Ottessa Moshfegh	28	0.51	0.49	0.514
quality	Kazuo Ishiguro	29	0.49	0.51	0.486
quality	Min Jin Lee	30	0.49	0.51	0.486

Outcome	Author	Rank	AI Win Rate (Jeffreys)	Human Win Rate (Jeffreys)	AI Win Rate (Raw)
style	Roxane Gay	1	0.98	0.02	0.986
style	Margaret Atwood	2	0.97	0.03	0.972
style	Han Kang	3	0.95	0.05	0.958
style	Ben Lerner	4	0.94	0.06	0.944
style	Chimamanda Ngozi Adichie	5	0.94	0.06	0.944
style	Kazuo Ishiguro	6	0.94	0.06	0.944
style	Lydia Davis	7	0.94	0.06	0.944
style	Marilynne Robinson	8	0.94	0.06	0.944
style	Sigrid Nunez	9	0.92	0.08	0.931
style	Cheryl Strayed	10	0.91	0.09	0.917
style	Junot Diaz	11	0.91	0.09	0.917
style	Orhan Pamuk	12	0.91	0.09	0.917
style	Min Jin Lee	13	0.86	0.14	0.861
style	Sally Rooney	14	0.86	0.14	0.861
style	Colson Whitehead	15	0.83	0.17	0.833
style	Salman Rushdie	16	0.83	0.17	0.833
style	George Saunders	17	0.80	0.20	0.806
style	Ian McEwan	18	0.77	0.23	0.778
style	Haruki Murakami	19	0.76	0.24	0.764
style	Rachel Cusk	20	0.76	0.24	0.764
style	Percival Everett	21	0.75	0.25	0.750
style	Jhumpa Lahiri	22	0.71	0.29	0.708
style	Zadie Smith	23	0.71	0.29	0.708
style	Annie Proulx	24	0.66	0.34	0.667
style	Jonathan Franzen	25	0.66	0.34	0.667
style	Ottessa Moshfegh	26	0.65	0.35	0.653
style	Yoko Ogawa	27	0.61	0.39	0.611
style	Louise Erdrich	28	0.58	0.42	0.583
style	Annie Ernaux	29	0.51	0.49	0.514
style	Tony Tulathimutte	30	0.18	0.82	0.181

Note. Jeffreys prior adds 0.5 to successes and 0.5 to failures; differences from raw are small but avoid 0/1 edge cases.

S7.2: Relationship with Corpus Size

Table 14 presents OLS regression results examining the relationship between fine-tuning corpus size (ranging from 0.89M tokens for Tulathimutte to 10.9M for Pamuk) and AI preference rates. The near-zero slopes with confidence intervals spanning zero and minimal R^2 values indicate no detectable relationship within this token range between training data quantity and model performance.

Table 14: OLS regression of author-level AI win rate on fine-tuning corpus size (millions of tokens). Slopes are near zero with CIs spanning zero and very low R^2, indicating no detectable relationship between corpus size and AI preference rate.

Outcome	Slope	Slope CI (Low)	Slope CI (High)	Intercept	Intercept CI (Low)	Intercept CI (High)	R^2	N Authors
quality	0.0029	−0.0173	0.0231	0.676	0.580	0.771	0.0031	30
style	0.0089	−0.0194	0.0373	0.760	0.626	0.894	0.0153	30

Non-parametric check. Spearman $\rho = 0.052$ ($p = 0.791$) for quality and $\rho = -0.040$ ($p = 0.839$) for style.

This finding has economic implications: authors with limited published works (costing \$22–\$50 to fine-tune) can be emulated as effectively as prolific authors (costing \$200+). The absence of any detectable corpus-size effect ($R^2 \approx 0$) suggests that capturing an author's voice depends more on stylistic consistency than sheer data volume.

S8: Detection Mechanisms and Economic Analysis (Figure 4)

This section examines the mechanisms linking AI detectability to human preferences (H3) and quantifies the economic implications of fine-tuning. We show that fine-tuning reverses and substantially attenuates the negative association between AI detection and preference observed in in-context prompting, while achieving performance that readers prefer at ≈99.7 percent lower cost than human writers.

S8.1: AI Detection and Preference Relationship

Table 15 presents the full model examining how AI detectability (Pangram score) influenced preferences. The key finding is the significant interaction between *pangram_score* and *setting* (quality: $\widehat{\beta} \approx 2.90$, $p < 0.001$), indicated that fine-tuning attenuates the negative association between detectability and preference observed in in-context prompting. The significant three-way interactions (pangram_score × setting × reader_type) further indicate that the detectability penalty and its attenuation differed across reader groups, with college-educated general readers showing less sensitivity to detectability than MFA-trained readers even before fine-tuning.

Table 15: Pangram GLM coefficients with CR2 robust standard errors (clustered by reader). Negative coefficients for *pangram_score* in in-context prompting indicate detection reduces preference; positive interactions with *setting* show that fine-tuning attenuates this penalty. Significant three-way interactions indicate the detectability penalty differs across reader groups.

Outcome	*N*	*N* **Readers**	**Term**	**Estimate**	**SE**	*z*	*p*	**OR**	**OR (Low)**	**OR (High)**
quality	10920	542	(Intercept)	0.990	0.169	5.87	4.43e-09	2.69	1.93	3.74
quality	10920	542	*pangram_score*	−2.010	0.333	−6.03	1.65e-09	0.13	0.07	0.26
quality	10920	542	*setting* (Fine-tuned)	−1.025	0.175	−5.86	4.64e-09	0.36	0.26	0.51
quality	10920	542	*reader_type* (College-educated)	−1.288	0.174	−7.40	1.36e-13	0.28	0.20	0.39
quality	10920	542	pangram_score × setting	2.904	0.876	3.32	9.13e-04	18.20	3.28	102.00
quality	10920	542	pangram_score × reader_type	2.613	0.344	7.59	3.24e-14	13.60	6.94	26.80
quality	10920	542	setting × reader_type	1.313	0.180	7.28	3.34e-13	3.72	2.61	5.29
quality	10920	542	pangram_score × setting × reader_type	−3.258	0.908	−3.59	3.31e-04	0.04	0.01	0.23
style	10920	535	(Intercept)	0.909	0.146	6.23	4.79e-10	2.48	1.86	3.31
style	10920	535	*pangram_score*	−1.845	0.292	−6.32	2.57e-10	0.16	0.09	0.28
style	10920	535	*setting* (Fine-tuned)	−0.938	0.158	−5.95	2.65e-09	0.39	0.29	0.53
style	10920	535	*reader_type* (College-educated)	−0.925	0.152	−6.10	1.09e-09	0.40	0.29	0.53
style	10920	535	pangram_score × setting	2.556	0.810	3.15	1.61e-03	12.90	2.63	63.00
style	10920	535	pangram_score × reader_type	1.878	0.304	6.18	6.26e-10	6.54	3.61	11.90
style	10920	535	setting × reader_type	0.921	0.163	5.65	1.63e-08	2.51	1.82	3.46
style	10920	535	pangram_score × setting × reader_type	−1.766	0.844	−2.09	3.64e-02	0.17	0.03	0.89

Notes. CR2 robust standard errors clustered by reader. Readers: 28 MFA-trained and 516 college-educated general readers.

S8.2: Predicted Probabilities Across Detection Levels

Tables 16 and 17 show model-predicted probabilities at different AI detection levels, corresponding to Figure 2F. For MFA-trained readers evaluating *quality*, high detection scores (0.9) reduced AI preference to ∼31 percent in in-context prompting but had a point estimate of ∼68 percent after fine-tuning (95 percent CI 0.37–0.89), demonstrating that fine-tuning makes outputs robust to detection-based skepticism. College-educated general readers showed a weaker detectability penalty in the in-context condition and a modest positive slope after fine-tuning, with predicted probabilities reaching 0.55–0.67 at high detection scores.

Table 16: Predicted AI preference probabilities for **style** at different Pangram detection scores. Fine-tuning attenuates the relationship with detection score for MFA-trained readers (with wider uncertainty at high detection). College-educated general readers show a weak relationship with detectability in the in-context condition and a positive slope after fine-tuning.

Bin	Setting	Reader Type	Prob	Prob (Low)	Prob (High)
0.1	In-context Prompting	MFA-trained	0.674	0.621	0.722
0.5	In-context Prompting	MFA-trained	0.497	0.494	0.500
0.9	In-context Prompting	MFA-trained	0.320	0.273	0.372
0.1	Fine-tuned	MFA-trained	0.511	0.491	0.530
0.5	Fine-tuned	MFA-trained	0.581	0.435	0.714
0.9	Fine-tuned	MFA-trained	0.648	0.380	0.847
0.1	In-context Prompting	College-educated	0.497	0.481	0.513
0.5	In-context Prompting	College-educated	0.500	0.500	0.500
0.9	In-context Prompting	College-educated	0.503	0.487	0.520
0.1	Fine-tuned	College-educated	0.512	0.505	0.519
0.5	Fine-tuned	College-educated	0.593	0.544	0.641
0.9	Fine-tuned	College-educated	0.670	0.581	0.748

Table 17: Predicted AI preference probabilities for **quality**. MFA-trained readers show strong detection sensitivity in in-context prompting ($\sim$0.69 $\rightarrow$ $\sim$0.31) that attenuates after fine-tuning (point estimate at 0.9 $\sim$0.68; 95 percent CI 0.37–0.89). College-educated general readers show a weaker in-context penalty and modest positive slopes after fine-tuning.

Bin	Setting	Reader Type	Prob	Prob (Low)	Prob (High)
0.1	In-context Prompting	MFA-trained	0.688	0.628	0.742
0.5	In-context Prompting	MFA-trained	0.496	0.493	0.499
0.9	In-context Prompting	MFA-trained	0.306	0.254	0.363
0.1	Fine-tuned	MFA-trained	0.514	0.490	0.537
0.5	Fine-tuned	MFA-trained	0.602	0.431	0.751
0.9	Fine-tuned	MFA-trained	0.683	0.373	0.887
0.1	In-context Prompting	College-educated	0.441	0.424	0.457
0.5	In-context Prompting	College-educated	0.501	0.500	0.501
0.9	In-context Prompting	College-educated	0.561	0.544	0.578
0.1	Fine-tuned	College-educated	0.504	0.497	0.510
0.5	Fine-tuned	College-educated	0.529	0.479	0.578
0.9	Fine-tuned	College-educated	0.553	0.461	0.643

S8.3: Stylometric Correlates and Mediation

Table 18 shows that cliché density has the strongest correlation with AI detection (Pearson $r = 0.60$), while readability ease is negatively correlated ($r = -0.23$), suggesting AI text is marked by formulaic phrases but simpler syntax. Among MFA-trained readers, where the detectability penalty is concentrated, approximately 16 percent of the detection effect on preference was mediated through cliché density in the in-context prompting condition; after fine-tuning, this mediation dropped to a statistically insignificant 1.3 percent, indicating that fine-tuning substantially reduces rather than merely masks these stylistic signatures. Because college-educated general readers did not penalize AI-detectable text in either condition, mediation analysis does not apply to this group.

Table 18: Correlations between Pangram AI detection scores and stylometric features. These correlations are computed at the excerpt level ($N = 330$ unique excerpts) and are unchanged by the expanded reader sample.

Metric	Pearson r	Spearman ρ	N
readability_ease	−0.232	−0.312	330
cliche_density	0.600	0.602	330
total_adjective_count	0.104	0.129	330
num_cliches	0.614	0.633	330

S8.4: Economic Analysis

Table 19 documents the cost structure for AI-based text generation. With fine-tuning costs ranging from $22.25 to $272.50 (median $77.88) plus $3 for inference to generate 100,000 words (computed from OpenAI's published API prices, https://openai.com/index/gpt-4o-fine-tuning/; per-token assumptions are documented in our repository), the total AI cost represents approximately 0.3 percent of the $25,000

a professional writer would charge. This ∼99.7 percent cost reduction, combined with reader preference for fine-tuned outputs, quantifies the potential economic disruption to creative writing markets.

Table 19: Cost comparison for generating 100,000 words. Fine-tuning plus inference costs ($25–$276) represent about 0.1 percent to 1.1 percent of professional writer compensation ($25,000), with a median of approximately 0.3 percent.

N Authors	Fine-tune Min	Fine-tune Med	Fine-tune Max	Total Min	Total Med	Total Max
30	$22.25	$77.88	$272.50	$25.25	$80.88	$275.50

Note. Inference cost of $3 per 100k words follows Figure 4c; per-token assumptions are documented in the repository.

S9. Deviations from Preregistration

This section documents deviations from the preregistered analysis plan. We implemented all other aspects exactly as specified.

- **Model framework.** The preregistration specified mixed-effects logistic regression with random intercepts for readers and prompts. We implemented logistic GLMs with CR2 cluster-robust standard errors (clustered by reader) because the mixed-effects models produced convergence issues and singularity warnings. Point estimates from both approaches were similar when convergence was achieved, and inference on the preregistered contrasts (H1, H2) remained unchanged.
- **Sample sizes (exceeded targets).** We recruited more participants than planned:
  - MFA-trained readers: 28 (planned: 25)
  - College-educated general readers: 516 (planned: 120)
  - Fine-tuned authors: 30 (planned minimum: 10)
- All analyses used the full realized sample. We applied no stopping rules and therefore did not violate any; the additional data strengthens the reliability of our findings.
- **Additional analyses (not preregistered).** We added:
  - Writer type × Reader type interaction tests (Type-III Wald with robust covariance) for transparency
  - Predicted probability visualizations (Figures 2C-D) to complement the odds ratio panels
- These additions provide fuller context but do not alter the conclusions drawn from the preregistered H1 and H2 contrasts.