

BUSINESS REQUIREMENTS DOCUMENT (BRD)
AND
SOFTWARE REQUIREMENTS SPECIFICATION (SRS)

Game Development – Games 1 to 6

Prepared for: Development Team

Source: 8-page reference PDF/screenshots supplied by client

Version: 1.0 | Date: 09 September 2026

Document Control	Value
Document Type	BRD + SRS
Scope	Six game interfaces and supporting game platform requirements
Reference Source	Client-supplied 8-page PDF/screenshots
Version	1.0
Status	Draft for Development / Business Rule Confirmation
Primary Use	Developer handover, demo preparation and UAT

Important source note: The supplied material is primarily visual UI reference. It supports UI elements, visible game flow and screen-level behavior, but does not define every mathematical rule, card rule, package rule, API contract, database schema, or server-side result-generation method. Items not supported by the source are explicitly marked as “TBC / Business Confirmation Required” rather than silently assumed.

Table of Contents

1. Purpose and Scope
2. Source-Based Requirements and Interpretation Rules
3. Common Platform Requirements
4. Game 1 – Greedy
5. Game 2 – Animal/Food Wheel
6. Game 3 – Teen Patti
7. Game 4 – Food Wheel / Package Betting
8. Cross-Game API Requirements
9. Cross-Game Database Requirements
10. Non-Functional Requirements
11. Demo / UAT Acceptance Criteria
12. Open Issues and Business Confirmation Checklist

1. Purpose and Scope

This document converts the supplied game screenshots into a development-ready BRD/SRS structure. It is intended to allow the development team to build each game as an independently demonstrable module while sharing common wallet, round, bet, history, configuration, audit and reporting services.

1.1 Objectives

- Replicate the major screen structure and visible controls shown in the supplied references.
- Define functional behavior for round, betting, result, settlement and history flows.
- Separate game-specific requirements from common platform services.
- Provide API and database requirements at a logical level so the developer can prepare the technical design.
- Provide a common demo/UAT checklist for each game.

1.2 Scope

In Scope	Out of Scope / TBC
Six game modules; player UI; rounds; bets; results; settlement; history; configuration; common APIs; logical database entities; UAT.	Exact mathematical probability, payout tables, card-ranking variants, package formulas, jurisdiction/compliance rules, payment gateway details and production infrastructure unless separately confirmed.

1.3 Actors

Actor	Responsibilities
Player	View game, select stake, place bets, monitor round, view result and history.
Admin/Operator	Configure game parameters, monitor rounds, manage visible options and review reports/history.
Game Service	Manage rounds, validate bets, generate/receive results according to approved business rules and settle outcomes.
Wallet Service	Validate balance and create debit/credit transactions.
Audit/Reporting	Record material game and wallet events for traceability.

2. Source-Based Requirements and Interpretation Rules

The following rules apply to this specification:

- Visible labels, controls, layouts, round indicators, bet denominations and multipliers are treated as reference UI requirements where clearly readable.
- Values visible in screenshots are examples/reference values unless the business confirms them as fixed configuration.
- Where screenshots show a feature but not its rule (for example HOT, Popular Recommendation, Big Winner, Auto Bet/Auto Play, package betting or multiplier selection), the UI is required but the underlying business rule is TBC.
- The client/reference screenshots should be treated as visual acceptance references; the final responsive behavior, device resolution and exact assets should be agreed during UI implementation.

2.1 Reference Mapping

Game	Reference Page(s)	Primary Visual
Game 1 – Greedy	1 and 6	Circular food/ingredient betting layout, multipliers, round timer and bet controls.
Game 2 – Animal/Food Wheel	2 and 5	Central animal character with surrounding food/animal options, result strip and Auto Bet/Auto Play.
Game 3 – Teen Patti	3	Three-player card table, guessing timer, pot and chip denominations.

Game 4 – Food Wheel / Package Betting	4	Circular food betting layout with Select Time, package recommendation and Big Winner.
---------------------------------------	---	---

3. Common Platform Requirements

3.1 Common Game Lifecycle

All games shall use a controlled round lifecycle, with game-specific stages where required:

UPCOMING → BETTING OPEN → BETTING CLOSED → RESULT PROCESSING → SETTLED → CLOSED

3.2 Player and Wallet

- Display player balance in the game UI.
- Before accepting a bet, validate player status and available balance.
- Create a unique bet ID and wallet transaction reference for every accepted bet.
- Debit the stake atomically; the bet must not be accepted if the debit fails.
- Credit winnings only once; settlement must be idempotent.
- Expose transaction/history records to the player and authorized admin users.

3.3 Common Bet Requirements

Requirement	Description
Bet amount	Must be one of the configured denominations or a valid configured amount where custom staking is enabled.
Min/Max	Configurable per game and, if required, per option.
Multiple selections	Supported in games where the reference UI presents multiple selectable outcomes.
Duplicate submission	Prevent double-click/double-request duplicate bets using an idempotency key.
Bet closure	Reject all new bets after the server-side betting close timestamp.
Settlement	Link each winning/losing bet to the exact round result used for settlement.

3.4 Common UI Controls

- Back/Exit
- Help
- Sound/Music
- Settings/Menu
- Round number
- Connection indicator
- Countdown timer
- Balance
- Bet denominations
- History/Result
- Repeat/Auto Bet/Auto Play where shown

3.5 Result Integrity

The client application shall never be the authoritative source for wallet balance, accepted bets, final results or payout calculations. Results and settlement shall be generated or validated server-side using approved business rules. Result generation should be auditable and reproducible for authorized review.

3.6 Common Admin Configuration

- Enable/disable game
- Round duration and betting duration
- Bet denominations
- Minimum/maximum bet
- Game options and images
- Visible multiplier values
- HOT/recommendation flags where applicable
- Package definitions where applicable
- Display text and localization
- Audit/report access

1. Game 1 – Greedy

Reference: Pages 1 and 6

A round-based circular food/ingredient betting game. The supplied screens show a central Greedy character, multiple surrounding food options with multipliers and total bets, a round timer, bet denominations, total bet, player bet and Auto Bet.



CS CamScanner

Reference screenshot – supplied PDF page 1. Page 6 is a second visual state of the same Greedy-style interface.

Functional Requirements

ID	Functional Requirement	Priority
G1-FR-01	Create and display a unique round number and server-synchronized countdown.	Must
G1-FR-02	Display all configured food/ingredient betting options around the central game area.	Must
G1-FR-03	Display the configured multiplier and accumulated total bet for each option.	Must
G1-FR-04	Allow the player to select a stake denomination and then click/select a betting option.	Must
G1-FR-05	Validate balance, game status, round status, min/max limits and option availability before accepting a bet.	Must
G1-FR-06	Update Total Bet and My Total Bet after successful bet placement.	Must
G1-FR-07	Close betting automatically at the server-defined betting end time.	Must
G1-FR-08	Display the round result and highlight/identify the winning option.	Must
G1-FR-09	Calculate and settle the result against each accepted bet using the approved multiplier/payout rule.	Must
G1-FR-10	Provide Auto Bet behavior using only server-accepted bets and stop when balance or configured conditions are insufficient.	TBC

UI Requirements

ID	UI Element / Behavior	Priority
G1-UI-01	Central Greedy character/logo and countdown timer.	Must
G1-UI-02	Circular food/ingredient positions with image, multiplier and Total value.	Must
G1-UI-03	Visible Total Bet, My Total Bet and available game coins/balance.	Must

G1-UI-04	Bet denomination controls; screenshots show values such as 10/100/1K/10K on page 6 and 1K/5K/50K/100K on page 1.	Reference / Configurable
G1-UI-05	Auto Bet control.	Must
G1-UI-06	Back, help, sound/menu and connection indicator where shown.	Should

Business Rules

ID	Rule	Status
G1-BR-01	Multiplier values are configurable per betting option. Screenshots show examples such as x3, x5, x7, x9, x10, x14, x24, x50, x4.3 and x1.27.	Reference; confirm final values
G1-BR-02	Stake denominations shown in the screenshots are reference values and should be configurable.	Confirm
G1-BR-03	The exact winning/result-generation rule is not defined in the supplied screenshots.	TBC
G1-BR-04	Exact payout formula, rounding and treatment of multiple simultaneous bets are not defined.	TBC
G1-BR-05	Auto Bet repeat logic and stop conditions require business confirmation.	TBC

API Requirements

API	Purpose	Key Inputs / Outputs
POST /api/v1/games/{gameId}/rounds/{roundId}/bets	Place bet	playerId, optionId, amount, idempotencyKey → betId, accepted/rejected
GET /api/v1/games/{gameId}/rounds/current	Get current round	round, countdown, options, multipliers, totals
GET /api/v1/games/{gameId}/rounds/{roundId}/result	Get round result	result option, settlement status
GET /api/v1/games/{gameId}/history	Player history	filters → paginated bets/results
POST /api/v1/games/{gameId}/autobet	Configure Auto Bet	amount, option(s), repeat rule, stop rule

Database Requirements

Entity / Table	Key Fields	Purpose
game_round	id, game_id, round_no, start_at, betting_end_at, result_at, status	Round lifecycle
game_option	id, game_id, name, image, multiplier, active	Betting options
game_bet	id, round_id, player_id, option_id, amount, status, created_at	Player bets
game_result	id, round_id, winning_option_id, result_ref, created_at	Authoritative result
wallet_transaction	id, player_id, bet_id, type, amount, status	Debit/credit trail

Demo / UAT Acceptance Criteria

- ☐ New round displays correct round number and synchronized countdown.
- ☐ All configured options and multipliers appear in the correct positions.
- ☐ Player can select a denomination and place a valid bet.
- ☐ Insufficient balance and closed-round bets are rejected.
- ☐ Total Bet and My Total Bet update after accepted bets.
- ☐ Betting automatically closes at the server-defined time.
- ☐ Result is displayed and linked to the round.
- ☐ Winning bet settlement updates the wallet exactly once.
- ☐ Game history contains the round, option, stake, result and settlement.
- ☐ Auto Bet behavior is demonstrated only after the business rule is confirmed.

Open / TBC Items

- TBC – Exact result-generation/probability rule.
- TBC – Exact payout formula and rounding.
- TBC – Final production denominations and multiplier configuration.

- TBC – Auto Bet repeat/stop logic.

2. Game 2 – Animal/Food Wheel

Reference: Pages 2 and 5

A circular animal/food betting game with a central character, multiple surrounding options, multipliers, result history and Auto Bet/Auto Play. Page 5 also shows accumulated amounts beside options.



CS CamScanner

Reference screenshot – supplied PDF page 2. Page 5 shows another visual state with accumulated option amounts.

Functional Requirements

ID	Functional Requirement	Priority
G2-FR-01	Create a round and display a countdown.	Must
G2-FR-02	Display configured food/animal options around the central character.	Must
G2-FR-03	Allow selection of a stake denomination and one or more valid betting options.	Must
G2-FR-04	Show accumulated total stake for each option where enabled.	Must
G2-FR-05	Accept/reject bets using server-side balance and round validation.	Must
G2-FR-06	Close betting at the round deadline and publish the result.	Must
G2-FR-07	Settle all bets against the authoritative result and update wallet/history.	Must
G2-FR-08	Display recent result icons/history and My History.	Must
G2-FR-09	Support Auto Bet/Auto Play if enabled for the player.	TBC

UI Requirements

ID	UI Element / Behavior	Priority
G2-UI-01	Central character with round/countdown display.	Must
G2-UI-02	Food/animal option cards arranged around the center.	Must
G2-UI-03	Multiplier beside each option; examples visible include x5, x45, x25, x15 and x10.	Reference
G2-UI-04	HOT label may appear against an option.	Must visually

		support; rule TBC
G2-UI-05	Result strip and My History area.	Must
G2-UI-06	Balance, Today's Earnings, stake denominations and Auto Bet/Auto Play.	Must

Business Rules

ID	Rule	Status
G2-BR-01	Option list, images and multipliers must be configurable.	Confirm
G2-BR-02	HOT indicator is visible in the source, but its activation rule is not defined.	TBC
G2-BR-03	The exact meaning/calculation of Today's Earnings is not defined.	TBC
G2-BR-04	Auto Bet/Auto Play rules are not defined beyond the visible control.	TBC
G2-BR-05	Exact result-selection and payout rules are not defined.	TBC

API Requirements

API	Purpose	Key Inputs / Outputs
GET /api/v1/games/{gameId}/rounds/current	Current game state	round, timer, options, multipliers, totals
POST /api/v1/games/{gameId}/rounds/{roundId}/bets	Place bet	optionId, amount, idempotencyKey
GET /api/v1/games/{gameId}/history	Player history	pagination and date filters
GET /api/v1/games/{gameId}/results/recent	Recent results	recent result list
POST /api/v1/games/{gameId}/autoplay	Configure Auto Play	configuration → status

Database Requirements

Entity / Table	Key Fields	Purpose
game_round	Round lifecycle and timestamps	Round
game_option	Option name, image, multiplier, hot_flag, active	Options
game_bet	Player stake by option and round	Bets
game_result	Winning option and result reference	Results
wallet_transaction	Bet and payout transactions	Wallet audit

Demo / UAT Acceptance Criteria

- ☐ Round/countdown is synchronized.
- ☐ All food/animal options and visible multipliers are displayed.
- ☐ Valid bet is accepted and balance is reduced once.
- ☐ Invalid/late/insufficient-balance bet is rejected.
- ☐ Result history updates after settlement.
- ☐ My History shows the player's own transactions.
- ☐ Auto Bet/Auto Play is demonstrated according to approved business rules.

Open / TBC Items

- TBC – HOT activation logic.
- TBC – Today's Earnings calculation.
- TBC – Auto Bet vs Auto Play semantics.
- TBC – Exact result/payout algorithm.

3. Game 3 – Teen Patti

Reference: Page 3

A three-position card-table game shown with three player positions (A/B/C), visible cards, pot amounts, a Guessing timer, chip denominations and Repeat control.



CS CamScanner

Reference screenshot – supplied PDF page 3.

Functional Requirements

ID	Functional Requirement	Priority
G3-FR-01	Create a table/round with three player positions as represented by A/B/C.	Must
G3-FR-02	Display a server-synchronized Guessing/decision countdown.	Must
G3-FR-03	Allow the player to select a chip denomination and place a bet on a valid position/action.	Must
G3-FR-04	Display each position's pot/contribution and the player's own contribution.	Must
G3-FR-05	Close betting/guessing when the timer expires.	Must
G3-FR-06	Deal/display cards according to the approved game rule.	Must
G3-FR-07	Evaluate the hands and determine the result according to the approved Teen Patti rule set.	Must
G3-FR-08	Settle the result and update wallet/history.	Must

UI Requirements

ID	UI Element / Behavior	Priority
G3-UI-01	Three chairs/player positions with labels A/B/C or final approved labels.	Must
G3-UI-02	Card area for each position.	Must
G3-UI-03	Guessing timer overlay.	Must
G3-UI-04	Pot and You/Your Bet amounts.	Must
G3-UI-05	Chip denominations; screenshot visibly includes 20, 100, 500 and 1K.	Reference
G3-UI-06	Repeat button and player balance.	Must

G3-UI-07	Player avatars/names where provided by the final UI.	Should
----------	--	--------

Business Rules

ID	Rule	Status
G3-BR-01	Exact Teen Patti variant/ranking rules are not specified in the screenshot.	TBC
G3-BR-02	Number of cards shown appears to be three per position; confirm final dealing rule.	TBC
G3-BR-03	Pot contribution, payout and tie handling are not specified.	TBC
G3-BR-04	Exact guessing/decision timer duration is not specified.	TBC
G3-BR-05	Deck/shuffle/result method must be server-side and auditable.	Must

API Requirements

API	Purpose	Key Inputs / Outputs
POST /api/v1/games/{gameId}/tables/{tableId}/bets	Place position/action bet	roundId, position, amount, idempotencyKey
GET /api/v1/games/{gameId}/tables/{tableId}/state	Get table state	players, pots, timer, cards visibility
GET /api/v1/games/{gameId}/rounds/{roundId}/result	Get result	winner, cards, settlement
GET /api/v1/games/{gameId}/history	Player game history	bets/results

Database Requirements

Entity / Table	Key Fields	Purpose
game_table	table id, status, configuration	Table
game_round	round id, timer and status	Round
game_player_position	round/table, position, player, status	Seat/position
card_hand	round, position, card references	Cards
game_bet	player, position, amount, status	Bets
game_result	winner, hand/result reference	Result

Demo / UAT Acceptance Criteria

- ☐ Three player positions render correctly.
- ☐ Timer counts down and closes the decision period.
- ☐ Player can place a valid chip bet.
- ☐ Pot and own bet values update.
- ☐ Cards are dealt/revealed according to approved rules.
- ☐ Winner/result is calculated server-side.
- ☐ Settlement and wallet update occur exactly once.
- ☐ History shows the round, bet and result.

Open / TBC Items

- TBC – Exact Teen Patti rules/variant.
- TBC – Card ranking and tie handling.
- TBC – Number of players/seats if not fixed at three.
- TBC – Exact pot/payout calculation.
- TBC – Timer duration.

10. Cross-Game API Requirements

The following is a logical API contract for development planning. Exact technology, URL naming convention, authentication mechanism and response envelope may be adapted by the development team, but the business capabilities should be preserved.

API Capability	Requirement
Authentication	Authenticated player identity must be available to all betting/settlement APIs.
Current Round	Return round number, server time, betting end time, status, configured options and display totals.
Place Bet	Validate player, game, round, option, amount, limits and balance; accept only once using idempotency.
Round Result	Return authoritative result and settlement status.
Wallet	Debit/credit through a controlled transaction service; never trust client balance.
History	Return player-specific and authorized admin history with pagination/filtering.
Game Configuration	Return only active configuration appropriate to the player/client.
Auto Bet/Auto Play	Persist approved player configuration and validate each repeated bet server-side.
Admin	Separate privileged endpoints for configuration, monitoring, reports and audit.
Audit	Record important state changes and administrative changes.

10.1 Suggested Response Structure

A consistent response envelope is recommended:

success | code | message | data | serverTime | requestId

10.2 Security and Integrity

- Use TLS for all client-server communication.
- Authenticate and authorize every player/admin request.
- Use idempotency keys for bet/spin/settlement requests.
- Apply server-side timestamps for betting closure.
- Do not expose secrets or privileged result-generation logic in the client.
- Log failed validation, duplicate requests and settlement exceptions.

11. Cross-Game Database Requirements

Logical Entity	Core Fields	Notes
player	player_id, status, display_name	Reference to authenticated user/player.
wallet_account	wallet_id, player_id, balance, currency/unit	Authoritative wallet balance.
wallet_transaction	txn_id, player_id, type, amount, reference_type, reference_id, status, created_at	Immutable financial/game transaction trail.
game	game_id, code, name, status, version	Master record for six games.
game_configuration	game_id, key, value, effective_from, effective_to	Versioned configuration.
game_round	round_id, game_id, round_no, status, start_at, betting_end_at, result_at	Common round lifecycle.
game_option	option_id, game_id, code, name, image, multiplier, status	Food/card position/options where applicable.
game_bet	bet_id, round_id, player_id, option_id/position, amount, status, created_at	Accepted/rejected bet record.
game_result	result_id, round_id, result_payload/reference, created_at	Authoritative result.

game_settlement	settlement_id, bet_id, payout, status, settled_at	Idempotent settlement.
game_history	Can be derived from bet/result/settlement or materialized for reporting.	Implementation choice.
audit_log	audit_id, actor, action, entity, entity_id, before/after, timestamp	Security and operational traceability.

11.1 Data Integrity

- Round ID must uniquely identify a round within the game.
- Bet ID must uniquely identify a bet.
- Settlement must have a unique constraint against the bet ID to prevent double payout.
- Wallet transactions must be immutable after posting; corrections should use compensating transactions.
- Configuration changes should be versioned and auditable.

12. Non-Functional Requirements

Area	Requirement
Performance	Game screen should remain responsive during active rounds; APIs should be optimized for frequent countdown/state polling or real-time updates.
Concurrency	System must support concurrent bets without race conditions or double debit.
Availability	Round state and wallet services should be highly available according to the agreed production SLA.
Consistency	Server time and round state must be authoritative.
Security	TLS, authenticated APIs, authorization, input validation and audit logging.
Scalability	Game services should support horizontal scaling without duplicate round/result creation.
Observability	Central logs, metrics, health checks and alerting for failed settlement/result processing.
Recovery	Round and settlement processing must recover safely after service interruption.
Auditability	Every bet, result and settlement must be traceable to a player, round and timestamp.
Localization	Visible labels should be configurable/localizable if multilingual support is required.
Compatibility	Final target devices, OS versions, screen sizes and browser/app framework are TBC.

13. Demo / UAT Acceptance Criteria

The developer should demonstrate each game using a controlled test account and test wallet. The UAT owner should record Pass/Fail against every item and capture evidence for failures.

Test Area	Acceptance Test	Expected Result
Launch	Open game from game list	Correct game screen loads without error.
Round	Wait for a new round	Round ID/number and timer update correctly.
Bet	Select denomination and option	Selection is visibly highlighted and accepted only when valid.
Balance	Place valid bet	Balance decreases exactly by the accepted stake.
Invalid Bet	Try insufficient balance / closed round / invalid amount	Request rejected with clear message; no unintended debit.
Multiple Bet	Place more than one valid selection where supported	Each accepted bet is separately traceable.
Close	Wait for betting timer to expire	New bets are rejected after server-side close.
Result	Observe result	Authoritative result is displayed and linked to the round.
Settlement	Check winning/losing account	Payout/settlement is correct and posted once.
History	Open history	Round, bet, result and settlement are visible.
Repeat	Use Repeat/Repeat Bet	Previously configured selection is recreated according to approved rule.
Auto	Use Auto Bet/Auto Play where supported	System repeats only valid bets and respects stop conditions.
Admin	Change a test configuration value	Approved configuration is reflected in subsequent eligible rounds.
Audit	Review test transaction	Bet and wallet events are traceable through IDs.

13.1 Game-Specific UAT Matrix

Game	Must Demonstrate
Game 1 – Greedy	Circular options, multipliers, total/my total, betting, result, settlement, Auto Bet if approved.
Game 2 – Animal/Food Wheel	Animal/food options, HOT display if enabled, result strip, history, Auto Bet/Auto Play if approved.
Game 3 – Teen Patti	Three positions, cards, Guessing timer, pots, chip betting, winner evaluation and settlement.
Game 4 – Food Wheel / Package	Select Time, circular options, package entry, individual/package bet, result, Big Winner display if approved.
Game 5 – Three-Player Card Game	Three colored positions, three-card display, x2.9 reference multiplier, Repeat Bet, result and settlement.
Game 6 – Slot / Multiplier	Reels, multiplier wheel, winning multiplier, Extra Bet, Quick/Auto/Start and payout.

14. Open Issues and Business Confirmation Checklist

The following items should be confirmed before final development sign-off. These are not invented requirements; they are gaps that the supplied screenshots do not define.

#	Decision Required	Affected Game(s)
1	Exact game name and final branding for each of the six modules.	All
2	Exact result-generation method and approved randomness/fairness/audit approach.	All
3	Exact payout formula, rounding and settlement rules.	All
4	Final multiplier table and whether multipliers are fixed/configurable.	Games 1, 2, 3
5	Final stake denominations and min/max limits.	All
6	Round duration, betting duration and result timing.	All
7	Auto Bet / Auto Play behavior and stop conditions.	Games 1, 2, 3
8	HOT logic and display rule.	Game 1, 2, 3
9	Today's Earnings / Today's Profits calculation.	Games 1, 2, 3
12	Teen Patti rules, card ranking, pot and tie handling.	Game 3
15	Target platform, screen sizes, orientation and technical stack.	All
16	Player authentication, wallet source and transaction/currency model.	All
17	Admin roles and permission matrix.	All

14.1 Developer Handover Instruction

For development, each game should be implemented as an independent module/service boundary with a common game-engine interface. The developer should first deliver a clickable UI prototype matching the supplied reference, then integrate round/bet APIs, then result/settlement, and finally admin configuration and reporting.

1. Phase 1 – UI prototype against the supplied screenshots.
2. Phase 2 – Round timer/state integration.
3. Phase 3 – Bet validation and wallet integration.
4. Phase 4 – Result engine and settlement using approved business rules.
5. Phase 5 – History, admin configuration, audit and reports.

6. Phase 6 – UAT fixes and demo sign-off.

Appendix A – Reference Screenshot Pages

Game 1



CS CamScanner

Source reference: supplied PDF, 1 / 8.

Game 2



CS CamScanner

Source reference: supplied PDF, 2 / 8.

Game 3



CS CamScanner