

OGFI ERP - Phase I Local UAT Test Instructions

Purpose

Use this guide to execute one traceable, end-to-end Phase I UAT chain covering access, procurement, receiving, inventory custody, physical controls, wastage, adjustments, and restaurant consumption. Record every result in templates/phase-i-uat-evidence-sheet.xlsx.

The authoritative detailed runbook remains phase-i-local-end-to-end-uat-runbook.md. If these instructions and the authoritative runbook differ, stop and follow the authoritative runbook.

Environment boundary

- Ordinary local application: `http://localhost:3001`
- The ordinary local stack intentionally keeps the Approval Inbox unavailable.
- Approval-dependent scenarios may run only in the separately admitted hardened UAT lane at `https://127.0.0.1:3443`.
- When that lane is unavailable, record the approval-dependent step as Not Run - activation dependency. Never enable routing by editing the ordinary `.env`.
- Candidate commit for this execution must be recorded before testing. Do not silently continue after rebuilding or changing source code.

Step 1 - Prepare the session

1. Confirm the application image passed the full release build check.
2. Record the Git commit, build-evidence path, application URL, browser, tester, and test date in the workbook's Session sheet.
3. Confirm the local services:

```
docker compose -p ogfi-clean --env-file .env ps
```
4. Keep the application log open in a separate terminal:

```
docker logs -f ogfi-clean-web-1
```
5. Create one unique reference, for example UAT-YYYYMMDD-01, and use it on all related records and evidence.
6. Prepare separate named users for Requester, Purchasing, Approver, Receiver, Warehouse Dispatcher, Branch Receiver, and Inventory Reviewer/Poster. Do not perform the whole chain as one super-administrator.

Step 2 - Apply the evidence rules

For each scenario record the actor, scope, source record, before state, exact action, after state, stock before and after, audit reference, evidence link, and result.

Allowed results are Not Started, Pass, Fail, Blocked, and Not Run. Every Fail or Blocked result requires a defect reference. Approval steps unavailable on the ordinary stack must use Not Run with the note activation dependency.

Step 3 - Smoke test authentication and navigation

1. Open `http://localhost:3001/sign-in` and sign in as the authorized administrator.
2. Confirm the dashboard loads without a blank page.
3. Switch between the warehouse and branch and confirm the selected scope refreshes correctly.
4. Sign out and sign in again.

5. Pass only when login, logout, navigation, and location switching work without a manual refresh.

Step 4 - Verify organization and access scope

1. Open Administration -> Organization Scope.
2. Verify Company, Brand, Department, warehouse, and branch records.
3. Select a row and confirm its applicable action becomes available.
4. Edit one permitted non-structural value, provide a reason, and save.
5. Confirm the modal closes, a user-safe toast appears, the value refreshes, and audit history retains before/after values and the reason.
6. Sign in as a branch-scoped user and confirm another branch is denied server-side.

Step 5 - Verify Suppliers, Items, and UOMs

1. Open Procurement -> Suppliers, select a supplier row, and open the selected supplier.
2. Verify the correct supplier, accreditation, contact, terms, status, and catalog appear.
3. Test catalog search and pagination, then select another supplier and verify the modal changes to that supplier.
4. Open Inventory -> Items and select the high-risk item used throughout UAT.
5. Record its item code, base UOM, purchase UOM, issue UOM, and conversions.
6. Confirm searchable dropdowns return matching active, company-scoped options.

Step 6 - Establish controlled opening stock

Do not edit a stock balance directly. Establish stock using the controlled Opening Inventory workflow or a posted receipt from an issued Purchase Order.

For Opening Inventory:

1. Open Inventory -> Opening Inventory -> Setup Center and create a configuration draft with the UAT reference.
2. Configure exact warehouse and branch endpoints and only the required capabilities.
3. Select the high-risk pilot items.
4. Assign five distinct eligible users: preparer, submitter, Operations reviewer, Accounting reviewer, and command requester.
5. Bind the required approval routes and validate all eight readiness families.
6. Resolve every blocker in its authoritative workspace.
7. Seal the revision with an independent authorized user and record its revision and SHA-256 digest.
8. Confirm the sealed revision cannot be edited or deleted.
9. Create reviewed OPENING count attempts, create the cohort, add evidence and valuation, prepare immutable location batches, seal, and submit.
10. Complete independent Operations and Accounting reviews in the admitted approval lane.
11. Request Freeze, Stage, and Activate in order. Verify only successful activation posts opening movements exactly once.

Step 7 - Purchase Request

1. Sign in as the Requester and select the intended branch.
2. Create a draft Purchase Request with required date, urgency, justification, item, quantity, valid UOM, estimated cost when available, and line purpose.
3. Submit for approval and record the PR number.
4. Confirm submission creates no inventory movement.
5. Attempt self-approval and confirm denial.

6. In the admitted approval lane, sign in as the assigned Approver, verify all scope and policy information, and approve.
7. Use another UAT PR to test return or rejection with required remarks.

Step 8 - Supplier quotations and comparison

1. Sign in as Purchasing and open the approved PR.
2. Record at least two supplier quotations when comparison is required.
3. Include reference, validity, quantities, UOMs, prices, availability, lead time, notes, and reason.
4. Complete the comparison, retain recommendation evidence, and submit for approval when configured.
5. Confirm quotation and recommendation decisions do not change inventory.

Step 9 - Purchase Order

1. Create the PO from the approved sourcing result.
2. Verify Supplier, Company, receiving Location, Item, UOM, quantity, price, totals, and source PR.
3. Submit and independently approve the PO when required.
4. Issue it and record the PO number.
5. Confirm draft, approval, and issue create no inventory movement.
6. Attempt one invalid or stale transition and confirm no mutation occurs.

Step 10 - Receiving

1. Sign in as the Receiver and create a draft receipt against the issued PO.
2. Enter the supplier delivery reference and exercise one partial or discrepant receipt, such as ordered 10, delivered and accepted 7, short 3.
3. Add required reason, evidence, lot, and expiry information.
4. Save and confirm the draft has no stock effect.
5. Post once and confirm usable stock increases only by the accepted quantity.
6. Refresh or retry and confirm the movement is not duplicated.
7. Confirm the PO remains open for its outstanding quantity.

Step 11 - Balance and ledger reconciliation

1. Open Inventory -> Stock Balances at the posting Location and record the item balance and version.
2. Open Movement Ledger and find the receipt by Item, PO, or receipt reference.
3. Confirm exactly one movement with the correct quantity, actor, source, lot, reason, and timestamp.
4. Open Ledger Variance and confirm cached and ledger-derived balances reconcile.
5. Treat any unexplained mismatch as a blocking defect.

Step 12 - Warehouse-to-branch transfer

1. Create a transfer from the Main Warehouse to the branch for less than available stock.
2. Submit and independently approve it.
3. Sign in as the Warehouse Dispatcher and dispatch once.
4. Confirm the source movement and warehouse reduction.
5. Sign in as the Branch Receiver, record accepted and discrepant quantities with evidence, and post receipt.

6. Confirm destination stock increases only by accepted quantity and retry cannot duplicate stock.
7. Confirm the approver cannot dispatch or receive, the dispatcher cannot receive, and out-of-scope users are denied.

Step 13 - Wastage

1. At the branch, create wastage for the test item with quantity, cost, type, compatible reason code, and evidence.
2. Submit and independently approve it.
3. Confirm approval alone does not reduce stock.
4. Post Wastage once and confirm exactly one WASTAGE_OUT movement.
5. Test missing reason, missing evidence, incompatible reason/type, insufficient stock, and repeated posting. Each must fail without mutation.

Step 14 - Stock count

1. Schedule and start a count for the selected Location.
2. Enter every snapshot quantity and deliberately create one controlled variance.
3. Submit for review and review with an independent eligible user.
4. Confirm the snapshot, attempt, evidence, variance, actors, and history remain visible.
5. Confirm review does not overwrite stock. Do not create a corrective adjustment from this count during this scenario.

Step 15 - Stock adjustment and reversal

1. Create an INCREASE or DECREASE adjustment with quantity, reason code, explanation, and evidence.
2. Submit and independently approve it.
3. Confirm approval alone has no stock effect.
4. Post once with the authorized poster and verify one correctly signed movement.
5. If reversal is available, enter a reversal reason and confirm it creates an auditable counter-movement rather than deleting history.

Step 16 - Servings and consumption

1. Select a configured restaurant branch and open Restaurant Ops -> Servings & Consumption.
2. Confirm staff can view but cannot modify branch configuration.
3. Create a declaration for the correct business date and service period.
4. Select a published recipe belonging to the branch's Brand and record paid and complimentary servings separately.
5. Submit, then verify/approve with the configured independent role.
6. Confirm theoretical ingredient consumption is calculated but the declaration itself creates no inventory movement.
7. Compare theoretical consumption with physical-count and ledger evidence.

Step 17 - Final theft-control reconciliation

For one high-risk Item and one Location calculate:

```
Opening quantity
+ accepted purchase receipts
+ accepted inbound transfers
- outbound transfer dispatches
- posted wastage
+/- posted stock adjustments
```

= expected current on-hand quantity

Compare the result with Stock Balances, Movement Ledger, latest physical Stock Count, Ledger Variance, and audit history. Pass only when posted actions have exactly one movement, drafts and approvals have no stock effect, scope/actor/reason/evidence are retained, custody restrictions hold, and cached and ledger-derived balances reconcile.

Step 18 - Record and triage defects

1. Do not rebuild immediately.
2. Capture the screen, browser Network request/response, exact timestamp, actor, scope, source record, and expected versus actual behavior.
3. Collect recent logs:

```
docker logs --since=10m ogfi-clean-web-1
```

4. Assign a defect such as UAT-DEFECT-001 and classify it as Blocking, High, Medium, or Low.
5. Stop the affected chain immediately for inventory-integrity, authorization, approval, audit, or unexplained reconciliation defects.
6. Group related defects into one bounded implementation batch instead of rebuilding after every finding.

Completion rule

UAT is complete only when every scenario is Pass, an explicitly justified Not Run, or a documented Blocked item with a defect, owner, and resolution plan. The release owner and business owner must complete the workbook sign-off; automated test success alone is not UAT approval.