

SQLQuery1.sql - DESKTOP-207HUOM.newassignment (DESKTOP-207HUOM\DELL (62)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

newassignment

Object Explorer

Connect

DESKTOP-207HUOM (SQL Server 15.0.2081.1)

Databases

System Databases

Database Snapshots

newassignment

Database Diagrams

Tables

System Tables

FileTables

External Tables

Graph Tables

Views

External Resources

Synonyms

Programmability

Service Broker

Storage

Security

Server Objects

Replication

PolyBase

Always On High Availability

Management

Integration Services Catalogs

SQL Server Agent (Agent XPs disabled)

XEvent Profiler

```
create table customer (firstname varchar(40), lastname varchar(40), city varchar(40), country varchar(40), phonename varchar(20));
insert INTO customer (firstname, lastname, city, country, phonename) values ('bantupalli', 'tulasi', 'vzm', 'india', 'redme');
insert INTO customer (firstname, lastname, city, country, phonename) values ('nam', 'harika', 'vsp', 'germany', 'realme');
insert INTO customer (firstname, lastname, city, country, phonename) values ('ban', 'jaan', 'sklm', 'usa', 'nokia');
select * from customer;
```

100 %

Results Messages

	firstname	lastname	city	country	phonename
1	bantupalli	tulasi	vzm	india	redme
2	nam	harika	vsp	germany	realme
3	ban	jaan	sklm	usa	nokia

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (62) | newassignment | 00:00:00 | 3 rows

Ready

Type here to search

28°C Partly cloudy

19:33 12-10-2022

SQLQuery1.sql - DESKTOP-207HUOM.newassignment (DESKTOP-207HUOM\DELL (62)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

newassignment

Object Explorer

Connect

DESKTOP-207HUOM (SQL Server 15.0.2081.1)

Databases

System Databases

Database Snapshots

newassignment

Database Diagrams

Tables

System Tables

FileTables

External Tables

Graph Tables

Views

External Resources

Synonyms

Programmability

Service Broker

Storage

Security

Server Objects

Replication

PolyBase

Always On High Availability

Management

Integration Services Catalogs

SQL Server Agent (Agent XPs disabled)

XEvent Profiler

```
create table customer (firstname varchar(40), lastname varchar(40), city varchar(40), country varchar(40), phonename varchar(20));
insert INTO customer (firstname, lastname, city, country, phonename) values ('bantupalli', 'tulasi', 'vzm', 'india', 'redme');
insert INTO customer (firstname, lastname, city, country, phonename) values ('nam', 'harika', 'vsp', 'germany', 'realme');
insert INTO customer (firstname, lastname, city, country, phonename) values ('ban', 'jaan', 'sklm', 'usa', 'nokia');
select * from customer;
```

100 %

Results Messages

	firstname	lastname	city	country	phonename
1	bantupalli	tulasi	vzm	india	redme
2	nam	harika	vsp	germany	realme
3	ban	jaan	sklm	usa	nokia

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (62) | newassignment | 00:00:00 | 3 rows

Ready

Type here to search

28°C Partly cloudy

19:33 12-10-2022

SQLQuery1.sql - DESKTOP-207HUOM.newassignment (DESKTOP-207HUOM\DELL (62)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

newassignment

Object Explorer

Connect

DESKTOP-207HUOM (SQL Server 15.0.2081.1)

Databases

- System Databases
- Database Snapshots
- newassignment
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- Security
- Server Objects
- Replication
- PolyBase
- Always On High Availability
- Management
- Integration Services Catalogs
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1.sql - ...O7HUOM\DELL (62)

```
create table product(productname varchar(50),unitprice decimal(12,3),package varchar(40));
insert into product(productname,unitprice,package ) values('cake',3,'new');
select * from product;
```

110 %

Results Messages

	productname	unitprice	package
1	cake	3.000	new

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (62) | newassignment | 00:00:00 | 1 rows

Ready

Type here to search

28°C Partly cloudy

19:39 12-10-2022

SQLQuery3.sql - DESKTOP-207HUOM\Ordertable (DESKTOP-207HUOM\DELL (51))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

Object Explorer

Connect - [Server Icon] [Database Icon] [Refresh Icon] [Disconnect Icon]

DESKTOP-207HUOM (SQL Server 15.0.2081.1)

- Databases
 - System Databases
 - Database Snapshots
 - newassignment
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- Full-Text Catalogs
- Ordertable
- Security
- Server Objects
 - Replication
 - PolyBase
 - Always On High Availability
 - Management
 - Integration Services Catalogs
- SQL Server Agent (Agent XPs disabled)
- XE Event Profiler

SQLQuery3.sql - ...O7HUOM\DELL (51)*

```
create table orderitem (orderid int, productid int, unitprice int, quantity int)
insert into orderitem values (122, 10, 3, 2);
insert into orderitem values (200, 12, 5, 8);
select * from orderitem ;
```

SQLQuery2.sql - ...O7HUOM\DELL (59)*

82 %

Results Messages

	orderid	productid	unitprice	quantity
1	122	10	3	2
2	200	12	5	8

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (51) | Ordertable | 00:00:00 | 2 rows

Ready

Type here to search

28°C Cloudy 15:50 14-10-2022

SQLQuery2.sql - DESKTOP-207HUOM\tulasi (DESKTOP-207HUOM\DELL (61)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

Quick Launch (Ctrl+Q)

Object Explorer

Connect - tulasi

DESKTOP-207HUOM (SQL Server 15.0.26080.1)

Databases

- System Databases
 - master
 - model
 - msdb
 - tempdb
- Database Snapshots
- newassignment
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- tulasi
 - Security
 - Server Objects
 - Replication
 - PolyBase
 - Always On High Availability
 - Management
 - Integration Services Catalogs
 - SQL Server Agent (Agent XPs disabled)
 - XEvent Profiler

SQLQuery2.sql - ...O7HUOM\DELL (61))

```
create table customer
(
    id int primary key,
    firstname nvarchar(40) not null,
    LastName nvarchar(40),
    city nvarchar(40),
    Country nvarchar(40),
    Phone nvarchar(20),
)

Insert into Customer values(1,'rene','setti','nellore','india',23456789)
Insert into Customer values(2,'reshma','adrin','berlin','Germany',4321567891)
Insert into Customer values(3,'chandu','gajuwaka','vizag','India', 876543210)

Create table Order
(
    id int primary key,
    OrderDate datetime not null,
    OrderNumber nvarchar(10),
    Customerid int references Customer(id),
    TotalNumber decimal(12,2)
)
```

83 %

Messages

Completion Name: 2022-10-13T11:11:00.000000000

83 %

Query completed with errors.

DESKTOP-207HUOM (15.0 RTM) DESKTOP-207HUOM\DELL (61) tulasi 00:00:00 0 rows

Ready

Type here to search

28°C Mostly sunny

18:11 13-10-2022

SQLQuery3.sql - DESKTOP-207HUOM\Ordertable (DESKTOP-207HUOM\DELL (51))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

Object Explorer

Connect - DESKTOP-207HUOM (SQL Server 15.0.2081.1)

- Databases
 - System Databases
 - Database Snapshots
 - newassignment
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
 - Ordertable
- Security
- Server Objects
- Replication
- PolyBase
- Always On High Availability
- Management
- Integration Services Catalogs
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery3.sql - ...O7HUOM\DELL (51)*

```
create table orderitem (orderid int, productid int, unitprice int, quantity int)
insert into orderitem values (122, 10, 3, 2);
insert into orderitem values (200, 12, 5, 8);
select * from orderitem ;
```

SQLQuery2.sql - ...O7HUOM\DELL (59)*

Results

	orderid	productid	unitprice	quantity
1	122	10	3	2
2	200	12	5	8

Messages

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (51) | Ordertable | 00:00:00 | 2 rows

Ready

Type here to search

28°C Cloudy 15:50 14-10-2022

SQLQuery3.sql - DESKTOP-207HUOM\Ordertable (DESKTOP-207HUOM\DELL (51))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

Object Explorer

Connect - DESKTOP-207HUOM (SQL Server 15.0.2081.1)

- Databases
 - System Databases
 - Database Snapshots
 - newassignment
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
 - Ordertable
- Security
- Server Objects
- Replication
- PolyBase
- Always On High Availability
- Management
- Integration Services Catalogs
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery3.sql - ...O7HUOM\DELL (51)*

```
create table orderitem (orderid int, productid int, unitprice int, quantity int)
insert into orderitem values (122, 10, 3, 2);
insert into orderitem values (200, 12, 5, 8);
select * from orderitem ;
```

SQLQuery2.sql - ...O7HUOM\DELL (59)*

82 %

Results Messages

	orderid	productid	unitprice	quantity
1	122	10	3	2
2	200	12	5	8

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (51) | Ordertable | 00:00:00 | 2 rows

Ready

Type here to search

28°C Cloudy 15:50 14-10-2022

SQLQuery4.sql - DESKTOP-207HUOM\product table (DESKTOP-207HUOM\DELL (69)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

product table

Object Explorer

Connect

DESKTOP-207HUOM (SQL Server 15.0.2080.1)

Databases

System Databases

Database Snapshots

newassignment

Database Diagrams

Tables

Views

External Resources

Synonyms

Programmability

Service Broker

Storage

Security

tulasi

Ordertable

product table

Security

Server Objects

Replication

PolyBase

Always On High Availability

Management

Integration Services Catalogs

SQL Server Agent (Agent XPs disabled)

XEvent Profiler

SQLQuery4.sql - ...O7HUOM\DELL (69))

```
create table ordertable(ordernumber int primary key,customerid int,totalamount decimal(12,2));
insert into ordertable values(1,19,200);
insert into ordertable values(2,13,2000);
insert into ordertable values(3,17,3000);
select * from ordertable;
```

Results

	ordernumber	customerid	totalamount
1	1	19	200.00
2	2	13	2000.00
3	3	17	3000.00

Messages

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (69) | product table | 00:00:00 | 3 rows

Ready

Type here to search

28°C Cloudy

15:52 14-10-2022

SQLQuery4.sql - DESKTOP-207HUOM\product table (DESKTOP-207HUOM\DELL (69)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

product table

Object Explorer

Connect

DESKTOP-207HUOM (SQL Server 15.0.2081.1)

Databases

System Databases

Database Snapshots

newassignment

Database Diagrams

Tables

Views

External Resources

Synonyms

Programmability

Service Broker

Storage

Security

tulasi

ordertable

product table

Security

Server Objects

Replication

PolyBase

Always On High Availability

Management

Integration Services Catalogs

SQL Server Agent (Agent XPs disabled)

XEvent Profiler

SQLQuery4.sql - ...O7HUOM\DELL (69))

```
create table ordertable(ordernumber int primary key,customerid int,totalamount decimal(12,2));
insert into ordertable values(1,19,200);
insert into ordertable values(2,13,2000);
insert into ordertable values(3,17,3000);
select * from ordertable;
```

Results

	ordernumber	customerid	totalamount
1	1	19	200.00
2	2	13	2000.00
3	3	17	3000.00

Messages

Query executed successfully.

DESKTOP-207HUOM (15.0 RTM) | DESKTOP-207HUOM\DELL (69) | product table | 00:00:00 | 3 rows

Ready

Type here to search

28°C Cloudy

15:52 14-10-2022