

SECTION-1 HTML ASSIGNMENT

```
MINGW64:/c/Users/DELL/Assignment

DELL@DESKTOP-GIG77DU MINGW64 ~
$ mkdir Assignment

DELL@DESKTOP-GIG77DU MINGW64 ~
$ cd Assignment

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment
$ git init
Initialized empty Git repository in C:/Users/DELL/Assignment/.git/

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch README.txt

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add README.txt

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "committing a README file"
[master (root-commit) 6ea95ce] committing a README file
1 file changed, 5 insertions(+)
create mode 100644 README.txt

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch sample.html


DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add sample.html

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch index.html

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add index.html

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "added index and sample"
[master 5c6b2b4] added index and sample
2 files changed, 19 insertions(+)
create mode 100644 index.html
create mode 100644 sample.html

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git status
On branch master
nothing to commit, working tree clean
```

 MINGW64:/c/Users/DELL/Assignment

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch html-assignment
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout html-assignment
Switched to branch 'html-assignment'
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git checkout master index.html sample.html
Updated 0 paths from ec38225
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git status
On branch html-assignment
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git checkout master sample.html
Updated 0 paths from ec38225
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git add sample.html
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git commit -m "added sample"
On branch html-assignment
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git status
On branch html-assignment
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git add index.html
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git commit -m "changed index added"
[html-assignment 81aa072] changed index added
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git checkout master
Switched to branch 'master'
```

```
MINGW64:/c/Users/DELL/Assignment
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add README.txt

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "added README"
[master 8c21e70] added README
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout html-assignment
Switched to branch 'html-assignment'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git status
On branch html-assignment
nothing to commit, working tree clean

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git add sample.html

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git commit -m "again added change in sample"
[html-assignment 26e8bd0] again added change in sample
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (html-assignment)
$ git checkout master
Switched to branch 'master'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git merge html-assignment
Merge made by the 'ort' strategy.
 index.html | 2 +-
 sample.html | 2 +-
 2 files changed, 2 insertions(+), 2 deletions(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git status
On branch master
nothing to commit, working tree clean

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch -d html-assignment
Deleted branch html-assignment (was 26e8bd0).
```

SECTION-2 CSS ASSIGNMENT

```
MINGW64:/c/Users/DELL/Assignment

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch sample1.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch sample2.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add sample1.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add sample2.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "add sample1 and sample2"
[master 9adef3f] add sample1 and sample2
2 files changed, 35 insertions(+)
create mode 100644 sample1.css
create mode 100644 sample2.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ giit branch css-assignments
bash: giit: command not found

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch css-assignments

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkouts css-assignments
git: 'checkouts' is not a git command. See 'git --help'.

The most similar command is
    checkout

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout css-assignments
Switched to branch 'css-assignments'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git checkout master sample1.css
Updated 0 paths from 4cf6a7a

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git checkout master sample2.css
Updated 0 paths from 4cf6a7a

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git add sample1.css
```

MINGW64:/c/Users/DELL/Assignment

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git add sample2.css
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git commit -m "add sample1 and sample2"
On branch css-assignments
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git checkout master
Switched to branch 'master'
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add README.txt
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "again add minor changes in README"
[master 6024cd2] again add minor changes in README
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout css-assignments
Switched to branch 'css-assignments'
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git status
On branch css-assignments
nothing to commit, working tree clean
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git add sample1.css
```

```
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git commit -m "again add some change in sample1"
[css-assignments 716e976] again add some change in sample1
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git add sample2.css

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git commit -m "again add some change in sample2"
[css-assignments 877d1f0] again add some change in sample2
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (css-assignments)
$ git checkout master
Switched to branch 'master'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git merge css-assignments
Merge made by the 'ort' strategy.
 sample1.css | 2 +-
 sample2.css | 2 +-
 2 files changed, 2 insertions(+), 2 deletions(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch -d css-assignments
Deleted branch css-assignments (was 877d1f0).
```

SECTION-3 JAVASCRIPT ASSIGNMENTS

```
MINGW64:/c/Users/DELL/Assignment

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch sample3.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ touch sample4.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add sample3.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add sample4.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "add sample3 and sample4"
[master 3842f82] add sample3 and sample4
 2 files changed, 49 insertions(+)
 create mode 100644 sample3.js
 create mode 100644 sample4.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch js-assignments

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git checkout master sample3.js
Updated 0 paths from aac2775

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git checkout master sample4.js
Updated 0 paths from aac2775

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git add sample3.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git add sample4.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git commit -m "add sample3 and sample4"
On branch js-assignments
nothing to commit, working tree clean
```

```
MINGW64:/c/Users/DELL/Assignment
DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git checkout master
Switched to branch 'master'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git status
On branch master
nothing to commit, working tree clean

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git add README.txt

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git commit -m "again add minor changes in README"
[master 017dcbd] again add minor changes in README
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git status
On branch js-assignments
nothing to commit, working tree clean

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git add sample3.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git commit -m "again add some change in sample3"
[js-assignments c7cc935] again add some change in sample3
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git add sample4.js

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git commit -m "again add some change in sample4"
[js-assignments e6aa938] again add some change in sample4
1 file changed, 1 insertion(+), 1 deletion(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (js-assignments)
$ git checkout master
Switched to branch 'master'

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git merge js-assignments
Merge made by the 'ort' strategy.
 sample3.js | 2 +-
 sample4.js | 2 +-
 2 files changed, 2 insertions(+), 2 deletions(-)

DELL@DESKTOP-GIG77DU MINGW64 ~/Assignment (master)
$ git branch -d js-assignments
Deleted branch js-assignments (was e6aa938).
```