

CS F364: Design & Analysis of Algorithms

Quiz 1 – June 2, 2026

Coverage: Lectures 1–8

Note

Instructions:

- Time: 15 minutes.
 - Write your answers clearly on paper, scan, and upload to Google Classroom.
 - Show all steps for full credit.
-

Question

Consider a divide-and-conquer algorithm **MyAlg** that operates on an array of size n .

- **Divide:** Split the array into **three** equal parts, each of size $n/3$.
- **Conquer:** Recursively process any **two** of the three parts. The third part is discarded.
- **Combine:** Merge the results of the two recursive calls by scanning through the *entire* original array once, taking $\Theta(n)$ time.

Assume n is a power of 3 and the base case is $T(1) = \Theta(1)$.

(a) [1 Mark] Write the recurrence relation for $T(n)$.

(b) [3 Marks] Solve the recurrence using the **recursion tree method**.

- Draw the recursion tree (describe its structure).
- Compute the cost at each level.
- Determine the number of levels.
- Sum the costs to obtain the total running time.

(c) [1 Mark] State the final asymptotic bound in Θ notation.

Bonus [2 Marks]: If **MyAlg** instead recursively processed **all three** parts (while keeping the same $\Theta(n)$ combine step), what would the new recurrence be, and what would its solution be?

Solution

Part (a) — Recurrence

The algorithm:

- **Divides** an array of size n into 3 parts of size $n/3$ each $\rightarrow \Theta(1)$.
- **Conquers** by recursively processing 2 of the 3 parts $\rightarrow 2T(n/3)$.
- **Combines** by scanning the entire array $\rightarrow \Theta(n)$.

Hence the recurrence is:

$$T(n) = 2T(n/3) + \Theta(n), \quad T(1) = \Theta(1)$$

Part (b) — Recursion Tree Method

Tree structure:

- At the root (level 0), the problem size is n , cost = cn (for some constant c).
- The root spawns 2 children, each of size $n/3$. Cost per child = $c \cdot n/3$.
- At level k , each node has size $n/3^k$, and there are 2^k such nodes.
- The tree bottoms out when $n/3^k = 1$, i.e., $k = \log_3 n$.

Cost per level:

- Level k : $2^k \cdot c \cdot \frac{n}{3^k} = cn \left(\frac{2}{3}\right)^k$

Number of levels: $\log_3 n + 1$ (levels 0 through $\log_3 n$).

Total cost:

$$\begin{aligned} T(n) &= \sum_{k=0}^{\log_3 n} cn \left(\frac{2}{3}\right)^k \\ &= cn \sum_{k=0}^{\log_3 n} \left(\frac{2}{3}\right)^k \end{aligned}$$

This is a geometric series with ratio $r = 2/3 < 1$. Even if we extend the series to infinity, it converges:

$$\sum_{k=0}^{\infty} \left(\frac{2}{3}\right)^k = \frac{1}{1 - 2/3} = 3$$

Therefore:

$$T(n) \leq 3cn = \Theta(n)$$

Part (c) — Final Bound

$$\boxed{T(n) = \Theta(n)}$$

The linear combine step dominates; the recursive work shrinks geometrically and sums to a constant factor of n .

Bonus

If the algorithm processed **all three** parts, the recurrence becomes:

$$T(n) = 3T(n/3) + \Theta(n)$$

At level k : $3^k \cdot c \cdot \frac{n}{3^k} = cn$, and there are $\log_3 n + 1$ levels, so:

$$T(n) = \sum_{k=0}^{\log_3 n} cn = cn \cdot (\log_3 n + 1) = \Theta(n \log n)$$

$$\boxed{T(n) = \Theta(n \log n)}$$