```
MariaDB [sample]> select*from user;
userID | name
                       tell
                                         age birthday
                                                                 departmentID
stationID |
        1 | 田中
                   実 | 012-345-6789
                                              30 | 1994-02-01 |
                                                                                3 |
                       | 090-1122-3344 |
                                              37 | 1987-08-12 |
        2 | 鈴木 茂
                                                                                3 |
4
                                              24 | 2000-12-24 |
|
5
        3 | 鈴木
                   実 | 080-5566-7788 |
                                                                                2
        4 | 佐藤
                   清 | 012-0987-6543 |
                                             19 | 2005-08-01 |
                                                                               1 |
        5 | 高橋
                   清 | 090-9900-1234 | 24 | 2000-12-24 |
                                                                                3 |
5
5 rows in set (0.22 \text{ sec})
`name` varchar(255) DEFAULT NULL,
`tell` varchar(255) DEFAULT NULL,
`age` int(11) DEFAULT NULL,
  `birthday` date DEFAULT NULL
   departmentID` int(11) DEFAULT NULL,
  `stationID` int(11) DEFAULT NULL,
PRIMARY KEY (`userID`),
KEY `departmentID` (`departmentID`),
KEY `stationID` (`stationID`),
  CONSTRAINT `user_ibfk_1` FOREIGN KEY (`departmentID`) REFERENCES `department`
(`departmentID`),
  CONSTRAINT `user_ibfk_2` FOREIGN KEY (`stationID`) REFERENCES `station`
(`stationID`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 |
```