ETSI TS 132 343 V6.1.0 (2004-12)

Technical Specification

Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
Telecommunication management;
File Transfer (FT) Integration Reference Point (IRP):
Common Object Request Broker Architecture (CORBA)
Solution Set (SS)
(3GPP TS 32.343 version 6.1.0 Release 6)



Reference
DTS/TSGS-0532343v610

Keywords
GSM, UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2004.
All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**TM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**TM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Contents

Intellectual Property Rights	2
Foreword	
Foreword	4
Introduction	
1 Scope	
2 References	
3 Definitions and abbreviations	5
4 Architectural features	6
5 Mapping	6 7
6 FileTransferIRP Notification Interface	
Annex A (normative): IDL specifications	12
A.1 IDL specification (file name "FileTransferIRPConstDefs.idl")	12
A.2 IDL specification (file name "FileTransferIRPSystem.idl")	13
A.3 IDL specification (file name "FileTransferIRPNotifications.idl")	
Annex B (informative): Change history	16
History	

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part a TS-family covering the 3rd Generation Partnership Project: Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

TS 32.341:	"File Transfer (FT) Integration Reference Point (IRP): Requirements".
TS 32.342:	"File Transfer (FT) Integration Reference Point (IRP): Information Service (IS)".
TS 32.343:	"File Transfer (FT) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set".
TS 32.344:	"File Transfer (FT) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set".

The present document is part of a set of TSs which describe the requirements and information model necessary for the Telecommunication Management (TM) of 3G systems. The TM principles and TM architecture are specified in 3GPP TS 32.101 [1] and 3GPP TS 32.102 [2].

Network Elements (NEs) under management, element managers as well as network managers generate various management information stored in file format. This IRP is addressing how these file are exchanged through Itf-N as well as certain aspects of file management and maintenance. It is anticipated that all management functions (e.g. PM, Call Trace, CM) as well as associated IRP's making reuse of capabilities provided by this File Transfer IRP.

1 Scope

The present document specifies the Common Object Request Broker Architecture (CORBA) Solution Set (SS) for the IRP whose semantics is specified in File Transfer IRP: Information Service [7].

This Solution Set specification is related to 3GPP TS 32.342 (V6.0.X).

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
 [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
 [3] 3GPP TS 32.341: "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Requirements".
- [4] 3GPP TS 32.311: "Telecommunication management; Generic Integration Reference Point (IRP) management: Requirements".
- [5] 3GPP TS 32.303: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
- [6] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
- [7] 3GPP TS 32.342: "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Information Service (IS)".
- [8] 3GPP TS 32.312: "Telecommunication management; Generic Integration Reference Point (IRP) management: Information Service (IS)".
- [9] OMG TC Document telecom/98-11-01: "OMG Notification Service". http://www.omg.org/technology/documents/

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 32.101 [1], 3GPP TS 32.102 [2], 3GPP TS 32.341 [3] and the following apply:

IRP document version number string (or "IRPVersion"): See 3GPP TS 32.311 [4].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CM Configuration Management

CORBA Common Object Request Broker Architecture

DN Distinguished Name

FT File Transfer

IDL Interface Definition Language

IS Information Service
NE Network Element

OMG Object Management Group PM Performance Management

SS Solution Set

4 Architectural features

The overall architectural feature of FileTransferIRP is specified in 3GPP TS 32.341 [3].

This clause specifies features that are specific to the CORBA SS.

4.1 Notifications

Notifications are sent according to the Notification IRP: CORBA SS (see 3GPP TS 32.303 [5]).

The contents of the FileTransferIRP notifications are defined in the present document.

4.2 Syntax for Distinguished Names and Versions

The format of a Distinguished Name is defined in 3GPP TS 32.300 [6].

The version of this IRP is represented as a string (see also clause 3 for versions).

5 Mapping

5.1 Operation and Notification mapping

FileTransferIRP: IS 3GPP TS 32.342 [7] defines semantics of operation and notification visible across the FileTransferIRP. Table 1 indicates mapping of these operations and notifications to their equivalents defined in this SS.

Table 1: Mapping from IS Operations and Notification to SS equivalents

IS Operations/ notification 3GPP TS 32.342 [7]	SS Method	Qualifier
listAvailableFiles	list_available_files	М
fileDownloadIndication	file_download_indication	0
getIRPVersion	get_FileTransfer_IRP_versions	M
getOperationProfile (see note)	get_FileTransfer_IRP_operations_profile	0
getNotificationProfile (see note)	get_FileTransfer_IRP_notifications_profile	0
notifyFileReady	push_structured_events (see subclause 6.1)	M
notifyFilePreparationError	push_structured_events (see subclause 6.1)	M
NOTE: This operation is of ManagedGenericIRF	PIOC specified in 3GPP TS 32.312 [8]. The FileTransferIF	RP IOC of
3GPP TS 32.342 [7] inherits from it.		

5.2 Operation parameter mapping

The FileTransferIRP: IS 3GPP TS 32.342 [7] defines semantics of parameters carried in operations across the FileTransferIRP. The following tables indicate the mapping of these parameters, as per operation, to their equivalents defined in this SS.

Table 2: Mapping from IS listAvailableFiles parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
managementDataType	const short managementDataType	M
beginTime	FileTransferIRPConstDefs::UTCTimeType beginTime	M
endTime	FileTransferIRPConstDefs::UTCTimeType endTime	M
fileInfoList	Return value of type FileTransferIRPConstDefs::FileInfoListType fileInfoList	М
status	FileTransferIRPConstDefs::ResultType Exception: ListAvailableFiles, InvalidTimes	М

Table 3: Mapping from IS fileDownloadIndication parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
fileInfoList	FileTransferIRPConstDefs::FileInfoListType fileInfoList	M
status	FileTransferIRPConstDefs::ResultType	M
	Exception:	
	FileDownloadIndication, InvalidFileInfoList,	
	ManagedGenericIRPSystem:OperationNotSupported	

Table 4: Mapping from IS getIRPVersion parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
versionNumberSet	Return value of type ManagedGenericIRPConstDefs::VersionNumberSet	М
status	Exception:	М
	GetFileTransferIRPVersions	

Table 5: Mapping from IS getOperationProfile parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iRPVersion	ManagedGenericIRPConstDefs::VersionNumber iRPVersion	M
operationNameProfile,ope	Return of type ManagedGenericIRPConstDefs::MethodList	M
rationParameterProfile		
status	Exception:	M
	GetFileTransferIRPOperationsProfile,	
	ManagedGenericIRPSystem::OperationNotSupported,	
	ManagedGenericIRPSystem::InvalidParameter	

Table 6: Mapping from IS getNotificationProfile parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iRPVersion	ManagedGenericIRPConstDefs::VersionNumber iRPVersion	М
notificationNameProfile,no	Return value of type ManagedGenericIRPConstDefs::MethodList	М
tificationParameterProfile		
status	Exception:	М
	GetFileTransferIRPNotificationsProfile,	
	ManagedGenericIRPSystem::OperationNotSupported,	
	ManagedGenericIRPSystem::InvalidParameter	

5.3 Notification parameter mapping

The FileTransferIRP: IS 3GPP TS 32.342 [7] defines semantics of parameters carried in notifications. The following table indicates the mapping of these parameters to their OMG CORBA Structured Event (defined in OMG Notification Service [9]) equivalents. The composition of OMG Structured Event, as defined in the OMG Notification Service [9], is:

```
Header
Fixed Header
domain_name
type_name
event_name
Variable Header

Body
filterable_body_fields
remaining_body
```

The following tables list all OMG Structured Event attributes in the second column. The first column identifies the FileTransferIRP: IS 3GPP TS 32.342 [7] defined notification parameters.

Table 7: Mapping for notifyFileReady

IS Parameters	OMG CORBA	Qualifier	Comment
	Structured Event attribute		
There is no corresponding IS attribute.	domain_name	M	It carries the IRP document version number string. See subclause 3.1. It indicates the syntax and semantics of the Structured Event as defined by the present document.
notificationType	type_name	М	This is the ET_FILE_READY of module of FileTransferIRPNotifDefs.
There is no corresponding IS attribute		М	It carries no information.
There is no corresponding IS attribute.			
objectClass, objectInstance	One NV pair of filterable_body_fields	М	NV stands for name-value pair. Order arrangement of NV pairs is not significant. The name of NV-pair is always encoded in string.
			Name of this NV pair is the MANAGED_OBJECT_INSTANCE of interface AttributeNameValue of module NotificationIRPConstDefs.
			Value of NV pair is a string. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
notificationId	One NV pair of remaining_body	M	Name of NV pair is the NOTIFICATION_ID of interface AttributeNameValue of module NotificationIRPConstDefs.
			Value of NV pair is a long. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
eventTime	One NV pair of filterable_body_fields	M	Name of NV pair is the EVENT_TIME of interface AttributeNameValue of module NotificationIRPConstDefs.
			Value of NV pair is IRPTime. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
systemDN	One NV pair of filterable_body_fields	М	Name of NV pair is the SYSTEM_DN of interface AttributeNameValue of module NotificationIRPConstDefs.
			Value of NV pair is a string. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
fileInfoList	One NV pair of remaining_body	М	Name of NV pair is the FILE_INFO_LIST of module FileTransferIRPNotifDefs::notifyFileReady.
			Value of NV pair is FileInfoListType of module FileTransferIRPConstDefs.
additionalText	One NV pair of remaining_body	0	Name of NV pair is the ADDITIONAL_TEXT of module FileTransferIRPNotifDefs::notifyFileReady.
			Value of NV pair is a string.

Table 8: Mapping for notifyFilePreparationError

IS Parameters	OMG CORBA Structured Event attribute	Qualifier	Comment
There is no corresponding IS attribute.		M	It carries the IRP document version number string. See subclause 3.1. It indicates the syntax and semantics of the Structured Event as defined by the present document.
notificationType	Type_name	М	This is the ET_FILE_PREPARATION_ERROR of module of FileTransferIRPNotifDefs.
There is no corresponding IS attribute	event_name	М	It carries no information.
There is no corresponding IS attribute.	Variable Header		
objectClass, objectInstance	One NV pair of filterable_body_fields	М	NV stands for name-value pair. Order arrangement of NV pairs is not significant. The name of NV-pair is always encoded in string. Name of this NV pair is the MANAGED_OBJECT_INSTANCE of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a string. See corresponding table in
notificationId	One NV pair of remaining_body	M	Notification IRP: CORBA SS (3GPP TS 32.303 [5]). Name of NV pair is the NOTIFICATION_ID of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a long. See corresponding table in Notification
eventTime	One NV pair of filterable_body_fields	M	IRP: CORBA SS (3GPP TS 32.303 [5]). Name of NV pair is the EVENT_TIME of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is IRPTime. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
systemDN	One NV pair of filterable_body_fields	М	Name of NV pair is the SYSTEM_DN of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a string. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.303 [5]).
fileInfoList	One NV pair of remaining_body	M	Name of NV pair is the FILE_INFO_LIST of module FileTransferIRPNotifDefs::notifyFilePreparationError . Value of NV pair is FileInfoListType of module FileTransferIRPConstDefs.
reason	One NV pair of remaining_body	М	Name of NV pair is the REASON of module FileTransferIRPNotifDefs::notifyFilePreparationError . Value of NV pair is a string.
additionalText	One NV pair of remaining_body	0	Name of NV pair is the ADDITIONAL_TEXT of module FileTransferIRPNotifDefs:: notifyFilePreparationError .
			Value of NV pair is a string.

6 FileTransferIRP Notification Interface

OMG CORBA Notification push operation is used to realise the notification of FileTransferIRP Notifications. All the notifications in this interface are implemented using this push_structured_event method.

6.1 Method push (M)

```
module CosNotifyComm {
```

ETSI

```
Interface SequencePushConsumer : NotifyPublish {
  void push_structured_events(
          in CosNotification::EventBatch notifications)
        raises( CosEventComm::Disconnected);
...
}; // SequencePushConsumer
...
}; // CosNotifyComm
```

- NOTE 1: The push_structured_events method takes an input parameter of type EventBatch as defined in the OMG CosNotification module (OMG Notification Service [9]). This data type is the same as a sequence of Structured Events. Upon invocation, this parameter will contain a sequence of Structured Events being delivered to IRPManager by IRPAgent to which it is connected.
- NOTE 2: The maximum number of events that will be transmitted within a single invocation of this operation is controlled by IRPAgent wide configuration parameter.
- NOTE 3: The amount of time the supplier (IRPAgent) of a sequence of Structured Events will accumulate individual events into the sequence before invoking this operation is controlled by IRPAgent wide configuration parameter as well.
- NOTE 4: IRPAgent may push EventBatch with only one Structured Event.

Annex A (normative): IDL specifications

A.1 IDL specification (file name "FileTransferIRPConstDefs.idl")

```
// File: FileTransferIRPConstDefs.idl
#ifndef _FILETRANSFERIRPCONSTDEFS_IDL_
#define _FILETRANSFERIRPCONSTDEFS_IDL_
#include "TimeBase.idl"
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: FileTransferIRPConstDefs
This module contains commonly used definitions for FileTransferIRP.
_____
module FileTransferIRPConstDefs
  enum ResultType {OK, Failure};
 typedef TimeBase::UtcT UTCTimeType;
 enum LocationChoice {Directory, URL};
 //The FileLocationType may be a directory path or a URL
 union FileLocationType switch (LocationChoice)
   case Directory: string fileLocationDirectory;
   /* e.g. \\202.112.101.1\D:\user\performanceFiles\<fileName> */
   case URL: string fileLocationURL;
    /* e.g. ftp://nms.telecom_org.com/datastore/<fileName> */
 typedef unsigned long FileSizeType; //the unit is byte
 typedef string FileCompressionType;
  typedef string FileFormatType;
 struct FileInfoType
   FileLocationType fileLocation;
   FileSizeType fileSize;
   UTCTimeType fileReadyTime;
   UTCTimeType fileExpirationTime;
   FileCompressionType fileCompression;
   FileFormatType fileFormat;
 typedef sequence<FileInfoType> FileInfoListType;
 const short PMManagementDataType = 1;//Performance Management
 const short CMManagementDataType = 2;//Configuration Management
  const short IMManagementDataType = 3;//Inventory Management
 const short TMManagementDataType = 4;//Test Management
 const short CTManagementDataType = 5;//Subscriber & Equipment Trace
 const short NLManagementDataType = 6;//Notification Log
  const short CGManagementDataType = 7;//Charging
 const short OTManagementDataType = 8;//Other Types
 Define the parameters specified in the notifyFileReady
 and notifyFilePreparationError notification.
 interface AttributeNameValue
```

```
{
    const string FILE_INFO_LIST = "FILE_INFO_LIST";
    const string ADDITIONAL_TEXT = "ADDITIONAL_TEXT";
    const string REASON = "REASON";
};

#endif _FILETRANSFERIRPCONSTDEFS_IDL_
```

A.2 IDL specification (file name "FileTransferIRPSystem.idl")

```
// File: FileTransferIRPSystem.idl
#ifndef _FILETRANSFERIRPSYSTEM_IDL_
#define _FILETRANSFERIRPSYSTEM_IDL_
#include "ManagedGenericIRPConstDefs.idl"
#include "ManagedGenericIRPSystem.idl"
#include "FileTransferIRPConstDefs.idl"
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: FileTransferIRPSystem
This module implements capabilities of FileTransferIRP.
______
* /
module FileTransferIRPSystem
 exception InvalidTimes { string reason; };
  exception InvalidFileInfoList { string reason; };
  System fails to complete the operation. System can provide reason
  to qualify the exception. The semantics carried in reason
   is outside the scope of this IRP.
 exception ListAvailableFiles { string reason; };
 exception FileDownloadIndication { string reason; };
  exception GetFileTransferIRPVersions { string reason; };
 exception GetFileTransferIRPOperationsProfile { string reason; };
 exception GetFileTransferIRPNotificationsProfile { string reason; };
  interface FileTransferIRP
    * IRPManager invoke this operation to get the files information
    FileTransferIRPConstDefs::ResultType
                                           list available files(
      in short managementDataType,
       in FileTransferIRPConstDefs::UTCTimeType beginTime,
      in FileTransferIRPConstDefs::UTCTimeType endTime,
      out FileTransferIRPConstDefs::FileInfoListType fileInfoList
    raises (ListAvailableFiles, InvalidTimes,
      ManagedGenericIRPSystem::InvalidParameter);
     * IRPManager invoke this operation to indicate completion of downloading files to IRPAgent
    FileTransferIRPConstDefs::ResultType
                                           file_download_indication(
      in FileTransferIRPConstDefs::FileInfoListType fileInfoList
    raises (FileDownloadIndication,InvalidFileInfoList,
      ManagedGenericIRPSystem::OperationNotSupported);
      * Return the list of all supported FileTransferIRP versions.
```

```
ManagedGenericIRPConstDefs::VersionNumberSet get_FileTransfer_IRP_versions (
      raises (GetFileTransferIRPVersions);
      * Return the list of all supported operations and their supported
      \mbox{\scriptsize \star} parameters for a specific FileTransferIRP version.
     ManagedGenericIRPConstDefs::MethodList get_FileTransfer_IRP_operations_profile (
         in ManagedGenericIRPConstDefs::VersionNumber iRPVersion
      raises (GetFileTransferIRPOperationsProfile,
              ManagedGenericIRPSystem::OperationNotSupported,
              ManagedGenericIRPSystem::InvalidParameter);
      * Return the list of all supported notifications and their supported
      * parameters for a specific FileTransferIRP version.
      ManagedGenericIRPConstDefs::MethodList get_FileTransfer_IRP_notifications_profile
         in ManagedGenericIRPConstDefs::VersionNumber iRPVersion
      raises (GetFileTransferIRPNotificationsProfile,
              ManagedGenericIRPSystem::OperationNotSupported,
              ManagedGenericIRPSystem::InvalidParameter);
   };
};
#endif _FILETRANSFERIRPSYSTEM_IDL_
```

A.3 IDL specification (file name "FileTransferIRPNotifications.idl")

```
// File: FileTransferIRPNotifications.idl
#ifndef _FILETRANSFERIRPNOTIFICATIONS_IDL_
#define _FILETRANSFERIRPNOTIFICATIONS_IDL_
#include "FileTransferIRPConstDefs.idl"
#include "NotificationIRPConstDefs.idl"
#include "NotificationIRPNotifications.idl"
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: FileTransferIRPNotifDefs
This contains the specification of notifications of FileTransferIRP.
______
* /
module FileTransferIRPNotifications
   * Constant definitions for the FileReady notification
  interface notifyFileReady: NotificationIRPNotifications::Notify
    const string EVENT_TYPE = "notifyFileReady";
    ^{\star} This constant defines the name of the fileInfoList property,
    * which is transported in the filterable_body fields.
    * The data type for the value of this property is
    * FileTransferIRPConstDefs::FileInfoListType.
    const string FILE_INFO_LIST =
```

```
FileTransferIRPConstDefs::AttributeNameValue::FILE_INFO_LIST;
     {}^{\star} This constant defines the name of the additionalText property,
     ^{\star} which is transported in the filterable_body fields.
     * The data type for the value of this property is string.
     const string ADDITIONAL_TEXT =
        FileTransferIRPConstDefs::AttributeNameValue::ADDITIONAL_TEXT;
   ^{\star} Constant definitions for the FilePreparationError notification
   interface notifyFilePreparationError:
      NotificationIRPNotifications::Notify
     const string EVENT_TYPE = "notifyFilePreparationError";
     * This constant defines the name of the fileInfoList property,
     \mbox{\ensuremath{^{\star}}} which is transported in the filterable_body fields.
     * The data type for the value of this property is
     * FileTransferIRPConstDefs::FileInfoListType.
     const string FILE_INFO_LIST =
         FileTransferIRPConstDefs::AttributeNameValue::FILE_INFO_LIST;
     \mbox{\scriptsize {\tt *}} This constant defines the name of the reason property,
     * which is transported in the filterable_body fields.
     * The data type for the value of this property is string.
     const string REASON =
         FileTransferIRPConstDefs::AttributeNameValue::REASON;
     * This constant defines the name of the additionalText property,
     \mbox{\ensuremath{^{\star}}} which is transported in the filterable_body fields.
     {}^{\star} The data type for the value of this property is string.
     */
     const string ADDITIONAL_TEXT =
        FileTransferIRPConstDefs::AttributeNameValue::ADDITIONAL_TEXT;
#endif _FILETRANSFERIRPNOTIFICATIONS_IDL_
```

Annex B (informative): Change history

	Change history						
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Mar 2004	S_23	SP-040127			Submitted to TSG SA#23 for Information	1.0.0	
Sep 2004	S_25	SP-040563			Submitted to TSG SA#25 for Approval	2.0.0	6.0.0
Dec 2004	S_26	SP-040800	001		Correct mapping of IS-defined non-filterable parameters to SS- defined non-filterable fields - Align IDL style in FT IRP CORBA SS with IDL Style Guide in 32.150	6.0.0	6.1.0

History

	Document history						
V6.1.0	December 2004	Publication					