ETSI TS 132 733 V9.0.0 (2010-02)

Technical Specification

Digital cellular telecommunications system (Phase 2+);

Universal Mobile Telecommunications System (UMTS);

LTE:

Telecommunication management;


IP Multimedia Subsystem (IMS) Network Resource Model (NRM)

Integration Reference Point (IRP);

Common Object Request Broker Architecture (CORBA)

Solution Set (SS)

(3GPP TS 32.733 version 9.0.0 Release 9)



Reference RTS/TSGS-0532733v900 Keywords

GSM, LTE, UMTS

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

ETSI

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010. All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP[™] is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**[™] is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners. **GSM**® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Contents

Intelle	ectual Property Rights	2
Forew	vord	2
Forew	vord	5
Introd	luction	5
1	Scope	6
2	References	
3	Definitions and abbreviations	7
3.1	Definitions and appreviations.	
3.2	Abbreviations	
3.2		
4	Architectural features	7
4.1	Notifications	
_	Mark the state of	0
5	Mapping	
5.1	General mappings	
5.2	Information Object Class (IOC) mapping	
5.2.1	IOC AsFunction	
5.2.2	IOC BgcfFunction	
5.2.3	IOC CamelImSsfAsFunction	
5.2.4	IOC CscfFunction	
5.2.5	IOC HssFunction	9
5.2.6	IOC IcscfFunction	9
5.2.7	IOC ImsMgwFunction	9
5.2.8	IOC MgcfFunction	9
5.2.9	IOC MrfcFunction	10
5.2.10	IOC MrfpFunction	10
5.2.11	IOC OsaScsAsFunction	
5.2.12		
5.2.13		
5.2.14		
5.2.15	•	
5.2.16		
5.2.50		
5.2.50	IOC Link_As_Cscf	
5.2.51		
5.2.53		
5.2.54		
5.2.55		
5.2.56 5.2.56		
5.2.50 5.2.57	- 0 - 0	
5.2.5 <i>1</i> 5.2.58	- 6 -	
5.2.58 5.2.59	- 6 - 6	
5.2.59 5.2.60	- 6 -	
5.2.60 5.2.61	IOC Link_Cscf_Hss	
5.2.61 5.2.62		
5.2.62 5.2.63		
	-	
5.2.64 5.2.65		
5.2.65 5.2.66		
5.2.66 5.2.67		
5.2.67		
5.2.68		
5.2.69		
5.2.70	- 6 - 6	
5.2.71	IOC Link Mqcf Scscf	12

5.2.72 IC	OC Link Mrfc Mrfp	12
5.2.73 IC	OC Link_Mrfc_MrfpOC Link_Mrfc_Scscf	13
5.2.74 IC	OC Link_Scscf_Scscf	13
5.2.75 IC	OC Link_Scscf_Slf	13
	or NRM extensions	
5.1 Allov	wed extensions	14
5.2 Exter	nsions not allowed	14
Annex A (nor	rmative): CORBA IDL, NRM Definitions	15
A.1 IDL spe	ecification (file name "IMSNRMDefs.idl")	15
Annex B (info	formative): Change history	21
History		22
шышу		

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project Technical Specification Group Services and System Aspects, Telecommunication management; as identified below:

32.731:	IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements
32.732:	IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)
32.733:	IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference
<i>32.1755</i> .	Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS)

1 Scope

The purpose of this *IMS NRM IRP: CORBA Solution Set* is to define the mapping of the IRP Information Service (see TS 32.732 [3]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set specification is related to 3GPP TS 32.732.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.732: "Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [4] 3GPP TS 32.303: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
- [5] 3GPP TS 32.623: "Telecommunication management; Configuration Management (CM); Generic Network Resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".

3 Definitions and abbreviations

3.1 Definitions

For terms and definitions please refer to TS 32.101 [1], TS 32.102 [2] and TS 32.732 [3].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CORBA Common Object Request Broker Architecture DN Distinguished Name IDL Interface Definition Language (OMG) Information Object Class IOC **Integration Reference Point IRP** Information Service IS MGW Media GateWay Managed Object MO MOC Managed Object Class NRM Network Resource Model **OMG** Object Management Group SS Solution Set

4 Architectural features

The overall architectural feature of IMS NRM IRP is specified in TS 32.732[3]. This clause specifies features that are specific to the CORBA SS.

4.1 Notifications

Notifications are sent according to the Notification IRP: CORBA SS (see TS 32.303 [4]).

5 Mapping

5.1 General mappings

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

5.2.1 **IOC** AsFunction

Mapping from NRM IOC Asfunction attributes to SS equivalent MOC Asfunction

Attributes of IOC AsFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
asFunctionId	asFunctionId	string	Read-Only, M
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.2 IOC BgcfFunction

Mapping from NRM IOC BgcfFunction attributes to SS equivalent MOC BgcfFunction

Attributes of IOC BgcfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
bgcfFunctionId	bgcfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.3 IOC CamellmSsfAsFunction

Void.

5.2.4 IOC CscfFunction

Mapping from NRM IOC CscfFunction attributes to SS equivalent MOC CscfFunction

Attributes of IOC CscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
cscfFunctionId	cscfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.5 **IOC** HssFunction

Mapping from NRM IOC HssFunction attributes to SS equivalent MOC HssFunction

Attributes of IOC HssFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
hssFunctionId	hssFunctionId	string	Read-Only, M
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.6 IOC IcscfFunction

Mapping from NRM IOC IcsefFunction attributes to SS equivalent MOC IcsefFunction

Attributes of IOC IcsefFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
icscfFunctionI d	icscfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.7 IOC ImsMgwFunction

Mapping from NRM IOC ImsMgwFunction attributes to SS equivalent MOC ImsMgwFunction attributes

Attributes of IOC ImsMgwFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
imsMgwFunction	imsMgwFunctionI	string	Read-Only, M
Id	d		
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.8 IOC MgcfFunction

Mapping from NRM IOC MgcfFunction attributes to SS equivalent MOC MgcfFunction

Attributes of IOC MgcfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mgcfFunctionId	mgcfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.9 IOC MrfcFunction

Mapping from NRM IOC MrfcFunction attributes to SS equivalent MOC MrfcFunction

Attributes of IOC MrfcFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfcFunctionId	mrfcFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet	Read-Only, O

5.2.10 IOC MrfpFunction

Mapping from NRM IOC MrfpFunction attributes to SS equivalent MOC MrfpFunction

Attributes of IOC MrfpFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfpFunctionI	mrfpFunctionI	string	Read-Only, M
d	d		
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.11 IOC OsaScsAsFunction

Void.

5.2.12 IOC PcscfFunction

Mapping from NRM IOC PosofFunction attributes to SS equivalent MOC PosofFunction

Attributes of IOC PcscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
pcscfFunction	pcscfFunction	string	Read-Only, M
Id	Id		
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.13 IOC ScscfFunction

Mapping from NRM IOC ScscfFunction attributes to SS equivalent MOC ScscfFunction

Attributes of IOC ScscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
scscfFunction	scscfFunction	string	Read-Only, M
Id	Id		
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.14 IOC SipAsFunction

Void.

5.2.15 **IOC** SlfFunction

Mapping from NRM IOC SlfFunction attributes to SS equivalent MOC SlfFunction

Attributes of IOC SlfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
slfFunctionId	slfFunctionId	string	Read-Only, M
linkList	linkList	<pre>GenericNetworkResourcesIRPSystem::Attrib uteTypes::LinkListSet</pre>	Read-Only, O

5.2.16 Reserved for Future Use

•••

5.2.50 Reserved for Future Use

5.2.51 IOC Link_As_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.52 IOC Link As Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.53 IOC Link_As_Icscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.54 IOC Link As Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.55 IOC Link As Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.56 IOC Link_Bgcf_Bgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.57 IOC Link_Bgcf_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.58 IOC Link_Bgcf_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.59 IOC Link_Bgcf_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.60 IOC Link_Cscf_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.61 IOC Link Cscf Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.62 IOC Link_Cscf_lcscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.63 IOC Link_Cscf_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.64 IOC Link_Cscf_Mrfc

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.65 IOC Link_Cscf_Pcscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.66 IOC Link Cscf Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.67 IOC Link Cscf Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.68 IOC Link_Hss_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.69 IOC Link lcscf Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.70 IOC Link_ImsMgw_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.71 IOC Link Mqcf Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.72 IOC Link_Mrfc_Mrfp

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.73 IOC Link_Mrfc_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.74 IOC Link_Scscf_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

5.2.75 IOC Link_Scscf_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

6 Rules for NRM extensions

This clause discusses how the models and IDL definitions provided in the present document can be extended for a particular implementation and still remain compliant with 3GPP SA5's specifications.

6.1 Allowed extensions

Vendor-specific MOCs may be supported. The vendor-specific MOCs may support new types of attributes. The 3GPP SA5-specified notifications may be issued referring to the vendor-specific MOCs and vendor-specific attributes. New MOCs shall be distinguishable from 3GPP SA5 MOCs by name. 3GPP SA5-specified and vendor-specific attributes may be used in vendor-specific MOCs. Vendor-specific attribute names shall be distinguishable from existing attribute names.

NRM MOCs may be subclassed. Subclassed MOCs shall maintain the specified behaviour of the 3GPP SA5's superior classes. They may add vendor-specific behaviour with vendor-specific attributes. When subclassing, naming attributes cannot be changed. The subclassed MOC shall support all attributes of its superior class. Vendor-specific attributes cannot be added to 3GPP SA5 NRM MOCs without subclassing.

When subclassing, the 3GPP SA5-specified containment rules and their specified cardinality shall still be followed. As an example, ManagementNode (or its subclasses) shall be contained under SubNetwork (or its subclasses).

Managed Object Instances may be instantiated as CORBA objects. This requires that the MOCs be represented in IDL. 3GPP SA5's NRM MOCs are not currently specified in IDL, but may be specified in IDL for instantiation or subclassing purposes. However, management information models should not require that IRPManagers access the instantiated managed objects other than through supported methods in the present document.

Extension rules related to notifications (Notification categories, Event Types, Extended Event Types etc.) are for further study.

6.2 Extensions not allowed

The IDL specifications in the present document cannot be edited or altered. Any additional IDL specifications shall be specified in separate IDL files.

IDL interfaces (note: not MOCs) specified in the present document may not be subclassed or extended. New interfaces may be defined with vendor-specific methods.

Annex A (normative): CORBA IDL, NRM Definitions

A.1 IDL specification (file name "IMSNRMDefs.idl")

```
// File: IMSNRMDefs.idl
#ifndef _IMSNRMDEFS_IDL_
#define _IMSNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
\ensuremath{\star} This module defines constants for each MO class name and
 \boldsymbol{\star} the attribute names for each defined MO class.
module IMSNRMDefs
       * Definitions for MO class AsFunction
      interface AsFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "AsFunction";
         // Attribute Names
         const string asFunctionId = "asFunctionId";
         const string linkList = "linkList";
       * Definitions for MO class SipAsFunction
      interface SipAsFunction : AsFunction
         const string CLASS = "SipAsFunction";
         // All Attributes inherited from AsFunction
       * Definitions for MO class OsaScsAsFunction
       * /
      interface OsaScsAsFunction : AsFunction
         const string CLASS = "OsaScsAsFunction";
         // All Attributes inherited from AsFunction
      };
       * Definitions for MO class CamelImSsfAsFunction
      interface CamelImSsfAsFunction : AsFunction
         const string CLASS = "CamelImSsfAsFunction";
         // All Attributes inherited from AsFunction
      };
/**
       * Definitions for MO class BgcfFunction
      interface BgcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "BgcfFunction";
         // Attribute Names
         const string bgcfFunctionId = "bgcfFunctionId";
         const string linkList = "linkList";
       * Definitions for MO class CscfFunction
```

```
*/
interface CscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "CscfFunction";
  // Attribute Names
  //
  const string cscfFunctionId = "cscfFunctionId";
  const string linkList = "linkList";
* Definitions for MO class IcscfFunction
interface IcscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "IcscfFunction";
  // Attribute Names
  const string icscfFunctionId = "icscfFunctionId";
  const string linkList = "linkList";
* Definitions for MO class ImsMgwFunction
*/
interface ImsMgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "ImsMgwFunction";
  // Attribute Names
  const string imsMgwFunctionId = "imsMgwFunctionId";
  const string linkList = "linkList";
};
\star Definitions for MO class MgcfFunction
interface MqcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "MgcfFunction";
  // Attribute Names
  const string mgcfFunctionId = "mgcfFunctionId";
  const string linkList = "linkList";
};
* Definitions for MO class MrfcFunction
* /
interface MrfcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "MrfcFunction";
  // Attribute Names
  const string mrfcFunctionId = "mrfcFunctionId";
  const string linkList = "linkList";
};
/**
* Definitions for MO class MrfpFunction
* /
interface MrfpFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "MrfpFunction";
  // Attribute Names
  const string mrfpFunctionId = "mrfpFunctionId";
  const string linkList = "linkList";
};
* Definitions for MO class PcscfFunction
interface PcscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "PcscfFunction";
  // Attribute Names
   11
  const string pcscfFunctionId = "pcscfFunctionId";
```

```
const string linkList = "linkList";
};
* Definitions for MO class ScscfFunction
* /
interface ScscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "ScscfFunction";
   // Attribute Names
  //
  const string scscfFunctionId = "scscfFunctionId";
   const string linkList = "linkList";
* Definitions for MO class SlfFunction
* /
interface SlfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SlfFunction";
   // Attribute Names
   const string slfFunctionId = "slfFunctionId";
  const string linkList = "linkList";
};
  Definitions for MO class Link As Cscf
 * /
interface Link_As_Cscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_As_Cscf";
   // All Attributes inherited from Link
};
  Definitions for MO class Link As Scscf
\verb|interface Link_As_Scscf|: GenericNetworkResourcesNRMDefs:: Link|
   const string CLASS = "Link As Scscf";
   // All Attributes inherited from Link
};
   Definitions for MO class Link_As_Slf
interface Link As Slf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link As Slf";
   // All Attributes inherited from Link
};
 * Definitions for MO class Link_Bgcf_Bgcf
* /
\verb|interface Link_Bgcf_Bgcf : GenericNetworkResourcesNRMDefs:: Link|\\
   const string CLASS = "Link Bgcf Bgcf";
   // All Attributes inherited from Link
   Definitions for MO class Link Bgcf Cscf
* /
interface Link_Bgcf_Cscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Bgcf Cscf";
   // All Attributes inherited from Link
};
  Definitions for MO class Link Bgcf Mgcf
*/
\verb|interface Link_Bgcf_Mgcf|: GenericNetworkResourcesNRMDefs:: Link|
   const string CLASS = "Link Bgcf Mgcf";
   // All Attributes inherited from Link
```

```
};
   Definitions for MO class Link Bgcf Scscf
interface Link Bgcf Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link Bgcf Scscf";
  // All Attributes inherited from Link
};
   Definitions for MO class Link_Cscf_Cscf
* /
interface Link Cscf Cscf: GenericNetworkResourcesNRMDefs::Link
{
   const string CLASS = "Link Cscf Cscf";
   // All Attributes inherited from Link
};
   Definitions for MO class Link Cscf Icscf
 */
interface Link_Cscf_Icscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Cscf Icscf";
   // All Attributes inherited from Link
  Definitions for MO class Link Cscf Mgcf
 * /
interface Link_Cscf_Mgcf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Mgcf";
   // All Attributes inherited from Link
};
* Definitions for MO class Link Cscf Mrfc
interface Link_Cscf_Mrfc: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Cscf Mrfc";
   // All Attributes inherited from Link
}:
* Definitions for MO class Link_Cscf_Pcscf
* /
interface Link_Cscf_Pcscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Cscf Pcscf";
   // All Attributes inherited from Link
};
  Definitions for MO class Link_Cscf_Scscf
* /
interface Link Cscf Scscf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_Cscf_Scscf";
   // All Attributes inherited from Link
   Definitions for MO class Link Cscf Slf
* /
interface Link_Cscf_Slf: GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Cscf Slf";
   // All Attributes inherited from Link
   Definitions for MO class Link_Icscf_Slf
 */
interface Link_Icscf_Slf : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link Icscf Slf";
   // All Attributes inherited from Link
};
   Definitions for MO class Link_ImsMgw_Mgcf
```

```
interface Link_ImsMgw_Mgcf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link ImsMgw Mgcf";
  // All Attributes inherited from Link
  Definitions for MO class Link_Mgcf_Scscf
interface Link_Mgcf_Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Mgcf_Scscf";
  // All Attributes inherited from Link
};
  Definitions for MO class Link Mrfc Mrfp
interface Link_Mrfc_Mrfp : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Mrfc_Mrfp";
  // All Attributes inherited from Link
  Definitions for MO class Link Mrfc Scscf
interface Link Mrfc Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Mrfc_Scscf";
  // All Attributes inherited from Link
};
  Definitions for MO class Link_Scscf_Scscf
interface Link_Scscf_Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Scscf_Scscf";
  // All Attributes inherited from Link
};
* Definitions for MO class Link_Scscf_Slf
interface Link_Scscf_Slf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link Scscf Slf";
  // All Attributes inherited from Link
};
 * Definitions for MO class HssFunction
interface HssFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "HssFunction";
  // Attribute Names
  const string hssFunctionId = "hssFunctionId";
  const string linkList = "linkList";
 * Definitions for MO class Link_Hss_Scscf
interface Link_Hss_Scscf : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Hss_Scscf";
  // All Attributes inherited from Link
};
  Definitions for MO class Link_Cscf_Hss
interface Link Cscf Hss : GenericNetworkResourcesNRMDefs::Link
  const string CLASS = "Link_Cscf_Hss";
```

```
// All Attributes inherited from Link
      };
      * Definitions for MO class Link_As_Hss
      interface Link_Hss_SipAs : GenericNetworkResourcesNRMDefs::Link
         const string CLASS = "Link_Hss_SipAs";
        // All Attributes inherited from Link
      interface Link_Hss_OsaScsAs : GenericNetworkResourcesNRMDefs::Link
         const string CLASS = "Link_Hss_OsaScsAs";
        // All Attributes inherited from Link
      interface Link_Hss_CamelImSsfAs : GenericNetworkResourcesNRMDefs::Link
         const string CLASS = "Link_Hss_CamelImSsfAs";
        // All Attributes inherited from Link
       * Definitions for MO class Link_As_Icscf
      \verb|interface Link_As_Icscf|: GenericNetworkResourcesNRMDefs::Link|
         const string CLASS = "Link_As_Icscf";
        // All Attributes inherited from Link
      };
};
#endif // _IMSNRMDEFS_IDL_
```

Annex B (informative): Change history

	Change history							
Date	TSG #	TSG Doc.	CR	R	Subject/Comment	Cat	Old	New
Sep 2006	SA_33	SP-060564			Submitted to TSG SA #33 for Information			1.0.0
Dec 2006	SA_34	SP-060751			Submitted to TSG SA #34 for Approval		2.0.0	7.0.0
Mar 2007	SA_35	SP-070047	0001		Add HssFunction to the CORBA SS	F	7.0.0	7.1.0
Jun 2007	SA_36	SP-070276	0002		Add missing Link_As_Icscf To IMS NRM - Align with TS 23.002	F	7.1.0	7.2.0
Jun 2007	SA_36	SP-070276	0003		Correct definitions of AsFunctions - Align with 23.002	F	7.1.0	7.2.0
Sep 2007	SA_37	SP-070612	0004		Add missing link attributes to IMS NRM - Align with 3GPP2	F	7.2.0	7.3.0
Dec 2008	SA_42				Upgrade to Release 8		7.3.0	8.0.0
Dec 2009	-	-	-	-	Update to Rel-9 version	 	8.0.0	9.0.0

History

Document history				
V9.0.0	February 2010	Publication		