ETSITS 137 571-3 V12.7.0 (2016-08)



Universal Mobile Telecommunications System (UMTS); LTE;

Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning;

Part 3: Implementation Conformance Statement (ICS) (3GPP TS 37.571-3 version 12.7.0 Release 12)



Reference RTS/TSGR-0537571-3vc70 Keywords LTE.UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intell	ectual Property Rights	2
Forev	word	2
Moda	al verbs terminology	2
	word	
Introd	duction	
1	Scope	5
2	References	5
3	Definitions, symbols and abbreviations	6
3.1	Definitions	
3.2	Symbols	<i>6</i>
3.3	Abbreviations	6
4	Recommended Test Case Applicability	7
Anne	ex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment	32
A.1	Guidance for completing the ICS proforma	32
A.1.1	Purposes and structure	
A.1.2	Abbreviations and conventions	32
A.1.3		
A.2	Identification of the User Equipment	33
A.2.1	Date of the statement	
A.2.2	1 I I / /	
A.2.3	T I	
A.2.4		
A.2.5		
A.3	Identification of the protocol	
A.4	ICS proforma tables	
A.4.1	UE Implementation Types	
A.4.2	T T T T T T T T T T T T T T T T T T T	
A.4.3		
A.4.4	Additional information	42
Anne	ex B (informative): Change history	43
Listo	and the second s	15

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS).

The present document is part 3 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for 3rd Generation UTRAN and E-UTRAN User Equipment (UE) supporting UE positioning, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8].

The present document also specifies a recommended applicability statement for the test cases included in 3GPP TS 37.571-1 [5] and 3GPP TS 37.571-2 [6]. These applicability statements are based on the features implemented in the UE.

Special conformance testing functions can be found in 3GPP TS 34.109 [10] for UTRA and 3GPP TS 36.509 [2] for E-UTRA. The common test environments are included in 3GPP TS 34.108 [9] for UTRA and in 3GPP TS 36.508 [3] for E-UTRA.

The present document is valid for UE supporting UE positioning implemented according to 3GPP releases starting from Release 99 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.509: "Special conformance testing functions for User Equipment".
- [3] 3GPP TS 36.508: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".
- [5] 3GPP TS 37. 571-1: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification".
- [6] 3GPP TS 37. 571-2: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance".
- [7] ISO/IEC 9646-1: "Information technology Open Systems Interconnection Conformance testing methodology and framework Part 1: General concepts".
- [8] ISO/IEC 9646-7: "Information technology Open systems interconnection Conformance testing methodology and framework Part 7: Implementation Conformance Statements".
- [9] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [10] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".

[11]	3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
[12]	3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
[13]	3GPP TS 36.306: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio access capabilities".

3 Definitions, symbols and abbreviations

For the purposes of the present document, the following terms, definitions, symbols and abbreviations apply:

- such given in TR 21.905[1]
- such given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8]

NOTE: Some terms and abbreviations defined in [7] and [8] are explicitly included below with small modification to reflect the terminology used in 3GPP.

3.1 Definitions

Implementation Conformance Statement (ICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented.

ICS proforma: A document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS.

Implementation eXtra Information for Testing (IXIT): A statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT.

IXIT proforma: A document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT.

Protocol Implementation Conformance Statement (PICS): An ICS for an implementation or system claimed to conform to a given protocol specification.

Protocol Implementation eXtra Information for Testing (PIXIT): An IXIT related to testing for conformance to a given protocol specification.

static conformance review: A review of the extent to which the static conformance requirements are claimed to be supported by the UEUT, by comparing the answers in the ICS(s) with the static conformance requirements expressed in the relevant specification(s).

3.2 Symbols

No specific symbols have been identified so far.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-BDS Assisted-BeiDou Navigation Satellite System

A-Galileo Assisted- Galileo

A-GANSS Assisted- Galileo and Additional Navigation Satellite Systems

A-GLONASS Assisted- GLObal'naya NAvigatsionnaya Sputnikovaya Sistema (English: Global Navigation

Satellite System)

A-GNSS Assisted - Global Navigation Satellite System
A-GPS Assisted - Global Positioning System
A-QZSS Assisted- Quasi-Zenith Satellite System

A-SBAS Assisted-Space Based Augmentation System

BDS BeiDou Navigation Satellite System

Coarse/Acquisition C/A Device Under Test DUT

E-CID Enhanced Cell-ID (positioning method) eFDD **Enhanced Frequency Division Duplex**

ENB Evolved Node B

eTDD **Enhanced Time Division Duplex** E-UTRA **Evolved UMTS Terrestrial Radio Access**

E-UTRAN Evolved UMTS Terrestrial Radio Access Network

FDD Frequency Division Duplex

FFS For Further Study

Galileo and Additional Navigation Satellite Systems **GANSS**

GLObal'naya NAvigatsionnaya Sputnikovaya Sistema (English: Global Navigation Satellite **GLONASS**

GNSS Global Navigation Satellite System

Global Positioning System **GPS**

ICS Implementation Conformance Statement **IXIT** Implementation eXtra Information for Testing

LPP LTE Positioning Protocol

MO-LR Mobile Originated Location Request MT-LR Mobile Terminated Location Request **OTDOA** Observed Time Difference Of Arrival

Protocol Implementation Conformance Statement **PICS** Protocol Implementation eXtra Information for Testing **PIXIT**

Quasi-Zenith Satellite System **QZSS RRC** Radio Resource Control

RSTD Reference Signal Time Difference Space Based Augmentation System **SBAS** System Conformance Statement **SCS**

TC Test Case

TDD Time Division Duplex UE User Equipment

User Equipment Under Test **UEUT** Universal Terrestrial Radio Access **UTRA**

Universal Terrestrial Radio Access Network **UTRAN**

Recommended Test Case Applicability 4

The applicability of each individual test is identified in Table 4-1 (UTRA) and 4-3 (E-UTRA) for test cases in TS 37.571-1 [5] and in Table 4-5 (UTRA) and 4-7 (E-UTRA) for test cases in TS 37.571-2 [6]. This is just a recommendation based on the purpose for which the test case was written.

The applicability of every test is formally expressed by the use of Boolean expression that are based on parameters (ICS) included in annex A of the present document.

Additional information related to the Test Case (TC), e.g. affecting its dynamic behaviour or its execution may be provided as well

The columns in Tables 4-1, 4-3, 4-5, and 4-7 have the following meaning:

Clause

The clause column indicates the clause number in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Title

The title column describes the name of the test and contains the clause title of the clause in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Applicability - Condition

The following notations are used for the applicability column:

R recommended - the test case is recommended

O optional - the test case is optional

N/A not applicable - in the given context, the test case is not recommended.

Ci conditional - the test is recommended ("R") or not ("N/A") depending on the support of other

items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ...

THEN ... ELSE...) ELSE ..." is used to avoid ambiguities.

NOTE: The conditions are defined in Table 4-2, 4-4, 4-6, and 4-8.

Applicability - Comments

This column contains a verbal description of the condition.

Additional Information - Specific ICS

This column contains the mnemonics of ICS(s) affecting the dynamic behaviour of the TC.

NOTE: ICS items specified in 3GPP TS 36.523-2 [11] can be referred, to avoid redundant definitions.

Additional Information - Specific IXIT

This column contains the mnemonics of IXIT(s) affecting the dynamic behaviour of the TC.

The columns in Tables 4-1 and 4-5 have the following meaning:

Release

The release column indicates the earliest release from which the test case is applicable.

The columns in Tables 4-3 and 4-7 have the following meaning:

Release of LPP

The Release of LPP column indicates the earliest release of the positioning functionality in LPP (3GPP TS 36.355 [4]) from which the test case is applicable. Note that the release of the positioning functionality does not have to align with that of the RAT bearer.

Release RAT

The Release RAT column indicates the earliest release of the RAT bearer over which the test should be conducted. Note that the release of the positioning functionality does not have to align with that of the RAT bearer.

Table 4-1: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for UTRA

Clause	Title	Release	Applicability	Comments
5.2.1	Sensitivity Coarse Time Assistance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.2.2	Sensitivity Fine Time Assistance	Rel-6	C02ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only and Fine Time Assistance
5.3	Nominal Accuracy	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.4	Dynamic Range	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.5	Multi-path Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.6	Moving Scenario and Periodic Update Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
6.2.1-1	Sensitivity Coarse Time Assistance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.2.1-2	Sensitivity Coarse Time Assistance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.2.1-3	Sensitivity Coarse Time Assistance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.2.1-4	Sensitivity Coarse Time Assistance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.2.1-9	Sensitivity Coarse Time Assistance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.2.1-10	Sensitivity Coarse Time Assistance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE- Assisted A-GPS and A-GANSS with BDS only
6.2.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-10	C04-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-12	C04-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only and Fine Time Assistance
6.2.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-10	C04-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only and Fine Time Assistance
6.2.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-10	C04-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-9	Sensitivity Fine Time Assistance: Sub-Test 9	Rel-12	C04-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only and Fine Time Assistance
6.2.2-10	Sensitivity Fine Time Assistance: Sub-Test 10	Rel-12	C04-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE- Assisted A-GPS and A-GANSS with BDS only and Fine Time Assistance
6.3-1	Nominal Accuracy: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only

Clause	Title	Release	Applicability	Comments
6.3-2	Nominal Accuracy: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.3-3	Nominal Accuracy: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.3-4	Nominal Accuracy: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.3-9	Nominal Accuracy: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.3-10	Nominal Accuracy: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.4-1	Dynamic Range: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.4-2	Dynamic Range: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.4-3	Dynamic Range: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.4-4	Dynamic Range: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.4-9	Dynamic Range: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.4-10	Dynamic Range: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.5-1	Multi-path Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.5-2	Multi- path Performance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.5-3	Multi- path Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.5-4	Multi- path Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.5-9	Multi- path Performance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.5-10	Multi- path Performance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE- Assisted A-GPS and A-GANSS with BDS only
6.6-1	Moving Scenario and Periodic Update Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.6-2	Moving Scenario and Periodic Update Performance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.6-3	Moving Scenario and Periodic Update Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.6-4	Moving Scenario and Periodic Update Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only

Clause	Title	Release	Applicability	Comments
6.6-9	Moving Scenario and Periodic Update Performance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.6-10	Moving Scenario and Periodic Update Performance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only

Table 4-2: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for UTRA

C01ur IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02ur IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/12 THEN R ELSE N/A
C03-1ur IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-2ur IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-3ur IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-4ur IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-9ur IF A.4.3-1/13 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C03-10urlF A.4.3-1/13 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C04-1ur IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-2ur IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-3ur IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-4ur IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-9ur IF A.4.3-1/13 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-10urlF A.4.3-1/13 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A

Table 4-3: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for E-UTRA

Clause	TC Title	Release of LPP			Additional Information			
		-	Condition	Comment	Specific ICS	Specific IXIT	Number of TC Executions	Release RAT
7	A-GNSS minimum performance requirements							
7.1.1-1	Sensitivity Coarse Time Assistance: Sub-Test	Rel-9	C01er	All UEs supporting A-GPS L1C/A only	pc_eFDD pc_eTDD			Rel-9 Rel-9
7.1.1-2	Sensitivity Coarse Time Assistance: Sub-Test	Rel-9	C02er	All UEs supporting A- GLONASS only	pc_eFDD pc_eTDD			Rel-9 Rel-9
7.1.1-3	Sensitivity Coarse Time Assistance: Sub-Test	Rel-12	C03er	All UEs supporting A- Galileo only	pc_eFDD pc_eTDD			Rel-9 Rel-9
7.1.1-4	Sensitivity Coarse Time Assistance: Sub-Test	Rel-9	C04er	All UEs supporting A-GPS	pc_eFDD			Rel-9
	4			and Modernized GPS only	pc_eTDD			Rel-9
7.1.1-5	Sensitivity Coarse Time Assistance: Sub-Test	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eFDD pc_eTDD			Rel-9 Rel-9
7.1.1-9	Sensitivity Coarse Time Assistance: Sub-Test	Rel-12	C19er	All UEs supporting A-BDS	pc_eFDD			Rel-9
7.1.1-3	9	101-12	01961	only	pc_erDD			Rel-9
7.1.1-10	Sensitivity Coarse Time Assistance: Sub-Test	Rel-12	C20er	All UEs supporting A-GPS	pc_eFDD			Rel-9
	10			and A-BDS only	pc_eTDD			Rel-9
7.1.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-9	C06er	All UEs supporting A-GPS	pc_eFDD			Rel-9
				L1C/A only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-9	C07er	All UEs supporting A-	pc_eFDD			Rel-9
				GLONASS only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-12	C08er	All UEs supporting A-	pc_eFDD			Rel-9
				Galileo only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-9	C09er	All UEs supporting A-GPS	pc_eFDD			Rel-9
				and Modernized GPS only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-5	Sensitivity Fine Time Assistance: Sub-Test 5	Rel-9	C10er	All UEs supporting A-GPS	pc_eFDD			Rel-9
				and A-GLONASS only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-9	Sensitivity Fine Time Assistance: Sub-Test 9	Rel-12	C23er	All UEs supporting A-BDS	pc_eFDD			Rel-9
				only, and Fine Time Assistance	pc_eTDD			Rel-9
7.1.2-10	Sensitivity Fine Time Assistance: Sub-Test 10	Rel-12	C24er	All UEs supporting A-GPS	pc_eFDD			Rel-9
				and A-BDS only, and Fine Time Assistance	pc_eTDD			Rel-9
7.2-1	Nominal Accuracy: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS	pc_eFDD			Rel-9
				L1C/A only	pc_eTDD			Rel-9
7.2-2	Nominal Accuracy: Sub-Test 2	Rel-9	C02er	All UEs supporting A-	pc_eFDD			Rel-9
	1, , , , ,			GLONASS only	pc_eTDD			Rel-9
7.2-3	Nominal Accuracy: Sub-Test 3	Rel-12	C03er	All UEs supporting A-	pc_eFDD		1	Rel-9
724	Nominal Acquirage: Sub Toot 4	Dol 0	C04a=	Galileo only	pc_eTDD		1	Rel-9
7.2-4	Nominal Accuracy: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS	pc_eFDD			Rel-9

				and Modernized GPS only	pc_eTDD	Rel-9
7.2-5	Nominal Accuracy: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-GLONASS only	pc_eTDD	Rel-9
7.2-9	Nominal Accuracy: Sub-Test 9	Rel-12	C19er	All UEs supporting A-BDS	pc_eFDD	Rel-9
				only	pc_eTDD	Rel-9
7.2-10	Nominal Accuracy: Sub-Test 10	Rel-12	C20er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-BDS only	pc_eTDD	Rel-9
7.3-1	Dynamic Range: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				L1C/A only	pc_eTDD	Rel-9
7.3-2	Dynamic Range: Sub-Test 2	Rel-9	C02er	All UEs supporting A-	pc_eFDD	Rel-9
				GLONASS only	pc_eTDD	Rel-9
7.3-3	Dynamic Range: Sub-Test 3	Rel-12	C03er	All UEs supporting A-	pc_eFDD	Rel-9
				Galileo only	pc_eTDD	Rel-9
7.3-4	Dynamic Range: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and Modernized GPS only	pc_eTDD	Rel-9
7.3-5	Dynamic Range: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-GLONASS only	pc_eTDD	Rel-9
7.3-9	Dynamic Range: Sub-Test 9	Rel-12	C19er	All UEs supporting A-BDS	pc_eFDD	Rel-9
				only	pc_eTDD	Rel-9
7.3-10	Dynamic Range: Sub-Test 10	Rel-12	C20er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-BDS only	pc_eTDD	Rel-9
7.4-1	Multi-path scenario: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				L1C/A only	pc_eTDD	Rel-9
7.4-2	Multi-path scenario: Sub-Test 2	Rel-9	C02er	All UEs supporting A-	pc_eFDD	Rel-9
				GLONASS only	pc_eTDD	Rel-9
7.4-3	Multi-path scenario: Sub-Test 3	Rel-12	C03er	All UEs supporting A-	pc_eFDD	Rel-9
				Galileo only	pc_eTDD	Rel-9
7.4-4	Multi-path scenario: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and Modernized GPS only	pc_eTDD	Rel-9
7.4-5	Multi-path scenario: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-GLONASS only	pc_eTDD	Rel-9
7.4-9	Multi-path scenario: Sub-Test 9	Rel-12	C19er	All UEs supporting A-BDS	pc_eFDD	Rel-9
				only	pc_eTDD	Rel-9
7.4-10	Multi-path scenario: Sub-Test 10	Rel-12	C20er	All UEs supporting A-GPS	pc_eFDD	Rel-9
				and A-BDS only	pc_eTDD	Rel-9
7.5-1	Moving scenario and periodic update: Sub-Test	Rel-9	C01er	All UEs supporting A-GPS	pc_eFDD	Rel-9
	1			L1C/A only	pc_eTDD	Rel-9
7.5-2	Moving scenario and periodic update: Sub-Test	Rel-9	C02er	All UEs supporting A-	pc_eFDD	Rel-9
	2			GLONASS only	pc_eTDD	Rel-9
7.5-3	Moving scenario and periodic update: Sub-Test	Rel-12	C03er	All UEs supporting A-	pc_eFDD	Rel-9
	3			Galileo only	pc_eTDD	Rel-9
7.5-4	Moving scenario and periodic update: Sub-Test	Rel-9	C04er	All UEs supporting A-GPS	pc_eFDD	Rel-9
7.5.5	4	D 10	005	and Modernized GPS only	pc_eTDD	Rel-9
7.5-5	Moving scenario and periodic update: Sub-Test	Rel-9	C05er	All UEs supporting A-GPS	pc_eFDD	Rel-9
7.5.6	5	D 1 10	0.10	and A-GLONASS only	pc_eTDD	Rel-9
7.5-9	Moving scenario and periodic update: Sub-Test	Rel-12	C19er	All UEs supporting A-BDS	pc_eFDD	Rel-9
	9	5 1 10		only	pc_eTDD	Rel-9
7.5-10	Moving scenario and periodic update: Sub-Test	Rel-12	C20er	All UEs supporting A-GPS	pc_eFDD	Rel-9
	10			and A-BDS only	pc_eTDD	Rel-9
8	E-CID measurement requirements					

8.1.1	FDD UE Rx-Tx time difference case	Rel-9	C11er	All FDD UEs supporting E-CID with Rx-Tx time difference	pc_eFDD	Rel-9
8.1.2	TDD UE Rx-Tx time difference case	Rel-9	C12er	All TDD UEs supporting E-CID with Rx-Tx time difference	pc_eTDD	Rel-9
8.1.3	E-UTRAN FDD UE Rx-Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	Rel-9	C25er	All FDD UEs supporting E-CID with Rx-Tx time difference and Feature Group Indictor 115	pc_eFDD	Rel-10
8.1.4	E-UTRAN TDD UE Rx-Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	Rel-9	C26er	All TDD UEs supporting E-CID with Rx-Tx time difference and Feature Group Indictor 115	pc_eTDD	Rel-10
8.1.5	E-UTRAN FDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (felCIC)	Rel-9	C21er	All FDD UEs supporting E-CID with Rx-Tx time difference and CRS interference handling and Feature Group Indictor 115	pc_eFDD	Rel-11
8.1.6	E-UTRAN TDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (felCIC)	Rel-9	C22er	All TDD UEs supporting E-CID with Rx-Tx time difference and CRS interference handling and ss-CCH interference handling and Feature Group Indictor 115	pc_eTDD	Rel-11
9	OTDOA measurement requirements					
9.1.1	FDD RSTD Measurement Reporting Delay	Rel-9	C13er	All FDD UEs supporting UE-assisted OTDOA	pc_eFDD	Rel-9
9.1.2	TDD RSTD Measurement Reporting Delay	Rel-9	C14er	All TDD UEs supporting UE-assisted OTDOA	pc_eTDD	Rel-9
9.1.3	FDD RSTD Measurement Accuracy	Rel-9	C13er	All FDD UEs supporting UE-assisted OTDOA	pc_eFDD	Rel-9
9.1.4	TDD RSTD Measurement Accuracy	Rel-9	C14er	All TDD UEs supporting UE-assisted OTDOA	pc_eTDD	Rel-9
9.2.1	FDD-FDD inter-frequency RSTD measurement reporting delay	Rel-10	C17er	All FDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eFDD	Rel-10 (Note 1)
9.2.2	TDD-TDD inter-frequency RSTD measurement reporting delay	Rel-10	C18er	All TDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eTDD	Rel-10 (Note 1)
9.2.4	FDD-FDD inter-frequency RSTD Accuracy	Rel-10	C17er	All FDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eFDD	Rel-10 (Note 1)
9.2.5	TDD-TDD inter-frequency RSTD Accuracy	Rel-10	C18er	All TDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eTDD	Rel-10 (Note 1)

10	OTDOA measurement requirements for Carrier Aggregation						
10.1	FDD RSTD Measurement Reporting Delay for Carrier Aggregation	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	Either TC 10.1 or TC 10.1A or TC 10.1B or TC 10.1C shall be executed. (Note 2)	Rel-10
10.1A	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20MHz	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	Either TC 10.1 or TC 10.1A or TC 10.1B or TC 10.1C shall be executed. (Note 2)	Rel-10
10.1B	FDD RSTD Measurement Reporting Delay Carrier Aggregation for 5 MHz +5 MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	Either TC 10.1 or TC 10.1A or TC 10.1B or TC 10.1C shall be executed. (Note 2)	Rel-10
10.1C	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	Either TC 10.1 or TC 10.1A or TC 10.1B or TC 10.1C shall be executed. (Note 2)	Rel-11
10.2	TDD RSTD Measurement Reporting Delay for Carrier Aggregation	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Either TC 10.2 or TC 10.2A or TC 10.2B or TC 10.2C or TC 10.2D shall be executed. (Note 2)	Rel-10
10.2A	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20MHz	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Either TC 10.2 or TC 10.2A or TC 10.2B or TC 10.2C or TC 10.2C or TC 10.2D shall be executed. (Note 2)	Rel-10

10.2B	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 5MHz +5 MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Either TC 10.2 or TC 10.2A or TC 10.2B or TC 10.2C or TC 10.2D shall be executed.	Rel-10
10.2C	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	(Note 2) Either TC 10.2 or TC 10.2A or TC 10.2B or TC 10.2C or TC 10.2D shall be executed. (Note 2)	Rel-11
10.2D	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20MHz +10MHz Bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Either TC 10.2 or TC 10.2A or TC 10.2B or TC 10.2C or TC 10.2C or TC 10.2D shall be executed. (Note 2)	Rel-10
10.3	FDD RSTD Measurement Accuracy for Carrier Aggregation	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD		Rel-10
10.3A	FDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz (Rel-10 and Rel-11)	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD		Rel-10, Rel- 11 only
10.3A_1	FDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz (Rel-12 onwards)	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD		Rel-12
10.3B	FDD RSTD Measurement Accuracy for Carrier Aggregation for 5MHz +5 MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD		Rel-10
10.3C	FDD RSTD Measurement Accuracy for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD		Rel-11
10.4	TDD RSTD Measurement Accuracy for Carrier Aggregation	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD		Rel-10
10.4A	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz (Rel-10 and Rel-11)	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD		Rel-10, Rel- 11 only
10.4A_1	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz (Rel-12 onwards)	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD		Rel-12
10.4B	TDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz +5 MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD		Rel-10

10.4C	TDD RSTD Measurement Accuracy for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Rel-11
10.4D	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz+10MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	Rel-10
10.5	FDD 3 DL CA RSTD Measurement Reporting Delay	Rel-10	C27er	All FDD UEs supporting UE-assisted OTDOA for 3DL Carrier Aggregation	pc_eFDD	Rel-12
10.6	TDD 3 DL CA RSTD Measurement Reporting Delay	Rel-10	C28er	All TDD UEs supporting UE-assisted OTDOA for 3DL Carrier Aggregation	pc_eTDD	Rel-12
10.7	FDD RSTD Measurement Accuracy for 3DL Carrier Aggregation	Rel-10	C27er	All FDD UEs supporting UE-assisted OTDOA for 3DL Carrier Aggregation	pc_eFDD	Rel-12
10.8	TDD RSTD Measurement Accuracy for 3DL Carrier Aggregation	Rel-10	C28er	All TDD UEs supporting UE-assisted OTDOA for 3DL Carrier Aggregation	pc_eTDD	Rel-12

This test case can be optionally tested for Rel-9 UEs supporting inter-frequency RSTD measurements that do not require measurement gaps.

The Carrier Aggregation TCs verify the same core requirement(s) however with different channel bandwidth configurations, this according to the guidance in TS 37.571-1, Note 2: Clause 4.7.5 [5].

Table 4-4: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for E-UTRA

004.5	IE (A A A A (A OD A A A A /O) AND (A A 2 0/4 OD A A 2 0/0) AND A A 2 0/0 AND NOT (A A 2 0/7 OD A A 2 0/0 OD A
C01er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C02er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C03er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C04er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C05er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C06er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) AND A.4.3-2/3 THEN R
	ELSE N/A
C07er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) AND A.4.3-2/3 THEN R
	ELSE N/A
C08er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) AND A.4.3-2/3 THEN R
	ELSE N/A
C09er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) AND A.4.3-2/3 THEN R ELSE N/A
C10er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) AND A.4.3-2/3 THEN R
	ELSE N/A
C11er	IF A.4.1-1/1 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C12er	IF A.4.1-1/2 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C13er	IF A.4.1-1/1 AND A.4.3-2/4 THEN R ELSE N/A
C14er	IF A.4.1-1/2 AND A.4.3-2/4 THEN R ELSE N/A
C15er	IF A.4.1-1/1 AND A.4.3-2/15 THEN R ELSE N/A
C16er	IF A.4.1-1/2 AND A.4.3-2/15 THEN R ELSE N/A
C17er	IF A.4.1-1/1 AND A.4.3-2/4 AND A.4.3-2/17 THEN R ELSE N/A
C18er	IF A.4.1-1/2 AND A.4.3-2/4 AND A.4.3-2/17 THEN R ELSE N/A
C19er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C20er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/18 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C21er	IF A.4.1-1/1 AND A.4.3-2/5 AND A.4.3-4/3 AND A.4.4-2/1 AND [11] A.4.5-3a/15 THEN R ELSE N/A
C22er	IF A.4.1-1/2 AND A.4.3-2/5 AND A.4.3-4/3 AND A.4.4-2/1 AND A.4.4-2/2 AND [11] A.4.5-3a/15 THEN R ELSE N/A
C23er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) AND A.4.3-2/3 THEN R
	ELSE N/A
C24er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/18 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) AND A.4.3-2/3 THEN R
	ELSE N/A
C25er	IF A.4.1-1/1 AND A.4.3-2/5 AND A.4.3-4/3 AND [11] A.4.5-3a/15 THEN R ELSE N/A
C26er	IF A.4.1-1/2 AND A.4.3-2/5 AND A.4.3-4/3 AND [11] A.4.5-3a/15 THEN R ELSE N/A
C27er	IF A.4.1-1/1 AND A.4.3-2/19 THEN R ELSE N/A
C28er	IF A.4.1-1/2 AND A.4.3-2/19 THEN R ELSE N/A
· · · · · · · · · · · · · · · · · · ·	

Table 4-5: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for UTRA

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.1.1	LCS Network Induced location request / UE-Based GPS / Emergency Call / with USIM	R99	C01us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.2	LCS Network induced location request / UE-Based GPS / Emergency call / Without USIM	R99	C01us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.3	LCS Network induced location request / UE-Assisted GPS / Emergency call / With USIM	R99	C03us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.4	LCS Network induced location request / UE-Assisted GPS / Emergency call / Without USIM	R99	C03us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.2.1	LCS Mobile originated location request / UE-Based GPS / Position estimate request / Success	R99	C09us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.2	LCS Mobile originated location request UE-Based or UE-Assisted GPS / Assistance data request / Success	R99	C05us	UEs supporting FDD and (UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.3	LCS Mobile originated location request / UE-Assisted GPS / Position Estimate / Success	R99	C10us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.4	LCS Mobile originated location request / UE-Based GPS / Transfer to third party / Success	R99	C07us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.5	LCS Mobile originated location request / UE-Assisted GPS / Transfer to third party / Success	R99	C08us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.6	LCS Mobile originated location request / UE-Based or UE-Assisted GPS / Assistance data request / Failure	R99	C05us	UEs supporting FDD and (either UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.7	LCS Mobile originated location request / UE-Based GPS / Position estimate request / Failure	R99	C09us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for position estimate	1 Execution: CS
6.1.3.1	LCS Mobile terminated location request / UE-Based GPS	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.2	LCS Mobile terminated location request / UE-Based GPS / Request of additional assistance data / Success	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.3	LCS Mobile-terminated location request / UE-Based GPS / Failure - Not Enough Satellites	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.4	LCS Mobile terminated location request / UE-Assisted GPS / Success	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.5	LCS Mobile terminated location request / UE-Assisted GPS / Request for additional assistance data / Success	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.6	LCS Mobile terminated location request / UE-Based GPS / Privacy Verification / Location Allowed if No Response	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.3.7	LCS Mobile terminated location request / UE-Based GPS / Privacy Verification / Location Not Allowed if No Response	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.8	LCS Mobile terminated location request / UE-Assisted GPS / Privacy Verification / Location Allowed if No Response	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.9	LCS Mobile terminated location request / UE-Assisted GPS / Privacy Verification / Location Not Allowed if No Response	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.10	LCS Mobile terminated location request / UE-Based or UE-Assisted GPS / Configuration incomplete	R99	C06us	UEs supporting FDD and UE based and/or UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability, but not UE-based OTDOA	1 Execution: CS
6.2.1.1_1s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 1	Rel-8	C11us	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.1_2s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 2	Rel-12	C12us	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.1.1_3s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 3	Rel-8	C13us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.1_4s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 4	Rel-8	C14us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.1.1_9s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 9	Rel-12	C40us	UEs supporting -emergency speech call and UE based Network Assisted GANSS with BDS only	1 Execution: CS
6.2.1.1_10s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 10	Rel-12	C41us	UEs supporting emergency speech call and UE based Network Assisted GPS and GANSS with BDS only	1 Execution: CS
6.2.1.2_1s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 1	Rel-8	C15us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.2_2s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 2	Rel-12	C16us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.1.2_3s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 3	Rel-8	C17us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.2_4s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 4	Rel-8	C18us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.1.2_9s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 9	Rel-12	C42us	UEs supporting emergency speech call and UE assisted Network Assisted GANSS with BDS only	1 Execution: CS
6.2.1.2_10s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 10	Rel-12	C43us	UEs supporting emergency speech call and UE assisted Network Assisted GPS and GANSS with BDS only	1 Execution: CS
6.2.2.1_1s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 1	Rel-8	C19us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS

Clause	Title	, , , , , , , , , , , , , , , , , , ,		Number of TC Executions (informative)	
6.2.2.1_2s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 2	Rel-12	C20us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_3s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 3	Rel-8	C21us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_4s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 4	Rel-8	C22us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_9s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 9	Rel-12	C44us	UEs supporting UE based Network Assisted GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_10s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 10	Rel-12	C45us	UEs supporting UE based Network Assisted GPS and GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_1s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 1	Rel-8	C23us	UEs supporting FDD and UE assisted Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_2s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 2	Rel-12	C24us	UEs supporting FDD and UE assisted Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_3s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 3	Rel-8	C25us	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_4s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 4	Rel-8	C26us	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_9s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 9	Rel-12	C46us	UEs supporting UE assisted Network Assisted GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_10s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 10	Rel-12	C47us	UEs supporting UE assisted Network Assisted GPS and GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_1s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 1	Rel-8	C19us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_2s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 2	Rel-12	C20us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_3s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 3	Rel-8	C21us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_4s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 4	Rel-8	C22us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_9s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 9	Rel-12	C44us	UEs supporting UE based Network Assisted GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.2.3_10s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 10	Rel-12	C45us	UEs supporting UE based Network Assisted GPS and GANSS with BDS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.4_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 1	Rel-8	C27us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 2	Rel-12	C28us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 3	Rel-8	C29us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 4	Rel-8	C30us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_9s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 9	Rel-12	C48us	UEs supporting (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with BDS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_10s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 10	Rel-12	C49us	UEs supporting ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with BDS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 1	Rel-8	C27us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 2	Rel-12	C28us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 3	Rel-8	C29us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 4	Rel-8	C30us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_9s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 9	Rel-12	C48us	UEs supporting (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with BDS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_10s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 10	Rel-12	C49us	UEs supporting ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with BDS only and MO-LR request for assistance data	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.3.1_1s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 1	Rel-8	C35us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only	1 Execution: CS
6.2.3.1_2s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 2	Rel-12	C36us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only	1 Execution: CS
6.2.3.1_3s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 3	Rel-8	C37us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only	1 Execution: CS
6.2.3.1_4s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 4	Rel-8	C38us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only	1 Execution: CS
6.2.3.1_9s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 9	Rel-12	C52us	UEs supporting (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with BDS only	1 Execution: CS
6.2.3.1_10s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 10	Rel-12	C53us	UEs supporting ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with BDS only	1 Execution: CS
6.2.3.2_1s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 1	Rel-8	C31us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.3.2_2s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 2	Rel-12	C32us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.3.2_3s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 3	Rel-8	C33us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.3.2_4s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 4	Rel-8	C34us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.3.2_9s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 9	Rel-12	C50us	UEs supporting UE based Network Assisted GANSS with BDS only	1 Execution: CS
6.2.3.2_10s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 10	Rel-12	C51us	UEs supporting UE based Network Assisted GPS and GANSS with BDS only	1 Execution: CS
6.2.3.3	Location Notification	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.4	Privacy Verification - Location Allowed if No Response	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.5	Privacy Verification - Location Not Allowed if No Response	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS

Table 4-6: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for UTRA

C01us IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/10 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C03us IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/11 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C04us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C05us IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/5 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C06us IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/8 AND (NOT A.4.3-1/3) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C07us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C08us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C09us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C10us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C11us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C12us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C13us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C14us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C15us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C16us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C17us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C18us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C19us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C20us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C21us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C22us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C23us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C24us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C25us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C26us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C27us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE
N/A
C28us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE
N/A
C29us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R
ELSE N/A
C30us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C31us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C32us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C33us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C34us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C35us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C36us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/13) THEN R ELSE N/A
C37us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND NOT (A.4.3-1/7 OR A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C38us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND NOT (A.4.3-1/9 OR A.4.3-1/13) THEN R ELSE N/A
C39us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-3/8 THEN R ELSE N/A
C40us IF A.4.3-1/5 AND A.4.3-1/13 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A

C41us IF A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/13 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C42us IF A.4.3-1/6 AND A.4.3-1/13 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C43us IF A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/13 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C44us IF A.4.3-1/5 AND A.4.3-1/13 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C45us IF A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/13 AND A.4.3-3/6 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C46us IF A.4.3-1/6 AND A.4.3-1/13 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C47us IF A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/13 AND A.4.3-3/6 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C48us IF (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/13 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C49us IF ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/13 AND A.4.3-3/5 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C50us IF A.4.3-1/6 AND A.4.3-1/13 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C51us IF A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/13 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C52us IF (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/13 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A
C53us IF ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/13 AND NOT (A.4.3-1/9 OR A.4.3-1/7) THEN R ELSE N/A

Table 4-7: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for E-UTRA

Clause	TC Title	Release of LPP Applicability			Additional Information		
Olduse	To this	Release of Err	Condition	Comment	Specific ICS	Specific IXIT	Release RAT
7.1	NAS Protocol Procedures		00.14.1.0.1	- Commons	operano ico	Spoome But	
7.1.1	UE Network Capability	Rel-9	C11es	All UEs supporting LPP	pc_eFDD		Rel-9
	,			I m d = d dapp d m ig = i	pc_eTDD		Rel-9
7.2	LCS Procedures				1, 1=1		
7.2.1.1	Location Notification	Rel-9	C14es	All UEs supporting EPC-MT-	pc_eFDD		Rel-9
				LR Location Notification	pc_eTDD		Rel-9
7.2.1.2	Privacy Verification – Location Allowed if no Response	Rel-9	C14es	All UEs supporting EPC-MT-	pc_eFDD	px_UeLcsNotification:	Rel-9
				LR Location Notification	pc_eTDD	value for UE LCS Notification timeout timer.	Rel-9
7.2.1.3	Privacy Verification – Location not Allowed if No Response	Rel-9	C14es	All UEs supporting EPC-MT-	pc_eFDD	px_UeLcsNotification:	Rel-9
				LR Location Notification	pc_eTDD	value for UE LCS Notification timeout timer.	Rel-9
7.2.2.1_1s	Autonomous Self Location: UE-based: Subtest 1	Rel-9	C01es	All UEs supporting UE-Based	pc_eFDD		Rel-9
				GNSS with A-GPS only and MO-LR request for assistance data	pc_eTDD		Rel-9
7.2.2.1_2s	Autonomous Self Location: UE-based: Subtest 2	Rel-9	C02es	All UEs supporting UE-Based	pc_eFDD		Rel-9
				GNSS with A-GLONASS only and MO-LR request for assistance data	pc_eTDD		Rel-9
7.2.2.1_3s	Autonomous Self Location: UE-based: Sub-test 3	Rel-12	C03es	All UEs supporting UE-Based	pc_eFDD		Rel-9
_				GNSS with A-Galileo only and	pc_eTDD		Rel-9
				MO-LR request for assistance data	, –		IXer9
7.2.2.1_4s	Autonomous Self Location: UE-based: Subtest 4	Rel-9	C04es	All UEs supporting UE-Based GNSS with A-GPS and A-	pc_eFDD		Rel-9
				GLONASS only and MO-LR request for assistance data	pc_eTDD		Rel-9
7.2.2.1_9s	Autonomous Self Location: UE-based: Subtest 9	Rel-12	C38es	All UEs supporting UE-Based GNSS with A-BDS only and	pc_eFDD		Rel-9
				MO-LR request for assistance data	pc_eTDD		Rel-9
7.2.2.1_10s	Autonomous Self Location: UE-based: Subtest 10	Rel-12	C39es	All UEs supporting UE-Based GNSS with A-GPS and A-BDS	pc_eFDD		Rel-9
				only and MO-LR request for assistance data	pc_eTDD		Rel-9
7.2.2.2_1s	Basic Self Location: UE-assisted: Subtest 1	Rel-9	C05es	All UEs supporting UE-	pc_eFDD		Rel-9
		_		Assisted GNSS with A-GPS only and MO-LR request for location estimate	pc_eTDD		Rel-9
7.2.2.2_2s	Basic Self Location: UE-assisted: Subtest 2	Rel-9	C06es	All UEs supporting UE-	pc_eFDD		Rel-9
				Assisted GNSS with A- GLONASS only and MO-LR request for location estimate	pc_eTDD		Rel-9
7.2.2.2_3s	Basic Self Location: UE-assisted: Subtest 3	Rel-12	C07es	All UEs supporting UE-	pc_eFDD		Rel-9
				assisted GNSS with A-Galileo	pc_eTDD		Rel-9

Clause	TC Title	Release of LPP	Applicability		Additional Information		
			Condition	Comment	Specific ICS	Specific IXIT	Release RAT
				only and MO-LR request for location estimate			
7.2.2.2_4s	Basic Self Location: UE-assisted: Subtest 4	Rel-9	C08es	All UEs supporting UE- assisted GNSS with A-GPS and A-GLONASS only and MO-LR request for location estimate	pc_eFDD pc_eTDD		Rel-9 Rel-9
7.2.2.2_5s	Basic Self Location: UE-assisted: Subtest 5	Rel-9	C09es	All UEs supporting UE-	pc_eFDD		Rel-9
				assisted OTDOA and MO-LR request for location estimate	pc_eTDD		Rel-9
7.2.2.2_6s	Basic Self Location: UE-assisted: Subtest 6	Rel-9	C10es	All UEs supporting UE-	pc_eFDD		Rel-9
				assisted ECID and MO-LR request for location estimate	pc_eTDD		Rel-9
7.2.2.2_9s	Basic Self Location: UE-assisted: Subtest 9	Rel-12	C40es	All UEs supporting UE-	pc_eFDD		Rel-9
				assisted GNSS with A-BDS only and MO-LR request for location estimate	pc_eTDD		Rel-9
7.2.2.2_10s	Basic Self Location: UE-assisted: Subtest 10	Rel-12	C41es	All UEs supporting UE-	pc_eFDD		Rel-9
				assisted GNSS with A-GPS and A-BDS only and MO-LR request for location estimate	pc_eTDD		Rel-9
7.3	LPP Procedures						
7.3.1.1	Position Capability Transfer	Rel-9	C11es	All UEs supporting LPP	pc_eFDD		Rel-9
				1. 0	pc_eTDD		Rel-9
7.3.2.1	LPP Duplicated Message	Rel-9	C11es	All UEs supporting LPP	pc_eFDD		Rel-9
					pc_eTDD		Rel-9
7.3.2.2	LPP Acknowledgment	Rel-9	C11es	All UEs supporting LPP	pc_eFDD		Rel-9
					pc_eTDD		Rel-9
7.3.2.3	LPP Retransmission	Rel-9	C36es	All UEs supporting LPP and support of sending of acknowledgement request in LPP Provide Capabilities message.	pc_eFDD pc_eTDD		Rel-9 Rel-9
7.3.3.1	LPP Requested Method not Supported - UE-Assisted	Rel-9	C15es	All UEs supporting at least one	pc_eFDD		Rel-9
				of UE-assisted GNSS, UE- assisted OTDOA or UE- assisted ECID but not all of them.	pc_eTDD		Rel-9
7.3.4.1_1s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 1	Rel-9	C28es	All UEs supporting UE-based GNSS with A-GPS only	pc_eFDD pc_eTDD		Rel-9 Rel-9
7.3.4.1_2s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C29es	All UEs supporting UE-based	pc_eFDD		Rel-9
	Location Information Transfer: UE-Based: Subtest 2			GNSS with A-GLONASS only	pc_eTDD		Rel-9
7.3.4.1_3s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 3	Rel-12	C30es	All UEs supporting UE-based GNSS with A-Galileo only	pc_eFDD pc_eTDD		Rel-9 Rel-9
7.3.4.1_4s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C31es	All UEs supporting UE-based	pc_eFDD		Rel-9
_	Location Information Transfer: UE-Based: Subtest 4	1161-3	03163	GNSS with A-GPS and A- GLONASS only	pc_eTDD		Rel-9
7.3.4.1_9s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-12	C44es	All UEs supporting UE-based	pc_eFDD		Rel-9
	Location Information Transfer: UE-Based: Subtest 9			GNSS with A-BDS only	pc_eTDD		Rel-9
7.3.4.1_10s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-12	C45es	All UEs supporting UE-based	pc_eFDD		Rel-9

Clause	TC Title	Release of LPP	Applicability		Additional Information		
			Condition	Comment	Specific ICS	Specific IXIT	Release RAT
	Location Information Transfer: UE-Based: Subtest 10			GNSS with A-GPS and A-BDS only	pc_eTDD		Rel-9
7.3.4.2_1s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C32es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 1			assisted GNSS with A-GPS only	pc_eTDD		Rel-9
7.3.4.2_2s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C33es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 2			assisted GNSS with A- GLONASS only	pc_eTDD		Rel-9
7.3.4.2_3s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-12	C34es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 3			assisted GNSS with A-Galileo only	pc_eTDD		Rel-9
7.3.4.2_4s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C35es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 4			assisted GNSS with A-GPS and A-GLONASS only	pc_eTDD		Rel-9
7.3.4.2_5s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C26es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 5			Assisted OTDOA	pc_eTDD		Rel-9
7.3.4.2_6s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C27es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 6			Assisted ECID	pc_eTDD		Rel-9
7.3.4.2_7s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C21es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 7			assisted GNSS and UE- assisted OTDOA	pc_eTDD		Rel-9
7.3.4.2_9s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-12	C46es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 9			assisted GNSS with A-BDS only	pc_eTDD		Rel-9
7.3.4.2_10s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-12	C47es	All UEs supporting UE-	pc_eFDD		Rel-9
	Location Information Transfer: UE-assisted: Subtest 10			assisted GNSS with A-GPS and A-BDS only	pc_eTDD		Rel-9
7.3.4.3_1s	E-SMLC Initiated Position Measurement without	Rel-9	C28es	All UEs supporting UE-based	pc_eFDD		Rel-9
	assistance data: UE-Based: Subtest 1			GNSS with A-GPS only	pc_eTDD		Rel-9
7.3.4.3_2s	E-SMLC Initiated Position Measurement without	Rel-9	C29es	All UEs supporting UE-based	pc_eFDD		Rel-9
	assistance data: UE-Based: Subtest 2			GNSS with A-GLONASS only	pc_eTDD		Rel-9
7.3.4.3_3s	E-SMLC Initiated Position Measurement without	Rel-12	C30es	All UEs supporting UE-based	pc_eFDD		Rel-9
7.3.4.3_4s	assistance data: UE-Based: Subtest 3 E-SMLC Initiated Position Measurement without	Rel-9	C31es	GNSS with A-Galileo only All UEs supporting UE-based	pc_eTDD pc_eFDD		Rel-9 Rel-9
7.3.4.3_48	assistance data: UE-Based: Subtest 4	Rei-9	Cores	GNSS with A-GPS and A- GLONASS only	pc_eTDD pc_eTDD		Rel-9
7.3.4.3_9s	E-SMLC Initiated Position Measurement without	Rel-12	C44es	All UEs supporting UE-based	pc_eFDD		Rel-9
	assistance data: UE-Based: Subtest 9	1.3	255	GNSS with A-BDS only	pc_eTDD		Rel-9
7.3.4.3_10s	E-SMLC Initiated Position Measurement without	Rel-12	C45es	All UEs supporting UE-based	pc_eFDD		Rel-9
	assistance data: UE-Based: Subtest 10			GNSS with A-GPS and A-BDS only	pc_eTDD		Rel-9
7.3.4.4_1s	E-SMLC Initiated Position Measurement without	Rel-9	C32es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 1			assisted GNSS with A-GPS only	pc_eTDD		Rel-9
7.3.4.4_2s	E-SMLC Initiated Position Measurement without	Rel-9	C33es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 2			assisted GNSS with A- GLONASS only	pc_eTDD		Rel-9
7.3.4.4_3s	E-SMLC Initiated Position Measurement without	Rel-12	C34es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 3			assisted GNSS with A-Galileo	pc_eTDD		Rel-9

Clause	TC Title	Release of LPP	Applicability		Additional Information		
			Condition	Comment	Specific ICS	Specific IXIT	Release RAT
				only			
7.3.4.4_4s	E-SMLC Initiated Position Measurement without	Rel-9	C35es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 4			assisted GNSS with A-GPS	pc_eTDD		Rel-9
				and A-GLONASS only			
7.3.4.4_5s	E-SMLC Initiated Position Measurement without	Rel-9	C26es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 5			Assisted OTDOA	pc_eTDD		Rel-9
7.3.4.4_7s	E-SMLC Initiated Position Measurement without	Rel-9	C21es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 7			assisted GNSS and UE- assisted OTDOA	pc_eTDD		Rel-9
7.3.4.4_9s	E-SMLC Initiated Position Measurement without	Rel-12	C46es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 9			assisted GNSS with A-BDS	pc_eTDD		Rel-9
				only			
7.3.4.4_10s	E-SMLC Initiated Position Measurement without	Rel-12	C47es	All UEs supporting UE-	pc_eFDD		Rel-9
	assistance data: UE-assisted: Subtest 10			assisted GNSS with A-GPS	pc_eTDD		Rel-9
				and A-BDS only			
7.3.5.1_1s	E-SMLC initiated Abort: Subtest 1	Rel-9	C22es	All UEs supporting UE-based	pc_eFDD		Rel-9
				or UE-assisted GNSS with A-	pc_eTDD		Rel-9
				GPS only			
7.3.5.1_2s	E-SMLC initiated Abort: Subtest 2	Rel-9	C23es	All UEs supporting UE-based	pc_eFDD		Rel-9
				or UE-assisted GNSS with A-	pc_eTDD		Rel-9
				GLONASS only			
7.3.5.1_3s	E-SMLC initiated Abort: Subtest 3	Rel-12	C24es	All UEs supporting UE-based	pc_eFDD		Rel-9
				or UE-assisted GNSS with A-	pc_eTDD		Rel-9
		D.10		Galileo only	555		
7.3.5.1_4s	E-SMLC initiated Abort: Subtest 4	Rel-9	C25es	All UEs supporting UE-based or UE-assisted GNSS with A-	pc_eFDD		Rel-9
				GPS and A-GLONASS only	pc_eTDD		Rel-9
7.3.5.1_5s	E-SMLC initiated Abort: Subtest 5	Rel-9	C26es	All UEs supporting UE-	pc_eFDD		Rel-9
7.3.5.1_58	E-SIVILC Initiated Abort. Subtest 5	Rei-9	Czbes	assisted OTDOA	pc_eFDD pc_eTDD		Rel-9
7.3.5.1_9s	E-SMLC initiated Abort: Subtest 9	Rel-12	C42es	All UEs supporting UE-based	pc_eFDD		Rel-9
7.3.5.1_98	E-SIVILC Initiated Abort. Subtest 9	Rei-12	C4Zes	or UE-assisted GNSS with A-	pc_eFDD pc_eTDD		Rel-9
				BDS only	pc_eTDD		Kei-9
7.3.5.1_10s	E-SMLC initiated Abort: Subtest 10	Rel-12	C43es	All UEs supporting UE-based	pc_eFDD		Rel-9
7.3.3.1_108	E-SIVILC IIIIIlated Abort. Subjest 10	Kei-12	C4368	or UE-assisted GNSS with A-	pc_eFDD pc_eTDD		Rel-9
				GPS and A-BDS only	pc_e1bb		Kei-9
7.4	Circuit Switched (CS) Fallback			Ci C and 71 BBC city			
7.4.1.1	CS fallback: Network does not support EPC-MO-LR	Rel-9	C12es	All UEs supporting MO-LR	pc_eFDD		Rel-9
	OG TAMBAOK. INSTINOTE AGES HOT SUPPORT ET G-INIO-EK	1.57.0	31200	procedure for location estimate	pc_eTDD		Rel-9
				in the CS fallback in EPS.			1.0.0
7.4.1.2	CS fallback: UE does not support EPC-MO-LR	Rel-9	C13es	All UEs not supporting EPC-	pc_eFDD		Rel-9
-				MO-LR and supporting MO-LR	pc_eTDD		Rel-9
				procedure for location estimate	F-2		1.5. 5
				in the CS fallback in EPS.			
7.5	RRC Protocol Procedures						
7.5.1	Inter-Frequency RSTD measurement indication	Rel-10	C37es	All UEs supporting inter-	pc_eFDD		Rel-10
				frequency RSTD	pc_eTDD		Rel-10
				measurements for OTDOA			
				that require measurement			
				gaps.			

Table 4-8: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for E-UTRA

C01es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C02es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C03es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C03es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND A.4.3-2/9 AND NOT (A.4.3-2/7 AND NOT (A.4.3-2/7 OR A.4.3-2/10) THEN R ELSE N/A C04es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT (A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C05es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C06es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C07es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C08es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT (A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C09es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4 AND A.4.3-3/2 THEN R ELSE N/A
C10es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5 AND A.4.3-3/2 THEN R ELSE N/A
C11es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 THEN R ELSE N/A
C12es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.1-1/4) AND A.4.3-3/4 THEN R ELSE N/A
C13es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.1-1/4) AND A.4.3-3/4 AND NOT (A.4.3-3/1 AND A.4.3-3/2) THEN R ELSE N/A
C14es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-3/3 THEN R ELSE N/A
C15es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/2 OR A.4.3-2/4 OR A.4.3-2/5) AND NOT(A.4.3-2/2 AND A.4.3-2/4 AND A.4.3-2/5) THEN R ELSE N/A
C16es Void
C17es Void
C18es Void
C19es Void
C20es Void
C21es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/4 THEN R ELSE N/A
C22es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C23es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C24es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C25es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT (A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C26es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4 THEN R ELSE N/A
C27es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5 THEN R ELSE N/A
C28es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C29es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C30es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C31es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT (A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C32es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C33es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C34es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/18) THEN R ELSE N/A
C35es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT (A.4.3-2/9 OR A.4.3-2/18) THEN R ELSE N/A
C36es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 AND A.4.4-1/1 THEN R ELSÉ N/A
C37es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/16 THEN R ELSE N/A
C38es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C39es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/18 AND NOT (A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C40es IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C41es IF (A.4.1-1/1) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/18 AND NOT (A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C42es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C43es IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/18 AND NOT (A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
The second of th

C44es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C45es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/18 AND NOT (A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C46es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/18 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A
C47es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/18 AND NOT (A.4.3-2/9 OR A.4.3-2/7) THEN R ELSE N/A

Annex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment

Notwithstanding the provisions of the copyright clause related to the text of the present document, The Organizational Partners of 3GPP grant that users of the present document may freely reproduce the ICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed ICS.

A.1 Guidance for completing the ICS proforma

A.1.1 Purposes and structure

The purpose of this ICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in relevant specifications may provide information about the implementation in a standardised manner

The ICS proforma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS proforma;
- identification of the implementation;
- identification of the protocol;
- ICS proforma tables (for example: UE implementation types, Teleservices, etc).

A.1.2 Abbreviations and conventions

The ICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [8].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Reference column

The reference column gives reference to the relevant 3GPP core specifications.

Release column

The release column indicates the earliest release from which the capability or option is relevant.

Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.

Comments column

This column is left blank for particular use by the reader of the present document.

References to items

For each possible item answer (answer in the support column) within the ICS proforma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.), respectively.

A.1.3 Instructions for completing the ICS proforma

The supplier of the implementation may complete the ICS proforma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the ICS proforma.

A.2 Identification of the User Equipment

Identification of the User Equipment should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.1	Date of the statement
A.2.2 UEUT nam	User Equipment Under Test (UEUT) identification
Hardware c	onfiguration:
Software co	nfiguration:
A.2.3 Name:	Product supplier
Address:	

Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.2.4 Client Name:
Address:
Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.2.5 ICS contact person Name:
Telephone number:
Facsimile number:

-mail address:	
dditional information:	
	••••••

A.3 Identification of the protocol

This ICS proforma applies to the 3GPP standards listed in the normative references clause of the present document.

A.4 ICS proforma tables

A.4.1 UE Implementation Types

Table A.4.1-1: UE Radio Technologies

Item	UE Radio Technologies	Ref.	Release	Mnemonic	Comments
1	E-UTRA FDD	•			Refer to 3GPP TS
					36.523-2 [11] Table
					A.4.1-1/1
2	E-UTRA TDD				Refer to 3GPP TS
					36.523-2 [11] Table
					A.4.1-1/2
3	UTRA FDD				Refer to 3GPP TS
					34.123-2 [12] Table
					A.1/1
4	UTRA TDD				Refer to 3GPP TS
					34.123-2 [12] Table
					A.1/3

Table A.4.1-2: Teleservices

Item	Teleservices	Ref.	Release	Mnemonic	Comments
1	Emergency call				Refer to 3GPP TS
					34.123-2 [12] Table
					A.2/2

A.4.2 Baseline Implementation Capabilities

Table A.4.2-1: Supported Protocols

Item	Special Conformance Testing Functions	Ref.	Release	Mnemonic	Comments
1	LTE Positioning Protocol (LPP)	36.355	Rel-9	pc_LPP	
2	Support for OMA LPPe	OMA-TS- LPPe-V1.0	Rel-9	pc_OMA_LPPe	

Table A.4.2-2: Special Conformance Testing Functions

Item	Special Conformance Testing Functions	Ref.	Release	Comments
1	Reset of UE Positioning Stored Information	36.509	Rel-9	E-UTRA
2	Reset of UE Positioning Stored Information	34.109	R99	UTRA

UE Positioning Capabilities A.4.3

Table A.4.3-1: UTRA UE positioning capabilities

Item	Services Capabilities	Ref.	Release	Mnemonic	Comments
1	Support for IPDL	25.306,	R99	pc_UE_PositioningIPDL_Sup	
		4.8			
2	Support of GPS timing of cell frames	25.306,	R99	pc_UE_PositioningGPS_TimingOfCel	
		4.8		IFramesSup	
3	Support of UE-based OTDOA	25.306,	R99	pc_UE_PositioningBasedOTDOA_Su	
		4.8		p	
4	Support of Standalone location method	25.306,	R99	pc_UE_PositioningStandaloneLocMet	
		4.8		hodsSup	
5	Support of UE-Based A-GANSS	25.306,	Rel-8	pc_UEB_A_GANSS	
		4.8			
6	Support of UE-Assisted A-GANSS	25.306,	Rel-8	pc_UEA_A_GANSS	
		4.8			
7	Support for GLONASS	25.306,	Rel-8	pc_GLONASS	NOTE 1
		4.8			
8	Support for Modernized GPS	25.306,	Rel-8	pc_MGPS	NOTE 1
		4.8			
9	Support for Galileo	25.306,	Rel-12	pc_GALILEO	NOTE 1,
		4.8			NOTE 2
10	Support of UE based Network Assisted	25.306,	R99	pc_UeBasedAgps	
	GPS L1 C/A	4.8			
11	Support of UE assisted Network	25.306,	R99	pc_UeAssistedAgps	
	Assisted GPS L1 C/A	4.8			
12	Support of Fine Time Assistance	25.171,	Rel-6		
		4.4			
13	Support for BDS	25.306,	Rel-12	pc_BDS	NOTE 1
		4.8			

NOTE 1: If the capability is supported by the UE, then A.4.3-1/5 or A.4.3-1/6 must be supported as well.

NOTE 2: Non-backwards compatible changes were made to the Galileo Assistance Data in RRC Rel-12, therefore testing cannot be done for earlier releases.

Table A.4.3-2: E-UTRA UE Positioning Capabilities

Item	UE Positioning Capabilities	Ref.	Releas e	Mnemonic	Comments
1	Support of UE based Assisted-GNSS	36.355	Rel-9	pc_UEB_AG NSS	This implies support of LPP A.4.2-1/1
2	Support of UE assisted Assisted-GNSS	36.355	Rel-9	pc_UEA_AG NSS	This implies support of LPP A.4.2-1/1
3	Support of GNSS Fine Time Assistance	36.355	Rel-9	pc_GNSS_F TA	This implies support of LPP A.4.2-1/1
4	Support of UE assisted OTDOA	36.355	Rel-9	pc_OTDOA	This implies support of LPP A.4.2-1/1
5	Support of UE assisted ECID	36.355	Rel-9	pc_ECID	This implies support of LPP A.4.2-1/1
6	Support for A-GPS L1C/A	36.355	Rel-9	pc_A_GPS_ L1C_A	This implies support of LPP A.4.2-1/1
7	Support for A-GLONASS	36.355	Rel-9	pc_A_GLON ASS	This implies support of LPP A.4.2-1/1
8	Support for A-GPS L1C/A and Modernized GPS	36.355	Rel-9	pc_A_GPS_ L1C_A_MG PS	This implies support of LPP A.4.2-1/1
9	Support for A-Galileo	36.355	Rel-12	pc_A_Galile o	This implies support of LPP A.4.2-1/1. NOTE
10	Support of UE Fine Time Assistance measurements for UE-based Assisted- GNSS	36.355	Rel-9	pc_GNSS_F TA_UEB	This implies support of LPP A.4.2-1/1
11	Support of UE Fine Time Assistance measurements for UE-assisted Assisted-GNSS	36.355	Rel-9	pc_GNSS_F TA_UEA	This implies support of LPP A.4.2-1/1
12	Support of GNSS Acquisition Assistance	36.355; 37.571-2, 5.4.1	Rel-9	pc_GNSS_A A	This implies support of LPP A.4.2-1/1
13	Support for A-SBAS	36.355	Rel-9	pc_A_SBAS	
14	Support for A-QZSS	36.355	Rel-9	pc_A_QZSS	
15	Support of UE assisted OTDOA for Carrier Aggregation	36.355	Rel-10	pc_OTDOA_ CA	This implies support of LPP A.4.2-1/1
16	Support of inter-frequency RSTD measurements that require measurement gaps	36.355	Rel-10		This implies support of UE assisted OTDOA A.4.3-2/4
17	Support of inter-frequency RSTD measurements	36.355	Rel-10	pc_InterFreq _RSTD	This implies support of UE assisted OTDOA A.4.3-2/4
18	Support for A-BDS	36.355	Rel-12	pc_A_BDS	This implies support of LPP A.4.2-1/1
19	Support of UE assisted OTDOA for 3DL Carrier Aggregation	36.355	Rel-12	pc_OTDOA_ 3DLCA	This implies support of LPP A.4.2-1/1

NOTE: Non-backwards compatible changes were made to the Galileo Assistance Data in LPP Rel-12, therefore testing cannot be done for earlier releases.

Table A.4.3-3: Supplementary Services

Item	UE Positioning Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of EPC-MO-LR request	24.171; 24.030;	Rel-9	pc_EPC_MO_LR_Requ	
	for assistance data	24.080		estAssistanceData	
2	Support of EPC-MO-LR request	24.171; 24.030;	Rel-9	pc_EPC_MO_LR_Requ	
	for a position estimate	24.080		estPositionEstimate	
3	Support of EPC-MT-LR Location	24.171; 24.030;	Rel-9	pc_MT_LR_loc_notif	
	Notification	24.080			
4	Support for CS-MO-LR with CS	23.272	Rel-9	pc_CS_MO_LR_CSFall	
	Fallback for a position estimate			back	
5	Support of MO-LR request for	24.030,	R99	pc_ParamGpsAssisData	UTRA
	assistance data	5.1.1;24.080,			
		4.4.3.44;23.171,			
		8.1.1			
6	Support of MO-LR request for a	23.171, 8.1.1	R99	pc_ParamPosEstimate	UTRA
	position estimate				
7	Support of MO-LR request for	23.171, 8.1.1	R99	pc_ParamXfer3rdPty	UTRA
	transfer to 3rd party				
8	Support of MT-LR LCS value	24.030;23.271	R99	pc_MT_LR	UTRA
	added location request notification			·	
	capability				

Table A.4.3-4: E-CID Measurements

Item	UE Positioning Capabilities	Ref.	Releas	Mnemonic	Comments
			е		
1	RSRP Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_Rsrp	E-UTRA
2	RSRQ Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_Rsrq	E-UTRA
-	UE Rx-Tx Time Difference Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_UeRxTx	E-UTRA

Table A.4.3-5: GNSS Signals

Item	GNSS Signals Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of A-GPS L1C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L1C	E-UTRA
2	Support of A-GPS L2C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L2C	E-UTRA
3	Support of A-GPS L5 signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L5	E-UTRA
4	Support of QZS-L1 signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L1	E-UTRA
5	Support of QZS-L1C signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L1C	E-UTRA
6	Support of QZS-L2C signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L2C	E-UTRA
7	Support of QZS-L5 signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L5	E-UTRA
8	Support of G1 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G1	E-UTRA
9	Support of G2 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G2	E-UTRA
10	Support of G3 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G3	E-UTRA
11	Support of E1 signal in Galileo	36.355, 6.5.2.13	Rel-12	pc_GALILEO_E1	E-UTRA
12	Support of E5a signal in Galileo	36.355, 6.5.2.13	Rel-12	pc_GALILEO_E5a	E-UTRA
13	Support of E5b signal in Galileo	36.355, 6.5.2.13	Rel-12	pc_GALILEO_E5b	E-UTRA
14	Support of E6 signal in Galileo	36.355, 6.5.2.13	Rel-12	pc_GALILEO_E6	E-UTRA
15	Support of E5a+E5b signal in Galileo	36.355, 6.5.2.13	Rel-12	pc_GALILEO_E5aE5b	E-UTRA
16	Support of B1I signal in BDS	36.355, 6.5.2.13	Rel-12	pc_BDS_B1I	E-UTRA

Table A.4.3-6: ADR and Velocity Measurements

Item	ADR and Velocity Measurements	Ref.	Release	Mnemonic	Comments
1	Support of ADR measurement reporting for Gps	36.355, 6.5.2.9	Rel-9	pc_A_GPS_ADR	E-UTRA
2	Support of ADR measurement reporting for Sbas	36.355, 6.5.2.9	Rel-9	pc_SBAS_ADR	E-UTRA
3	Support of ADR measurement reporting for Qzss	36.355, 6.5.2.9	Rel-9	pc_QZSS_ADR	E-UTRA
4	Support of ADR measurement reporting for Galileo	36.355, 6.5.2.9	Rel-12	pc_GALILEO_ADR	E-UTRA
5	Support of ADR measurement reporting for Glonass	36.355, 6.5.2.9	Rel-9	pc_GLONASS_ADR	E-UTRA
6	Support of Velocity measurement reporting for Gps	36.355, 6.5.2.9	Rel-9	pc_A_GPS_VelocityMe as	E-UTRA
7	Support of Velocity measurement reporting for Sbas	36.355, 6.5.2.9	Rel-9	pc_SBAS_VelocityMeas	E-UTRA
8	Support of Velocity measurement reporting for Qzss	36.355, 6.5.2.9	Rel-9	pc_QZSS_VelocityMeas	E-UTRA
9	Support of Velocity measurement reporting for Galileo	36.355, 6.5.2.9	Rel-12	pc_GALILEO_VelocityM eas	E-UTRA
10	Support of Velocity measurement reporting for Glonass	36.355, 6.5.2.9	Rel-9	pc_GLONASS_Velocity Meas	E-UTRA
11	Support of ADR measurement reporting for BDS	36.355, 6.5.2.9	Rel-12	pc_BDS_ADR	E-UTRA
12	Support of Velocity measurement reporting for BDS	36.355, 6.5.2.9	Rel-12	pc_BDS_VelocityMeas	E-UTRA

Table A.4.3-7: GNSS Assistance Data Support

Item	GNSS Assistance Data Support	Ref.	Release	Mnemonic	Comments
1	Gnss-ReferenceTimeSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_RefTimeSup	E-UTRA
2	Gnss-ReferenceLocationSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_RefLocSup	E-UTRA
3	Gnss-IonosphericModelSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_IonoModSup	E-UTRA
4	Gnss- EarthOrientationParametersSuppor t (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_EOPSup	E-UTRA
5	Gnss-TimeModelsSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Gps	E-UTRA
6	Gnss-TimeModelsSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Sbas	E-UTRA
7	Gnss-TimeModelsSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Qzss	E-UTRA
8	Gnss-TimeModelsSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_TimeModSup_Galileo	E-UTRA
9	Gnss-TimeModelsSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Glonass	E-UTRA
10	Gnss- DifferentialCorrectionsSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Gps	E-UTRA
11	Gnss- DifferentialCorrectionsSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Sbas	E-UTRA
12	Gnss- DifferentialCorrectionsSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Qzss	E-UTRA
13	Gnss- DifferentialCorrectionsSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_DGNSS_Sup_Galileo	E-UTRA
14	Gnss- DifferentialCorrectionsSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Glonass	E-UTRA
15	Gnss-NavigationModelSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Gps	E-UTRA
16	Gnss-NavigationModelSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Sbas	E-UTRA
17	Gnss-NavigationModelSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Qzss	E-UTRA
18	Gnss-NavigationModelSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_NavModSup_Galileo	E-UTRA
19	Gnss-NavigationModelSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Glonass	E-UTRA
20	Gnss-RealTimeIntegritySupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Gps	E-UTRA
21	Gnss-RealTimeIntegritySupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Sbas	E-UTRA
22	Gnss-RealTimeIntegritySupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Qzss	E-UTRA
23	Gnss-RealTimeIntegritySupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_RTISup_Galileo	E-UTRA
24	Gnss-RealTimeIntegritySupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Glonass	E-UTRA
25		36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Gps	E-UTRA
26	Gnss-DataBitAssistanceSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Sbas	E-UTRA
27		36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Qzss	E-UTRA
28		36.355, 6.5.2.9	Rel-12	pc_GNSS_DataBitsSup_Galileo	E-UTRA
29	<u> </u>	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Glonass	E-UTRA
30	Gnss-AcquisitionAssistanceSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Gps	E-UTRA

31	Gnss-AcquisitionAssistanceSupport for sbas	·	Rel-9	pc_GNSS_AcquAssistSup_Sbas	E-UTRA
32	Gnss-AcquisitionAssistanceSupport for qzss		Rel-9	pc_GNSS_AcquAssistSup_Qzss	E-UTRA
33	Gnss-AcquisitionAssistanceSupport for galileo	·	Rel-12	pc_GNSS_AcquAssistSup_Galileo	
34	Gnss-AcquisitionAssistanceSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Glonas s	
35	Gnss-AlmanacSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Gps	E-UTRA
36	Gnss-AlmanacSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Sbas	E-UTRA
37	Gnss-AlmanacSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Qzss	E-UTRA
38	Gnss-AlmanacSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_AlmanacSup_Galileo	E-UTRA
39	Gnss-AlmanacSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Glonass	E-UTRA
40	Gnss-UTC-ModelSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Gps	E-UTRA
41	Gnss-UTC-ModelSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Sbas	E-UTRA
42	Gnss-UTC-ModelSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Qzss	E-UTRA
43	Gnss-UTC-ModelSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_UTCModSup_Galileo	E-UTRA
44	Gnss-UTC-ModelSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Glonass	E-UTRA
45	Gnss-AuxiliaryInformationSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Gps	E-UTRA
46	Gnss-AuxiliaryInformationSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Sbas	E-UTRA
47	Gnss-AuxiliaryInformationSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Qzss	E-UTRA
48	Gnss-AuxiliaryInformationSupport for galileo	36.355, 6.5.2.9	Rel-12	pc_GNSS_AuxInfoSup_Galileo	E-UTRA
49	Gnss-AuxiliaryInformationSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Glonass	E-UTRA
50	Gnss-TimeModelsSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_TimeModSup_BDS	E-UTRA
51	Gnss- DifferentialCorrectionsSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_DGNSS_Sup_BDS	E-UTRA
52	Gnss-NavigationModelSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_NavModSup_BDS	E-UTRA
53	Gnss-RealTimeIntegritySupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_RTISup_BDS	E-UTRA
54	BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_DataBitsSup_BDS	E-UTRA
55	Gnss-AcquisitionAssistanceSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_AcquAssistSup_BDS	E-UTRA
56	Gnss-AlmanacSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_AlmanacSup_BDS	E-UTRA
57	Gnss-UTC-ModelSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_UTCModSup_BDS	E-UTRA
58	Gnss-AuxiliaryInformationSupport for BDS	36.355, 6.5.2.9	Rel-12	pc_GNSS_AuxInfoSup_BDS	E-UTRA
59	bds-DifferentialCorrectionsSupport	36.355, 6.5.2.9	Rel-12	pc_BDS_DiffCorr	E-UTRA
60	bds-GridModelSupport	36.355, 6.5.2.9	Rel-12	pc_BDS_GridMod	E-UTRA

Table A.4.3-8: Location Coordinate Types

Item	Location Coordinate Types	Ref.	Release	Mnemonic	Comments
1	Ellipsoid Point Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
2	Ellipsoid Point With Uncertainty	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Circle Support			UncertCircle	
3	Ellipsoid Point With Uncertainty	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Ellipse Support			UncertEllip	
4	Polygon Support	36.355, 6.4.1	Rel-9	pc_GNSS_Polygon	E-UTRA
5	Ellipsoid Point With Altitude	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Support			Alt	
6	Ellipsoid Point With Altitude And	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Uncertainty Ellipsoid Support			AltUncertEllip	
7	Ellipsoid Arc Support	36.355, 6.4.1	Rel-9	pc GNSS EllipArc	E-UTRA

Table A.4.3-9: Velocity Types

Item	Velocity Types	Ref.	Release	Mnemonic	Comments
1	Horizontal Velocity Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVel	E-UTRA
2	Horizontal With Vertical Velocity Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVVel	E-UTRA
3	Horizontal Velocity With Uncertainty Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVelUncert	E-UTRA
4	Horizontal With Vertical Velocity And Uncertainty Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVVelUncert	E-UTRA

A.4.4 Additional information

Table A.4.4-1: Additional information

Item	Additional information	Ref.	Release	Mnemonic	Comments
1	Support of sending of	36.355, 4.3.3	Rel-9	pc_LPP_SendingA	E-UTRA
	acknowledgement request in LPP			CK_ProvideCapabil	
	Provide Capabilities message.			ities	

Table A.4.4-2: Additional UE radio access capabilities (Mandatory for Rel-11and onward)

Item	Additional capabilities	Ref.	Release	Status	Support	Mnemonic	Comments
				(Note 1)	Yes/No		
					(Note 2)		
1	UE supports CRS interference handling	36.306,	Rel-11	0.01		pc_CRS_Int	This is a Rel-11
	-	4.3.4.15				erference	Mandatory
							feature
2	UE supports ss-CCH interference	36.306,	Rel-11	0.01		pc_ssCCH_I	This is a Rel-11
	handling	4.3.4.20				nterference	Mandatory
	-						feature

Note 1: From Rel-11 onwards 3GPP TSG RAN has introduced the following principles (TS 36.306 [13] clause 4): 'For optional features, the UE radio access capability parameter indicates whether the feature has been implemented and successfully tested. For mandatory features with the UE radio access capability parameter, the parameter indicates whether the feature has been successfully tested.'

Reflecting this situation, in the present table the status for Mandatory features would be indicated as conditional Optional (O.xx) until IOT testing availability is ensured. The decision when IOT testing availability can be considered ensured is made by 3GPP TSG RAN. After the 3GPP TSG RAN decision that IOT testing is available, the status of the capability parameter will be changed to Mandatory (M) and the release from which this requirement apply would be explicitly stated.

Note 2: If indicated "Yes" the feature shall be implemented and successfully tested for the corresponding release.

Table A.4.4-3: Additional UE radio access capabilities conditions

O.01 IF The feature has been IOT-ed THEN Support shall be indicated ELSE Support shall not be indicated

Annex B (informative): Change history

					Change history		
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
0040.00	ID ANIE II 40	DE 404047	1	1	36.571-3	1	000
2010-08 2011-02		R5-104317 R5-110253	-	-	Initial version	0.0.0	0.0.0
2011-02		R5-110253	-	 -	Addition of test case applicability Addition of E-CID and OTDOA performance test case	0.0.0	0.1.0
2011-06	KAN5#52	K5-1132/3	-	-	applicability	0.1.0	
		R5-113139	_	<u> </u>	Addition of UE Network Capability test case		
		R5-113773		1	Addition of Notification test cases		
		R5-113148	_	1	Addition of Position Capability Transfer test case		1.0.0
	1	110 110140			37.571-3		1.0.0
2011-11	RAN5#53	R5-115253	I <u>-</u>	1_	Creation of 37.571-3 based on 36.571-3 v1.0.0, 34.123-2 v9.6.0,	I_	1.0.0
2011 11	10.00000	110 110200			34.171 v9.3.0 and 34.172 va.1.0		1.0.0
_	-	R5-115254	-	-	Corrections to the 37.571-3 baseline text	-	-
-	-	R5-115255	-	-	Addition of missing test case applicability to the 37.571-3	-	-
					baseline text		
-	-	R5-115256	-	-	Applicable Release for UMTS A-GNSS Test Cases in 37.571-3	-	2.0.0
					baseline text		
2011-12	RAN#54	-	-	-	Moved to Rel-9 with editorial changes only.	2.0.0	9.0.0
2012-03	RAN#55	R5-120365	0001	-	Addition of missing test case applicability for test cases 7.3.4.1,	9.0.0	9.1.0
			0.0 - :		7.3.4.2, 7.3.4.3, and 7.3.4.4		
2012-03	RAN#55	R5-120529	0002	1-	Remove redundant mnemonics	9.0.0	9.1.0
2012-06	RAN#56	-	-	-	Upgraded to v10.0.0 with no change.	9.1.0	10.0.0
2012-09	RAN#57		0003	-	Correction of sub-test names and PICS names		10.1.0
2012-09	RAN#57	R5-123689		-	Addition of missing sub test cases name change	10.1.0	
2012-12	RAN#58	R5-125119		-	Add new PICS and post-fix for conditions		10.2.0
2012-12	RAN#58	R5-124121	0006	-	Applicabilities for new test cases 10.1 - 10.4 for RSTD for Carrier	10.1.1	10.2.0
2042.02	D 4 N # E 0	DE 420504	0007	-	Aggregation	40.00	40.0.0
2013-03	RAN#59	R5-130594	0007	-	Correction of applicability for TC 7.3.2.3	10.2.0	
2013-04 2013-06	- DAN#60	- DE 12120E	-	-	fix of history table	10.3.0	
	RAN#60	R5-131305		-	Correction of applicability for LTE UE Positioning test cases Applicability for new test case 7.5.1 for inter-frequency RSTD		10.4.0
2013-06	RAN#60	R5-131328		_	measurement indication procedure	10.3.1	
2013-06	RAN#60			-	Applicabilities for new TDD inter-frequency tests 9.2.2 and 9.2.5	10.3.1	10.4.0
2013-06	RAN#60	R5-131996	0011	-	Addition of the Applicability for FDD-FDD inter-frequency RSTD Test Cases	10.3.1	10.4.0
2013-06	RAN#60	R5-132011	0012	-	Corrections and clarifications to Applicabilities tables	10.3.1	10.4.0
2013-09	RAN#61	R5-133633	0013	-	Correction to 7.3.3.1	10.4.0	10.5.0
2013-12	RAN#62	R5-134203	0014	-	Corrections to Applicabilities C12es and C13es	10.5.0	10.6.0
2013-12	RAN#62	R5-134204	0015	-	Addition of Applicabilities for 9.2.1 - 9.2.5	10.5.0	10.6.0
2013-12	RAN#62	R5-134911	0016	-	Change Applicability of test 7.3.5.1	10.5.0	10.6.0
2013-12	RAN#62	R5-134981	0017	-	Applicabilities for new tests 10.1a, 10.2a, 10.3a and 10.4a	10.5.0	10.6.0
2014-06	RAN#64	R5-142102	0018	-	Correction to test case title in the Applicability Table 4-1 and Table 4-3	10.6.0	10.7.0
2014-06	RAN#64	R5-142406	0019	-	Correction of conditions of C26es and C27es.	10.6.0	10.7.0
2014-09	RAN#65	-	-	-	Upgraded to v11.0.0 with no change		11.0.0
2014-09	RAN#65	R5-144843	0020	-	Applicability for new 10+5 and 5+5 RSTD related test cases		12.0.0
2014-12	RAN#66	R5-145263	0021	-	Applicability table update for RRM CA test cases in clause 10 to avoid redundant testing	12.0.0	12.1.0
2014-12	RAN#66	R5-145388	0022	<u> </u>	Addition of Beidou	12.0.0	12.1.0
				1			
2014-12	RAN#66	R5-145843	0023	-	Introduction of felCIC applicability statement for UE Rx-TX Time Difference test cases	12.0.0	12.1.0
2014-12	RAN#66	R5-145894	0024	-	Add BDS testing contents in TS37.571-3	12.0.0	12.1.0
2015-03	RAN#67	R5-150075	0025	-	Remove incorrect note from CA RSTD accuracy tests	12.1.0	12.2.0
2015-03	RAN#67	R5-150608	0026	-	Typo in name of parameter pc_BDS_B1I	12.1.0	12.2.0
2015-03	RAN#67	R5-150838	0027	-	Missing Abbreviations in Specification	12.1.0	12.2.0
2015-03	RAN#67	R5-150889	0028	-	Missing Fine Time Assistance Conditions	12.1.0	12.2.0
		<u> </u>		<u> </u>			

2015-03	RAN#67	R5-150890	0029	<u> </u> -	Applicability for new 20+10MHz RSTD test cases	12.1.0	12.2.0
2015-06	RAN#68	R5-151087	0034	-	RSTD accuracy changes for Rel-12	12.2.0	12.3.0
2015-06	RAN#68	R5-151090	0035	-	Missing applicability of test case executions in Table 4-3 for E-UTRA pc_eTDD tests	12.2.0	12.3.0
2015-06	RAN#68	R5-151985	0033	1	Change Galileo Release Applicability	12.2.0	12.3.0
2015-06	RAN#68	R5-152034	0031	1	Change Galileo Release Applicability	12.2.0	12.3.0
2015-09	RAN#69	R5-153152	0036	-	Incorrect ICS information in Table 4-7	12.3.0	12.4.0
2015-09	RAN#69	R5-153335	0037	-	Change BDS Applicability for LCR TDD	12.3.0	12.4.0
2015-09	RAN#69	R5-153339	0038	-	Restoration of condition C21es	12.3.0	12.4.0
2015-09	RAN#69	R5-153941	0039	1	Adding applicability statements for ECID elCIC test cases 8.1.3 and 8.1.4	12.3.0	12.4.0
2015-09	RAN#69	-	-	-	update of the "non-specific references" in section 2 according to the approved R5-153582 and an action point on ETSI MCC	12.3.0	12.4.0
2015-12	RAN#70	R5-155137	0044	-	Updating applicability statements for ECID felCIC test cases 8.1.5 and 8.1.6	12.4.0	12.5.0
2015-12	RAN#70	R5-155876	0042	1	Applicabilities for two new 3 DL CA RSTD Measurement Reporting Delay test cases	12.4.0	12.5.0
2015-12	RAN#70	R5-155945	0047	1	Addition of release RAT column to applicability tables 4-7	12.4.0	12.5.0
2015-12	RAN#70	R5-156010	0045	1	Addition of release RAT column to applicability table 4-3	12.4.0	12.5.0
2015-12	RAN#70	R5-156112	0043	1	Applicabilities for two new 3 DL CA RSTD Measurement Accuracy test cases	12.4.0	12.5.0
2016-03	RAN#71	R5-160044	0048	-	Releases for the new OTDOA tests 10.5 to 10.8 are missing	12.5.0	12.6.0
2016-03	RAN#71	R5-160045	0049	-	Correct TC Title typo errors in Table 4-3	12.5.0	12.6.0
2016-06	RAN#72	R5-163036	0052	1	Editorial correction of Positioing PICS Mnemonic	12.6.0	12.7.0

History

	Document history						
V12.0.0	September 2014	Publication					
V12.1.0	January 2015	Publication					
V12.2.0	April 2015	Publication					
V12.3.0	July 2015	Publication					
V12.4.0	October 2015	Publication					
V12.5.0	January 2016	Publication					
V12.6.0	May 2016	Publication					
V12.7.0	August 2016	Publication					