ETSI TS 128 703 V16.0.0 (2020-08)



Universal Mobile Telecommunications System (UMTS); LTE;

Telecommunication management;
Core Network (CN) Network Resource Model (NRM)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.703 version 16.0.0 Release 16)



Reference
RTS/TSGS-0528703vg00

Keywords
LTE.UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020. All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M[™] logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

| Intelle | ectual Property Rights | 2 |
|-----------------|--|----|
| Legal | Notice | 2 |
| Moda | l verbs terminology | 2 |
| Forew | ord | 5 |
| Introd | uction | 5 |
| 1 | Scope | 6 |
| 2 | References | 6 |
| 3 3.1 3.2 | Definitions and abbreviations | 6 |
| 4 | Solution Set definitions | |
| Annes | x A (normative): CORBA Solution Set | Q |
| | | |
| A.0 | General | |
| A.1 | Architectural features | |
| A.1.1 | Syntax for Distinguished Names | |
| A.1.2 | Rules for NRM extensions | 8 |
| A.2 | Mapping | 8 |
| A.2.1 | General mappings | |
| A.2.2 | Information Object Class (IOC) mapping | 9 |
| A.2.2. | | |
| A.2.2.2 | 2 IOC HlrFunction | 9 |
| A.2.2.3 | | |
| A.2.2.4 | | |
| A.2.2.5 | 5 IOC EirFunction | 10 |
| A.2.2.6 | | |
| A.2.2.7 | | |
| A.2.2.8 | | |
| A.2.2.9 | · · · · · · · · · · · · · · · · · · · | |
| A.2.2. | | |
| A.2.2. | $\boldsymbol{\varepsilon}$ | |
| A.2.2. | | |
| A.2.2.2 | | |
| A.2.2.2 | | |
| A.2.2.2 | 1 | |
| A.2.2.2 | | |
| A.2.2.2 | 1 | |
| A.2.2.2 | | |
| A.2.2.2 | | |
| A.2.2.3 | | |
| A.2.2.3 | | |

| A.2.2.3 | IOC Link_BmSc_Ggsn | 14 |
|---------|---|----|
| A.2.2.3 | | |
| A.2.2.3 | IOC SgsnPool | 16 |
| A.2.2.3 | | |
| A.3 S | Solution Set definitions | 17 |
| A.3.1 | IDL definition structure | |
| A.3.2 | IDL specification "CoreNetworkResourcesNRMDefs.idl" | |
| Annex | x B (normative): XML definitions | 23 |
| B.0 (| General | 23 |
| B.1 | Architectural features | 23 |
| B.1.1 | Syntax for Distinguished Names | |
| B.2 I | Mapping | 23 |
| B.3 S | Solution Set definitions | 23 |
| B.3.1 | XML definition structure | |
| B.3.2 | XML schema "coreNrm.xsd" | |
| Annex | x C (informative): Change history | 37 |
| History | y | 38 |
| | J | |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- 28.701: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements".
- 28.702: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- 28.703: "Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions".

1 Scope

The purpose of the present document is to define the mapping of the IRP information model (see TS 28.702 [3]) to the protocol specific details necessary for implementation of this IRP in a specific solution set environment.

This Solution Set specification is related to 3GPP TS 28.702 V14. 0.X [3].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements". 3GPP TS 32.102: "Telecommunication management; Architecture". [2] [3] 3GPP TS 28.702: "Telecommunication management; Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)". [4] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects". [5] W3C REC-xml-names-20060816: "Namespaces in XML 1.1 (Second Edition)". [6] 3GPP TS 28.623: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions". 3GPP TS 32.612: "Telecommunication management; Configuration Management (CM); Bulk CM [7] Integration Reference Point (IRP); Information Service (IS)". [8] 3GPP TS 32.616: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Solution Set (SS) definitions". [9] W3C REC-xml11-20060816: "Extensible Markup Language (XML) 1.1 (Second Edition)". [10] Void [11] W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures. W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes. [12] 3GPP TS 28.626: "Telecommunication management; State Management Data Definition [13]

3 Definitions and abbreviations

3.1 Definitions

For terms and definitions please refer to TS 32.101 [1], TS 32.102 [2] and TS 28.702 [3].

For the purposes of the present document, the following terms and definitions apply:

Integration Reference Point (IRP); Solution Set (SS) definitions".

XML file: See definition in [6].

XML document: See definition in [6].

XML declaration: See definition in [6].

XML element: See definition in [6].

empty XML element: See definition in [6].

XML content (of an XML element): See definition in [6].

XML start-tag: See definition in [6].

XML end-tag: See definition in [6].

XML empty-element tag: See definition in [6].

XML attribute specification: See definition in [6].

DTD: See definition in [6].

XML schema: See definition in [6].

XML namespace: See definition in [6].

XML complex type: See definition in [6].

XML element type: See definition in [6].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CM Configuration Management

CORBA Common Object Request Broker Architecture

DN Distinguished Name
DTD Document Type Definition
EDGE Enhanced Data for GSM Evolution

GERAN GSM/EDGE Radio Access Network
GSM Global System for Mobile communication
IDL Interface Definition Language (OMG)

IOC Information Object Class
IRP Integration Reference Point

IS Information Service
MGW Media GateWay
MO Managed Object
MOC Managed Object Class
NRM Network Resource Model
OMG Object Management Group

UMTS Universal Mobile Telecommunications System UTRAN Universal Terrestrial Radio Access Network

XML eXtensible Markup Language

4 Solution Set definitions

This specifications defines the following 3GPP Core network resources IRP Solution Set Definitions:

- 3GPP Core network resources IRP CORBA SS (Annex A)
- 3GPP Core network resources IRP XML definitions (Annex B)

Annex A (normative): CORBA Solution Set

A.0 General

This annex contains the CORBA Solution Set for the IRP whose semantics is specified in Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS) (TS 28.702 [3]).

A.1 Architectural features

The overall architectural feature of Core Network NRM IRP is specified in TS 28.702 [3].

This clause specifies features that are specific to the CORBA SS.

A.1.1 Syntax for Distinguished Names

See clause A.1.1 of [6].

A.1.2 Rules for NRM extensions

See clause A.1.2 of [6].

A.2 Mapping

A.2.1 General mappings

See clause A.2.1 of [6].

A.2.2 Information Object Class (IOC) mapping

A.2.2.1 IOC MscServerFunction

Mapping from NRM IOC MscServerFunction attributes to SS equivalent MOC MscServerFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------------------|------------------|-----------------------------------|
| id | mscServerFunctio | string |
| | nId | |
| mccList | mccList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| mncList | mncList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| lacList | lacList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| sacList | sacList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| gcaList | gcaList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| mscId | mscId | long |
| nriList | nriList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| defaultMsc | defaultMsc | short |
| mscServerFunction-GsmCell | mscServerFunctio | GenericNetworkResourcesIRPSyste |
| | nGsmCell | m::AttributeTypes::MOReferenceSet |
| mscServerFunction- | mscServerFunctio | GenericNetworkResourcesIRPSyste |
| ExternalGsmCell | nExternalGsmCell | m::AttributeTypes::MOReferenceSet |
| mscServerFunction- | mscServerFunctio | GenericNetworkResourcesIRPSyste |
| CsMgwFunction | nCsMgwFunction | m::AttributeTypes::MOReferenceSet |
| mscServerFunction-MscPool | mscServerFunctio | GenericNetworkResourcesIRPSyste |
| | nMscPool | m::AttributeTypes::MOReferenceSet |

A.2.2.2 IOC HIrFunction

Mapping from NRM IOC HIrFunction attributes to SS equivalent MOC HIrFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | hlrFunctionId | string |

A.2.2.3 IOC VIrFunction

Mapping from NRM IOC VIrFunction attributes to SS equivalent MOC VIrFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | vlrFunctionId | string |

A.2.2.4 IOC AucFunction

Mapping from NRM IOC AucFunction attributes to SS equivalent MOC AucFunction attributes

| | IS Attributes | SS Attribute | s SS Type |
|----|---------------|--------------|-----------|
| id | | aucFunction | Id string |

A.2.2.5 IOC EirFunction

Mapping from NRM IOC EirFunction attributes to SS equivalent MOC EirFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | eirFunctionId | string |

A.2.2.6 IOC SmslwmscFunction

Mapping from NRM IOC SmslwmscFunction attributes to SS equivalent MOC SmslwmscFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|--------------------|------------|
| id | smsIwmscFunctionId | string |

A.2.2.7 IOC SmsGmscFunction

Mapping from NRM IOC SmsGmscFunction attributes to SS equivalent MOC SmsGmscFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|-------------------|---------|
| id | smsGmscFunctionId | string |

A.2.2.8 IOC SgsnFunction

Mapping from NRM IOC SgsnFunction attributes to SS equivalent MOC SgsnFunction attributes

| IS Attributes | SS Attributes | SS Type |
|-----------------------|----------------------------|-----------------------------------|
| id | sgsnFunctionId | string |
| mccList | mccList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| mncList | mncList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| lacList | lacList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| racList | racList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| sacList | sacList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| sgsnId | sgsnId | long |
| proceduralStatus | See mapping in 3GPP TS | See 3GPP TS 28.626 [13]. |
| | 28.626 [13] (State | |
| | Management Data Definition | |
| | IRP SS). | |
| nriList | nriList | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::LongSet |
| sgsnFunction-GsmCell | sgsnFunctionGsmCell | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::MOReferenceSet |
| sgsnFunction- | sgsnFunctionExternalG | GenericNetworkResourcesIRPSyste |
| ExternalGsmCell | smCell | m::AttributeTypes::MOReferenceSet |
| sgsnFunction-SgsnPool | sgsnFunctionSgsnPool | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::MOReferenceSet |

A.2.2.9 IOC GgsnFunction

Mapping from NRM IOC GgsnFunction attributes to SS equivalent MOC GgsnFunction attributes

| IS Attributes | SS Attributes | SS Type |
|------------------|------------------------------------|-----------|
| id | ggsnFunctionId | string |
| proceduralStatus | See mapping in 3GPP TS 28.626 [13] | See 3GPP |
| | (State Management Data Definition | TS 28.626 |
| | IRP SS). | [13]. |

A.2.2.10 IOC BgFunction

Mapping from NRM IOC BgFunction attributes to SS equivalent MOC BgFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | bgFunctionId | string |

A.2.2.11 IOC GmscFunction

Mapping from NRM IOC GmscFunction attributes to SS equivalent MOC GmscFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------|---------|
| id | gmscFunctionId | string |

A.2.2.12 IOC SmlcFunction

Mapping from NRM IOC SmlcFunction attributes to SS equivalent MOC SmlcFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------|---------|
| id | smlcFunctionId | string |

A.2.2.13 IOC GmlcFunction

Mapping from NRM IOC GmlcFunction attributes to SS equivalent MOC GmlcFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------|---------|
| id | gmlcFunctionId | string |

A.2.2.14 IOC ScfFunction

Mapping from NRM IOC ScfFunction attributes to SS equivalent MOC ScfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | scfFunctionId | string |

A.2.2.15 IOC SrfFunction

Mapping from NRM IOC SrfFunction attributes to SS equivalent MOC SrfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | srfFunctionId | string |

A.2.2.16 IOC CbcFunction

Mapping from NRM IOC CbcFunction attributes to SS equivalent MOC CbcFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | cbcFunctionId | string |

A.2.2.17 IOC CgfFunction

Mapping from NRM IOC CgfFunction attributes to SS equivalent MOC CgfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | cgfFunctionId | string |

A.2.2.18 IOC GmscServerFunction

Mapping from NRM IOC GmscServerFunction attributes to SS equivalent MOC GmscServerFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------------|---------|
| id | gmscServerFunctionId | string |

A.2.2.19 IOC IwfFunction

Mapping from NRM IOC IwfFunction attributes to SS equivalent MOC IwfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | iwfFunctionId | string |

A.2.2.20 IOC MnpSrfFunction

Mapping from NRM IOC MnpSrfFunction attributes to SS equivalent MOC IwfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|------------------|---------|
| id | mnpSrfFunctionId | string |

A.2.2.21 IOC NpdbFunction

Mapping from NRM IOC NpdbFunction attributes to SS equivalent MOC NpdbFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------|---------|
| id | npdbFunctionId | string |

A.2.2.22 IOC SgwFunction

Mapping from NRM IOC SgwFunction attributes to SS equivalent MOC SgwFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | sgwFunctionId | strina |

A.2.2.23 IOC SsfFunction

Mapping from NRM IOC SsfFunction attributes to SS equivalent MOC SsfFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | ssfFunctionId | string |

A.2.2.24 IOC BsFunction

Mapping from NRM IOC BsFunction attributes to SS equivalent MOC BsFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|---------|
| id | bsFunctionId | string |

A.2.2.25 IOC lucsLink

Mapping from NRM IOC lucsLink attributes to SS equivalent MOC lucsLink attributes

| IS Attributes | SS Attributes | SS Type |
|----------------|----------------|--|
| id | iucsLinkId | string |
| connectedRnc | connectedRnc | GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference |
| connectedBss | connectedBss | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference |
| connectedHNBGW | connectedHNBGW | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference |

A.2.2.26 IOC lupsLink

Mapping from NRM IOC lupsLink attributes to SS equivalent MOC lupsLink attributes

| IS Attributes | SS Attributes | SS Type |
|----------------|----------------|--|
| id | iupsLinkId | string |
| connectedRnc | connectedRnc | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference |
| connectedBss | connectedBss | GenericNetworkResourcesIRPSystem::AttributeTyp es::MOReference |
| connectedHNBGW | connectedHNBGW | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference |

A.2.2.27 IOC lubcLink

Mapping from NRM IOC lubcLink attributes to SS equivalent MOC lubcLink attributes

| IS Attributes | SS Attributes | SS Type |
|----------------|----------------|--|
| id | iubcLinkId | string |
| ConnectedRnc | connectedRnc | GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference |
| connectedHNBGW | connectedHNBGW | GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference |

A.2.2.28 IOC ALink

Mapping from NRM IOC ALink attributes to SS equivalent MOC ALink attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|--|
| id | aLinkId | string |
| connectedBss | connectedBss | GenericNetworkResourcesIRPSystem::Attribute Types::MOReference |

A.2.2.29 IOC GbLink

Mapping from NRM IOC GbLink attributes to SS equivalent MOC GbLink attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------|--|
| gbLinkId | gbLinkId | string |
| connectedBss | connectedBss | GenericNetworkResourcesIRPSystem::AttributeTy pes::MOReference |

A.2.2.30 IOC CsMgwFunction

Mapping from NRM IOC CsMgwFunction attributes to SS equivalent MOC CsMgwFunction attributes

| IS Attributes | SS Attributes | SS Type |
|------------------------|--------------------------|-----------------------------------|
| id | csMgwFunctionId | string |
| csMgwFunction- | csMgwFunctionMscServerFu | GenericNetworkResourcesIRPSyste |
| MscServerFunction | nction | m::AttributeTypes::MOReference |
| csMgwFunction- | csMgwFunction- | GenericNetworkResourcesIRPSyste |
| MscServerFunction | MscServerFunction | m::AttributeTypes::MOReference |
| csMgwFunction-IucsLink | csMgwFunctionIucsLink | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::MOReferenceSet |
| csMgwFunction-ALink | csMgwFunctionALink | GenericNetworkResourcesIRPSyste |
| | | m::AttributeTypes::MOReferenceSet |

A.2.2.31 IOC BmScFunction

Mapping from NRM IOC BmScFunction attributes to SS equivalent MOC BmScFunction attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|----------------|---------|
| id | bmScFunctionId | string |

A.2.2.32 IOC Link_BmSc_Ggsn

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 28.623 [6].

A.2.2.33 IOC Link_Ggsn_Sgsn

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 28.623 [6].

A.2.2.34 CircuitEndPointSubgroup

Mapping from NRM IOC CircuitEndPointSubgroup attributes to SS equivalent MOC CircuitEndPointSubgroup attributes

| IS Attributes | SS Attributes | SS Type |
|---------------|---------------------------|---------|
| id | circuitEndPointSubgroupId | String |

A.2.2.35 IOC MscPool

Mapping from NRM IOC MscPool attributes to SS equivalent MOC MscPool attributes

| IS Attributes | SS Attributes | SS Type |
|---------------------------|--------------------------|--|
| id | id | string |
| mscPool-MscServerFunction | mscPoolMscServerFunction | GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet |

A.2.2.36 IOC MscPoolArea

Mapping from NRM IOC MscPoolArea attributes to SS equivalent MOC MscPoolArea attributes

| IS Attributes | SS Attributes | SS Type |
|---------------------|--------------------|--|
| id | id | string |
| lacList | lacList | GenericNetworkResourcesIRP System::AttributeTypes::Long Set |
| pLMNIdList | pLMNIdList | GenericNetworkResourcesIRP System::AttributeTypes::Long Set |
| mscPoolArea-MscPool | mscPoolAreaMscPool | GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet |

A.2.2.37 IOC SgsnPool

Mapping from NRM IOC SgsnPool attributes to SS equivalent MOC SgsnPool attributes

| IS Attributes | SS Attributes | SS Type |
|-----------------------|----------------------|--|
| Id | id | String |
| sgsnPool-SgsnFunction | sgsnPoolSgsnFunction | GenericNetworkResourcesIRP System::AttributeTypes::MOR eferenceSet |

A.2.2.38 IOC SgsnPoolArea

Mapping from NRM IOC SgsnPoolArea attributes to SS equivalent MOC SgsnPoolArea attributes

| IS Attributes | SS Attributes | SS Type |
|-----------------------|----------------------|------------------------------|
| id | id | String |
| racList | racList | GenericNetworkResourcesIRP |
| | | System::AttributeTypes::Long |
| | | Set |
| pLMNIdList | pLMNIdList | GenericNetworkResourcesIRP |
| | | System::AttributeTypes::Long |
| | | Set |
| sgsnPoolArea-SgsnPool | sgsnPoolAreaSgsnPool | GenericNetworkResourcesIRP |
| | | System::AttributeTypes::MOR |
| | | eferenceSet |

A.3 Solution Set definitions

A.3.1 IDL definition structure

Clause A.3.2 defines the MO classes for the Core Network NRM IRP.

A.3.2 IDL specification "CoreNetworkResourcesNRMDefs.idl"

```
// File: CoreNetworkResourcesNRMDefs.idl
#ifndef _CORENETWORKRESOURCESNRMDEFS_IDL_
#define _CORENETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
\ensuremath{^{\star}} This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
module CoreNetworkResourcesNRMDefs
       * Definitions for MO class MscServerFunction
      interface MscServerFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "MscServerFunction";
         // Attribute Names
         //
         const string mscServerFunctionId = "mscServerFunctionId";
         const string mccList = "mccList";
         const string mncList = "mncList";
         const string lacList = "lacList";
         const string sacList = "sacList";
         const string gcaList = "gcaList";
         const string mscId = "mscId";
         const string mscServerFunctionGsmCell = "mscServerFunctionGsmCell";
         const string mscServerFunctionExternalGsmCell = "mscServerFunctionExternalGsmCell";
         const string mscServerFunctionCsMgwFunction = "mscServerFunctionCsMgwFunction";
         const string mscServerFunctionMscPool = "mscServerFunctionMscPool";
         const string nriList = "nriList";
         const string defaultMsc = "defaultMsc";
      };
       * Definitions for MO class HlrFunction
       * /
      interface HlrFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "HlrFunction";
         // Attribute Names
         const string hlrFunctionId = "hlrFunctionId";
      };
       * Definitions for MO class VlrFunction
       * /
      interface VlrFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "VlrFunction";
         // Attribute Names
         const string vlrFunctionId = "vlrFunctionId";
      };
       * Definitions for MO class AucFunction
      interface AucFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "AucFunction";
         // Attribute Names
         //
         const string aucFunctionId = "aucFunctionId";
```

```
* Definitions for MO class EirFunction
interface EirFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "EirFunction";
   // Attribute Names
  //
  const string eirFunctionId = "eirFunctionId";
};
* Definitions for MO class SmsIwmscFunction
* /
interface SmsIwmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SmsIwmscFunction";
   // Attribute Names
   const string smsIwmscFunctionId = "smsIwmscFunctionId";
};
/**
^{\star} Definitions for MO class {\tt SmsGmscFunction}
* /
interface SmsGmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SmsGmscFunction";
   // Attribute Names
  const string smsGmscFunctionId = "smsGmscFunctionId";
};
* Definitions for MO class SgsnFunction
interface SgsnFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SgsnFunction";
   // Attribute Names
   //
  const string sgsnFunctionId = "sgsnFunctionId";
   const string mccList = "mccList";
  const string mncList = "mncList";
   const string lacList = "lacList";
  const string racList = "racList";
   const string sacList = "sacList";
   const string sgsnId = "sgsnId";
   const string sgsnFunctionGsmCell = "sgsnFunctionGsmCell";
  const string sgsnFunctionExternalGsmCell = "sgsnFunctionExternalGsmCell";
   const string sgsnFunctionSgsnPool = "sgsnFunctionSgsnPool";
   const string nriList = "nriList";
   const string proceduralStatus = "proceduralStatus";
};
* Definitions for MO class GgsnFunction
* /
interface GgsnFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GgsnFunction";
   // Attribute Names
  //
   const string ggsnFunctionId = "ggsnFunctionId";
   const string proceduralStatus = "proceduralStatus";
};
 * Definitions for MO class BgFunction
interface BgFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "BgFunction";
   // Attribute Names
  const string bgFunctionId = "bgFunctionId";
};
* Definitions for MO class GmscFunction
interface GmscFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
```

```
{
   const string CLASS = "GmscFunction";
  // Attribute Names
  //
  const string gmscFunctionId = "gmscFunctionId";
};
* Definitions for MO class SmlcFunction
* /
interface SmlcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "SmlcFunction";
  // Attribute Names
  //
  const string smlcFunctionId = "smlcFunctionId";
};
{\rm \star} Definitions for MO class GmlcFunction
* /
interface GmlcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GmlcFunction";
  // Attribute Names
  const string gmlcFunctionId = "gmlcFunctionId";
};
/ * *
* Definitions for MO class ScfFunction
* /
interface ScfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "ScfFunction";
  // Attribute Names
  const string scfFunctionId = "scfFunctionId";
};
/**
* Definitions for MO class SrfFunction
* /
interface SrfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SrfFunction";
  // Attribute Names
  const string srfFunctionId = "srfFunctionId";
};
* Definitions for MO class CbcFunction
* /
interface CbcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "CbcFunction";
  // Attribute Names
  const string cbcFunctionId = "cbcFunctionId";
};
 * Definitions for MO class CgfFunction
* /
interface CgfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "CgfFunction";
  // Attribute Names
  const string cgfFunctionId = "cgfFunctionId";
};
 * Definitions for MO class GmscServerFunction
interface GmscServerFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
  const string CLASS = "GmscServerFunction";
  // Attribute Names
  const string gmscServerFunctionId = "gmscServerFunctionId";
};
 * Definitions for MO class IwfFunction
```

```
*/
interface IwfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "IwfFunction";
   // Attribute Names
  const string iwfFunctionId = "iwfFunctionId";
};
* Definitions for MO class MnpSrfFunction
interface MnpSrfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "MnpSrfFunction";
   // Attribute Names
  const string mnpSrfFunctionId = "mnpSrfFunctionId";
};
* Definitions for MO class NpdbFunction
 * /
interface NpdbFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "NpdbFunction";
   // Attribute Names
  const string npdbFunctionId = "npdbFunctionId";
};
* Definitions for MO class SgwFunction
interface SgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "SgwFunction";
   // Attribute Names
  const string sgwFunctionId = "sgwFunctionId";
};
* Definitions for MO class SsfFunction
interface SsfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "SsfFunction";
   // Attribute Names
  const string ssfFunctionId = "ssfFunctionId";
* Definitions for MO class BsFunction
interface BsFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "BsFunction";
   // Attribute Names
  const string bsFunctionId = "bsFunctionId";
};
* Definitions for MO class IucsLink
interface IucsLink : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "IucsLink";
   // Attribute Names
  const string iucsLinkId = "iucsLinkId";
  const string connectedRnc = "connectedRnc";
   const string connectedBss = "connectedBss";
   const string connectedHNBGW = "connectedHNBGW";
};
/**
* Definitions for MO class IupsLink
* /
interface IupsLink : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "IupsLink";
```

```
// Attribute Names
   11
  const string iupsLinkId = "iupsLinkId";
   const string connectedRnc = "connectedRnc";
   const string connectedBss = "connectedBss";
  const string connectedHNBGW = "connectedHNBGW";
};
* Definitions for MO class IubcLink
interface IubcLink : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "IubcLink";
   // Attribute Names
  const string iubcLinkId = "iubcLinkId";
   const string connectedRnc = "connectedRnc";
   const string connectedHNBGW = "connectedHNBGW";
};
* Definitions for MO class ALink
* /
\verb|interface ALink : GenericNetworkResourcesNRMDefs:: ManagedFunction|\\
{
  const string CLASS = "ALink";
  // Attribute Names
  const string aLinkId = "aLinkId";
  const string connectedBss = "connectedBss";
};
* Definitions for MO class GbLink
* /
interface GbLink : GenericNetworkResourcesNRMDefs::ManagedFunction
   const string CLASS = "GbLink";
   // Attribute Names
   //
   const string gbLinkId = "gbLinkId";
   const string connectedBss = "connectedBss";
};
/**
 * Definitions for MO class CsMgwFunction
* /
interface CsMgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
   const string CLASS = "CsMgwFunction";
   // Attribute Names
  const string csMgwFunctionId = "csMgwFunctionId";
   const string csMgwFunctionMscServerFunction = "csMgwFunctionMscServerFunction";
   const string csMgwFunctionIucsLink = "csMgwFunctionIucsLink";
   const string csMgwFunctionALink = "csMgwFunctionALink";
};
{\rm \star} Definitions for MO class BmScFunction
interface BmScFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
  const string CLASS = "BmScFunction";
   //Attribute Names
  const string bmScFunctionId = "bmScFunctionId";
};
 * Definitions for MO class Link_BmSc_Ggsn
interface Link_BmSc_Ggsn : GenericNetworkResourcesNRMDefs::Link
   const string CLASS = "Link_BmSc_Ggsn";
   // All Attributes inherited from Link
};
  Definitions for MO class Link_Ggsn_Sgsn
```

```
* /
      interface Link_Ggsn_Sgsn : GenericNetworkResourcesNRMDefs::Link
         const string CLASS = "Link_Ggsn_Sgsn";
        // All Attributes inherited from Link
      };
       /* Definitions for MO class CircuitEndPointSubgroup
       * /
      interface CircuitEndPointSubgroup: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "CircuitEndPointSubgroup";
        //Attribute Names
        const string circuitEndPointSubgroupId = "circuitEndPointSubgroupId";
      };
       * Definitions for MO class MscPool
      interface MscPool: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "MscPool";
        //Attribute Names
        const string id = "id";
        const string mscPoolMscServerFunction = "mscPoolMscServerFunction";
      };
      * Definitions for MO class MscPoolArea
      interface MscPoolArea: GenericNetworkResourcesNRMDefs::ManagedFunction
      {
        const string CLASS = "MscPoolArea";
         //Attribute Names
        const string id = "id";
        const string lacList = "lacList";
        const string pLMNIdList = "pLMNIdList";
         const s
       /* Definitions for MO class SgsnPool
      \verb|interface SgsnPool: GenericNetworkResourcesNRMDefs:: ManagedFunction|\\
        const string CLASS = "SgsnPool";
         //Attribute Names
        const string id = "id";
        const string sgsnPoolSgsnFunction = "sgsnPoolSgsnFunction";
      };
       /* Definitions for MO class SgsnPoolArea
       * /
       /* Definitions for MO class SgsnPoolArea
      interface SgsnPoolArea: GenericNetworkResourcesNRMDefs::ManagedFunction
         const string CLASS = "SgsnPoolArea";
         //Attribute Names
        const string id = "id";
        const string racList = "racList";
         const string pLMNIdList = "pLMNIdList";
        const string sgsnPoolAreaSgsnPool = "sgsnPoolAreaSgsnPool";
      };
#endif // _CORENETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (normative): XML definitions

B.0 General

This annex contains the XML definitions for the Core Network NRM IRP as it applies to Itf-N, in accordance with Core Network NRM IRP IS definitions [3].

The XML file formats are based on XML [9], XML Schema [11] [12] and XML Namespace [5] standards.

B.1 Architectural features

The overall architectural feature of Core Network NRM IRP IS is specified in 3GPP TS 28.702 [3]. This clause specifies features that are specific to the XML Schema definitions.

B.1.1 Syntax for Distinguished Names

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [4].

B.2 Mapping

The mapping is not present in the current version of this specification.

B.3 Solution Set definitions

B.3.1 XML definition structure

The overall description of the file format of configuration data XML files is provided by 3GPP TS 32.616 [8].

B.3.2 of the present document defines the NRM-specific XML schema coreNrm.xsd for the Core Network NRM IRP defined in 3GPP TS 28.702 [3].

XML schema coreNrm.xsd explicitly declares NRM-specific XML element types for the related NRM.

The definition of those NRM-specific XML element types complies with the generic mapping rules defined in 3GPP TS 32.616 [8].

B.3.2 XML schema "coreNrm.xsd"

```
<?xml version="1.1" encoding="UTF-8"?>

<!--
    3GPP TS 28.703 Core Network NRM IRP
    Bulk CM Configuration data file NRM-specific XML schema
    coreNrm.xsd
-->

<schema
    targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.703#coreNrm"
    elementFormDefault="qualified"
    attributeFormDefault="unqualified"
    xmlns="http://www.w3.org/2001/XMLSchema"
    xmlns:xn="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"
    xmlns:cn="http://www.3gpp.org/ftp/specs/archive/28_series/28.703#coreNrm"</pre>
```

```
xmlns:sm="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"
 <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"/>
 <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"/>
  <!-- Core Network NRM IRP class associated XML elements -->
 <complexType name="longList">
    <sequence>
      <element name="em" type="long" minOccurs="0" maxOccurs="unbounded"/>
    </sequence>
</complexType>
 <complexType name="PLMNId">
    <sequence>
      <element name="mcc" type="short"/>
      <element name="mNc" type="short"/>
    </sequence>
  </complexType>
  <complexType name="PLMNIdList">
    <sequence>
      <element name="pLMNId" type="cn:PLMNId" maxOccurs="6" />
    </sequence>
  </complexType>
 <element
   name="MscServerFunction"
    \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                 <all>
                   <element name="userLabel" type="string"/>
                   <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                   <element name="mccList" type="cn:longList"/>
<element name="mncList" type="cn:longList"/>
                   <element name="lacList" type="cn:longList"/>
<element name="sacList" type="cn:longList"/>
                   <element name="gcaList" type="cn:longList" minOccurs="0"/>
                   <element name="mscId" type="long"/>
                   <element name="mscServerFunctionGsmCell" type="xn:dnList"/>
                   <element name="mscServerFunctionExternalGsmCell" type="xn:dnList"/>
                   <element name="mscServerFunctionCsMgwFunction" type="xn:dnList"/>
                   <element name="nriList" type="cn:longList"/>
                   <element name="mscServerFunctionMscPool" type="xn:dnList" minOccurs="0"/>
                   <element name="defaultMsc" type="cn:defaultMscType" minOccurs="0"/>
                 </all>
               </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="cn:IucsLink"/>
              <element ref="cn:ALink"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
   name="HlrFunction"
    substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                   <element name="userLabel" type="string"/>
                   <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                 </all>
```

```
</complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="VlrFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="AucFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
 name="EirFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
```

```
<element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="SmsIwmscFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      -
<extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="SmsGmscFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </chaice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="GmscFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
```

```
</extension>
    </complexContent>
 </complexType>
</element>
<element
 name="SgsnFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="mccList" type="cn:longList"/>
                <element name="mncList" type="cn:longList"/>
<element name="lacList" type="cn:longList"/>
                <element name="racList" type="cn:longList"/>
                <element name="sacList" type="cn:longList"/>
                <element name="sgsnId" type="long"/>
                <element name="sgsnFunctionGsmCell" type="xn:dnList"/>
                <element name="sgsnFunctionExternalGsmCell" type="xn:dnList"/>
                <element name="sgsnFunctionSgsnPool" type="xn:dn"/>
                <element name="nriList" type="cn:longList"/>
                <element name="proceduralStatus" type="sm:proceduralStatusType"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="cn:GbLink"/>
            <element ref="cn:IupsLink"/>
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="proceduralStatus" type="sm:proceduralStatusType"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="BgFunction"
 substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
```

```
<complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="SmlcFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="GmlcFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
 name="ScfFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
```

```
<element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="IucsLink">
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="connectedRnc" type="xn:dn" minOccurs="0"/>
                <element name="connectedBss" type="xn:dn" minOccurs="0"/>
                <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="IupsLink">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="connectedRnc" type="xn:dn" minOccurs="0"/>
                <element name="connectedBss" type="xn:dn" minOccurs="0"/>
                <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
              </all>
            </complexType>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="IubcLink">
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="connectedRnc" type="xn:dn"/>
                <element name="connectedHNBGW" type="xn:dn" minOccurs="0"/>
              </all>
            </complexType>
          </element>
```

```
<choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="ALink">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="connectedBss" type="xn:dn"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="GbLink">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                <element name="connectedBss" type="xn:dn"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
  name="SrfFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
```

```
</element>
<element
 name="CbcFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="cn:IubcLink"/>
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="CafFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="GmscServerFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
```

```
<element
 name="IwfFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" minOccurs="0"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="MnpSrfFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="NpdbFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="SgwFunction"
  \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
```

```
<complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
 name="SsfFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
  name="BsFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="userLabel" type="string"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="xn:VsDataContainer"/>
          </choice>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element
  name="CsMgwFunction"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
  <complexType>
    <complexContent>
```

```
<extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel" type="string"/>
                  <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                  <element name="csMgwFunctionMscServerFunction" type="string" />
                  <element name="csMgwFunctionIucsLink" type="xn:dnList"/>
                   <element name="csMgwFunctionALink" type="xn:dnList"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
      <element
    name="BmScFunction"
   substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel" type="string"/>
                  <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
<element name="Link_BmSc_Ggsn" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
        <complexType>
            <complexContent>
                <extension base="xn:NrmClass">
                     <sequence>
                         <element name="attributes" minOccurs="0">
                             <complexType>
                                     <element name="aEnd" type="xn:dn"/>
                                     <element name="linkType" type="xn:linkType" minOccurs="0"/>
<element name="protocolName" type="string" minOccurs="0"/>
                                      <element name="protocolVersion" type="string" minOccurs="0"/>
                                     <element name="userLabel" type="string"/>
                                     <element name="zEnd" type="xn:dn"/>
                                 </all>
                             </complexType>
                         </element>
                         <choice minOccurs="0" maxOccurs="unbounded">
                             <element ref="xn:VsDataContainer"/>
                         </choice>
                     </sequence>
                </extension>
            </complexContent>
        </complexType>
    </element>
<element name="Link_Ggsn_Sgsn" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
        <complexType>
            <complexContent>
                <extension base="xn:NrmClass">
                     <sequence>
                         <element name="attributes" min0ccurs="0">
```

```
<complexType>
                              <all>
                                   <element name="aEnd" type="xn:dn"/>
                                   <element name="linkType" type="xn:linkType" minOccurs="0"/>
                                   <element name="protocolName" type="string" minOccurs="0"/>
                                   <element name="protocolVersion" type="string" minOccurs="0"/>
                                  <element name="userLabel" type="string"/>
                                  <element name="zEnd" type="xn:dn"/>
                              </all>
                          </complexType>
                      </element>
                      <choice minOccurs="0" maxOccurs="unbounded">
                          <element ref="xn:VsDataContainer"/>
                      </choice>
                  </sequence>
              </extension>
          </complexContent>
      </complexType>
 </element>
<element
 name="CircuitEndPointSubgroup"
 \verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"|
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="circuitEndPointSubgroupId" type="string"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<element name="MscPool" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="mscPoolMscServerFunction" type="xn:dnList" />
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
 </complexType>
</element>
<element name="MscPoolArea" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
 <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="lacList" type="cn:longList"/>
                <element name="pLMNIdList" type="cn:PLMNIdList" minOccurs="0"/>
                <element name="mscPoolAreaMscPool" type="xn:dnList"/>
                <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
```

```
<simpleType name="defaultMscType">
   <restriction base="unsignedShort">
      <minInclusive value="0"/>
      <maxInclusive value="1"/>
   </restriction>
  </simpleType>
  <element name="SgsnPool" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
   <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
         <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="sgsnPoolSgsnFunction" type="xn:dnList"/>
                  <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="xn:VsDataContainer" />
            </choice>
          </sequence>
        </extension>
      </complexContent>
   </complexType>
  </element>
  <element name="SgsnPoolArea" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
   <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="racList" type="cn:longList "/>
                  <element name="pLMNIdList" type="cn:PLMNIdList" minOccurs="0"/>
                  <element name="sgsnPoolAreaSgsnPool" type="xn:dnList"/>
                  <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="xn:VsDataContainer" />
            </choice>
          </sequence>
        </extension>
      </complexContent>
   </complexType>
  </element>
</schema>
```

Annex C (informative): Change history

| Change history | | | | | | | | |
|----------------|---------|-----------|------|-----|-----|---|---------|--|
| Date | Meeting | TDoc | CR | Rev | Cat | Subject/Comment | New | |
| | | | | | | | version | |
| 2014-03 | SA#63 | SP-140031 | 001 | 1 | F | Correction of proceduralStatus attribute mapping and datatype | 11.1.0 | |
| 2014-06 | SA#64 | SP-140332 | 002 | - | F | Upgrade W3C XML Schema version from 1.0 to 1.1 | 11.2.0 | |
| | | SP-140360 | 003 | - | F | remove the feature support statements | 11.2.0 | |
| 2014-09 | SA#65 | SP-140560 | 004 | - | С | Update the link from Solution Set to Information Service due to the end of Release 12 | 12.0.0 | |
| 2014-12 | SA#66 | SP-140798 | 006 | - | F | Update SS-IS version link | 12.1.0 | |
| 2016-01 | | | | | | Update to Rel-13 (MCC) | 13.0.0 | |
| 2016-06 | SA#72 | SP-160407 | 0007 | - | F | Update the link from IRP Solution Set to IRP Information Service | 13.1.0 | |
| 2017-03 | SA#75 | = | - | - | | Promotion to Release 14 without technical change | 14.0.0 | |
| 2017-06 | SA#76 | SP-170514 | 8000 | - | F | Update the link from IRP Solution Set to IRP Information Service | 14.1.0 | |
| 2017-06 | SA#76 | SP-170510 | 0009 | 1 | В | Update the XML Schema definitions to align with IS to support Configuration Management for mobile networks that include virtualized network functions | 14.1.0 | |
| 2018-06 | - | = | - | - | - | Update to Rel-15 version (MCC) | 15.0.0 | |
| 2020-07 | - | = | - | - | - | Update to Rel-16 version (MCC) | 16.0.0 | |

History

| Document history | | | | |
|------------------|-------------|-------------|--|--|
| V16.0.0 | August 2020 | Publication | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |