## ETSI TS 128 659 V13.2.0 (2019-05)



# Universal Mobile Telecommunications System (UMTS); LTE;

Telecommunication management;
Evolved Universal Terrestrial
Radio Access Network (E-UTRAN)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.659 version 13.2.0 Release 13)





# Reference RTS/TSGS-0528659vd20 Keywords LTE,UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

The present document can be downloaded from: <a href="http://www.etsi.org/standards-search">http://www.etsi.org/standards-search</a>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="https://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M<sup>™</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

### Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

### **Foreword**

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <a href="http://webapp.etsi.org/key/queryform.asp">http://webapp.etsi.org/key/queryform.asp</a>.

### Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

### Contents

Intelle	ectual Property Rights	
	word	
	al verbs terminology	
	word	
	luction	
	Scope	
1	•	
2	References	<i>6</i>
3	Definitions and abbreviations	7
3.1	Definitions	
3.2	Abbreviations	
4	Solution Set Definitions	8
Anne	ex A (normative): CORBA Solution Set	
A.0	General	(
A.1 A.1.1	Architectural features	
A.1.1 A.1.2		
A.1.2.		
A.1.2.		
۸. 2	Mapping	1.0
A.2 A.2.1	General mapping	
A.2.1 A.2.2	** •	
A.2.2.		
A.2.2.	6 IOC EUtranRelation	13
A.2.2.		
A.2.2.		
A.2.2.	9 IOC ExternalENBFunction	14
A.2.2.	10 IOC EUtranCellTDD	14
A.2.2.		14
A.2.2.		
A.2.2.		
A.2.2.		
A.2.2.	<u> </u>	
A.2.2.		
A.2.2.	~ 1 11 5	
A.2.2.	5 1	
A.2.2.		
A.3	Solution Set definitions	21
A.3.1	IDL definition structure	21
A.3.2	IDL specification "EUtranNetworkResourcesNRMDefs.idl"	21
Anne	ex B (normative): XML Definitions	30
B.0	General	30
B.1	Architectural features	
	Syntax for Distinguished Names	3(

B.2	Mapping	30
B.2.1	Mapping  General mapping	30
	Information Object Class (IOC) mapping.	
B.3	Solution Set definitions	31
B.3.1	XML definition structure.	31
B.3.2	Graphical Representation	31
B.3.3	XML schema "eutranNrm.xsd"	
Anne	ex C (informative): Change history	48
Histor	ry	49

### **Foreword**

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

### Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- TS 28.657 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements.
- TS 28.658 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS).
- TS 28.659 Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions.

### 1 Scope

The present document is part of an Integration Reference Point (IRP) named E-UTRAN Network Resource Model (NRM) IRP, through which an IRPAgent can communicate configuration management information to one or several IRPManagers concerning E-UTRAN resources. The E-UTRAN NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the Solution Sets for the E-UTRAN NRM IRP.

This Solution Set specification is related to 3GPP TS 28.658 V13.1.X [4].

### 2 References

[8]

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

Kelease as ti	ne present aocument.
[1]	3GPP TS 21.905: "Vocabulary for 3GPP Specifications".
[2]	3GPP TS 32.153: "Telecommunication management; Integration Reference Point (IRP) technology specific templates, rules and guidelines".
[3]	3GPP TS 32.600: "Telecommunication management; Configuration Management (CM); Concept and high-level requirements".
[4]	3GPP TS 28.658: "Telecommunications management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
[5]	3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
[6]	3GPP TS 32.606: "Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Solution Set (SS) definitions".
[7]	3GPP TS 32.616: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Solution Set (SS) definitions".

(SS) definition".

[9] W3C REC-xml11-20060816: "Extensible Markup Language (XML) 1.1 (Second Edition)".

3GPP TS 28.623: "Generic network resources Integration Reference Point (IRP); Solution Set

[7] W3C REC-MIII1-20000010. Extension Markup Language (AML) 1.1 (Second Edition)

[10] W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures.

[11] W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes.

[12] W3C REC-xml-names-20060816: "Namespaces in XML 1.1 (Second Edition)".

### 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1], TS 32.600 [3] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

**XML file:** See definition of [8].

XML document: See definition of [8].

XML declaration: See definition of [8].

**XML element:** See definition of [8].

empty XML element: See definition of [8].

XML content (of an XML element): See definition of [8].

XML start-tag: See definition of [8].

XML end-tag: See definition of [8].

XML empty-element tag: See definition of [8].

XML attribute specification: See definition of [8].

**DTD:** See definition of [8].

**XML schema:** See definition of [8].

XML namespace: See definition of [8].

**XML complex type:** See definition of [8].

**XML element type:** See definition of [8].

#### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1], TS 32.600 [3], and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

CM Configuration Management

CORBA Common Object Request Broker Architecture

DN Distinguished Name
DTD Document Type Definition

EDGE Enhanced Data for GSM Evolution
GERAN GSM/EDGE Radio Access Network
GSM Global System for Mobile communication

IS Information Service

IDL Interface Definition Language (OMG)

IOC Information Object Class IRP Integration Reference Point

IS Information Service
MO Managed Object
MOC Managed Object Class
NRM Network Resource Model
OMG Object Management Group

SS Solution Set

UMTS Universal Mobile Telecommunications System UTRAN Universal Terrestrial Radio Access Network

XML eXtensible Markup Language

XSD XML Schema Definition

### 4 Solution Set Definitions

This specification defines the following 3GPP E-UTRAN NRM IRP Solution Set Definitions:

- 3GPP E-UTRAN NRM IRP CORBA SS (Annex A).
- 3GPP E-UTRAN NRM IRP XML Definitions (Annex B).

# Annex A (normative): CORBA Solution Set

### A.0 General

This annex contains the CORBA Solution Set for the IRP whose semantics is specified in E-UTRAN NRM IRP: Information Service (TS 28.658 [4]).

### A.1 Architectural features

The overall architectural feature of E-UTRAN Network Resources IRP is specified in 3GPP TS 28.658 [4]. This clause specifies features that are specific to the CORBA SS.

### A.1.1 Syntax for Distinguished Names

See clause A.1.1 of [8].

### A.1.2 Rules for NRM extensions

See clause A.1.2 of [8].

#### A.1.2.1 Allowed extensions

See clause A.2.1 of [8].

#### A.1.2.2 Extensions not allowed

See clause A.2.1 of [8].

### A.2 Mapping

### A.2.1 General mapping

See clause A.2.1 of [8].

### A.2.2 Information Object Class (IOC) mapping

### A.2.2.1 IOC ENBFunction

### Mapping from NRM IOC ENBFunction attributes and associations to SS equivalent MOC ENBFunction attributes

IS Attributes	SS Attributes	SS Type	
eNBId	eNBId	unsignedLong	
intraANRSwitch	intraANRSwitch	boolean	
iRATANRSwitch	iRATANRSwitch	boolean	
x2BlackList	x2BlackList	GenericNetworkResourcesIRPSystem:: AttributeTypes::MOReferenceSet	
x2WhiteList	x2WhiteList	GenericNetworkResourcesIRPSystem:: AttributeTypes::MOReferenceSet	
x2HOBlackList	x2HOBlackList	GenericNetworkResourcesIRPSystem:: AttributeTypes::MOReferenceSet	
x2IpAddressList	x2IpAddressList	genericEUTRANNRMAttributeTypes:: ipAddressListType	
tceIDMappingInfoList	tceIDMappingInfoList	genericEUTRANNRMAttributeTypes:: TceIDMappingInfoListType	
sharNetTceMappingInfoList	sharNetTceMappingInfoList	genericEUTRANNRMAttributeTypes:: SharNetTceMappingInfo	
netListeningRSForRIBS	netListeningRSForRIBS	genericEUTRANNRMAttributeTypes:: NetListeningRSForRIBS	
NOTE: For all conditional qualifiers, see attribute constraints in 28.658 [4]			

### A.2.2.2 IOC EUtranGenericCell

### Mapping from NRM IOC EUtranGenericCell attributes and associations to SS equivalent MOC EUtranGenericCell attributes

IS Attributes	SS Attributes	SS Type
cellLocalId	cellLocalId	unsignedShort
cellSize	cellSize	genericEUTRANNRMAttributeTypes::
		cellSizeEnumType
plmnIdList	plmnIdList	genericEUTRANNRMAttributeTypes::
	Note: the first plmnld in the SS attribute	plmnldListType
	plmnIdList is the primary PLMN id	
tac	tac	long
pci	pci	short
pciList	pciList	genericEUTRANNRMAttributeTypes::
		pciListType
maximumTransmissionPower	maximumTransmissionPower	short
referenceSignalPower	referenceSignalPower	short
pb	pb	short
partOfSectorPower	partOfSectorPower	short
relatedTmaList	relatedTmaList	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReferenceSet
relatedAntennaList	relatedAntennaList	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReferenceSet
relatedSector	relatedSector	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReference
operationalState	operationalState	StateManagementIRPOptConstDefs::
		OperationalStateTypeOpt
administrativeState	administrativeState	StateManagementIRPOptConstDefs::
		AdministrativeStateTypeOpt
availabilityStatus	availabilityStatus	StateManagementIRPOptConstDefs::
		AvailabilityStatusTypeOpt
cellResvInfo	cellResvInfo	genericEUTRANNRMAttributeTypes::
		cellResvInfoType
nbIoTcellFlag	nbIoTcellFlag	genericEUTRANNRMAttributeTypes::
		yesNoType
allowedAccessClasses	allowedAccessClasses	genericEUTRANNRMAttributeTypes::
		allowedAccessEnumClassesType
isChangeForEnergySavingAllowed	isChangeForEnergySavingAllowed	GenericNetworkResourcesIRPSystem::
N. E. II. III.	"	AttributeTypes::yesNoType
Note: For all conditional qualifiers, see att	ribute constraints in 28.658 [4]	

#### A.2.2.3 IOC ExternalEUtranGenericCell

Mapping from NRM IOC ExternalEUtranGenericCell attributes and associations to SS equivalent MOC ExternalEUtranGenericCell attributes

IS Attributes	SS Attributes	SS Type
pci	pci	short
plmnIdList	plmnIdList	genericEUTRANNRMAttributeTypes::
	Note: the first plmnld in the SS	plmnldListType
	attribute plmnIdList is the	
	primary PLMN id	
cellLocalId	cellLocalId	unsignedShort
eNBId	eNBId	unsignedLong

### A.2.2.4 IOC EUtranCellFDD

Mapping from NRM IOC EUtranCellFDD attributes and associations to SS equivalent MOC EUtranCellFDD attributes

IS Attributes	SS Attributes	SS Type
earfcnDl	earfcnDl	short
earfcnUl	earfcnUl	short

### A.2.2.5 IOC ExternalEUtranCellFDD

Mapping from NRM IOC ExternalEutranCellFDD attributes and associations to SS equivalent MOC ExternalEutranCellFDD attributes

IS Attributes	SS Attributes	SS Type
earfcnDl	earfcnDl	short
earfcnUl	earfcnUl	short

### A.2.2.6 IOC EUtranRelation

### Mapping from NRM IOC EUtranRelation attributes and associations to SS equivalent MOC EUtranRelation attributes

IS Attributes	SS Attributes	SS Type	
id	id	string	
tCI	tCI	long	
isRemoveAllowed	isRemoveAllowed	boolean	
isHOAllowed	isHOAllowed	boolean	
adjacentCell	adjacentCell	GenericNetworkResourcesIRPSystem::	
		AttributeTypes::MOReference	
isICICInformationSendAllowed	isICICInformationSendAllowed	boolean	
isLBAllowed	isLBAllowed	boolean	
isESCoveredBy	isESCoveredBy	genericEUTRANNRMAttributeTypes::IsEsCoveredByEnumType	
cellIndividualOffset	cellIndividualOffset	genericEUTRANNRMAttributeTypes::qOffsetEnumType	
qOffset	qOffset	genericEUTRANNRMAttributeTypes::qOffsetEnumType	
NOTE: For all conditional qualifiers, see attribute constraints in 28.658 [4]			

#### A.2.2.7 IOC Link ENB ENB

None.

### A.2.2.8 IOC Cdma2000Relation

### Mapping from NRM IOC Cdma2000Relation attributes and associations to SS equivalent MOC Cdma2000Relation attributes

IS Attributes	SS Attributes	SS Type
id	id	string
adjacentSector	adjacentSector	GenericNetworkResourcesIRPSystem:: AttributeTypes::MOReference

#### A.2.2.9 IOC External ENBFunction

### Mapping from NRM IOC ExternalENBFunction attributes and associations to SS equivalent MOC ExternalENBFunction attributes

IS Attributes	SS Attributes	SS Type
eNBId	eNBId	unsignedLong

#### A.2.2.10 IOC EUtranCellTDD

### Mapping from NRM IOC EUtranCellTDD attributes and associations to SS equivalent MOC EUtranCellTDD attributes

IS Attributes	SS Attributes	SS Type
earfcn	earfcn	short
sfAssignment	sfAssignment	short
specialSfPatterns	specialSfPatterns	short

### A.2.2.11 IOC ExternalEUtranCellTDD

### Mapping from NRM IOC ExternalEUtranCellTDD attributes and associations to SS equivalent MOC ExternalEUtranCellTDD attributes

IS Attributes	SS Attributes	SS Type
earfcn	earfcn	short

#### A.2.2.12 IOC MCEFunction

None.

#### A.2.2.13 IOC MBSFNArea

### Mapping from NRM IOC MBSFNAreaattributes and associations to SS equivalent MOC MBSFNAreaattributes

IS Attributes	SS Attributes	SS Type
id	id	string
mbsfnAreaId	mbsfnAreaId	short
cellIdList	cellIdList	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReferenceSet

#### A.2.2.14 IOC RNFunction

### Mapping from NRM IOC RNFunction attributes and associations to SS equivalent MOC RNFunction attributes

IS Attributes	SS Attributes	SS Type
servingCell	servingCell	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReference
candidateDeNBCells	candidateDeNBCells	genericEUTRANNRMAttributeTypes::
		EcgiListType

Editor's note: the need of attribute candidateDeNBCells is for FFS.

### A.2.2.15 IOC DeNBCapability

### Mapping from NRM IOC DenbCapabilityattributes and associations to SS equivalent MOC DenbCapabilityattributes

IS Attributes	SS Attributes	SS Type
servedRN	servedRN	GenericNetworkResourcesIRPSystem::
		AttributeTypes::MOReferenceSet
maxNbrRNAllowed	maxNbrRNAllowed	unsignedShort

#### A.2.2.16 IOC External RNF unction

None.

### A.2.2.17 IOC QciDscpMapping

### Mapping from NRM IOC QciDscpMapping attributes and associations to SS equivalent MOC QciDscpMapping attributes

IS Attributes	SS Attributes	SS Type
qciDscpMappingList	qciDscpMappingList	genericEUTRANNRMAttributeTypes::
		gciDscpMappingListType

### A.2.2.18 IOC CellOutageCompensationInformation

### Mapping from NRM IOC CellOutageCompensationInformation attributes and associations to SS equivalent MOC CellOutageCompensationInformation attributes

IS Attributes	SS Attributes	SS Type
id	id	string
cocstatus	cellOutageCompens ationStatus	GenericSONPolicyNR MAttributeTypes:: cellOutageCompensati onStatus
isCOCAllowed	isCOCAllowed	Boolean

### A.2.2.19 IOC EUtranCellNMCentralizedSON

Mapping from NRM IOC EUtranCellnMCentralizedSON attributes and associations to SS equivalent MOC EUtranCellnMCentralizedSON attributes

18

IS Attributes	SS Attributes	SS Type
id	id	string
alThresholdRsrp	alThresholdRsrp	unsignedShort
alThresholdRsrq	alThresholdRsrq	unsignedShort
a2ThresholdRsrp	a2ThresholdRsrp	unsignedShort
a2ThresholdRsrq	a2ThresholdRsrq	unsignedShort
a30ffset	a30ffset	short
a4ThresholdRsrp	a4ThresholdRsrp	unsignedShort
a4ThresholdRsrq	a4ThresholdRsrq	unsignedShort
a5Threshold1Rsrp	a5Threshold1Rsrp	unsignedShort
a5Threshold1Rsrq	a5Threshold1Rsrq	unsignedShort
blThresholdUtraRscp	b1ThresholdUtraRscp	short
blThresholdUtraEcN0	blThresholdUtraEcN0	unsignedShort
blThresholdGeran	blThresholdGeran	unsignedShort
b1ThresholdCdma2000	b1ThresholdCdma2000	unsignedShort
b2Threshold1Rsrp	b2Threshold1Rsrp	unsignedShort
b2Threshold1Rsrq	b2Threshold1Rsrq	unsignedShort
b2Threshold2UtraRscp	b2Threshold2UtraRscp	short
b2Threshold2UtraEcN0	b2Threshold2UtraEcN0	unsignedShort
b2Threshold2Geran	b2Threshold2Geran	unsignedShort
b2Threshold2Cdma2000	b2Threshold2Cdma2000	unsignedShort
commonChannelPowerOffse	commonChannelPowerOffset	short
t		
configurationIndex	configurationIndex	unsignedShort
contentionResolutionTim	contentionResolutionTimer	genericEUTRANNRMAttribute
er		Types::
		contentionResolutionTimerEnu
		mType
hysteresisEutraA1	hysteresisEutraA1	unsignedShort
hysteresisEutraA2	hysteresisEutraA2	unsignedShort
hysteresisEutraA3	hysteresisEutraA3	unsignedShort
hysteresisEutraA4	hysteresisEutraA4	unsignedShort
hysteresisEutraA5	hysteresisEutraA5	unsignedShort
hysteresisIratB1	hysteresisIratB1	unsignedShort
hysteresisIratB2	hysteresisIratB2	unsignedShort
numberOfRaPreambles	numberOfRaPreambles	genericEUTRANNRMAttribute
		Types::
		numberOfRaPreamblesEnumT
		ype
preambleInitialReceived	preambleInitialReceivedTarge	genericEUTRANNRMAttribute
TargetPower	tPower	Types::
		preambleInitialReceivedTarget
11	11	PowerEnumType
preambleTransMax	preambleTransMax	genericEUTRANNRMAttribute
		Types::
		preambleTransMaxEnumType

IS Attributes	SS Attributes	SS Type
pMax	pMax	short
powerRampingStep	powerRampingStep	genericEUTRANNRMAttribute Types:: powerRampingStepEnumType
qHyst	qHyst	genericEUTRANNRMAttribute Types:: qHystEnumType
qOffsetUtra	qOffsetUtra	unsignedShort
qOffsetGeran	qOffsetGeran	unsignedShort
qOffsetCdma2000	qOffsetCdma2000	unsignedShort
qQualMinUtra	qQualMinUtra	unsignedShort
qRxLevMinEUtraSib1	qRxLevMinEUtraSib1	short
qRxLevMinEUtraSib3	qRxLevMinEUtraSib3	short
qRxLevMinGeran	qRxLevMinGeran	unsignedShort
qRxLevMinUtra	qRxLevMinUtra	short
responseWindowSize	responseWindowSize	genericEUTRANNRMAttribute Types:: responseWindowSizeEnumTy pe
rootSequenceIndex	rootSequenceIndex	unsignedShort
sIntraSearch	sIntraSearch	unsignedShort
sizeOfRAPreamblesGroupA	sizeOfRAPreamblesGroupA	genericEUTRANNRMAttribute Types:: sizeOfRAPreambleGroupAEnu mType
timeToTriggerEutraAl	timeToTriggerEutraAl	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType
timeToTriggerEutraA2	timeToTriggerEutraA2	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType
timeToTriggerEutraA3	timeToTriggerEutraA3	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType
timeToTriggerEutraA4	timeToTriggerEutraA4	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType
timeToTriggerEutraA5	timeToTriggerEutraA5	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType
timeToTriggerIratB1	timeToTriggerIratB1	genericEUTRANNRMAttribute Types:: timeToTriggerEUtraEnumType

IS Attributes	SS Attributes	SS Type
timeToTriggerIratB2	timeToTriggerIratB2	genericEUTRANNRMAttribute
		Types::
		timeToTriggerEUtraEnumType
tReselectionCdma2000	tReselectionCdma2000	unsignedShort
tReselectionEUtra	tReselectionEUtra	unsignedShort
tReselectionGeran	tReselectionGeran	unsignedShort
tReselectionUtra	tReselectionUtra	unsignedShort
tStoreUeContext	tStoreUeContext	unsignedShort
Note: For all conditional qualifiers, see attribute constraints in 28.658 [4]		

### A.3 Solution Set definitions

#### A.3.1 IDL definition structure

Clause A.3.2 defines the MO classes for the E-UTRAN NRM IRP.

### A.3.2 IDL specification "EUtranNetworkResourcesNRMDefs.idl"

```
//File:EUtranNetworkResourcesNRMDefs.idl
#ifndef _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#define _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#include "EPCResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
\mbox{\ensuremath{\star}} This module defines constants for each MO class name and
 \mbox{\scriptsize *} the attribute names for each defined MO class.
module EUtranNetworkResourcesNRMDefs
     * Definitions for MO class ENBFunction
    interface ENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "ENBFunction";
        // Attribute Names
        const string intraANRSwitch= "intraANRSwitch";
        const string iRATANRSwitch= "iRATANRSwitch";
        const string eNBId = "eNBId";
        const string x2BlackList= "x2BlackList";
        const string x2WhiteList= "x2WhiteList";
        const string x2HOBlackList= "x2HOBlackList";
        const string x2IpAddressList= "x2IpAddressList";
        const string tceIDMappingInfoList= "tceIDMappingInfoList";
        const string sharNetTceMappingInfoList= "sharNetTceMappingInfoList";
        const string netListeningRSForRIBS= "netListeningRSForRIBS";
    };
     * Definitions for MO class RNFunction
    interface RNFunction: ENBFunction
        const string CLASS = "RNFunction";
        // Attribute Names
        const string servingCell = "servingCell";
        const string candidateDeNBCells = "candidateDeNBCells";
    };
     * Definitions for MO class DeNBCapability
    interface DeNBCapability: GenericNetworkResourcesNRMDefs::ManagedFunction
        const string CLASS = "DeNBCapability";
        // Attribute Names
        const string servedRN= "servedRN";
        const string maxNbrRNAllowed= "maxNbrRNAllowed";
    };
     * Definitions for MO class ExternalRNFunction
    interface ExternalRNFunction: ExternalENBFunction
        const string CLASS = "ExternalRNFunction";
        // Attribute Names
        //
    };
    /*
```

```
* Definitions for MO class EUtranGenericCell
interface EUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "EUtranGenericCell";
    // Attribute Names
    //
    const string cellLocalId = "cellLocalId";
    const string cellSize = "cellSize";
    const string plmnIdList = "plmnIdList";
    const string tac = "tac";
const string pci = "pci";
    const string pciList = "pciList";
    const string operationalState = "operationalState";
    const string administrativeState = "administrativeState";
    const string availabilityStatus = "availabilityStatus";
    const string maximumTransmissionPower = "maximumTransmissionPower";
    const string referenceSignalPower = "referenceSignalPower";
    const string pb = "pb";
    const string partOfSectorPower = "partOfSectorPower";
    const string relatedTmaList = "relatedTmaList";
    const string relatedAntennaList = "relatedAntennaList";
    const string relatedSector = "relatedSector";
    const string allowedAccessClasses = "allowedAccessClasses";
    \verb|const| string is Change For Energy Saving Allowed = \verb|"is Change For Energy Saving Allowed"|; \\
    const string cellResvInfo = "cellResvInfo";
    const string nbIoTcellFlag = "nbIoTcellFlag";
};
* Definitions for MO class ExternalEUtranGenericCell
interface ExternalEUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
    const string CLASS = "ExternalEUtranGenericCell";
    // Attribute Names
    const string pci= "pci";
   const string plmnIdList = "plmnIdList";
const string cellLocalId = "cellLocalId";
   const string eNBId = "eNBId";
};
* Definitions for MO class EUtranCellFDD
interface EUtranCellFDD: EUtranGenericCell
{
    const string CLASS = "EUtranCellFDD";
    // Attribute Names
    const string earfcnDl = "earfcnDl";
   const string earfcnUl = "earfcnUl";
};
* Definitions for MO class ExternalEUtranCellFDD
interface ExternalEUtranCellFDD: ExternalEUtranGenericCell
    const string CLASS = "ExternalEUtranCellFDD";
    // Attribute Names
    const string earfcnDl = "earfcnDl";
    const string earfcnUl = "earfcnUl";
};
* Definitions for MO class EUtranCellTDD
interface EUtranCellTDD: EUtranGenericCell
    const string CLASS = "EUtranCellTDD";
    // Attribute Names
```

```
const string earfcn = "earfcn";
    const string sfAssignment = "sfAssignment";
    const string specialSfPatterns = "specialSfPatterns";
};
 * Definitions for MO class ExternalEUtranCellTDD
interface ExternalEUtranCellTDD: ExternalEUtranGenericCell
{
    const string CLASS = "ExternalEUtranCellTDD";
    // Attribute Names
    const string earfcn = "earfcn";
};
 * Definitions for MO class EUtranRelation
interface EUtranRelation: GenericNetworkResourcesNRMDefs::Top
    const string CLASS = "EUtranRelation";
    // Attribute Names
    11
    const string id = "id";
    const string tCI = "tCI";
    const string isRemoveAllowed = "isRemoveAllowed";
    const string isHOAllowed = "isHOAllowed";
    const string adjacentCell = "adjacentCell";
    const string isICICInformationSendAllowed = "isICICInformationSendAllowed";
    const string isLBAllowed = "isLBAllowed";
    const string cellIndividualOffset = "cellIndividualOffset";
    const string qOffset = "qOffset";
};
 * Definitions for MO class Link_ENB_ENB
interface Link_ENB_ENB: GenericNetworkResourcesNRMDefs::Link
    const string CLASS = "Link_ENB_ENB";
    // Attribute Names
    //
};
 * Definitions for MO class Cdma2000Relation
interface Cdma2000Relation:GenericNetworkResourcesNRMDefs::Top
    const string CLASS = "Cdma2000Relation";
    // Attribute Names
    //
    const string id = "id";
    const string adjacentSector = "adjacentSector";
};
 \mbox{\scriptsize *} Definitions for MO class ExternalENBFunction
interface ExternalENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
    const string CLASS = "ExternalENBFunction";
    // Attribute Names
    const string eNBId = "eNBId";
};
 * Definitions for MO class MCEFunction
* /
interface MCEFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
```

```
const string CLASS = "MCEFunction";
    // Attribute Names
    //
};
 * Definitions for MO class Link_MCE_ENB
interface Link_MCE_ENB: GenericNetworkResourcesNRMDefs::Link
    const string CLASS = "Link_MCE_ENB";
    // Attribute Names
};
 * Definitions for MO class Link_MCE_MME
interface Link_MCE_MME: GenericNetworkResourcesNRMDefs::Link
    const string CLASS = "Link_MCE_MME";
    // Attribute Names
};
 * Definitions for MO class MBSFNArea
interface MBSFNArea: GenericNetworkResourcesNRMDefs::Top
    const string CLASS = "MBSFNArea";
    // Attribute Names
   const string id = "id";
   const string mbsfnAreaId= "mbsfnAreaId";
const string cellIdList= "cellIdList";
};
 * Definitions for MO class EnergySavingProperties
* /
interface EnergySavingProperties: GenericNetworkResourcesNRMDefs::Top
    const string CLASS = "EnergySavingProperties";
    // Attribute Names
    //
    const string id = "id";
    const string energySavingState= "energySavingState";
    const string energySavingControl= "energySavingControl";
};
* Definitions for MO class CellOutageCompensationInformation
interface \ \texttt{CellOutageCompensationInformation:} \ \textbf{GenericNetworkResourcesNRMDefs::} \textbf{Top} \\
    const string CLASS = "CellOutageCompensationInformation";
    // Attribute Names
    const string id = "id";
   const string cellOutageCompensationStatus = "cellOutageCompensationStatus";
   const string isCOCAllowed =
          "isCOCAllowed";
};
* Definitions for MO class EUtranCellNMCentralizedSON
* /
interface EUtranCellNMCentralizedSON: GenericNetworkResourcesNRMDefs::Top
{
    const string CLASS = "EUtranCellNMCentralizedSON";
```

// Attribute Names

```
const string id = "id";
      const string alThresholdRsrp = "alThresholdRsrp";
        const string alThresholdRsrq = "alThresholdRsrq";
        const string a2ThresholdRsrp = "a2ThresholdRsrp";
        const string a2ThresholdRsrq = "a2ThresholdRsrq";
        const string a30ffset = "a30ffset";
        const string a4ThresholdRsrp = "a4ThresholdRsrp";
        const string a4ThresholdRsrq = "a4ThresholdRsrq";
        const string a5Threshold1Rsrp = "a5Threshold1Rsrp";
        const string a5Threshold1Rsrq = "a5Threshold1Rsrq";
        const string blThresholdUtraRscp = "blThresholdUtraRscp";
        const string blThresholdUtraEcN0 = "blThresholdUtraEcN0";
        const string blThresholdGeran = "blThresholdGeran";
        const string blThresholdCdma2000 = "blThresholdCdma2000";
        const string b2Threshold1Rsrp = "b2Threshold1Rsrp";
const string b2Threshold1Rsrq = "b2Threshold1Rsrq";
        const string b2Threshold2UtraRscp = "b2Threshold2UtraRscp";
        const string b2Threshold2UtraEcN0 = "b2Threshold2UtraEcN0";
        const string b2Threshold2Geran = "b2Threshold2Geran";
        const string b2Threshold2Cdma2000 = "b2Threshold2Cdma2000";
        const string commonChannelPowerOffset = "commonChannelPowerOffset";
        const string configurationIndex = "configurationIndex";
        const string contentionResolutionTimer = "contentionResolutionTimer";
        const string hysteresisEutraA1 = "hysteresisEutraA1";
        const string hysteresisEutraA2 = "hysteresisEutraA2";
        const string hysteresisEutraA3 = "hysteresisEutraA3";
        const string hysteresisEutraA4 = "hysteresisEutraA4";
        const string hysteresisEutraA5 = "hysteresisEutraA5";
        const string hysteresisIratB1 = "hysteresisIratB1";
        const string hysteresisIratB2 = "hysteresisIratB2";
        const string numberOfRaPreambles = "numberOfRaPreambles";
        const string preambleInitialReceivedTargetPower = "preambleInitialReceivedTargetPower";
        const string preambleTransMax = "preambleTransMax";
        const string pMax = "pMax";
        const string powerRampingStep = "powerRampingStep";
        const string qHyst = "qHyst";
        const string qOffsetUtra = "qOffsetUtra";
        const string qOffsetGeran = " qOffsetGeran";
        const string qOffsetCdma2000 = "qOffsetCdma2000";
        const string qQualMinUtra = "qQualMinUtra";
        const string qRxLevMinEUtraSib1 = "qRxLevMinEUtraSib1";
        const string qRxLevMinEUtraSib3 = "qRxLevMinEUtraSib3";
        const string qRxLevMinGeran = "qRxLevMinGeran";
        const string qRxLevMinUtra = "qRxLevMinUtra";
        const string responseWindowSize = "responseWindowSize";
        const string rootSequenceIndex = "rootSequenceIndex";
        const string sIntraSearch = "sIntraSearch";
        const string sizeOfRAPreamblesGroupA = "sizeOfRAPreamblesGroupA";
        const string timeToTriggerEutraA1 = "timeToTriggerEutraA1";
        const string timeToTriggerEutraA2 = "timeToTriggerEutraA2";
        const string timeToTriggerEutraA3 = "timeToTriggerEutraA3";
        const string timeToTriggerEutraA4 = "timeToTriggerEutraA4";
        const string timeToTriggerEutraA5 = "timeToTriggerEutraA5";
        const string timeToTriggerIratB1 = "timeToTriggerIratB1";
        const string timeToTriggerIratB2 = "timeToTriggerIratB2";
        const string tReselectionCdma2000 = "tReselectionCdma2000";
        const string tReselectionEUtra = "tReselectionEUtra";
        const string tReselectionGeran = "tReselectionGeran";
        const string tReselectionUtra = "tReselectionUtra";
        const string tStoreUeContext = "tStoreUeContext";
};
module genericEUTRANNRMAttributeTypes
    enum CellSizeEnumType
        verysmall,
        small,
        medium,
        large
    enum AllowedAccessClassesValues
    EmergencyCall,
```

```
ForPLMNUse,
    SecurityServices,
    PublicUtilities,
    EmergencyServices,
    PLMNStaff
typedef sequence < AllowedAccessClassesValues,6> AllowedAccessClasses
    struct PlmnIdType
        // A bounded string of 3 characters representing 3 digits.
        string mcc;
        // A bounded string of 2 or 3 characters representing 2 or 3 digits.
       string mnc;
    };
    const short PLMNID_LIST_LENGTH = 6;
    typedef sequence<PlmnIdType > plmnIdListType;
    const short NO_OF_PCIS = 504;
    typedef sequence<short,NO_OF_PCIS> pciListType;
    typedef sequence<string> ipAddressListType;
    enum CellResvInfoType
        reservedCell,
       nonReservedCell
    struct QciDscpMappingType
        short qci;
        short dscp;
    };
    typedef sequence<QciDscpMappingType> QciDscpMappingListType;
    struct EcgiType
        // A bounded string of 3 characters representing 3 digits.
       string mcc;
        // A bounded string of 2 or 3 characters representing 2 or 3 digits.
        string mnc;
       unsignedlong eci
    typedef sequence <EcgiType> EcgiListType;
  enum isEsCoveredByEnumType
    {
   no,
   partial,
   yes
  enum yesNoType
   no,
 yes
    struct TceIDMappingInfo
       short tceID;
       string tceIPAddr;
    typedef sequence<TceIDMappingInfo> TceIDMappingInfoListType;
    struct SharNetTceMappingInfo
        PlmnIdType plmnId;
        short tceID;
       string tceIPAddr;
    typedef sequence<SharNetTceMappingInfo> SharNetTceMappingInfoListType;
enum CellOutageCompensationState
```

```
cOCActivating,
  cOCActive,
  cOCDeactivating,
  cOCDeactive
};
enum qOffsetEnumType
{
   dB-24,
  dB-22,
   dB-20,
   dB-18,
   dB-16,
   dB-14,
   dB-12,
   dB-10,
   dB-8,
   dB-6,
   dB-5,
   dB-4,
   dB-3,
   dB-2,
   dB-1,
   dB0,
   dB1,
   dB2,
   dB3,
   dB4,
   dB5,
   dB6,
   dB10,
   dB12,
   dB14,
   dB16,
   dB18,
   dB20,
   dB22,
   dB24
};
enum contentionResolutionTimerEnumType
{
   sf8,
   sf16,
  sf24,
   sf32,
   sf40,
   sf48,
   sf56,
   sf64
};
enum numberOfRaPreamblesEnumType
{
   n4,
  n8,
   n12,
   n16,
   n20,
   n24,
   n28,
   n32,
   n36,
   n40,
   n44,
   n48,
   n52,
   n56,
   n60,
   n64
};
\verb"enum preambleInitialReceivedTargetPowerEnumType"
   dBm-120,
   dBm-118,
```

```
dBm-116,
   dBm-114,
   dBm-112,
   dBm-110,
   dBm-108,
   dBm-106,
   dBm-104,
   dBm-102,
   dBm-100,
   dBm-98,
   dBm-96,
   dBm-94,
   dBm-92,
   dBm-90
};
\verb"enum preambleTransMaxEnumType"
   n3,
   n4,
   n5,
   nб,
   n7,
   n8,
   n10,
   n20,
   n50,
   n100,
   n200
};
enum powerRampingStepEnumType
{
   dB0,
   dB2,
   dB4,
   dB6
};
enum qHystEnumType
   dB0,
   dB1,
   dB2,
   dB3,
   dB4,
   dB5,
   dB6,
   dB8,
   dB10,
   dB12,
   dB14,
   dB16,
   dB18,
   dB20,
   dB22,
   dB24
};
enum responseWindowSizeEnumType
   sf2,
   sf3,
   sf4,
   sf5,
   sf6,
   sf7,
   sf8,
   sf10
};
enum sizeOfRAPreambleGroupAEnumType
   n4,
   n8,
   n12,
   n16,
   n20,
```

```
n24,
  n28,
  n32,
  n36,
  n40,
  n44,
  n48,
  n52,
  n56,
  n60,
};
enum timeToTriggerEUtraEnumType
  ms0,
  ms40,
  ms64,
  ms80,
  ms100,
  ms128,
  ms160,
  ms256,
  ms320,
  ms480,
  ms512,
  ms640,
  ms1024,
  ms1280,
  ms2560,
  ms5120
};
   typedef sequence<string> DnList;
struct CellOutageCompensationStatus
   CellOutageCompensationState cellOutageCompensationState;
  DnList errorList;
   };
    struct ReferenceSignalPattern
        yesNoType prs_supported;
    };
    enum ReferenceSignalPeriodicity
        ms1280,
        ms2560,
        ms5120,
        ms10240
    };
    const short MAX_CONFIGURATION_NO = 4;
    struct NetListeningRefSignalType
        {\tt ReferenceSignalPattern\ referenceSignalPattern;}
        short num_of_crs_ports;
        ReferenceSignalPeriodicity referenceSignalPeriodicity;
        unsigned short referenceSignalOffset;
    typedef sequence<NetListeningRefSignalType, MAX_CONFIGURATION_NO> NetListeningRSForRIBS;
};
#endif // _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
```

# Annex B (normative): XML Definitions

### B.0 General

This annex contains the XML Definitions for the E-UTRAN NRM IRP as it applies to Itf-N, in accordance with UTRAN NRM IRP IS definitions [4].

The XML file formats are based on XML [9], XML Schema [10] [11] and XML Namespace [12] standards.

### B.1 Architectural features

The overall architectural feature of E-UTRAN Network Resources IRP is specified in 3GPP TS 28.658 [4]. This clause specifies features that are specific to the Schema definitions.

The XML definitions of this document specify the schema for a configuration content.

When using the XML definitions for a configuration file transfer with the Bulk CM IRP, using either CORBA Solution Set of 3GPP TS 32.616 [7] or SOAP Solution Set of 3GPP TS 32.616 [7], the basic part of the XML file format definition is provided by 3GPP TS 32.616 [7]. The XML definitions of this document provide the schema for the configuration content to be included in such a configuration file.

When using the XML definitions with a SOAP Solution Set of any Interface IRP that perform operations on managed objects, for example the Basic CM IRP SOAP SS of 3GPP TS 32.606 [6], the XML definitions of this document provides the schema for the configuration content operated on by the interface IRP. Such configuration content can be name of managed object and, if applicable, IOC attributes.

### B.1.1 Syntax for Distinguished Names

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [5].

### B.2 Mapping

### B.2.1 General mapping

An IOC maps to an XML element of the same name as the IOC's name in the IS. An IOC attribute maps to a subelement of the corresponding IOC's XML element, and the name of this sub-element is the same as the attribute's name in the IS.

### B.2.2 Information Object Class (IOC) mapping

The mapping is not present in the current version of this specification.

### B.3 Solution Set definitions

### B.3.1 XML definition structure

The overall description of the file format of configuration data XML files is provided by 3GPP TS 32.616 [7].

Annex B.3.3 of the present document defines the NRM-specific XML schema eutranNrm.xsd for the E-UTRAN Network Resources IRP NRM defined in 3GPP TS 28.658 [4].

XML schema eutranNrm.xsd explicitly declares NRM-specific XML element types for the related NRM.

The definition of those NRM-specific XML element types complies with the generic mapping rules defined in 3GPP TS 32.616 [7].

### B.3.2 Graphical Representation

The graphical representation is not present in the current version of this specification.

### B.3.3 XML schema "eutranNrm.xsd"

```
<?xml version="1.1" encoding="UTF-8"?>
 3GPP TS 28.659 E-UTRAN Network Resource Model IRP
  XML schema definition
  eutranNrm.xsd
<schema xmlns="http://www.w3.org/2001/XMLSchema"</pre>
xmlns:xn="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"
xmlns:en="http://www.3gpp.org/ftp/specs/archive/28_series/28.659#eutranNrm"
xmlns:epc="http://www.3qpp.orq/ftp/specs/archive/28_series/28.709#epcNrm"
xmlns:un="http://www.3gpp.org/ftp/specs/archive/28_series/28.653#utranNrm"
xmlns:gn="http://www.3gpp.org/ftp/specs/archive/28_series/28.656#geranNrm"
xmlns:sm="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"
xmlns:sp="http://www.3gpp.org/ftp/specs/archive/28_series/28.629#sonPolicyNrm"
targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.659#eutranNrm"
elementFormDefault="qualified">
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.709#epcNrm"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.653#utranNrm"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.656#geranNrm"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.626#stateManagementIRP"/>
  <import namespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.629#sonPolicyNrm"/>
  <complexType name="IpAddressList">
    <sequence>
      <element name="ipAddress" type="string" minOccurs="0" maxOccurs="unbounded"/>
    </sequence>
  </complexType>
  <simpleType name="EnbId">
    <restriction base="unsignedLong">
      <maxInclusive value="268435455"/>
    </restriction>
  </simpleType>
  <simpleType name="Eci">
    <restriction base="unsignedLong">
      <maxInclusive value="268435455"/>
    </restriction>
  </simpleType>
<simpleType name="CellLocalId">
    <restriction base="unsignedShort">
      <maxInclusive value="255"/>
    </restriction>
  </simpleType>
  <simpleType name="cellSize">
    <restriction base="string">
      <enumeration value="verysmall"/>
      <enumeration value="small"/>
      <enumeration value="medium"/>
      <enumeration value="large"/>
    </restriction>
  </simpleType>
  <simpleType name="allowedAccessClassesElementType">
    <restriction base="string">
      <enumeration value="EmergencyCall"/>
      <enumeration value="ForPLMNUse"/>
      <enumeration value="SecurityServices"/>
      <enumeration value="PublicUtilities"/>
      <enumeration value="EmergencyServices"/>
      <enumeration value="PLMNStaff"/>
    </restriction>
</simpleType>
  <complexType name="allowedAccessClassesType">
    <sequence minOccurs="0" maxOccurs="6">
      <element name="allowedAccessClassesElement" type="en:allowedAccessClassesElementType"/>
    </sequence>
  </complexType>
  <complexType name="PLMNId">
    <sequence>
      <element name="mcc" type="MCC"/>
      <element name="mnc" type="MNC"/>
    </sequence>
  </complexType>
  <simpleType name="MCC">
    <restriction base="string">
      <pattern value="[0-9]{3}"/>
    </restriction>
```

```
</simpleType>
<simpleType name="MNC">
  <restriction base="string">
    <pattern value="[0-9]{3}|[0-9]{2}"/>
  </restriction>
</simpleType>
<complexType name="PLMNIdList">
  <sequence>
    <element name="pLMNId" type="en:PLMNId" maxOccurs="6"/>
    <!-- The first pLMNId of the pLMNIdList is primary PLMN id -->
  </sequence>
</complexType>
<complexType name="EcgiList">
  <sequence>
    <element name="plmnId" type="en:PLMNId" minOccurs="0"/>
    <element name="eci" type="en:Eci" minOccurs="0"/>
  </sequence>
</complexType>
<simpleType name="Pci">
  <restriction base="unsignedShort">
    <maxInclusive value="503"/>
    <!-- Minimum value is 0, maximum value is 3x167+2=503 -->
  </restriction>
</simpleType>
<complexType name="PciList">
  <sequence>
    <element name="pci" type="en:Pci" maxOccurs="504"/>
  </sequence>
</complexType>
<simpleType name="cellResvInfoType">
  <restriction base="string">
    <enumeration value="reservedCell"/>
    <enumeration value="nonReservedCell"/>
  </restriction>
</simpleType>
<simpleType name="mbsfnAreaIdType">
  <restriction base="unsignedLong">
  <maxInclusive value="255"/>
   </restriction>
 </simpleType>
<complexType name="QciDscpMappingType">
  <sequence>
    <element name="qci" type="short"/>
    <element name="dscp" type="short"/>
  </sequence>
</complexType>
<complexType name="QciDscpMappingListType">
  <sequence>
    <element name="QciDscpMappingPair" type="en:QciDscpMappingType"/>
  </sequence>
</complexType>
<simpleType name="isEsCoveredByEnumType">
  <restriction base="string">
    <enumeration value="no"/>
    <enumeration value="partial"/>
    <enumeration value="yes"/>
  </restriction>
</simpleType>
<simpleType name="yesNoType">
  <restriction base="string">
    <enumeration value="yes"/>
    <enumeration value="no"/>
  </restriction>
</simpleType>
<simpleType name="QOffsetEnumType">
  <restriction base="string">
    <enumeration value="dB-24"/>
    <enumeration value="dB-22"/>
    <enumeration value="dB-20"/>
    <enumeration value="dB-18"/>
    <enumeration value="dB-16"/>
    <enumeration value="dB-14"/>
    <enumeration value="dB-12"/>
    <enumeration value="dB-10"/>
    <enumeration value="dB-8"/>
    <enumeration value="dB-6"/>
    <enumeration value="dB-5"/>
    <enumeration value="dB-4"/>
```

```
<enumeration value="dB-3"/>
    <enumeration value="dB-2"/>
    <enumeration value="dB-1"/>
    <enumeration value="dB0"/>
    <enumeration value="dB1"/>
    <enumeration value="dB2"/>
    <enumeration value="dB3"/>
    <enumeration value="dB4"/>
    <enumeration value="dB5"/>
    <enumeration value="dB6"/>
    <enumeration value="dB8"/>
    <enumeration value="dB10"/>
    <enumeration value="dB12"/>
    <enumeration value="dB14"/>
    <enumeration value="dB16"/>
    <enumeration value="dB18"/>
    <enumeration value="dB20"/>
    <enumeration value="dB22"/>
    <enumeration value="dB24"/>
  </restriction>
</simpleType>
<simpleType name="ContentionResolutionTimerEnumType">
  <restriction base="string">
    <enumeration value="sf8"/>
    <enumeration value="sf16"/>
    <enumeration value="sf24"/>
    <enumeration value="sf32"/>
    <enumeration value="sf40"/>
    <enumeration value="sf48"/>
    <enumeration value="sf56"/>
    <enumeration value="sf64"/>
  </restriction>
</simpleType>
<simpleType name="NumberOfRaPreamblesEnumType">
 <restriction base="string">
    <enumeration value="n4"/>
    <enumeration value="n8"/>
    <enumeration value="n12"/>
    <enumeration value="n16"/>
    <enumeration value="n20"/>
    <enumeration value="n24"/>
    <enumeration value="n28"/>
    <enumeration value="n32"/>
    <enumeration value="n36"/>
    <enumeration value="n40"/>
    <enumeration value="n44"/>
    <enumeration value="n48"/>
    <enumeration value="n52"/>
    <enumeration value="n56"/>
    <enumeration value="n60"/>
    <enumeration value="n64"/>
 </restriction>
</simpleType>
<simpleType name="PreambleInitialReceivedTargetPowerEnumType">
 <restriction base="string">
    <enumeration value="dBm-120"/>
    <enumeration value="dBm-118"/>
    <enumeration value="dBm-116"/>
    <enumeration value="dBm-114"/>
    <enumeration value="dBm-112"/>
    <enumeration value="dBm-110"/>
    <enumeration value="dBm-108"/>
    <enumeration value="dBm-106"/>
    <enumeration value="dBm-104"/>
    <enumeration value="dBm-102"/>
    <enumeration value="dBm-100"/>
    <enumeration value="dBm-98"/>
    <enumeration value="dBm-96"/>
    <enumeration value="dBm-94"/>
    <enumeration value="dBm-92"/>
    <enumeration value="dBm-90"/>
  </restriction>
</simpleType>
<simpleType name="PreambleTransMaxEnumType">
  <restriction base="string">
    <enumeration value="n3"/>
    <enumeration value="n4"/>
    <enumeration value="n5"/>
```

```
<enumeration value="n6"/>
    <enumeration value="n7"/>
    <enumeration value="n8"/>
    <enumeration value="n10"/>
    <enumeration value="n20"/>
    <enumeration value="n50"/>
    <enumeration value="n100"/>
    <enumeration value="n200"/>
  </restriction>
</simpleType>
<simpleType name="PowerRampingStepEnumType">
  <restriction base="string">
    <enumeration value="dB0"/>
    <enumeration value="dB2"/>
    <enumeration value="dB4"/>
    <enumeration value="dB6"/>
  </restriction>
</simpleType>
<simpleType name="QHystEnumType">
 <restriction base="string">
    <enumeration value="dB0"/>
    <enumeration value="dB1"/>
    <enumeration value="dB2"/>
    <enumeration value="dB3"/>
    <enumeration value="dB4"/>
    <enumeration value="dB5"/>
    <enumeration value="dB6"/>
    <enumeration value="dB8"/>
    <enumeration value="dB10"/>
    <enumeration value="dB12"/>
    <enumeration value="dB14"/>
    <enumeration value="dB16"/>
    <enumeration value="dB18"/>
    <enumeration value="dB20"/>
    <enumeration value="dB22"/>
    <enumeration value="dB24"/>
  </restriction>
</simpleType>
<simpleType name="ResponseWindowSizeEnumType">
 <restriction base="string">
    <enumeration value="sf2"/>
    <enumeration value="sf3"/>
    <enumeration value="sf4"/>
    <enumeration value="sf5"/>
    <enumeration value="sf6"/>
    <enumeration value="sf7"/>
    <enumeration value="sf8"/>
    <enumeration value="sf10"/>
  </restriction>
</simpleType>
<simpleType name="SizeOfRAPreambleGroupAEnumType">
 <restriction base="string">
    <enumeration value="n4"/>
    <enumeration value="n8"/>
    <enumeration value="n12"/>
    <enumeration value="n16"/>
    <enumeration value="n20"/>
    <enumeration value="n24"/>
    <enumeration value="n28"/>
    <enumeration value="n32"/>
    <enumeration value="n36"/>
    <enumeration value="n40"/>
    <enumeration value="n44"/>
    <enumeration value="n48"/>
    <enumeration value="n52"/>
    <enumeration value="n56"/>
    <enumeration value="n60"/>
  </restriction>
</simpleType>
<simpleType name="TimeToTriggerEUtraEnumType">
  <restriction base="string">
    <enumeration value="ms0"/>
    <enumeration value="ms40"/>
    <enumeration value="ms64"/>
    <enumeration value="ms80"/>
    <enumeration value="ms100"/>
    <enumeration value="ms128"/>
    <enumeration value="ms160"/>
```

```
<enumeration value="ms256"/>
    <enumeration value="ms320"/>
    <enumeration value="ms480"/>
    <enumeration value="ms512"/>
    <enumeration value="ms640"/>
    <enumeration value="ms1024"/>
    <enumeration value="ms1280"/>
    <enumeration value="ms2560"/>
    <enumeration value="ms5120"/>
  </restriction>
</simpleType>
<simpleType name="ThresholdRsrpRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="97"/>
 </restriction>
</simpleType>
<simpleType name="ThresholdRsrqRangeType">
 <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="34"/>
 </restriction>
</simpleType>
<simpleType name="OffsetRangeType">
 <restriction base="short">
    <minInclusive value="-30"/>
    <maxInclusive value="30"/>
  </restriction>
</simpleType>
<simpleType name="ThresholdUtraRscpRangeType">
 <restriction base="short">
    <minInclusive value="-5"/>
    <maxInclusive value="91"/>
  </restriction>
</simpleType>
<simpleType name="ThresholdUtraEcN0RangeType">
 <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="49"/>
 </restriction>
</simpleType>
<simpleType name="ThresholdGeranRangeType">
 <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="63"/>
  </restriction>
</simpleType>
<simpleType name="ThresholdCDMA2000RangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="63"/>
 </restriction>
</simpleType>
<simpleType name="CommonChannelPowerOffsetRangeType">
 <restriction base="short">
    <minInclusive value="-350"/>
    <maxInclusive value="150"/>
  </restriction>
</simpleType>
<simpleType name="ConfigurationIndexRangeType">
 <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="63"/>
  </restriction>
</simpleType>
<simpleType name="HysteresisRangeType">
  <restriction base="unsignedShort">
   <minInclusive value="0"/>
    <maxInclusive value="30"/>
 </restriction>
</simpleType>
<simpleType name="PMaxRangeType">
 <restriction base="short">
    <minInclusive value="-30"/>
    <maxInclusive value="33"/>
  </restriction>
</simpleType>
<simpleType name="QOffsetRangeType">
```

```
<restriction base="short">
    <minInclusive value="-15"/>
    <maxInclusive value="15"/>
  </restriction>
</simpleType>
<simpleType name="QQualMinUtraRangeType">
  <restriction base="short">
    <minInclusive value="-24"/>
    <maxInclusive value="0"/>
  </restriction>
</simpleType>
<simpleType name="QRxLevMinEUtraRangeType">
  <restriction base="short">
    <minInclusive value="-77"/>
    <maxInclusive value="-22"/>
  </restriction>
</simpleType>
<simpleType name="QRxLevMinGeranRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="63"/>
  </restriction>
</simpleType>
<simpleType name="QRxLevMinUtraRangeType">
  <restriction base="short">
    <minInclusive value="-60"/>
    <maxInclusive value="-13"/>
  </restriction>
</simpleType>
<simpleType name="RootSequenceIndexRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="837"/>
  </restriction>
</simpleType>
<simpleType name="SIntraSearchRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="31"/>
  </restriction>
</simpleType>
<simpleType name="TReselectionRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="7"/>
  </restriction>
</simpleType>
<simpleType name="TStoreUeContextRangeType">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="1023"/>
  </restriction>
</simpleType>
<complexType name="TceIDMappingInfo">
  <sequence>
    <element name="tceID" type="short"/>
    <element name="tceIPAddr" type="string"/>
  </sequence>
</complexType>
<complexType name="TceIDMappingInfoList">
  <sequence>
    <element name="tceIDMappingInfo" type="en:TceIDMappingInfo" minOccurs="0"/>
  </sequence>
</complexType>
<complexType name="SharNetTceMappingInfo">
  <sequence>
    <element name="pLMNId" type="en:PLMNId"/>
    <element name="tceID" type="short"/>
    <element name="tceIPAddr" type="string"/>
  </sequence>
</complexType>
<complexType name="SharNetTceMappingInfoList">
    <element name="sharNetTceMappingInfo" type="en:SharNetTceMappingInfo" minOccurs="0"/>
  </sequence>
</complexType>
```

```
<simpleType name="cellOutageCompensationState">
  <restriction base="string">
    <enumeration value="cOCActivating"/>
    <enumeration value="cOCActive"/>
    <enumeration value="cOCDeactivating"/>
    <enumeration value="cOCDeactive"/>
  </restriction>
</simpleType>
<complexType name="cellOutageCompensationStatus">
  <sequence>
    <element name="cellOutageCompensationState" type="en:cellOutageCompensationState"/>
    <element name="errorList" type="xn:dnList"/>
  </sequence>
</complexType>
<element name="CellOutageCompensationInformation">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes">
            <complexType>
              <all>
                <element name="cellOutageCompensationStatus"</pre>
                         type="en:cellOutageCompensationStatus"/>
                <element name="isCOCAllowed" type="boolean"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>
<simpleType name="NumOfCRSPorts">
  <restriction base="unsignedShort">
    <minInclusive value="1"/>
    <maxInclusive value="2"/>
  </restriction>
</simpleType>
<complexType name="ReferenceSignalPattern">
  <sequence>
    <element name="prsSupported" type="en:yesNoType"/>
  </sequence>
</complexType>
<simpleType name="ReferenceSignalPeriodicity">
  <restriction base="string">
    <enumeration value="ms1280"/>
    <enumeration value="ms2560"/>
    <enumeration value="ms5120"/>
    <enumeration value="ms10240"/>
  </restriction>
</simpleType>
<simpleType name="ReferenceSignalOffset">
  <restriction base="unsignedShort">
    <minInclusive value="0"/>
    <maxInclusive value="10239"/>
  </restriction>
</simpleType>
<complexType name="NetListeningRefSignalType">
  <sequence>
    <element name="referenceSignalPattern" type="en:ReferenceSignalPattern"/>
    <element name="numOfCRSPorts" type="en:NumOfCRSPorts"/>
    <element name="referenceSignalPeriodicity" type="en:ReferenceSignalPeriodicity"/>
    <element name="referenceSignalOffset" type="en:ReferenceSignalOffset"/>
  </sequence>
</complexType>
<complexType name="NetListeningRSForRIBS">
    <element name="netListeningRefSignal" type="en:NetListeningRefSignalType" maxOccurs="4"/>
  </sequence>
</complexType>
```

```
<element name="EUtranCellNMCentralizedSON">
    <complexType>
       <complexContent>
         <extension base="xn:NrmClass">
              <element name="attributes">
                <complexType>
                  <all>
                     <element name="alThresholdRsrp" type="en:ThresholdRsrpRangeType" minOccurs="0"/>
                     <element name="alThresholdRsrq" type="en:ThresholdRsrqRangeType" minOccurs="0"/>
                     <element name="a2ThresholdRsrp" type="en:ThresholdRsrpRangeType" minOccurs="0"/>
<element name="a2ThresholdRsrq" type="en:ThresholdRsrqRangeType" minOccurs="0"/>
                     <element name="a30ffset" type="en:OffsetRangeType" minOccurs="0"/>
                     <element name="a4ThresholdRsrp" type="en:ThresholdRsrpRangeType" minOccurs="0"/>
<element name="a4ThresholdRsrq" type="en:ThresholdRsrqRangeType" minOccurs="0"/>
                     <element name="a5Threshold1Rsrp" type="en:ThresholdRsrpRangeType" minOccurs="0"/>
                     <element name="a5Threshold1Rsrq" type="en:ThresholdRsrqRangeType" minOccurs="0"/>
                     <element name="blThresholdUtraRscp" type="en:ThresholdUtraRscpRangeType"</pre>
minOccurs="0"/>
                     <element name="blThresholdUtraEcN0" type="en:ThresholdUtraEcN0RangeType"</pre>
minOccurs="0"/>
                     <element name="blThresholdGeran" type="en:ThresholdGeranRangeType" minOccurs="0"/>
<element name="blThresholdCdma2000" type="en:ThresholdCDMA2000RangeType"</pre>
minOccurs="0"/>
                     <element name="b2Threshold1Rsrp" type="en:ThresholdRsrpRangeType" minOccurs="0"/>
<element name="b2Threshold1Rsrq" type="en:ThresholdRsrqRangeType" minOccurs="0"/>
                     <element name="b2Threshold2UtraRscp" type="en:ThresholdUtraRscpRangeType"</pre>
minOccurs="0"/>
                     <element name="b2Threshold2UtraEcN0" type="en:ThresholdUtraEcN0RangeType"</pre>
minOccurs="0"/>
                     <element name="b2Threshold2Geran" type="en:ThresholdGeranRangeType"</pre>
minOccurs="0"/>
                     <element name="b2Threshold2Cdma2000" type="en:ThresholdCDMA2000RangeType"</pre>
minOccurs="0"/>
                     <element name="commonChannelPowerOffset"</pre>
type="en:CommonChannelPowerOffsetRangeType" minOccurs="0"/>
                     <element name="configurationIndex" type="en:ConfigurationIndexRangeType"</pre>
minOccurs="0"/>
                     <element name="contentionResolutionTimer"</pre>
type="en:ContentionResolutionTimerEnumType" minOccurs="0"/>
                     <element name="hysteresisEutraA1" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="hysteresisEutraA2" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="hysteresisEutraA3" type="en:HysteresisRangeType" minOccurs="0"/>
<element name="hysteresisEutraA4" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="hysteresisEutraA5" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="hysteresisIratB1" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="hysteresisIratB2" type="en:HysteresisRangeType" minOccurs="0"/>
                     <element name="numberOfRaPreambles" type="en:NumberOfRaPreamblesEnumType"</pre>
minOccurs="0"/>
                     <element name="preambleInitialReceivedTargetPower"</pre>
type="en:PreambleInitialReceivedTargetPowerEnumType" minOccurs="0"/>
                     <element name="preambleTransMax" type="en:PreambleTransMaxEnumType"</pre>
minOccurs="0"/>
                     <element name="pMax" type="en:PMaxRangeType" minOccurs="0"/>
                     <element name="powerRampingStep" type="en:PowerRampingStepEnumType"</pre>
minOccurs="0"/>
                     <element name="qHyst" type="en:PreambleInitialReceivedTargetPowerEnumType"</pre>
minOccurs="0"/>
                     <element name="qOffsetUtra" type="en:QOffsetRangeType" minOccurs="0"/>
                     <element name="qOffsetGeran" type="en:QOffsetRangeType" minOccurs="0"/>
                     <element name="qOffsetCdma2000" type="en:QOffsetRangeType" minOccurs="0"/>
<element name="qQualMinUtra" type="en:QQualMinUtraRangeType" minOccurs="0"/>
                     <element name="qRxLevMinEUtraSib1" type="en:QRxLevMinEUtraRangeType"</pre>
minOccurs="0"/>
                     <element name="qRxLevMinEUtraSib3" type="en:QRxLevMinEUtraRangeType"</pre>
minOccurs="0"/>
                     <element name="qRxLevMinGeran" type="en:QRxLevMinGeranRangeType" minOccurs="0"/>
                     <element name="qRxLevMinUtra" type="en:QRxLevMinUtraRangeType" minOccurs="0"/>
                     <element name="responseWindowSize" type="en:ResponseWindowSizeEnumType"</pre>
minOccurs="0"/>
                     <element name="rootSequenceIndex" type="en:RootSequenceIndexRangeType"</pre>
minOccurs="0"/>
                     <element name="sIntraSearch" type="en:SIntraSearchRangeType" minOccurs="0"/>
                     <element name="sizeOfRAPreamblesGroupA" type="en:SizeOfRAPreambleGroupAEnumType"</pre>
minOccurs="0"/>
```

```
<element name="timeToTriggerEutraA1" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="timeToTriggerEutraA2" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                   <element name="timeToTriggerEutraA3" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="timeToTriggerEutraA4" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="timeToTriggerEutraA5" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="timeToTriggerIratB1" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="timeToTriggerIratB2" type="en:TimeToTriggerEUtraEnumType"</pre>
minOccurs="0"/>
                  <element name="tReselectionCdma2000" type="en:TReselectionRangeType"</pre>
minOccurs="0"/>
                  <element name="tReselectionEUtra" type="en:TReselectionRangeType" minOccurs="0"/>
                  <element name="tReselectionGeran" type="en:TReselectionRangeType" minOccurs="0"/>
                  <element name="tReselectionUtra" type="en:TReselectionRangeType" minOccurs="0"/>
                  <element name="tStoreUeContext" type="en:TStoreUeContextRangeType" minOccurs="0"/>
                </all>
              </complexType>
            </element>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="ENBFunction" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel" type="string"/>
                  <element name="intraANRSwitch" type="boolean" minOccurs="0"/>
                  <element name="iRATANRSwitch" type="boolean" minOccurs="0"/>
                   <element name="enbId" type="en:EnbId" minOccurs="0"/>
                  <element name="x2BlackList" type="xn:dnList" minOccurs="0"/>
                  <element name="x2WhiteList" type="xn:dnList" minOccurs="0"/>
                  <element name="x2HOBlackList" type="xn:dnList" minOccurs="0"/>
                   <element name="x2IpAddressList" type="string" minOccurs="0"/>
                  <element name="tceIDMappingInfoList" type="en:TceIDMappingInfoList"</pre>
minOccurs="0"/>
                  <element name="sharNetTceMappingInfoList" type="en:SharNetTceMappingInfoList"</pre>
minOccurs="0"/>
                  <element name="netListeningRSForRIBS" type="en:NetListeningRSForRIBS"</pre>
minOccurs="0"/>
                  <!-- linkList attribute is to be added when defined in the IS -->
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:EUtranCellFDD"/>
              <element ref="en:EUtranCellTDD"/>
              <element ref="epc:EP_RP_EPS"/>
              <element ref="en:ENBFunctionOptionallyContainedNrmClass"/>
              <element ref="en:DeNBCapability"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
            <choice minOccurs="0" maxOccurs="1">
              <element ref="sp:ESPolicies"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="RNFunction" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
```

```
<all>
                  <element name="userLabel" type="string"/>
                  <element name="servingCell" type="xn:dn"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="epc:EP_RP_EPS"/>
              <element ref="en:RNFunctionOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="DeNBCapability">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel" type="string"/>
<element name="servedRN" type="xn:dnList" minOccurs="0"/>
                  <element name="maxNbrRNAllowed" type="unsignedShort"/>
                </all>
              </complexType>
            </element>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
   </element>
  <element name="ExternalRNFunction"</pre>
\verb|substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"> \\
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                  <element name="userLabel" type="string"/>
                  <element name="candidateDeNBCells" type="en:EcgiList" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="epc:EP_RP_EPS"/>
              <element ref="en:ExternalRNFunctionOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="ExternalENBFunction" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel" type="string"/>
                  <element name="enbId" type="en:EnbId" minOccurs="0"/>
                  <!-- Attributes are to be added when defined in the IS -->
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:ExternalEUtranCellFDD"/>
              <element ref="en:ExternalEUtranCellTDD"/>
              <element ref="en:ExternalENBFunctionOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
```

```
</choice>
            <choice minOccurs="0" maxOccurs="1">
              <element ref="sp:InterRatEsPolicies"/>
            </chaice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="EUtranCellFDD">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                 <all>
                   <!-- Inherited attributes from EUtranGenericCell-->
                   <element name="userLabel" type="string"/>
                   <element name="cellLocalId" type="en:CellLocalId"/>
                   <element name="cellSize" type="en:cellSize"/>
                   <element name="pLMNIdList" type="en:PLMNIdList"/>
                   <element name="tac" type="long"/>
<element name="pci" type="en:Pci"/>
                   <element name="pciList" type="en:PciList" minOccurs="0"/>
<element name="maximumTransmissionPower" type="short"/>
                   <element name="partOfSectorPower" type="short" minOccurs="0"/>
                   <element name="referenceSignalPower" type="short"/>
                   <element name="pb" type="short"/>
                   <element name="relatedTmaList" type="xn:dnList" minOccurs="0"/>
                   <element name="relatedAntennaList" type="xn:dnList" minOccurs="0"/>
                   <element name="relatedSector" type="xn:dn" minOccurs="0"/>
                   <element name="operationalState" type="sm:operationalStateType" minOccurs="0"/>
                   <element name="administrativeState" type="sm:administrativeStateType"</pre>
                                 minOccurs="0"/>
                   <element name="availabilityStatus" type="sm:availabilityStatusType"</pre>
                                minOccurs="0"/>
                   <element name="allowedAccessClasses" type="en:allowedAccessClassesType"/>
                   <element name="cellResvInfo" type="en:cellResvInfoType" minOccurs="0"/>
                   <element name="nbIoTcellFlag" type="en:yesNoType" minOccurs="0"/>
                   <element name="isChangeForEnergySavingAllowed"</pre>
                                   type="en:yesNoType" minOccurs="0"/>
                   <!-- End of inherited attributes from EUtranGenericCell -->
                   <element name="earfcnDl" type="short"/>
<element name="earfcnUl" type="short"/>
                 </all>
               </complexType>
             </element>
             <choice minOccurs="0" maxOccurs="unbounded">
               <element ref="en:EUtranRelation"/>
               <element ref="en:Cdma2000Relation"/>
               <element ref="gn:GsmRelation"/>
               <element ref="un:UtranRelation"/>
               <element ref="en:EUtranCellFDDOptionallyContainedNrmClass"/>
               <element ref="xn:VsDataContainer"/>
             </choice>
            <choice minOccurs="0" maxOccurs="1">
               <element ref="sp:EnergySavingProperties"/>
               <element ref="sp:ESPolicies"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="ExternalEUtranCellFDD"</pre>
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
               <complexType>
                 <all>
                   <!-- Inherited attributes from ExternalEUtranGenericCell-->
                   <element name="userLabel" type="string"/>
                   <element name="pci" type="en:Pci"/>
                   <element name="pLMNIdList" type="en:PLMNIdList"/>
```

```
<element name="cellLocalId" type="en:CellLocalId"/>
                <element name="enbId" type="en:EnbId" minOccurs="0"/>
                <!-- End of inherited attributes from ExternalEUtranGenericCell -->
                <element name="earfcnDl" type="short"/>
                <element name="earfcnUl" type="short"/>
              </all>
            </complexType>
          </element>
         <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="en:ExternalEUtranCellFDDOptionallyContainedNrmClass"/>
            <element ref="xn:VsDataContainer"/>
          </choice>
          <choice minOccurs="0">
            <element ref="en:CellOutageCompensationInformation"/>
          <choice minOccurs="0" maxOccurs="1">
            <element ref="sp:InterRatEsPolicies"/>
          </choice>
        </sequence>
      </extension>
   </complexContent>
 </complexType>
</element>
<element name="EUtranCellTDD">
 <complexType>
   <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <!-- Inherited attributes from EUtranGenericCell-->
                <element name="userLabel" type="string"/>
                <element name="cellLocalId" type="en:CellLocalId"/>
                <element name="cellSize" type="en:cellSize"/>
                <element name="pLMNIdList" type="en:PLMNIdList"/>
                <element name="tac" type="long"/>
                <element name="pci" type="en:Pci" />
                <element name="pciList" type="en:PciList" minOccurs="0"/>
                <element name="maximumTransmissionPower" type="short"/>
                <element name="partOfSectorPower" type="short" minOccurs="0"/>
                <element name="referenceSignalPower" type="short"/>
                <element name="pb" type="short"/>
                <element name="relatedTmaList" type="xn:dnList" minOccurs="0"/>
                <element name="relatedAntennaList" type="xn:dnList" minOccurs="0"/>
                <element name="relatedSector" type="xn:dn" minOccurs="0"/>
                <element name="operationalState" type="sm:operationalStateType" minOccurs="0"/>
                <element name="administrativeState" type="sm:administrativeStateType"</pre>
                             minOccurs="0"/>
                <element name="availabilityStatus" type="sm:availabilityStatusType"</pre>
                             minOccurs="0"/>
                <element name="allowedAccessClasses" type="en:allowedAccessClassesType"/>
                <element name="cellResvInfo" type="en:cellResvInfoType" minOccurs="0"/>
                <element name="nbIoTcellFlag" type="en:yesNoType" minOccurs="0"/>
                <element name="isChangeForEnergySavingAllowed")</pre>
                              type="en:yesNoType" minOccurs="0"/>
                <!-- End of inherited attributes from EUtranGenericCell -->
                   <element name="earfcn" type="short"/>
                   <element name="sfAssignment" type="short"/>
                <element name="specialSfPatterns" type="short"/>
              </all>
            </complexType>
          </element>
          <choice minOccurs="0" maxOccurs="unbounded">
            <element ref="en:EUtranRelation"/>
            <element ref="en:Cdma2000Relation"/>
            <element ref="gn:GsmRelation"/>
            <element ref="un:UtranRelation"/>
            <element ref="en:EUtranCellTDDOptionallyContainedNrmClass"/>
            <element ref="xn:VsDataContainer"/>
          </choice>
          <choice minOccurs="0" maxOccurs="1">
            <element ref="sp:EnergySavingProperties"/>
            <element ref="sp:ESPolicies"/>
          </chaice>
          <choice minOccurs="0">
            <element ref="en:CellOutageCompensationInformation"/>
          </choice>
```

```
</sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="ExternalEUtranCellTDD"</pre>
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <!-- Inherited attributes from ExternalEUtranGenericCell-->
                  <element name="userLabel" type="string"/>
                  <element name="pci" type="en:Pci"/>
                  <element name="pLMNIdList" type="en:PLMNIdList"/>
                  <element name="cellLocalId" type="en:CellLocalId"/>
                  <element name="enbId" type="en:EnbId" minOccurs="0"/>
                  <!-- End of inherited attributes from ExternalEUtranGenericCell -->
                    <element name="earfcn" type="short"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:ExternalEUtranCellTDDOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </chaice>
            <choice minOccurs="0" maxOccurs="1">
              <element ref="sp:InterRatEsPolicies"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="EUtranRelation">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="tCI" type="long" minOccurs="0"/>
<element name="isRemoveAllowed" type="boolean" minOccurs="0"/>
                  <element name="isHOAllowed" type="boolean" minOccurs="0"/>
                  <element name="isICICInformationSendAllowed" type="boolean" minOccurs="0"/>
                  <element name="isLBAllowed" type="boolean" minOccurs="0"/>
                  <element name="adjacentCell" type="xn:dn"/>
                  <element name="isEsCoveredBy" type="en:isEsCoveredByEnumType" minOccurs="0"/>
                  <element name="cellIndividualOffset" type="en:QOffsetEnumType" minOccurs="0"/>
                   <element name="qOffset" type="en:QOffsetEnumType" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:EUtranRelationOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="Cdma2000Relation">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="adjacentSector" type="xn:dn"/>
                </all>
              </complexType>
            </element>
```

```
<choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:Cdma2000RelationOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </chaice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="Link_ENB_ENB" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <!-- Inherited attributes from Link -->
                  <element name="aEnd" type="xn:dn"/>
                  <element name="linkType" type="xn:linkType" minOccurs="0"/>
                  <element name="protocolName" type="string" minOccurs="0"/>
                  <element name="protocolVersion" type="string" minOccurs="0"/>
                  <element name="userLabel" type="string"/>
                  <element name="zEnd" type="xn:dn"/>
                  <!-- End of inherited attributes from Link -->
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:Link_ENB_ENBOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
<element name="MCEFunction" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                  <element name="userLabel" type="string" minOccurs="0"/>
                  <!-- Attributes are to be added when defined in the IS -->
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:MCEFunctionOptionallyContainedNrmClass"/>
                 <element ref="en:MBSFNArea"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="MBSFNArea" >
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                   <element name="mbsfnAreaId" type="en:mbsfnAreaIdType" minOccurs="0"/>
                   <element name="cellIdList" type="xn:dnList" minOccurs="0"/>
                </all>
              </complexType>
            </element>
            <choice minOccurs="0" maxOccurs="unbounded">
              <element ref="en:MBSFNAreaOptionallyContainedNrmClass"/>
              <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
```

```
</extension>
      </complexContent>
    </complexType>
  </element>
<element name="Link_MCE_ENB" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        -
<extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                 <all>
                   <!-- Inherited attributes from Link -->
                   <element name="aEnd" type="xn:dn" minOccurs="0"/>
                   <element name="linkType" type="xn:linkType" minOccurs="0"/>
                   <element name="protocolName" type="string" minOccurs="0"/>
                   <element name="protocolVersion" type="string" minOccurs="0"/>
<element name="userLabel" type="string" minOccurs="0"/>
                   <element name="zEnd" type="xn:dn" minOccurs="0"/>
                   <!-- End of inherited attributes from Link -->
                 </all>
               </complexType>
             </element>
            <choice minOccurs="0" maxOccurs="unbounded">
               <element ref="en:Link MCE ENBOptionallyContainedNrmClass"/>
               <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
<element name="Link_MCE_MME" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
               <complexType>
                 <all>
                   <!--
                        Inherited attributes from Link -->
                   <element name="aEnd" type="xn:dn" minOccurs="0"/>
                   <element name="linkType" type="xn:linkType" minOccurs="0"/>
                   <element name="protocolName" type="string" minOccurs="0"/>
                   <element name="protocolVersion" type="string" minOccurs="0"/>
                   <element name="userLabel" type="string" minoccurs="0"/>
<element name="zEnd" type="xn:dn" minoccurs="0"/>
                   <!-- End of inherited attributes from Link -->
                 </all>
               </complexType>
             </element>
            <choice minOccurs="0" maxOccurs="unbounded">
               <element ref="en:Link_MCE_MMEOptionallyContainedNrmClass"/>
               <element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="QciDscpMapping"</pre>
    substitutionGroup="en:RNFunctionOptionallyContainedNrmClass"
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
               <complexType>
                 <all>
                   <element name="userLabel" type="string"/>
                   <element name="QciDscpMappingList" type="en:QciDscpMappingListType"/>
                 </all>
               </complexType>
             </element>
             <choice minOccurs="0" maxOccurs="unbounded">
```

```
<element ref="xn:VsDataContainer"/>
            </choice>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <!-- The element definition for EP_RP_EPS is available through
        the epcNrm.xsd (3GPP TS 28.709), by using epc:EP_RP_EPS -->
  <element name="ENBFunctionOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="ExternalENBFunctionOptionallyContainedNrmClass" type="xn:NrmClass"</pre>
abstract="true"/>
  <element name="EUtranCellFDDOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="ExternalEUtranCellFDDOptionallyContainedNrmClass" type="xn:NrmClass"</pre>
abstract="true"/>
  <element name="EUtranCellTDDOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="ExternalEUtranCellTDDOptionallyContainedNrmClass" type="xn:NrmClass"</pre>
abstract="true"/>
  <element name="EUtranRelationOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="Cdma2000RelationOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="Link_ENB_ENBOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="MCEFunctionOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="Link_MCE_ENBOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="Link_MCE_MMEOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="MBSFNAreaOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="RNFunctionOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
  <element name="ExternalRNFunctionOptionallyContainedNrmClass" type="xn:NrmClass" abstract="true"/>
</schema>
```

## Annex C (informative): Change history

Change history								
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New	
		SP-	001	1	Correction of attribute name relatedSector			
03-2013	SA#59	130048				11 0 0	11.1.0	
		SP-	002	-	Alignment with 28.658: Addition of missing Network Sharing support for		11.1.0	
		130057			MDT			
06-2013	SA#60	SP-	003	1	Energy saving synchronization with 32.766	11.1.0	11.2.0	
İ		130304						
12-2013	SA#62	SP-	005	1	Add blacklist member	11.2.0	11.3.0	
		130614						
06-2014	SA#64	SP-	006	-	upgrade XSD	11.3.0	11.4.0	
		140332						
		SP-	007	1	Add the missing attribute cellResvInfo in IDL specification			
		140332						
		SP-	800	-	remove the feature support statements			
		140359						
09-2014	SA#65	SP-	009	-	Update the link from Solution Set to Information Service due to the end of	11.4.0	12.0.0	
		140560			Release 12			
12-2014	SA#66	SP-	011	-	Remove obsolete EUtranRelationSon - Align with 28.658	12.0.0	12.1.0	
		140797						
		SP-	012	-	Add missing OAM support for radio interface based synchronization - Align			
		140798			with TS 36.300			
12-2015	SA#70	SP-	014	1	Align id attribute definitions	12.1.0	12.2.0	
		150691						
01-2016	SA#70				Upgrade to Rel-13 (MCC)	12.2.0	13.0.0	

Change history										
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version			
2016-06	SA#72	SP-160419	0016	1	В	Adding NB-IoT cell type attribute in EUtranGenericCell IOC – Align with IS				
2016-06	SA#72	SP-160407	0017	-	F	Update the link from IRP Solution Set to IRP Information Service	13.1.0			
2019-03	SA#83	SP-190126	0030	2	Α	Correct PLMN ID Type in Solution Set Stage 3	13.2.0			

## History

Document history							
V13.0.0	January 2016	Publication					
V13.1.0	August 2016	Publication					
V13.2.0	May 2019	Publication					