ETSI TS 103 253 V1.1.1 (2015-03)

TECHNICAL SPECIFICATION

Methods for Testing and Specification (MTS);
TTCN-3 Conformance Test Suite for use of XML schema;
Implementation Conformance Statement

Reference
DTS/MTS-103253

Keywords
conformance, ICS, testing, TTCN, XML

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00   Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

ETSI

Contents

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for the conformance test suite for using XML Schema with TTCN-3 as defined in ETSI ES 201 873-1 [i.1] in compliance with the relevant guidance given in the proforma for TTCN-3 reference test suite ETSI TS 102 995 [4]. In the present document only XML related features, specified in ETSI ES 201 873-9 [1] have been considered but not the core language features (see [i.1]), nor tool implementation (see [i.2] and [i.3]), language mapping (see [i.4] and [i.5]) and language extension (see e.g. [i.6], [i.7] and [5]) aspects.

The supplier of an implementation which is claimed to conform to ETSI ES 201 873-5 [i.2] is required to complete a copy of the ICS proforma provided in the annex A of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at http://docbox.etsi.org/Reference.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1]   ETSI ES 201 873-9: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 9: Using XML schema with TTCN-3".

[2]   ISO/IEC 9646-7 (1994): "Conformance testing methodology and framework - Part 7: Implementation Conformance Statement".

[3]   ISO/IEC 9646-1 (1992): "Information Technology - Open Systems Interconnection - Conformance Testing Methodology and Framework - Part 1: General concepts".

[4]   ETSI TS 102 995: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Proforma for TTCN-3 reference test suite".

[5]   ETSI ES 202 785: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]   ETSI ES 201 873-1: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".

[i.2]   ETSI ES 201 873-5: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 5: TTCN-3 Runtime Interface (TRI)".

[i.3]   ETSI ES 201 873-6: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)".

[i.4]   ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".

[i.5]   ETSI ES 201 873-8: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 8: The IDL to TTCN-3 Mapping".

[i.6]   ETSI ES 202 781: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".

[i.7]   ETSI ES 202 784: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Advanced Parameterization".

3   Definitions and abbreviations

3.1   Definitions

For the purposes of the present document, the terms and definitions given in ISO/IEC 9646-1 [3], ISO/IEC 9646-7 [2], ETSI ES 201 873-1 [i.1] (TTCN-3) and the following apply:

Abstract Test Suite (ATS): test suite composed of abstract test cases

ICS proforma: document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

Implementation Conformance Statement (ICS): statement made by the supplier of an implementation claimed to conform to a given specification, stating which capabilities have been implemented

Implementation eXtra Information for Testing (IXIT): statement made by a supplier or implementor of an IUT which contains or references all of the information related to the IUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the IUT

Implementation Under Test (IUT): implementation of one or more OSI protocols in an adjacent user/provider relationship, being part of a real open system which is to be studied by testing

IXIT proforma: document, in the form of a questionnaire, which when completed for the IUT becomes the IXIT

3.2   Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATS   Abstract Test Suite
ICS   Implementation Conformance Statement
IUT   Implementation under Test
IXIT   Implementation eXtra Information for Testing
SUT   System Under Test
TC   Test Case
TCI   TTCN-3 Control Interface
TP   Test Purpose
TRI   TTCN-3 Runtime Interface
TS   Test System
TSS   Test Suite Structure
TSS&TP   Test Suite Structure and Test Purposes
TTCN-3   Testing and Test Control Notation edition 3
XML   eXtensible Markup Language
TC/TP   Test Case/Test Purpose
XSD   XML Schema Definition
ASCII   American Standard Code for information interchange

4 Conformance requirement concerning ICS

If it claims to conform to the present document, the actual ICS proforma to be filled in by a supplier shall be technically equivalent to the text of the ICS proforma given in annex A, and shall preserve the numbering/naming and ordering of the proforma items.

An ICS which conforms to the present document shall be a conforming ICS proforma completed in accordance with the instructions for completion given in clause A.1.

Annex A (normative):
TTCN-3 conformance ICS proforma

A.1 Instructions for completing the ICS proforma

A.1.1 Other information

More detailed instructions are given at the beginning of the different clauses of the ICS proforma.

The supplier of the implementation shall complete the ICS proforma in each of the spaces provided. If necessary, the supplier may provide additional comments separately in clause A.4.

A.1.2 Purposes and structure

The purpose of this ICS proforma is to provide a mechanism whereby a TTCN-3 tool vendor of the TTCN-3 language [i.1] supporting "Using XML Scheme with TTCN-3" extension [1] may provide information about the implementation in a standardized manner.

The ICS proforma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS proforma;

- identification of the implementation;

- ICS proforma tables (containing the global statement of conformance).

A.1.3 Conventions

The ICS proforma is composed of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [2].

Item column

It contains a number that identifies the item in the table.

Item description column

It describes each respective item (e.g. parameters, timers, etc.).

Reference column

It gives reference to the "Using XML Scheme with TTCN-3" extension [1], except where explicitly stated otherwise.

Status column

The following notations, defined in ISO/IEC 9646-7 [2], are used for the status column:

    m   mandatory - the capability is required to be supported.

    n/a   not applicable - in the given context, it is impossible to use the capability. No answer in the support column is required.

    o   optional - the capability may be supported or not.

    o.i   qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies a unique group of related optional items and the logic of their selection which is defined immediately following the table.

ci   conditional - the requirement on the capability ("m", "o" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying a unique conditional status expression that is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." shall be used to avoid ambiguities. If an ELSE clause is omitted, "ELSE n/a" shall be implied.

NOTE: Support of a capability means that the capability is implemented in conformance to the TTCN-3 core language [1].

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [2], are used for the support column:

- Y or y   supported by the implementation.

- N or n   not supported by the implementation.

- N/A or n/a   or "no answer required" (allowed only if the status is N/A, directly or after evaluation of a conditional status).

Values allowed column

This column contains the values or the ranges of values allowed.

Values supported column

The support column shall be filled in by the supplier of the implementation. In this column the values or the ranges of values supported by the implementation shall be indicated.

References to items

For each possible item answer (answer in the support column) within the ICS proforma, a unique reference exists. It is defined as the table identifier, followed by a slash character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.) respectively.

EXAMPLE: 5/4 is the reference to the answer of item 4 in table 5.

A.2   Identification of the implementation

A.2.1   General Requirements

Identification of the Implementation under Test (IUT) and the system in which it resides - the System Under Test (SUT) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.2   Date of the statement

Date of the statement:	

A.2.3   Implementation under Test (IUT) identification

IUT name:	
IUT version:	

A.2.4 System under Test (SUT) identification

SUT name:	
Hardware configuration:	
Operating system:	

A.2.5 Product supplier

Name:	
Address:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.2.6 Client

Name:	
Address:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.2.7 ICS contact person

Name:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.3 ICS proforma tables

A.3.1 Global statement of conformance

	(Yes/No)
Are all mandatory capabilities implemented?	

NOTE: Answering "No" to this question indicates non-conformance to the TTCN-3 core language. Non-supported mandatory capabilities are to be identified in the ICS, with an explanation of why the implementation is non-conforming.

A.3.2 Mapping XML Schemas

Table A.1: Mapping XML Schemas

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_05_top_level_001	Verify that error is generated for missing XSD language tag in import clause	Clause 5	m	

A.3.3   Namespaces

Table A.2: Namespaces

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_050101_namespaces_001	Verify that schema with target namespace is correctly translated into single module	Clause 5.1.1	m	
2	Pos_050101_namespaces_002	Verify schema with no target namespace is correctly translated into single module	Clause 5.1.1	m	
3	Pos_050101_namespaces_003	Verify that two schemas with the same target namespace are correctly translated	Clause 5.1.1	m	
4	Pos_050101_namespaces_004	Verify that two schemas with no target namespace are correctly translated	Clause 5.1.1	m	

A.3.4   Includes

Table A.3: Includes

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_050102_includes_001	Test inclusion of a schema with the same namespace	Clause 5.1.2	m	
2	Pos_050102_includes_002	Verify that included schema with no target namespace is transformed twice (inclusion)	Clause 5.1.2	m	
3	Pos_050102_includes_003	Verify that included schema with no target namespace is transformed twice (no namespace)	Clause 5.1.2	m	

A.3.5   Imports

Table A.4: Imports

Item	TC/TP reference	purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_050103_imports_001	Verify that it is not allowed to import imports from XSD schemas	Clause 5.1.3	m	
2	Pos_050103_imports_001	Verify that XSD import statement is handled correctly	Clause 5.1.3	m	

A.3.6   Attributes of the XSD schema element

Table A.5: Attributes of the XSD schema element

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_050104_attributes_of_the _xsd_schema_element_001	Verify that qualified default element form is correctly processed (no namespace prefix)	Clause 5.1.4	m	
2	Pos_050104_attributes_of_the _xsd_schema_element_002	Verify that qualified default element form is correctly processed (namespace prefix used)	Clause 5.1.4	m	
3	Pos_050104_attributes_of_the _xsd_schema_element_003	Verify that unqualified default element form is correctly processed	Clause 5.1.4	m	
4	Pos_050104_attributes_of_the _xsd_schema_element_004	Verify that qualified default attribute form is correctly processed (no namespace prefix)	Clause 5.1.4	m	
5	Pos_050104_attributes_of_the _xsd_schema_element_005	Verify that qualified default attribute form is correctly processed (namespace prefix used)	Clause 5.1.4	m	
6	Pos_050104_attributes_of_the _xsd_schema_element_006	Verify that unqualified default attribute form is correctly processed	Clause 5.1.4	m	

A.3.7   Name conversion rules

Table A.6: Name conversion rules

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_050202_name_conversion_rules_001	Verify conversion of symbols into U+005f (low line)	Clause 5.2.2	m	
2	Pos_050202_name_conversion_rules_002	Verify that non-ASCII letters are not present in transforming identifiers	Clause 5.2.2	m	
3	Pos_050202_name_conversion_rules_003	TODO: add description	Clause 5.2.2	m	
4	Pos_050202_name_conversion_rules_004	Verify that leading and trailing low lines are removed	Clause 5.2.2	m	
5	Pos_050202_name_conversion_rules_005	Verify that type names are capitalized	Clause 5.2.2	m	
6	Pos_050202_name_conversion_rules_006	Verify that prefixing type names with "X" works correctly	Clause 5.2.2	m	
7	Pos_050202_name_conversion_rules_007	Verify that names of field of structure types are uncapitalized	Clause 5.2.2	m	
8	Pos_050202_name_conversion_rules_008	Verify that names of enumerated items are uncapitalized	Clause 5.2.2	m	
9	Pos_050202_name_conversion_rules_009	Verify that prefixing field names of structured types with "x" works correctly	Clause 5.2.2	m	
10	Pos_050202_name_conversion_rules_010	Verify that prefixing enumerated items with "x" works correctly	Clause 5.2.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
11	Pos_050202_name_conversion_rules_011	Check transformation of empty type identifier into "X"	Clause 5.2.2	m	
12	Pos_050202_name_conversion_rules_012	Check transformation of empty structured field identifier into "x"	Clause 5.2.2	m	
13	Pos_050202_name_conversion_rules_013	Check transformation of empty enumerated value into "x"	Clause 5.2.2	m	
14	Pos_050202_name_conversion_rules_014	Verify that additional suffices are attached in case of name clashes between types	Clause 5.2.2	m	
15	Pos_050202_name_conversion_rules_015	Verify that suffix is attached in case of name clash between types and local module	Clause 5.2.2	m	
16	Pos_050202_name_conversion_rules_016	Verify that suffix is attached in case of name clash between types and imported module	Clause 5.2.2	m	
17	Pos_050202_name_conversion_rules_017	Verify that suffix is attached in case of name clash between field names	Clause 5.2.2	m	
18	Pos_050202_name_conversion_rules_018	Verify that suffix is attached in case of name clash between field name and keyword	Clause 5.2.2	m	
19	Pos_050202_name_conversion_rules_019	Verify that suffix is attached in case of name clash between field name and predefined function	Clause 5.2.2	m	
20	Pos_050202_name_conversion_rules_020	Verify that suffix is attached in case of name clash between enumerated items	Clause 5.2.2	m	
21	Pos_050202_name_conversion_rules_021	Verify that suffix is attached in case of name clash between enumerated item and keyword	Clause 5.2.2	m	
22	Pos_050202_name_conversion_rules_022	Verify that suffix is attached in case of name clash between enumerated item and predefined function	Clause 5.2.2	m	
23	Pos_050202_name_conversion_rules_023	Verify that name clash between module names is resolved using suffix	Clause 5.2.2	m	

A.3.8 Order of the mapping

Table A.7: Order of the mapping

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_050203_order_of_the_mapping_001	Verify order of top-level schema components	Clause 5.2.3	m	
2	Pos_050203_order_of_the_mapping_002	Verify that alphabetical sorting is based on character ordinal numbers	Clause 5.2.3	m	
3	Pos_050203_order_of_the_mapping_003	Verify that alphabetical sorting is done only inside sets of items	Clause 5.2.3	m	

A.3.9 Built-in data types

Table A.8: Built-in data types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_06_top_level_001	Verify conversion of simpleType based on built-in XSD type	Clause 6	m	

A.3.10 Length

Table A.9: Length

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060101_length_001	Verify that a length-restricted XSD type shall be mapped to a corresponding length restricted TTCN 3 type.	Clause 6.1.1	m	
2	Pos_060101_length_001	Verify that a length-restricted XSD type shall be mapped to a corresponding length restricted TTCN 3 type.	Clause 6.1.1	m	
3	Pos_060101_length_002	Verify that a length-restricted XSD type shall be mapped to a corresponding length restricted TTCN 3 type.	Clause 6.1.1	m	

A.3.11 Enumeration

Table A.10: Enumeration

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060105_enumeration_001	Verify if tool rejects validation in case of restricted value due xsd type declaration.	Clause 6.1.5	m	
2	Neg_060105_enumeration_002	Verify if tool rejects validation in case of restricted enumerated value length due xsd type declaration.	Clause 6.1.5	m	
3	Pos_060105_enumeration_001	Verify mapping of simple type definition that is a restriction of string type with an enumeration facet.	Clause 6.1.5	m	
4	Pos_060105_enumeration_002	Verify mapping of simple type definition that is a restriction of integer type with an enumeration facet.	Clause 6.1.5	m	
5	Pos_060105_enumeration_003	Verify mapping of simple type definition that is a restriction of integer type with a minInclusive and a maxInclusive facet.	Clause 6.1.5	m	
6	Pos_060105_enumeration_004	Verify mapping of simple type definition that is a restriction of another simple type definition, derived by restriction from integer type with the addition of a minInclusive and a maxInclusive facet.	Clause 6.1.5	m	
7	Pos_060105_enumeration_005	Verify mapping of simple type definition that is a restriction of another simple type definition, derived by restriction from string with the addition of an enumeration facet.	Clause 6.1.5	m	

A.3.12   MinInclusive

Table A.11: MinInclusive

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060107_mininclusive_001	Verify mapping of an integer element with a minInclusive facet	Clause 6.1.7	m	
2	Pos_060107_mininclusive_002	Verify mapping of a float element with a numeric minInclusive value	Clause 6.1.7	m	
3	Pos_060107_mininclusive_003	Verify mapping of a float element with special minInclusive values	Clause 6.1.7	m	
4	Pos_060107_mininclusive_004	Verify mapping of a float element with special minInclusive values	Clause 6.1.7	m	
5	Pos_060107_mininclusive_005	Verify mapping of a float element with special minInclusive values	Clause 6.1.7	m	

A.3.13   MaxInclusive

Table A.12: MaxInclusive

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060108_maxinclusive_001	Verify mapping of elements of type integer with maxInclusive facet	Clause 6.1.8	m	
2	Pos_060108_maxinclusive_002	Verify mapping of a float type with a numeric maxInclusive facet	Clause 6.1.8	m	
3	Pos_060108_maxinclusive_003	Verify mapping of a float type with a numeric maxInclusive facet	Clause 6.1.8	m	
4	Pos_060108_maxinclusive_004	Verify mapping of a float type with a numeric maxInclusive facet	Clause 6.1.8	m	

A.3.14   MinExclusive

Table A.13: MinExclusive

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060109_minexclusive_001	Verify if tool rejects validation in case of restricted value due xsd type declaration.	Clause 6.1.9	m	
2	Neg_060109_minexclusive_002	Verify if tool rejects validation in case of restricted value due xsd type declaration.	Clause 6.1.9	m	
3	Pos_060109_minexclusive_001	Verify if tool accepts values restricted by xsd type declaration.	Clause 6.1.9	m	
4	Pos_060109_minexclusive_002	Verify if tool accepts values restricted by xsd type declaration.	Clause 6.1.9	m	

A.3.15   MaxExclusive

Table A.14: MaxExclusive

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060110_maxexclusive_001	Verify that INF (negative infinity) or NaN (not-a-number), this type shall not be translated to TTCN-3	Clause 6.1.10	m	
2	Pos_060110_maxexclusive_001	Verify mapping of a maxExclusive facet applied to a type, which is derivative of integer	Clause 6.1.10	m	
3	Pos_060110_maxexclusive_002	Verify mapping of a maxExclusive facet applied to the float type	Clause 6.1.10	m	
4	Pos_060110_maxexclusive_003	Verify mapping of a maxExclusive facet applied to the float type	Clause 6.1.10	m	

A.3.16   String

Table A.15: String

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060201_string_001	Verify mapping of a string type	Clause 6.2.1	m	

A.3.17   Name

Table A.16: Name

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060204_name_001	Verify mapping of a Name type	Clause 6.2.4	m	

A.3.18   Any URI

Table A.17: Any URI

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060212_any_uri_001	Verify mapping of an anyURI type	Clause 6.2.12	m	
2	Neg_060212_any_uri_002	Verify mapping of an anyURI type	Clause 6.2.12	m	
3	Pos_060212_any_uri_001	Verify mapping of an anyURI type	Clause 6.2.12	m	

A.3.19   Integer

Table A.18: Integer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060301_integer_001	Verify that the integer type shall be translated to TTCN-3 as a plain integer	Clause 6.3.1	m	

A.3.20   Positive integer

Table A.19: Positive integer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060302_positive_integer_001	Verify that the integer type shall be translated to TTCN-3 as the range-restricted integer	Clause 6.3.2	m	

A.3.21   Non-positive integer

Table A.20: Non-positive integer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060303_non_positive_integer_001	Verify that the non positive integer type shall be translated to TTCN-3 as the range-restricted integer	Clause 6.3.3	m	

A.3.22   Negative integer

Table A.21: Negative integer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060304_negative_integer_001	Verify that the negative integer type shall be translated to TTCN-3 as the range-restricted integer	Clause 6.3.4	m	

A.3.23   Non-negative integer

Table A.22: Non-negative integer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060305_non_negative_integer_001	Verify that the non negative integer type shall be translated to TTCN-3 as the range-restricted integer	Clause 6.3.5	m	

A.3.24 Long

Table A.23: Long

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060306_long_001	Verify that long type (64bit) shall be translated to TTCN-3 as a plain long long	Clause 6.3.6	m	

A.3.25 Unsigned long

Table A.24: Unsigned long

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060307_unsigned_long_001	Verify that unsigned long type (64bit) shall be translated to TTCN-3 as a plain unsigned long long	Clause 6.3.7	m	

A.3.26 Int

Table A.25: Int

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060308_int_001	Verify that int type (32bit) shall be translated to TTCN-3 as a plain long as defined in clause D.2.1.2 of ETSI ES 201 873-1 [i.1])	Clause 6.3.8	m	

A.3.27 Unsigned int

Table A.26: Unsigned int

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060309_unsigned_int_001	Verify that unsigned int type (32bit) shall be translated to TTCN-3 as a plain unsignedlong as defined in clause D.2.1.2 of ETSI ES 201 873-1 [i.1]	Clause 6.3.9	m	

A.3.28 Short

Table A.27: Short

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060310_short_001	Verify that short type (16bit) shall be translated to TTCN-3 as a plain short as defined in clause D.2.1.1 of ETSI ES 201 873-1 [i.1]	Clause 6.3.10	m	

A.3.29 Unsigned Short

Table A.28: Unsigned Short

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060311_unsigned_short_001	Verify that unsigned short type (16bit) shall be translated to TTCN-3 as a plain unsigned short as defined in clause D.2.1.1 of ETSI ES 201 873-1 [i.1]	Clause 6.3.11	m	

A.3.30 Byte

Table A.29: Byte

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060312_byte_001	Verify that byte type (8bit) shall be translated to TTCN-3 as a plain byte as defined in clause D.2.1.0 of ETSI ES 201 873-1 [i.1]	Clause 6.3.12	m	

A.3.31 Unsigned byte

Table A.30: Unsigned byte

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060313_unsigned_byte_001	Verify that unsigned byte type (8bit) shall be translated to TTCN-3 as a plain unsigned byte as defined in clause D.2.1.0 of ETSI ES 201 873-1 [i.1]	Clause 6.3.13	m	

A.3.32 Decimal

Table A.31: Decimal

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060401_decimal_001	Verify that decimal type shall be translated to TTCN-3 as a plain float	Clause 6.4.1	m	

A.3.33 Float

Table A.32: Float

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060402_float_001	Verify conversion of XSD float type	Clause 6.4.2	m	

A.3.34 Double

Table A.33: Double

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_060403_double_001	Verify that double type shall be translated to TTCN-3 as an IEEE754double as defined in clause D.2.1.4 of ETSI ES 201 873-1 [i.1]	Clause 6.4.3	m	

A.3.35 Date and time

Table A.34: Date and time

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060502_date_and_time_001	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
2	Neg_060502_date_and_time_002	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
3	Neg_060502_date_and_time_003	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
4	Neg_060502_date_and_time_004	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
5	Pos_060502_date_and_time_001	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
6	Pos_060502_date_and_time_002	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
7	Pos_060502_date_and_time_003	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	
8	Pos_060502_date_and_time_004	Verify that the dateTime type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.2	m	

A.3.36 Date

Table A.35: Date

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060504_date_001	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
2	Neg_060504_date_002	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
3	Neg_060504_date_003	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
4	Neg_060504_date_004	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
5	Pos_060504_date_001	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
6	Pos_060504_date_002	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
7	Pos_060504_date_003	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	
8	Pos_060504_date_004	Verify that the date type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.4	m	

A.3.37 Gregorian year and month

Table A.36: Gregorian year and month

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060505_gregorian_year_and_month_001	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	
2	Neg_060505_gregorian_year_and_month_002	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	
3	Neg_060505_gregorian_year_and_month_003	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	
4	Neg_060505_gregorian_year_and_month_004	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	
5	Pos_060505_gregorian_year_and_month_001	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	
6	Pos_060505_gregorian_year_and_month_002	Verify that the gYearMonth type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.5	m	

A.3.38 Gregorian year

Table A.37: Gregorian year

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_060506_gregorian_year_001	Verify that the gYear type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.6	m	
2	Pos_060506_gregorian_year_001	Verify that the gYear type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.6	m	
3	Pos_060506_gregorian_year_002	Verify that the gYear type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.6	m	
4	Pos_060506_gregorian_year_003	Verify that the gYear allows positive years greater than 9999	Clause 6.5.6	m	
5	Pos_060506_gregorian_year_004	Verify that the gYear type shall be translated to TTCN-3 using the pattern-restricted charstring	Clause 6.5.6	m	
6	Pos_060506_gregorian_year_005	Verify that the gYear accepts negative years	Clause 6.5.6	m	
7	Pos_060506_gregorian_year_006	Verify that the gYear allows negative year with more than 4 digits	Clause 6.5.6	m	

A.3.39 Boolean type

Table A.38: Boolean type

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0607_boolean_type_001	Verify that the XSD boolean type shall be mapped to the TTCN-3 Boolean type	Clause 6.7	m	
2	Pos_0607_boolean_type_002	Verify that the XSD boolean type shall be mapped to the TTCN-3 Boolean type	Clause 6.7	m	

A.3.40 AnyType and anySimpleType types

Table A.39: AnyType and anySimpleType types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0608_anytype_and_anysimpletype_types_001	Verify conversion of anySimpleType	Clause 6.8	m	
2	Pos_0608_anytype_and_anysimpletype_types_002	Verify conversion of anyType	Clause 6.8	m	

A.3.41 Id

Table A.40: Id

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070101_id_001	Verify conversion of id attribute of global element	Clause 7.1.1	m	
2	Pos_070101_id_002	verify conversion of id attribute of local element	Clause 7.1.1	m	

A.3.42 MinOccurs and maxOccurs

Table A.41: MinOccurs and maxOccurs

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_070104_minoccurs_and_maxoccurs_001	a list with minOccurs 0 should not be mapped optional in TTCN-3	Clause 7.1.4	m	
2	Neg_070104_minoccurs_and_maxoccurs_002	A restricted length list [5, 10] should not allow less than 5 elements	Clause 7.1.4	m	
3	Neg_070104_minoccurs_and_maxoccurs_003	A restricted length list [5, 10] should not allow more than 10 elements	Clause 7.1.4	m	
4	Pos_070104_minoccurs_and_maxoccurs_001	Optional field defined by minOccurs has to be mapped as optional in TTCN-3	Clause 7.1.4	m	
5	Pos_070104_minoccurs_and_maxoccurs_002	Optional field defined by minOccurs has to exist in TTCN-3 and match the value	Clause 7.1.4	m	
6	Pos_070104_minoccurs_and_maxoccurs_003	a list with minOccurs 0 should allow zero elements	Clause 7.1.4	m	
7	Pos_070104_minoccurs_and_maxoccurs_004	A restricted length list (0, unbounded) should allow elements	Clause 7.1.4	m	
8	Pos_070104_minoccurs_and_maxoccurs_005	A restricted length list [5, 10] should allow 5 elements	Clause 7.1.4	m	
9	Pos_070104_minoccurs_and_maxoccurs_006	A restricted length list [5, 10] should allow 10 elements	Clause 7.1.4	m	
10	Pos_070104_minoccurs_and_maxoccurs_007	A restricted length list [5, 10] should allow 7 elements	Clause 7.1.4	m	

A.3.43   Default and Fixed

Table A.42: Default and Fixed

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_070105_default_and_fixed_001	Verify constraint of type based on XSD definition with fixed attribute	Clause 7.1.5	m	
2	Pos_070105_default_and_fixed_001	Verify conversion of fixed attribute	Clause 7.1.5	m	
3	Pos_070105_default_and_fixed_002	Verify conversion of default attribute	Clause 7.1.5	m	
4	Pos_070105_default_and_fixed_003	Verify that default value is automatically assigned to empty element by decoder	Clause 7.1.5	m	
5	Pos_070105_default_and_fixed_004	Verify that fixed value is automatically assigned to empty element by decoder	Clause 7.1.5	m	

A.3.44   Form

Table A.43: Form

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070106_form_001	Verify that unqualified attribute form is correctly converted (unqualified attributeFormDefault)	Clause 7.1.6	m	
2	Pos_070106_form_002	Verify that unqualified attribute form is correctly converted (qualified attributeFormDefault)	Clause 7.1.6	m	
3	Pos_070106_form_003	Verify that qualified attribute form is correctly converted (unqualified attributeFormDefault)	Clause 7.1.6	m	
4	Pos_070106_form_004	Verify that qualified attribute form is correctly converted (qualified attributeFormDefault)	Clause 7.1.6	m	
5	Pos_070106_form_005	Verify that unqualified element form is correctly converted (unqualified elementFormDefault)	Clause 7.1.6	m	
6	Pos_070106_form_006	Verify that unqualified element form is correctly converted (qualified elementFormDefault)	Clause 7.1.6	m	
7	Pos_070106_form_007	Verify that qualified element form is correctly converted (unqualified elementFormDefault)	Clause 7.1.6	m	
8	Pos_070106_form_008	Verify that qualified element form is correctly converted (qualified elementFormDefault)	Clause 7.1.6	m	

A.3.45 Type

Table A.44: Type

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070107_type_001	Verify conversion of type attribute referencing global simpleType	Clause 7.1.7	m	
2	Pos_070107_type_002	Verify conversion of type attribute referencing global complexType	Clause 7.1.7	m	
3	Pos_070107_type_003	Verify conversion of type attribute referencing built-in type	Clause 7.1.7	m	

A.3.46 Use

Table A.45: Use

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_070112_use_001	Verify that attribute with required use cannot be omitted	Clause 7.1.12	m	
2	Pos_070112_use_001	Verify that attribute with required use is correctly converted	Clause 7.1.12	m	
3	Pos_070112_use_002	Verify that attribute with optional use is correctly converted	Clause 7.1.12	m	
4	Pos_070112_use_003	Verify that attribute with prohibited use is not converted	Clause 7.1.12	m	

A.3.47 Final

Table A.46: Final

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070114_final_001	Verify conversion of elements with final attribute	Clause 7.1.14	m	

A.3.48 Element component

Table A.47: Element component

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0703_element_component_001	Verify conversion of global element of simple type	Clause 7.3	m	
2	Pos_0703_element_component_002	Verify conversion of global element of user defined type	Clause 7.3	m	
3	Pos_0703_element_component_003	Verify conversion of global element of locally defined complex type	Clause 7.3	m	
4	Pos_0703_element_component_004	Verify conversion of local elements defined by reference with different namespace	Clause 7.3	m	

A.3.49 Attribute element definitions

Table A.48: Attribute element definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070401_attribute_element_definitions_001	Verify mapping of a globally defined attribute	Clause 7.4.1	m	

A.3.50 Attribute group definitions

Table A.49: Attribute group definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070402_attribute_group_definitions_001	Verify mapping of a globally defined attribute group	Clause 7.4.2	m	

A.3.51 Derivation by restriction

Table A.50: Derivation by restriction

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070501_derivation_by_restriction_001	Verify that it is possible to convert anonymous	Clause 7.5.1	m	

A.3.52 Derivation by list

Table A.51: Derivation by list

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_070502_derivation_by_list_001	Verify length constraint imposed on type derived by list	Clause 7.5.2	m	
2	Neg_070502_derivation_by_list_002	Verify constraint imposed on inner type defined inside XSD list	Clause 7.5.2	m	
3	Pos_070502_derivation_by_list_001	Verify that derivation by list is converted to record of	Clause 7.5.2	m	
4	Pos_070502_derivation_by_list_002	Verify mapping of facets connected applied to derivation by list	Clause 7.5.2	m	
5	Pos_070502_derivation_by_list_003	Verify conversion of facets defined inside XSD list	Clause 7.5.2	m	
6	Pos_070502_derivation_by_list_004	Verify transformation of derivation by list with enumerated facets inside	Clause 7.5.2	m	
7	Pos_070502_derivation_by_list_005	Verify transformation of list containing union content	Clause 7.5.2	m	

A.3.53 Derivation by union

Table A.52: Derivation by union

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070503_derivation_by_union_001	Verify transformation of union with memberTypes attribute	Clause 7.5.3	m	
2	Pos_070503_derivation_by_union_002	Verify transformation of union with unnamed member types	Clause 7.5.3	m	
3	Pos_070503_derivation_by_union_003	Verify transformation of union with memberTypes attribute and unnamed member types	Clause 7.5.3	m	
4	Pos_070503_derivation_by_union_004	Verify transformation of union with memberTypes attribute and unnamed enumeration	Clause 7.5.3	m	
5	Pos_070503_derivation_by_union_005	Verify transformation of union content containing enumeration facets	Clause 7.5.3	m	
6	Pos_070503_derivation_by_union_006	Verify transformation of union containing list content	Clause 7.5.3	m	

A.3.54 Extending simple content

Table A.53: Extending simple content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060101_extending_simple_content_001	Verify extension of a built-in type by adding an attribute	Clause 7.6.1.1	m	

A.3.55 Restricting simple content

Table A.54: Restricting simple content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_07060102_restricting_simple_content_001	Verify restriction of a base type	Clause 7.6.1.2	m	
2	Pos_07060102_restricting_simple_content_001	Verify restriction of a base type	Clause 7.6.1.2	m	

A.3.56 Complex content derived by extension

Table A.55: Complex content derived by extension

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060201_derived_by_extension_001	Verify mapping of complex type where both the base and the extending types have the compositor sequence.	Clause 7.6.2.1	m	
2	Pos_07060201_derived_by_extension_002	Verify mapping of complex type where both the base and the extending types have the compositor sequence and multiple occurrences are allowed.	Clause 7.6.2.1	m	
3	Pos_07060201_derived_by_extension_003	Verify mapping of complex type where both the base and the extending types have the compositor sequence and multiple occurrences are allowed.	Clause 7.6.2.1	m	
4	Pos_07060201_derived_by_extension_004	Verify mapping of complex type where both the base and the extending types have the compositor sequence and multiple occurrences are allowed.	Clause 7.6.2.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
5	Pos_07060201_derived_by_extension_005	Verify mapping of complex type where both the base and the extending types have the compositor sequence and multiple occurrences are allowed.	Clause 7.6.2.1	m	
6	Pos_07060201_derived_by_extension_006	Verify mapping of complex type where both the base and the extending types have the compositor choice	Clause 7.6.2.1	m	
7	Pos_07060201_derived_by_extension_007	Verify mapping of complex type where extension of a sequence base type by a choice model group	Clause 7.6.2.1	m	
8	Pos_07060201_derived_by_extension_008	Verify mapping of complex type: extending of a base type with choice model group by a sequence model group	Clause 7.6.2.1	m	
9	Pos_07060201_derived_by_extension_009	Verify mapping of complex type: Recursive extension of an anonymous inner type is realized using the TTCN-3 dot notation (starts from the name of the outmost type)	Clause 7.6.2.1	m	

A.3.57 Complex content derived by restriction

Table A.56: Complex content derived by restriction

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060202_derived_by_restriction_001	Verify mapping of complex content derived by restriction:	Clause 7.6.2.2	m	

A.3.58 Referencing group components

Table A.57: Referencing group components

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070603_referencing_group_components_001	Verify conversion of group reference occurring as child of complex type (sequence, one occurrence)	Clause 7.6.3	m	
2	Pos_070603_referencing_group_components_002	Verify conversion of group reference occurring inside sequence	Clause 7.6.3	m	
3	Pos_070603_referencing_group_components_003	Verify conversion of group reference occurring as child of complex type (sequence, optional occurrence)	Clause 7.6.3	m	
4	Pos_070603_referencing_group_components_004	Verify conversion of group reference occurring as child of complex type (sequence, 0..N)	Clause 7.6.3	m	
5	Pos_070603_referencing_group_components_005	Verify conversion of group reference occurring as child of complex type (all, one occurrence)	Clause 7.6.3	m	
6	Pos_070603_referencing_group_components_006	Verify conversion of group reference occurring as child of complex type (all, 0..1)	Clause 7.6.3	m	
7	Pos_070603_referencing_group_components_007	Verify conversion of group reference occurring as child of complex type (choice, one occurrence)	Clause 7.6.3	m	
8	Pos_070603_referencing_group_components_008	Verify conversion of group reference occurring as child of complex type (choice, 0..1)	Clause 7.6.3	m	
9	Pos_070603_referencing_group_components_009	Verify conversion of group reference occurring as child of complex type (choice, 0..N)	Clause 7.6.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
10	Pos_070603_referencing_group_components_010	Verify conversion of group reference occurring inside choice	Clause 7.6.3	m	

A.3.59 All content

Table A.58: All content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070604_all_content_001	Verify conversion of all content containing mandatory fields	Clause 7.6.4	m	
2	Pos_070604_all_content_002	Verify conversion of all content with minOccurs="0"	Clause 7.6.4	m	
3	Pos_070604_all_content_003	Verify transformation of elements with minOccurs attribute occurring inside all content	Clause 7.6.4	m	
4	Pos_070604_all_content_004	Verify transformation of all content containing attributes	Clause 7.6.4	m	

A.3.60 Choice content

Table A.59: Choice content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070605_top_level_001	Verify that choice content with minOccurs different than 1 is correctly transformed	Clause 7.6.5	m	
2	Pos_070605_top_level_002	Verify that choice content with maxOccurs larger than 1 is correctly transformed	Clause 7.6.5	m	

A.3.61 Choice with nested elements

Table A.60: Choice with nested elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060501_choice_with_nested_elements_001	Verify that choice content with nested elements is correctly transformed	Clause 7.6.5.1	m	

A.3.62 Choice with nested group

Table A.61: Choice with nested group

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060502_choice_with_nested_group_001	Verify that choice content with nested group is correctly transformed	Clause 7.6.5.2	m	

A.3.63 Choice with nested choice

Table A.62: Choice with nested choice

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060503_choice_with_nested_choice_001	Verify that choice content with nested choice is correctly transformed	Clause 7.6.5.3	m	

A.3.64 Choice with nested sequence

Table A.63: Choice with nested sequence

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060504_choice_with_nested_sequence_001	Verify that choice content with nested sequence is correctly transformed	Clause 7.6.5.4	m	
2	Pos_07060504_choice_with_nested_sequence_002	Verify that choice content with multiple nested sequences is correctly transformed	Clause 7.6.5.4	m	

A.3.65 Choice with nested any

Table A.64: Choice with nested any

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060505_choice_with_nested_any_001	Verify that choice content with nested any is correctly transformed	Clause 7.6.5.5	m	

A.3.66 Sequence with nested element content

Table A.65: Sequence with nested element content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060601_sequence_with_nested_element_001	Verify that sequence content with nested elements is correctly transformed	Clause 7.6.6.1	m	

A.3.67 Sequence with nested group content

Table A.66: Sequence with nested group content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060602_sequence_with_nested_group_001	Verify that sequence content with group reference is correctly transformed	Clause 7.6.6.2	m	

A.3.68 Sequence with nested choice content

Table A.67: Sequence with nested choice content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060603_sequence_with_nested_choice_001	Verify that sequence content with nested choice is correctly transformed	Clause 7.6.6.3	m	

A.3.69 Sequence with nested sequence content

Table A.68: Sequence with nested sequence content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060604_sequence_with_nested_sequence_001	Verify that sequence content with sequence is correctly transformed	Clause 7.6.6.4	m	
2	Pos_07060604_sequence_with_nested_sequence_002	Verify that sequence content with various nested particles is correctly transformed	Clause 7.6.6.4	m	

A.3.70   Sequence with nested any content

Table A.69: Sequence with nested any content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060605_sequence_with_nested_any _content_001	Verify that sequence content with nested any content is correctly transformed	Clause 7.6.6.5	m	

A.3.71   Effect of the minOccurs and maxOccurs attributes on the mapping

Table A.70: Effect of the minOccurs and maxOccurs attributes on the mapping

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_07060606_effect_of_minoccurs_and_ maxoccurs_001	Verify that sequences with minOccurs=0 are correctly converted to optional fields	Clause 7.6.6.6	m	
2	Pos_07060606_effect_of_minoccurs_and_ maxoccurs_002	Verify that nested sequences are correctly converted to optional fields	Clause 7.6.6.6	m	
3	Pos_07060606_effect_of_minoccurs_and_ maxoccurs_003	Verify that sequences with minOccurs=unbounded are correctly converted to record of fields	Clause 7.6.6.6	m	
4	Pos_07060606_effect_of_minoccurs_and_ maxoccurs_004	Verify that nested sequences are correctly converted to record of fields	Clause 7.6.6.6	m	

A.3.72   Attribute definitions, attribute and attributeGroup references

Table A.71: Attribute definitions, attribute and attributeGroup references

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070607_attribute_definitions_attribute _and_attributegroup_references_001	Verify referencing an attributeGroup in a complexType	Clause 7.6.7	m	
2	Pos_070607_attribute_definitions_attribute _and_attributegroup_references_002	Verify mapping of a local attributes, attribute references and attribute group references without a target namespace	Clause 7.6.7	m	
3	Pos_070607_attribute_definitions_attribute _and_attributegroup_references_003	Verify mapping of a local attributes, attribute references and attribute group references with a target namespace	Clause 7.6.7	m	

A.3.73 Mixed content

Table A.72: Mixed content

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070608_mixed_content_001	Verify transformation of complex type with sequence constructor and mixed content type	Clause 7.6.8	m	
2	Pos_070608_mixed_content_002	Verify transformation of complex type definition with sequence constructor of multiple occurrences and mixed content type	Clause 7.6.8	m	
3	Pos_070608_mixed_content_003	Verify transformation of complex type definition with all constructor and mixed content type	Clause 7.6.8	m	
4	Pos_070608_mixed_content_004	Verify transformation of complex type definition with all constructor, optional elements and mixed content type	Clause 7.6.8	m	
5	Pos_070608_mixed_content_005	TODO: add description	Clause 7.6.8	m	

A.3.74 The any element

Table A.73: The any element

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070701_the_any_element_001	Verify conversion of the any element without namespace attribute	Clause 7.7.1	m	
2	Pos_070701_the_any_element_002	Verify conversion of the any element with ##any namespace	Clause 7.7.1	m	
3	Pos_070701_the_any_element_003	Verify conversion of the any element with ##local namespace	Clause 7.7.1	m	
4	Pos_070701_the_any_element_004	Verify conversion of the any element with ##other namespace	Clause 7.7.1	m	
5	Pos_070701_the_any_element_005	Verify conversion of the any element with ##targetNamespace namespace	Clause 7.7.1	m	
6	Pos_070701_the_any_element_006	Verify conversion of the any element with URL as namespace into record of	Clause 7.7.1	m	

A.3.75 The anyAttribute element

Table A.74: The anyAttribute element

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_070702_the_anyattribute_element_001	Verify conversion of anyAttribute element	Clause 7.7.2	m	
2	Pos_070702_the_anyattribute_element_002	Verify that anyAttribute is converted into optional field	Clause 7.7.2	m	
3	Pos_070702_the_anyattribute_element_003	Verify that the naming rules apply to converted anyAttribute field	Clause 7.7.2	m	
4	Pos_070702_the_anyattribute_element_004	Verify that conversion of anyAttribute present both in extended type and extension base	Clause 7.7.2	m	
5	Pos_070702_the_anyattribute_element_005	Verify that converted anyAttribute field is in correct place	Clause 7.7.2	m	

A.3.76 Annotation

Table A.75: Annotation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0708_annotation_001	Verify that XSD annotation can be processed	Clause 7.8	m	

A.3.77 Group components

Table A.76: Group components

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0709_group_components_001	Verify conversion of group definition with sequence compositor	Clause 7.9	m	
2	Pos_0709_group_components_002	Verify transformation of group definition with sequence compositor	Clause 7.9	m	
3	Pos_0709_group_components_003	Verify conversion of group definition with all compositor	Clause 7.9	m	

A.3.78   Identity-constraint definition schema components

Table A.77: Identity-constraint definition schema components

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_0710_identity_constraint_definition_schema_components_001	Verify that unique elements (and nested selector and field) are ignored during conversion	Clause 7.10	m	
2	Pos_0710_identity_constraint_definition_schema_components_002	Verify that key elements (and nested selector and field) are ignored during conversion	Clause 7.10	m	
3	Pos_0710_identity_constraint_definition_schema_components_003	Verify that keyRef elements (and nested selector and field) are ignored during conversion	Clause 7.10	m	

A.3.79   Head elements of substitution groups

Table A.78: Head elements of substitution groups

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Pos_080101_head_elements_of_substitution_groups_001	Generic substitution group example	Clause 8.1.1	m	
2	Pos_080101_head_elements_of_substitution_groups_002	Show effect of the block and abstract attributes on element substitution	Clause 8.1.1	m	
3	Pos_080101_head_elements_of_substitution_groups_003	Blocking substitution	Clause 8.1.1	m	

A.3.80   TTCN-3 module XSD

Table A.79: TTCN-3 module XSD

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
1	Neg_A_ttcn3_module_xsd_001	Ensure the builtin XSD type AnySimpleType allows only valid values	Annex A	m	
2	Neg_A_ttcn3_module_xsd_002	Ensure the builtin XSD type AnyType allows only valid values	Annex A	m	
3	Neg_A_ttcn3_module_xsd_003	Ensure the builtin XSD type String allows only valid values	Annex A	m	
4	Neg_A_ttcn3_module_xsd_004	Ensure the builtin XSD type NormalizedString allows only valid values	Annex A	m	
5	Neg_A_ttcn3_module_xsd_005	Ensure the builtin XSD type Token allows only valid values	Annex A	m	
6	Neg_A_ttcn3_module_xsd_006	Ensure the builtin XSD type Name allows only valid values	Annex A	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
7	Neg_A_ttcn3_module_xsd_007	Ensure the builtin XSD type NMTOKEN allows only valid values	Annex A	m	
8	Neg_A_ttcn3_module_xsd_008	Ensure the builtin XSD type NCName allows only valid values	Annex A	m	
9	Neg_A_ttcn3_module_xsd_009	Ensure the builtin XSD type ID allows only valid values	Annex A	m	
10	Neg_A_ttcn3_module_xsd_010	Ensure the builtin XSD type IDREF allows only valid values	Annex A	m	
11	Neg_A_ttcn3_module_xsd_011	Ensure the builtin XSD type ENTITY allows only valid values	Annex A	m	
12	Neg_A_ttcn3_module_xsd_012	Ensure the builtin XSD type HexBinary allows only valid values	Annex A	m	
13	Neg_A_ttcn3_module_xsd_013	Ensure the builtin XSD type Base64Binary allows only valid values	Annex A	m	
14	Neg_A_ttcn3_module_xsd_014	Ensure the builtin XSD type AnyURI allows only valid values	Annex A	m	
15	Neg_A_ttcn3_module_xsd_015	Ensure the builtin XSD type Language allows only valid values	Annex A	m	
16	Neg_A_ttcn3_module_xsd_016	Ensure the builtin XSD type Integer allows only valid values	Annex A	m	
17	Neg_A_ttcn3_module_xsd_017	Ensure the builtin XSD type PositiveInteger allows only valid values	Annex A	m	
18	Neg_A_ttcn3_module_xsd_018	Ensure the builtin XSD type NonPositiveInteger allows only valid values	Annex A	m	
19	Neg_A_ttcn3_module_xsd_019	Ensure the builtin XSD type NegativeInteger allows only valid values	Annex A	m	
20	Neg_A_ttcn3_module_xsd_020	Ensure the builtin XSD type NonNegativeInteger allows only valid values	Annex A	m	
21	Neg_A_ttcn3_module_xsd_021	Ensure the builtin XSD type Long allows only valid values	Annex A	m	
22	Neg_A_ttcn3_module_xsd_022	Ensure the builtin XSD type UnsignedLong allows only valid values	Annex A	m	
23	Neg_A_ttcn3_module_xsd_023	Ensure the builtin XSD type Int allows only valid values	Annex A	m	
24	Neg_A_ttcn3_module_xsd_024	Ensure the builtin XSD type UnsignedInt allows only valid values	Annex A	m	
25	Neg_A_ttcn3_module_xsd_025	Ensure the builtin XSD type Short allows only valid values	Annex A	m	
26	Neg_A_ttcn3_module_xsd_026	Ensure the builtin XSD type UnsignedShort allows only valid values	Annex A	m	
27	Neg_A_ttcn3_module_xsd_027	Ensure the builtin XSD type Byte allows only valid values	Annex A	m	
28	Neg_A_ttcn3_module_xsd_028	Ensure the builtin XSD type UnsignedByte allows only valid values	Annex A	m	
29	Neg_A_ttcn3_module_xsd_029	Ensure the builtin XSD type Decimal allows only valid values	Annex A	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
30	Neg_A_ttcn3_module_xsd_030	Ensure the builtin XSD type Float allows only valid values	Annex A	m	
31	Neg_A_ttcn3_module_xsd_031	Ensure the builtin XSD type Double allows only valid values	Annex A	m	
32	Neg_A_ttcn3_module_xsd_032	Ensure the builtin XSD type Duration allows only valid values	Annex A	m	
33	Neg_A_ttcn3_module_xsd_033	Ensure the builtin XSD type DateTime allows only valid values	Annex A	m	
34	Neg_A_ttcn3_module_xsd_034	Ensure the builtin XSD type Time allows only valid values	Annex A	m	
35	Neg_A_ttcn3_module_xsd_035	Ensure the builtin XSD type Date allows only valid values	Annex A	m	
36	Neg_A_ttcn3_module_xsd_036	Ensure the builtin XSD type GYearMonth allows only valid values	Annex A	m	
37	Neg_A_ttcn3_module_xsd_037	Ensure the builtin XSD type GYear allows only valid values	Annex A	m	
38	Neg_A_ttcn3_module_xsd_038	Ensure the builtin XSD type GMonthDay allows only valid values	Annex A	m	
39	Neg_A_ttcn3_module_xsd_039	Ensure the builtin XSD type GDay allows only valid values	Annex A	m	
40	Neg_A_ttcn3_module_xsd_040	Ensure the builtin XSD type GMonth allows only valid values	Annex A	m	
41	Neg_A_ttcn3_module_xsd_041	Ensure the builtin XSD type NMTOKENS allows only valid values	Annex A	m	
42	Neg_A_ttcn3_module_xsd_042	Ensure the builtin XSD type IDREFS allows only valid values	Annex A	m	
43	Neg_A_ttcn3_module_xsd_043	Ensure the builtin XSD type ENTITIES allows only valid values	Annex A	m	
44	Neg_A_ttcn3_module_xsd_044	Ensure the builtin XSD type QName allows only valid values	Annex A	m	
45	Neg_A_ttcn3_module_xsd_045	Ensure the builtin XSD type Boolean allows only valid values	Annex A	m	
46	Neg_A_ttcn3_module_xsd_046	Ensure the builtin XSD type XMLCompatibleString allows only valid values	Annex A	m	
47	Neg_A_ttcn3_module_xsd_047	Ensure the builtin XSD type XMLStringWithNoWhitespace allows only valid values	Annex A	m	
48	Neg_A_ttcn3_module_xsd_048	Ensure the builtin XSD type XMLStringWithNoCRLFHT allows only valid values	Annex A	m	
49	Pos_A_ttcn3_module_xsd_001	Ensure the module XSD is available and contains the builtin XSD type AnySimpleType	Annex A	m	
50	Pos_A_ttcn3_module_xsd_002	Ensure the module XSD is available and contains the builtin XSD type AnyType	Annex A	m	
51	Pos_A_ttcn3_module_xsd_003	Ensure the module XSD is available and contains the builtin XSD type String	Annex A	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
52	Pos_A_ttcn3_module_xsd_004	Ensure the module XSD is available and contains the builtin XSD type NormalizedString	Annex A	m	
53	Pos_A_ttcn3_module_xsd_005	Ensure the module XSD is available and contains the builtin XSD type Token	Annex A	m	
54	Pos_A_ttcn3_module_xsd_006	Ensure the module XSD is available and contains the builtin XSD type Name	Annex A	m	
55	Pos_A_ttcn3_module_xsd_007	Ensure the module XSD is available and contains the builtin XSD type NMTOKEN	Annex A	m	
56	Pos_A_ttcn3_module_xsd_008	Ensure the module XSD is available and contains the builtin XSD type NCName	Annex A	m	
57	Pos_A_ttcn3_module_xsd_009	Ensure the module XSD is available and contains the builtin XSD type ID	Annex A	m	
58	Pos_A_ttcn3_module_xsd_010	Ensure the module XSD is available and contains the builtin XSD type IDREF	Annex A	m	
59	Pos_A_ttcn3_module_xsd_011	Ensure the module XSD is available and contains the builtin XSD type ENTITY	Annex A	m	
60	Pos_A_ttcn3_module_xsd_012	Ensure the module XSD is available and contains the builtin XSD type HexBinary	Annex A	m	
61	Pos_A_ttcn3_module_xsd_013	Ensure the module XSD is available and contains the builtin XSD type Base64Binary	Annex A	m	
62	Pos_A_ttcn3_module_xsd_014	Ensure the module XSD is available and contains the builtin XSD type AnyURI	Annex A	m	
63	Pos_A_ttcn3_module_xsd_015	Ensure the module XSD is available and contains the builtin XSD type Language	Annex A	m	
64	Pos_A_ttcn3_module_xsd_016	Ensure the module XSD is available and contains the builtin XSD type Integer	Annex A	m	
65	Pos_A_ttcn3_module_xsd_017	Ensure the module XSD is available and contains the builtin XSD type PositiveInteger	Annex A	m	
66	Pos_A_ttcn3_module_xsd_018	Ensure the module XSD is available and contains the builtin XSD type NonPositiveInteger	Annex A	m	
67	Pos_A_ttcn3_module_xsd_019	Ensure the module XSD is available and contains the builtin XSD type NegativeInteger	Annex A	m	
68	Pos_A_ttcn3_module_xsd_020	Ensure the module XSD is available and contains the builtin XSD type NonNegativeInteger	Annex A	m	
69	Pos_A_ttcn3_module_xsd_021	Ensure the module XSD is available and contains the builtin XSD type Long	Annex A	m	
70	Pos_A_ttcn3_module_xsd_022	Ensure the module XSD is available and contains the builtin XSD type UnsignedLong	Annex A	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
71	Pos_A_ttcn3_module_xsd_023	Ensure the module XSD is available and contains the builtin XSD type Int	Annex A	m	
72	Pos_A_ttcn3_module_xsd_024	Ensure the module XSD is available and contains the builtin XSD type UnsignedInt	Annex A	m	
73	Pos_A_ttcn3_module_xsd_025	Ensure the module XSD is available and contains the builtin XSD type Short	Annex A	m	
74	Pos_A_ttcn3_module_xsd_026	Ensure the module XSD is available and contains the builtin XSD type UnsignedShort	Annex A	m	
75	Pos_A_ttcn3_module_xsd_027	Ensure the module XSD is available and contains the builtin XSD type Byte	Annex A	m	
76	Pos_A_ttcn3_module_xsd_028	Ensure the module XSD is available and contains the builtin XSD type UnsignedByte	Annex A	m	
77	Pos_A_ttcn3_module_xsd_029	Ensure the module XSD is available and contains the builtin XSD type Decimal	Annex A	m	
78	Pos_A_ttcn3_module_xsd_030	Ensure the module XSD is available and contains the builtin XSD type Float	Annex A	m	
79	Pos_A_ttcn3_module_xsd_031	Ensure the module XSD is available and contains the builtin XSD type Double	Annex A	m	
80	Pos_A_ttcn3_module_xsd_032	Ensure the module XSD is available and contains the builtin XSD type Duration	Annex A	m	
81	Pos_A_ttcn3_module_xsd_033	Ensure the module XSD is available and contains the builtin XSD type DateTime	Annex A	m	
82	Pos_A_ttcn3_module_xsd_034	Ensure the module XSD is available and contains the builtin XSD type Time	Annex A	m	
83	Pos_A_ttcn3_module_xsd_035	Ensure the module XSD is available and contains the builtin XSD type Date	Annex A	m	
84	Pos_A_ttcn3_module_xsd_036	Ensure the module XSD is available and contains the builtin XSD type GYearMonth	Annex A	m	
85	Pos_A_ttcn3_module_xsd_037	Ensure the module XSD is available and contains the builtin XSD type GYear	Annex A	m	
86	Pos_A_ttcn3_module_xsd_038	Ensure the module XSD is available and contains the builtin XSD type GMonthDay	Annex A	m	
87	Pos_A_ttcn3_module_xsd_039	Ensure the module XSD is available and contains the builtin XSD type GDay	Annex A	m	
88	Pos_A_ttcn3_module_xsd_040	Ensure the module XSD is available and contains the builtin XSD type GMonth	Annex A	m	
89	Pos_A_ttcn3_module_xsd_041	Ensure the module XSD is available and contains the builtin XSD type NMTOKENS	Annex A	m	
90	Pos_A_ttcn3_module_xsd_042	Ensure the module XSD is available and contains the builtin XSD type IDREFS	Annex A	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [i.1]	Status	Support
91	Pos_A_ttcn3_module_xsd_043	Ensure the module XSD is available and contains the builtin XSD type ENTITIES	Annex A	m	
92	Pos_A_ttcn3_module_xsd_044	Ensure the module XSD is available and contains the builtin XSD type QName	Annex A	m	
93	Pos_A_ttcn3_module_xsd_045	Ensure the module XSD is available and contains the builtin XSD type Boolean	Annex A	m	
94	Pos_A_ttcn3_module_xsd_046	Ensure the module XSD is available and contains the builtin XSD type XMLCompatibleString	Annex A	m	
95	Pos_A_ttcn3_module_xsd_047	Ensure the module XSD is available and contains the builtin XSD type XMLStringWithNoWhitespace	Annex A	m	
96	Pos_A_ttcn3_module_xsd_048	Ensure the module XSD is available and contains the builtin XSD type XMLStringWithNoCRLFHT	Annex A	m	

A.4   Additional information for ICS

This clause contains all additional comments provided by the supplier of the implementation.

History

Document history		
V1.1.1	March 2015	Publication