## ETSITS 132 503 V9.0.0 (2010-02)

Technical Specification

Universal Mobile Telecommunications System (UMTS);

LTE;

**Telecommunication management;** 


**Self-Configuration of Network Elements Integration Reference** 

Point (IRP);

Common Object Request Broker Architecture (CORBA)

**Solution Set (SS)** 

(3GPP TS 32.503 version 9.0.0 Release 9)



Reference
RTS/TSGS-0532503v900

Keywords
LTE, UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a>

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI\_support.asp

#### **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup>, **TIPHON**<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP**<sup>™</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**<sup>™</sup> is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners. **GSM**® and the GSM logo are Trade Marks registered and owned by the GSM Association.

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Foreword**

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <a href="http://webapp.etsi.org/key/queryform.asp">http://webapp.etsi.org/key/queryform.asp</a>.

## Contents

Intell	ectual Property Rights	2
Forev	word	2
Forev	word	4
Intro	duction	4
Intro	duction	4
1	Scope	5
2	References	5
3 3.1 3.2	Definitions and abbreviations  Definitions  Abbreviations	5
4	Architectural Features	6
5 5.1 5.2 5.3	Mapping Operation and Notification mapping Operation parameter mapping Notification parameter mapping	6 7
Anno	ex A (normative): IDL specifications	10
A.1	IDL specification (file name "SelfConfIRPConstDefs.idl")	10
A.2	IDL specification (file name "SelfConfIRPSystem.idl")	11
A.3	IDL specification (file name "SelfConfIRPNotifications.idl")	14
Anno	ex B (informative): Change history	16
Histo	ory	17

#### **Foreword**

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

#### Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project Technical Specification Group Services and System Aspects, Telecommunication management; as identified below:

#### Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project Technical Specification Group Services and System Aspects, Telecommunication management; as identified below:

32.501:	Self-Configuration of Ne	twork Elements; Concepts and	Integration Reference Po	oint (IRP)

Requirements

32.502: Self-Configuration of Network Elements Integration Reference Point (IRP); Information Service

(IS)

32.503: Self-Configuration of Network Elements Integration Reference Point (IRP); Common

Object Request Broker Architecture (CORBA) Solution Set (SS)

### 1 Scope

The present document is the "CORBA Solution Set" of Software Management IRP for the IRP whose semantics is specified in Software Management IRP Information Service (3GPP TS 32.502 [7]).

#### 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications". [2] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements". 3GPP TS 32.102: "Telecommunication management; Architecture". [3] 3GPP TS 21.905: "Vocabulary for 3GPP Specifications". [4] [5] 3GPP TR 32.816: "Telecommunication management; Study on Management of Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Evolved Packet Core (EPC)". 3GPP TS 32.501: "Telecommunication management; Self-Configuration of Network Elements; [6] Concepts and Integration Reference Point (IRP) Requirements". [7] 3GPP TS 32.502: "Telecommunication management; Self-Configuration of Network Elements
- Integration Reference Point (IRP); Information Service (IS)".
- [8] OMG TC Document telecom/98-11-01: "OMG Notification Service". http://www.omg.org/technology/documents/
- [9] 3GPP TS 32.531: "Telecommunication management; Software management; Concepts and Integration Reference Point (IRP) Requirements".
- [10] 3GPP TS 32.532: "Telecommunication management; Software management Integration Reference Point (IRP); Information Service (IS)".
- [11] 3GPP TS 32.533: "Telecommunication management; Software management Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS)".

### 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TS 32.101 [2], TS 32.102 [3] and TR 21.905 [4] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TS 32.502 [7], TS 32.501 [6], TS 32.532 [10], TS 32.531 [9], TS 32.101 [1], TS 32.102 [2] and TS 21.905 [4], in that order.

#### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [4], TS 32.sco [6] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TS 32.502 [7], TS 32.501 [6], TS 32.532 [10], TS 32.531 [9], TS 32.101 [1], TS 32.102 [2] and TS 21.905 [4], in that order..

#### 4 Architectural Features

The overall architectural feature of Software Management IRP is specified in 3GPP TS 32.502 [7].

## 5 Mapping

## 5.1 Operation and Notification mapping

Software Management IRP: IS 3GPP TS (see 3GPP TS 32.502 [7]) defines semantics of operations and notifications visible across the Itf-N. Table 5.1.1 indicates mapping of these operations and notifications to their equivalents defined in this SS.

Table 5.1.1: Mapping from IS Notification/Operation to SS equivalents

IS Operation/ notification Self-Configuration IRP: IS 3GPP TS 32.502[7]	SS Method	Qualifier
listScManagementCapabilities	listScManagementCapabilities	M
listScManagementProfiles	listScManagementProfiles	M
createScManagementProfile	createScManagementProfile	М
deleteScManagementProfile	deleteScManagementProfile	М
listScProcesses	listScProcesses	M
resumeScProcess	resumeScProcess	М
swFallback	swFallback	М
terminateScManagementProcess	terminateScManagementProcess	M
changeScManagementProfile	changeScManagementProfile	0
notifyScManagementProfileCreation	notifyScManagementProfileCreation	М
notifyScManagementProfileDeletion	notifyScManagementProfileDeletion	М
notifyScManagementProcessCreation	notifyScManagementProcessCreation	М
notifyScManagementProcessStage	notifyScManagementProcessStage	М
notifyScManagementProcessDeletion	notifyScManagementProcessDeletion	М
notifyNewScManagementCapabilitiesAvailability	notifyNewScManagementCapabilitiesAvailability	0
notifyScManagementProfileChange	notifyScManagementProfileChange	0

### 5.2 Operation parameter mapping

Reference 3GPP TS 32.302 [6] defines semantics of parameters carried in operations across the Itf-N. The following set of tables indicate the mapping of these parameters, as per operation, to their equivalents defined in this SS.

Table 5.2-1: Mapping from IS listScManagementCapabilities parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	М
	SelfConfIRPConstDefs::ListScManagementCapabilities,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS listSwMCapabilities parameters to SS equivalents

Table 5.2-2: Mapping from IS listScManagementProfiles parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::ListScManagementProfile,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS listSwMProfiles parameters to SS equivalents

Table 5.2-3: Mapping from IS createScManagementProfile parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	М
	SelfConfIRPConstDefs::CreateScManagementProfile,	
	<pre>GenericIRPManagementSystem::ParameterNotSupported,</pre>	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS createSwMProfile parameters to SS equivalents

Table 5.2-4: Mapping from IS deleteScManagementProfile parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::DeleteScManagementProfile,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS deleteSwMProfile parameters to SS equivalents

Table 5.2-5: Mapping from IS listScManagementProcesses parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::ListScManagementProcesses,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS listSwMProcesses parameters to SS equivalents

Table 5.2-6: Mapping from IS resumeScManagementProcess parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::ResumeScManagementProcess,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS resumeSwMProcess parameters to SS equivalents

Table 5.2-7: Mapping from IS swFallback parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::SwFallback,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS swFallback parameters to SS equivalents

Table 5.2-8: Mapping from IS terminateScManagementProcess parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::TerminateScManagementProcess,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS terminateSwMProcess parameters to SS equivalents

Table 5.2-9: Mapping from IS changeScManagementProfile parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
result	Exceptions:	M
	SelfConfIRPConstDefs::CreateScManagementProfile,	
	GenericIRPManagementSystem::ParameterNotSupported,	
	GenericIRPManagementSystem::InvalidParameter,	
	GenericIRPManagementSystem::ValueNotSupported,	
	GenericIRPManagementSystem::OperationNotSupported	

For all other parameters see TS 32.533 [11] mapping from IS changeSwMProfile parameters to SS equivalents

### 5.3 Notification parameter mapping

Reference 3GPP TS 32.502 [7] defines semantics of parameters carried in notifications. The following tables indicate the mapping of these parameters to their SS equivalents."

The following tables indicate the mapping of these parameters to their OMG CORBA Structured Event (defined in OMG Notification Service [8]) equivalents. The composition of OMG Structured Event, as defined in the OMG Notification Service [8], is:

```
Header
Fixed Header
domain_name
type_name
event_name
Variable Header

Body
filterable_body_fields
remaining_body
```

The following tables list all OMG Structured Event attributes in the second column. The first column identifies the Software Management IRP: IS [7] defined notification parameters.

Table 5.3.1: Mapping for notifyScManagementProfileCreation

See TS 32.533 [11] mapping from IS notifySwMProfileCreation

Table 5.3.2: Mapping for notifyScManagementProfileDeletion

See TS 32.533 [11] mapping from IS notifySwMProfileDeletion

Table 5.3.3: Mapping for notifyScProcessCreation

See TS 32.533 [11] mapping from IS notifySwMProcessCreation

Table 5.3.4: Mapping for notifyScProcessStage

See TS 32.533 [11] mapping from IS notifySwMProcessStage

Table 5.3.5: Mapping for notifyScProcessDeletion

See TS 32.533 [11] mapping from IS notifySwMProcessDeletion

Table 5.3.6: Mapping for notifyNewScManagementCapabilityAvailability

IS Parameters	<ss> Parameters</ss>	Qualifier	Comment
id	SwMIRPConstDefs::Id	М	
nEInformation	SwMIRPConstDefs::NEInformation	М	
stepsAndOfferedStopPointList	SwMIRPConstDefs::StepsAndOfferedStopPointList	М	
offeredFinalAdministrativeStateInformation	SwMIRPConstDefs::	М	
	OfferedFinalAdministrativeStateInformation		
swVersionToBeInstalledOfferList	SwMIRPConstDefs::	С	
	SwVersionToBeInstalledOfferListConditional		

Table 5.3.7: Mapping for notifyScManagementProfileChange

See TS 32.533 [11] mapping from IS notifySwMProfileChange

## Annex A (normative): IDL specifications

## A.1 IDL specification (file name "SelfConfIRPConstDefs.idl")

```
// File: SelfConfIRPConstDefs.idl
#ifndef _SELF_CONF_IRP_CONST_DEFS_IDL_
#define _SELF_CONF_IRP_CONST_DEFS_IDL_
#include <KernelCmConstDefs.idl>
#include <NotificationIRPConstDefs.idl>
#include <SwMIRPConstDefs.idl>
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: SelfConfIRPConstDefs */
module SelfConfIRPConstDefs
/st definition of types used in operations for Self-Configuration : st/
/* currently all types used in operations imported from 32.533 */
/st definition of types in notifications for self-configuration : st/
enum TriggerForDeletion { IRP_AGENT_TERMINATION, IRP_MANAGER_TERMINATION,
SELF_CONFIGURATION_SUCCESFULLY_CONCLUDED };
interface AttributeNameValue
  const string ID = "ID";
  const string NE_INFORMATION = "NE_INFORMATION";
  const string STEPS AND OFFERED STOP POINT LIST = "STEPS AND OFFERED STOP POINT LIST"; const string OFFERED_FINAL_ADMINISTRATIVE_STATE_INFORMATION =
"OFFERED_FINAL_ADMINISTRATIVE_STATE_INFORMATION";
  const string SW_VERSION_TO_BE_INSTALLED_OFFER_LIST = "SW_VERSION_TO_BE_INSTALLED_OFFER_LIST";
#endif // _SELF_CONF_IRP_CONST_DEFS_IDL_
```

## A.2 IDL specification (file name "SelfConfIRPSystem.idl")

```
//File: SelfConfIRPSystem.idl
#ifndef _SELF_CONF_IRP_SYSTEM_IDL_
#define _SELF_CONF_IRP_SYSTEM_IDL_
#include <SelfConfIRPConstDefs.idl>
#include <SwMIRPConstDefs.idl>
#include <GenericIRPManagementSystem.idl>
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: SelfConfIRPSystem */
module SelfConfIRPSystem
      If the system fails to complete an operation, then it can provide a reason
      to qualify the exception. The semantics carried in this reason are outside
      the scope of the present document.
      exception ListScManagementCapabilities { string reason; };
      exception ListScManagementProfiles { string reason; }; exception CreateScManagementProfile { string reason; }; exception DeleteScManagementProfile { string reason; };
      exception ListScProcesses { string reason; };
exception ResumeScProcess { string reason; };
      exception SwFallback { string reason; };
exception TerminateScProcess { string reason; };
      exception ChangeScManagementProfile { string reason; };
      interface SelfConfIRPOperations 1
             /* for the purpose of this operation see 3GPP TS 32.502 */
             SwMIRPConstDefs::Result listScManagementCapabilities
                   in SwMIRPConstDefs::NEInformationOpt nEInformation,
                   out SwMIRPConstDefs::CapabilitiesList capabilitiesList
             raises
                   ListScManagementCapabilities,
                   GenericIRPManagementSystem::ParameterNotSupported,
                   GenericIRPManagementSystem::InvalidParameter,
                   GenericIRPManagementSystem::ValueNotSupported,
                   GenericIRPManagementSystem::OperationNotSupported
             /* for the purpose of this operation see 3GPP TS 32.502 */
             SwMIRPConstDefs::Result listScProfiles
                   in SwMIRPConstDefs::NEInformationOpt nEInformation,
                   out SwMIRPConstDefs::ProfileList profileList
             raises
                   ListScProfiles,
                   GenericIRPManagementSystem::ParameterNotSupported,
                   GenericIRPManagementSystem::InvalidParameter,
                   GenericIRPManagementSystem::ValueNotSupported,
                   {\tt GenericIRPManagementSystem::OperationNotSupported}
             /* for the purpose of this operation see 3GPP TS 32.502 */
             SwMIRPConstDefs::Result createScManagementProfile
                   in SwMIRPConstDefs::IdOpt id,
                   in SwMIRPConstDefs::NEInformation nEInformation,
                   \verb|in SwMIRPConstDefs::SwVersionToBeInstalledOpt swVersionToBeInstalled|,\\
                   \hbox{in $SwMIRPConstDefs::} Steps And Selected Stop PointList steps And Selected Stop PointList, and the property of the proper
```

```
in SwMIRPConstDefs::SelectedFinalAdministrativeState selectedFinalAdministrativeState
raises
   (
   CreateScManagementProfile,
   GenericIRPManagementSystem::ParameterNotSupported,
   GenericIRPManagementSystem::InvalidParameter,
   GenericIRPManagementSystem::ValueNotSupported,
   GenericIRPManagementSystem::OperationNotSupported
/* for the purpose of this operation see 3GPP TS 32.502 */
SwMIRPConstDefs::Result deleteScManagementProfile
   in SwMIRPConstDefs::Id id
raises
   DeleteScManagementProfile,
   GenericIRPManagementSystem::ParameterNotSupported,
   {\tt GenericIRPManagementSystem::InvalidParameter,}
   GenericIRPManagementSystem::ValueNotSupported
   GenericIRPManagementSystem::OperationNotSupported
   ) ;
/* for the purpose of this operation see 3GPP TS 32.502 */
SwMIRPConstDefs::Result listScProcesses
   in SwMIRPConstDefs::NEIdentificationOpt nEIdentification,
   out SwMIRPConstDefs::ProcessList processList
raises
   (
   ListScProcesses,
   GenericIRPManagementSystem::ParameterNotSupported,
   GenericIRPManagementSystem::InvalidParameter,
   GenericIRPManagementSystem::ValueNotSupported,
   GenericIRPManagementSystem::OperationNotSupported
/\star for the purpose of this operation see 3GPP TS 32.502 \star/
SwMIRPConstDefs::Result resumeScProcess
   in SwMIRPConstDefs::Id id
raises
   (
   ResumeScProcess,
   GenericIRPManagementSystem::ParameterNotSupported,
   GenericIRPManagementSystem::InvalidParameter,
   GenericIRPManagementSystem:: ValueNotSupported,
   GenericIRPManagementSystem::OperationNotSupported
/* for the purpose of this operation see 3GPP TS 32.502 */
SwMIRPConstDefs::Result swFallback
   in SwMIRPConstDefs::Filter filter,
   out SwMIRPConstDefs::NEList nEList
raises
   SwFallback,
   GenericIRPManagementSystem::ParameterNotSupported,
   GenericIRPManagementSystem::InvalidParameter,
   GenericIRPManagementSystem::ValueNotSupported,
   GenericIRPManagementSystem::OperationNotSupported
   );
/\star for the purpose of this operation see 3GPP TS 32.502 \star/
SwMIRPConstDefs::Result terminateScProcess
   in SwMIRPConstDefs::Id id
```

```
raises
                            (
                            TerminateScProcess,
                           {\tt GenericIRPManagementSystem::ParameterNotSupported,}
                            GenericIRPManagementSystem::InvalidParameter,
                           GenericIRPManagementSystem::ValueNotSupported,
                           GenericIRPManagementSystem::OperationNotSupported
         };
         interface SelfConfIRPOperations 2
                   /* for the purpose of this operation see 3GPP TS 32.502 */
                  SwMIRPConstDefs::Result changeScManagementProfile
                            in SwMIRPConstDefs::Id id,
                           in SwMIRPConstDefs::NEInformation nEInformation,
                            \hbox{in $SwMConfIRPConstDefs::} SwVersionToBeInstalledOpt swVersionToBeInstalled,}
                            \verb|in SwMConfIRPConstDefs::StepsAndSelectedStopPointList| stepsAndSelectedStopPointList|, \\
                            \hbox{in SwMIRPC} on stDefs:: Selected Final Administrative State se
                  raises
                            ChangeScManagementProfile,
                            GenericIRPManagementSystem::ParameterNotSupported,
                            GenericIRPManagementSystem::InvalidParameter,
                            GenericIRPManagementSystem::ValueNotSupported,
                            GenericIRPManagementSystem::OperationNotSupported
         };
};
#endif // _SELF_CONF_IRP_SYSTEM_IDL_
```

## A.3 IDL specification (file name "SelfConfIRPNotifications.idl")

```
//File: SelfConfIRPNotifications.idl
#ifndef SELF CONF IRP NOTIFICATIONS IDL #define SELF CONF IRP NOTIFICATIONS IDL
#include <SelfConfIRPConstDefs.idl>
#include <SwMIRPConstDefs.idl>
#include <NotificationIRPNotifications.idl>
#include <SwMIRPNotifications.idl>
// This statement must appear after all include statements
#pragma prefix "3gppsa5.org"
/* ## Module: SelfConfIRPNotifications
This contains the specification of notifications of Software Management.
______
module SelfConfIRPNotifications
   /* Constant definitions for the notifyScManagementProfileCreation notification */
   interface NotifyScManagementProfileCreation: SwMIRPNotifications::NotifySwMProfileCreation
      const string EVENT TYPE = "notifyScManagementProfileCreation";
   };
   /* Constant definitions for the notifyScManagementProfileDeletion notification */
   interface NotifyScManagementProfileDeletion: SwMIRPNotifications::NotifySwMProfileDeletion
      const string EVENT_TYPE = "notifyScManagementProfileDeletion";
   };
   /* Constant definitions for the notifyScProcessCreation notification */
   interface NotifyScProcessCreation: SwMIRPNotifications::NotifySwMProcessCreation
      const string EVENT TYPE = "notifyScProcessCreation";
   };
   /* Constant definitions for the notifyScProcessStage notification */
   interface NotifyScProcessStage: SwMIRPNotifications::NotifySwMProcessStage
      const string EVENT TYPE = "notifyScProcessStage";
   };
   /* Constant definitions for the notifyScProcessDeletion notification */
   interface NotifyScProcessDeletion: SwMIRPNotifications::NotifyScProcessDeletion
      const string EVENT TYPE = "notifyScProcessDeletion";
   };
   /* Constant definitions for the notifyNewScManagementCapabilityAvailability notification */
   interface NotifyNewScManagementCapabiliyAvailability: NotificationIRPNotifications::Notify
      const string EVENT_TYPE = "notifyNewScManagementCapabilityAvailability";
```

```
* This constant defines the name of the id property,
      * which is transported in the filterable body fields.
      * The data type for the value of this property is
      * SwMIRPConstDefs::Id.
      const string ID =
         SelfConfIRPConstDefs::AttributeNameValue::ID;
      * This constant defines the name of the nEInformation property,
      * which is transported in the filterable_body_fields.
      * The data type for the value of this property is
      * SwMIRPConstDefs::NEInformation.
      const string ID =
         SelfConfIRPConstDefs::AttributeNameValue::NE INFORMATION;
      * This constant defines the name of the stepsAndOfferedStopPointList property,
      * which is transported in the remaining_body.
      \star The data type for the value of this property is
      * SwMIRPConstDefs::StepsAndOfferedStopPointList.
      const string ID =
         SelfConfIRPConstDefs::AttributeNameValue::STEPS AND OFFERED STOP POINT LIST;
      * This constant defines the name of the offeredFinalAdministrativeStateInformation property,
      * which is transported in the remaining_body.
      * The data type for the value of this property is
      * SwMIRPConstDefs::OfferedFinalAdministrativeStateInformation.
      const string ID =
         SelfConfIRPConstDefs::AttributeNameValue::OFFERED_FINAL_ADMINISTRATIVE_STATE_INFORMATION;
      * This constant defines the name of the swVersionToBeInstalledOfferList property,
      * which is transported in the remaining_body.
      * The data type for the value of this property is
      * SwMIRPConstDefs::SwVersionToBeInstalledOfferListOpt.
      const string ID =
         SelfConfIRPConstDefs::AttributeNameValue::SW_VERSION_TO_BE_INSTALLED_OFFER_LIST;
   };
   /* Constant definitions for the notifyScManagementProfileChange notification */
   interface NotifyScManagementProfileChange: SwMIRPNotifications::NotifySwMProfileChange
      const string EVENT_TYPE = "notifyScManagementProfileChange";
   };
};
#endif // SELF CONF IRP NOTIFICATIONS IDL
```

# Annex B (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
2008-12	SP-42	SP-080715			Submitted to SA#42 for SA information and approval	1.0.0	8.0.0
2009-12	-	-	-	-	Update to Rel-9 version	8.0.0	9.0.0

## History

Document history					
V9.0.0	February 2010	Publication			