ETSITS 151 010-2 V8.4.0 (2010-02)

Technical Specification

Digital cellular telecommunications system (Phase 2+);
Mobile Station (MS) conformance specification;
Part 2: Protocol Implementation Conformance
Statement (PICS) proforma specification
(3GPP TS 51.010-2 version 8.4.0 Release 8)



Reference RTS/TSGG-0351010-2v840 Keywords GSM

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP[™] is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**[™] is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners. **GSM**® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Contents

| Inte | llectual Property Rights | 2 |
|------|---|----|
| | eword | |
| | eword | |
| | oduction | |
| | Scope | |
| | References | |
| | Definitions and abbreviations | |
| | Conformance to this PICS proforma specification | |
| Ann | exes A to D: Void | 7 |
| Ann | ex E (informative): Change history | 8 |
| Hist | orv | 23 |

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

This 3GPP TS provides the Protocol Implementation Conformance Statement (PICS) proforma for Mobile Stations (MSs), operating in the 400 MHz, 700 MHz, 850 MHz, 900 MHz, 1 800 MHz and 1 900 MHz frequency band (GSM 400, GSM 700, GSM 850, GSM 900, DCS 1 800 and PCS 1 900) within the digital cellular telecommunications system.

The present document is part 2 of a multi-part deliverable covering the Digital cellular telecommunications system (GSM Phase2 and Phase 2+ Releases 1996, 1997, 1998, 1999, 3GPP Release 4, 3GPP Release 5, 3GPP Release 6 and 3GPP Release 7); Mobile Station (MS) conformance specification, as identified below:

Part 1: Conformance specification

Reference: 3GPP TS 51.010-1.

Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification.

Reference: 3GPP TS 51.010-2.

Part 3: Layer 3 (L3) Abstract Test Suite (ATS).

Reference: 3GPP TS 51.010-3.

Part 4: SIM Application Toolkit conformance specification

Reference: 3GPP TS 11.10-4.

Part 5: Inter-RAT (GERAN to UTRAN) Abstract Test Suite (ATS)

Reference: 3GPP TS 51.010-5.

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS).

1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) proforma for Global System for Mobile Stations (MSs), operating in the 450 MHz, 480 MHz, 700 MHz, 750 MHz, 850 MHz, 900 MHz, 1 800 MHz and 1 900 MHz frequency band (GSM 400, GSM 700, GSM 750, GSM 850, GSM 900, DCS 1 800 and PCS 1 900) within the European digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [3] and ETS 300 406 [1].

The present document is valid for MS implemented according to GSM Phase2 or Phase2+ R96, or R97, or R98, or R99 or 3GPP Release 4 or 3GPP Release 5 or 3GPP Release 6 or 3GPP Release 7.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the relevant Release*.
 - For a GSM Phase 2+ Release 7 MS, references to GSM documents are to version 7.x.y, when available.
 - For a GSM Phase 2+ Release 6 MS, references to GSM documents are to version 6.x.y, when available.
 - For a GSM Phase 2+ Release 5 MS, references to GSM documents are to version 5.x.y, when available.
 - For a GSM Phase 2+ Release 4 MS, references to GSM documents are to version 4.x.y, when available.
 - For a GSM Phase 2+ Release 1999 MS, references to GSM documents are to version 8.x.y (for 01.-series to 12.-series) or (3.x.y for 21.-series to 35.-series), when available.
 - For a GSM Phase 2+ Release 1998 MS, references to GSM documents are to version 7.x.y, when available.
 - For a GSM Phase 2+ Release 1997 MS, references to GSM documents are to version 6.x.y, when available.
 - For a GSM Phase 2+ Release 1996 MS, references to GSM documents are to version 5.x.y, when available.
 - For a GSM Phase 2 MS, references to GSM documents are to version 4.x.y.

NOTE: References to 3GPP Technical Specifications and Technical Reports throughout this document shall be interpreted according to the Release shown in the formal reference in this clause, based upon the Release of the implementation under test.

Example 1: References for a Ph2 MS shall be interpreted as:

- [1] 3GPP TS 01.04 Ph2
- [2] 3GPP TS 02.02 Ph2

etc

Example 2: References for a Rel-4 MS shall be interpreted as:

- [1] 3GPP TS 21.905 Rel-4
- [2] 3GPP TS 22.002 Rel-4

ETS 300 406 (January 1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".

[2] ISO/IEC 9646-1 (1995): "Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts".

[3] ISO/IEC 9646-7 (1995): "Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements".

[4] to [96] (void)

[97] 3GPP TS 51.010-2: "Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".

3 Definitions and abbreviations

void

4 Conformance to this PICS proforma specification

The requirements of the present document are provided in 3GPP TS 51.010-2 Release 9 [97].

Annexes A to D: Void

Annex E (informative): Change history

| | Change history | | | | | | | | | | | | |
|-------|----------------|-----|-----|---|-----|-------|-------|-----------|----------------------------------|--|--|--|--|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item | | | | |
| GP-04 | GP-010465 | | | Approved as v4.0.0 | | 2.0.0 | 4.0.0 | | | | | | |
| GP-05 | GP-011151 | 001 | | Update to applicability table in 51.010-2 due to TDoc G4-010225 | | 4.0.0 | 4.1.0 | G4-010242 | GPRS | | | | |
| GP-05 | GP-011151 | 002 | | Addition of EDGE test cases to the applicability table | F | 4.0.0 | 4.1.0 | G4-010329 | EDGE | | | | |
| GP-05 | GP-011151 | 004 | | Deletion of Test cases 13.5 and 13.17.5 from the Applicability Table | F | 4.0.0 | 4.1.0 | G4-010311 | TEI | | | | |
| GP-05 | GP-011151 | 005 | | Update of the Applicability Table with test cases for GPRS Cell Selection/Reselection 20.22 | F | 4.0.0 | 4.1.0 | G4-010315 | GPRS | | | | |
| GP-05 | GP-011151 | 006 | | Recommendation for updating the PICS specification 3GPP TS 51.010-2 according to changes in 3GPP TS 51.010-1 or 3GPP TS 11.10-4 | В | 4.0.0 | 4.1.0 | G4-010302 | TEI | | | | |
| GP-06 | GP-011466 | 007 | | Harmonisation of conformance tests related to terminal acoustics in GSM and 3G | | 4.1.0 | 4.2.0 | G4-010336 | TEI | | | | |
| GP-06 | GP-011466 | 800 | | Correction of title for clause 44.2.3.3.4 | F | 4.1.0 | 4.2.0 | G4-010369 | GPRS | | | | |
| GP-06 | GP-011466 | 009 | | Correction of conditional statement C226 | F | 4.1.0 | 4.2.0 | G4-010436 | GPRS | | | | |
| GP-06 | GP-011466 | 010 | | Addition of new EGPRS test cases for section 51.3 (TBF Release) | F | 4.1.0 | 4.2.0 | G4-010419 | EDGE | | | | |
| GP-06 | GP-011466 | 011 | | Addition of new EGPRS test cases for section 52.4 (Measurement reports and Cell change order procedures) | F | 4.1.0 | 4.2.0 | G4-010420 | EDGE | | | | |
| GP-06 | GP-011466 | 012 | | Applicability table for EGPRS RR Paging Procedures | F | 4.1.0 | 4.2.0 | G4-010423 | EDGE | | | | |
| GP-06 | GP-011466 | 013 | | Applicability table for EGPRS Medium Access Control (MAC) Protocol/ Fixed Allocation | F | 4.1.0 | 4.2.0 | G4-010425 | EDGE | | | | |
| GP-06 | GP-011466 | 014 | | Addition of new EGPRS test cases for section 53 (EGPRS RLC Testcases) | F | 4.1.0 | 4.2.0 | G4-010429 | EDGE | | | | |
| GP-06 | GP-011466 | 015 | | Addition of new EGPRS test cases for section 52.3 (EGPRS MAC Dynamic Allocation) | F | 4.1.0 | 4.1.0 | G4-010534 | EDGE | | | | |
| GP-06 | GP-011466 | 016 | | Applicability table for Handover Test Cases | F | 4.1.0 | 4.2.0 | G4-010453 | GSM/UMT S interworki ng | | | | |
| GP-06 | GP-011466 | 017 | | Addition of 1,8V and 1,8V/3V SIM-ME interface test cases into 51.010-2 section A4.8 and Annex B (applicability table) | F | 4.1.0 | 4.2.0 | G4-010494 | TEI | | | | |
| GP-06 | GP-011466 | 018 | | Correction of COMPACT and SoLSA tests in the Release column of table B.1 | F | 4.1.0 | 4.2.0 | G4-010448 | TEI | | | | |
| GP-07 | GP-012116 | 019 | | deletion of test case 27.11.2.1 | F | 4.2.0 | 4.3.0 | G5-010043 | TEI | | | | |
| GP-07 | GP-012117 | 020 | | Correction of applicability condition C220 in Annex B.1 | F | 4.2.0 | 4.3.0 | G5-010027 | TEI | | | | |
| GP-07 | GP-012118 | 021 | | Correction of applicability condition C52 in Annex B.1 | F | 4.2.0 | 4.3.0 | G5-010028 | TEI | | | | |
| GP-07 | GP-012119 | 022 | | Changes to applicability of test case 44.2.1.2.3 | F | 4.2.0 | 4.3.0 | G5-010149 | GPRS | | | | |
| GP-07 | GP-012120 | 023 | | 45.2.1.2.1 – This Test Case Should Only Be Applicable To Mobiles That Support Configuration of Their QoS. | F | 4.2.0 | 4.3.0 | G5-010159 | GPRS | | | | |
| GP-07 | GP-012609 | 034 | | Applicability Table for E-OTD Test Cases for LCS Clause 70 (Rel-4) | F | 4.2.0 | 4.3.0 | - | LCS | | | | |
| GP-07 | GP-012273 | 024 | | CR 51.010-2-024 on Annex B - removal of test case 51.2.4.2 (related to G4-010594) Rel-4 | F | 4.2.0 | 4.3.0 | G4-010622 | EDGE | | | | |
| GP-07 | GP-012274 | 025 | | CR 51.010-2-025 on GSM 700 and GSM850 inclusion into foreward Rel-4 | В | 4.2.0 | 4.3.0 | G4-010649 | GSM 700 | | | | |
| GP-07 | GP-012275 | 026 | | CR 51.010-2-026 on New test cases for clause 42.1 Rel-4 | В | 4.2.0 | 4.3.0 | G4-010649 | GPRS | | | | |
| GP-07 | GP-012276 | 027 | | CR 51.010-2-027 on change of test case name for clause 51.2.2.2. Rel-4 | F | 4.2.0 | 4.3.0 | G4-010663 | EDGE | | | | |
| GP-07 | GP-012277 | 028 | | CR 51.010-2-028 on Table B1 - Addition of section 52.1 testcases to the applicability table Rel-4 | В | 4.2.0 | 4.3.0 | G4-010669 | EGPRS | | | | |

| | | | | Change history | | | | | |
|-------|-----------|-----|-----|--|-----|-------|-------|-----------|-----------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-07 | GP-012191 | 030 | | CR 51.010-2-030 Correction to the Applicability of test cases 13.17.1; 13.17.3 and 13.17.4 (Rel 4) | F | 4.2.0 | 4.3.0 | GP-012191 | EDGE |
| GP-07 | GP-012201 | 031 | | CR 51.010-2-31 Annex B - renameing of test case 51.2.4.1 (Rel 4) | F | 4.2.0 | 4.3.0 | GP-012201 | EDGE |
| GP-07 | GP-012722 | 034 | 1 | CR 51.010-2-034r1 Bad frame indication - TCH/AFS - Random RF input 51.010-2 | В | 4.2.0 | 4.3.0 | GP-012722 | AMR |
| GP-07 | GP-012732 | 035 | | CR 51.010-2-035 14.18.7 Incremental Redundancy Performance, (addition of a new test) (Rel-4) | В | 4.2.0 | 4.3.0 | GP-012732 | EGPRS |
| GP-07 | GP-012784 | 036 | | CR 51.010-2-036 Applicability of test 42.2.2.4; Fixed Allocation/Uplink Transfer/T3184 Expiry | F | 4.2.0 | 4.3.0 | GP-012784 | GPRS |
| GP-07 | GP-012296 | 037 | | CR 51.010-2-035 Bad frame indication - TCH/AHS - Random RF input 51.010-2 | В | 4.2.0 | 4.3.0 | GP-012296 | AMR |
| GP-08 | GP-020367 | 041 | 1 | Applicability Table for E-OTD Test Cases for LCS Clause 70 (Rel-4) | F | 4.3.0 | 4.4.0 | GP-020367 | LCS |
| GP-08 | GP-020064 | 042 | | Update of references | F | 4.3.0 | 4.4.0 | GP-020064 | TEI |
| GP-08 | GP-020148 | 044 | | Additional Test Case | В | 4.3.0 | 4.4.0 | GP-020148 | GPRS |
| GP-08 | GP-020378 | 045 | 1 | Addition of LCS test cases to the Applicability Tables A2 and B.1 | F | 4.3.0 | 4.4.0 | GP-020378 | LCS |
| GP-09 | GP-021053 | 047 | 1 | Applicability Table B.1: Addition of test of short message type 0 (34.2.6) | F | 4.4.0 | 4.5.0 | GP-021053 | TEI |
| GP-09 | GP-020549 | 048 | - | Correction to reference clause | F | 4.4.0 | 4.5.0 | GP-020549 | TEI |
| GP-09 | GP-021213 | 049 | 1 | CR 51.010-2-049 Addition of LCS performance test cases to the Applicability Table B.1 | F | 4.4.0 | 4.5.0 | | LCS |
| GP-09 | GP-020605 | 051 | - | 51.010-2 Annex B: Correction of applicability table for section 46 | F | 4.4.0 | 4.8.0 | GP-020605 | GPRS |
| GP-09 | GP-020665 | 052 | | Removal of applicability of GPRS Fixed Allocation tests (42.2.x) for R99 and Rel-4 - (Rel-4). | F | 4.4.0 | 4.5.0 | | GPRS |
| GP-09 | GP-020666 | 053 | | Removal of EGPRS Fixed Allocation tests (52.2.x) for R99 and Rel-4 - (Rel-4). | F | 4.4.0 | 4.5.0 | | EDGE |
| GP-09 | GP-020728 | 054 | - | | F | 4.4.0 | 4.5.0 | GP-020728 | GERAN> UTRAN HO |
| GP-09 | GP-020784 | 057 | | Removal of testcase 20.22.27 of 51.010-1 | F | 4.4.0 | 4.5.0 | | GPRS |
| GP-09 | GP-021181 | 058 | 3 | Applicability Table for A-GPS Test Cases for LCS Clause 70 (Rel 4) | F | 4.4.0 | 4.5.0 | GP-021181 | LCS |
| GP-10 | GP-021840 | 059 | 1 | CR to Applicability Table B.1: Correction of | F | 4.5.0 | 4.6.0 | GP-021840 | TEI |
| GP-10 | GP-021842 | 060 | 1 | 51.010-2-060 Correct the Applicability Tables | F | 4.5.0 | 4.6.0 | GP-021842 | LCS |
| GP-10 | GP-021561 | 061 | - | PICS update for AMR RATSCCH Test Cases | F | 4.5.0 | 4.6.0 | GP-021561 | AMR |
| GP-10 | GP-021871 | 062 | 1 | Annex B – Renaming of testcase 41.4.3.3.2 | F | 4.5.0 | 4.6.0 | GP-021561 | GPRS |
| GP-11 | GP-022747 | 069 | 2 | 51.010-2 PICS additions to section A.4.8 to better characterise non auto GPRS attach behaviour. | F | 4.6.0 | 4.7.0 | GP-022747 | GPRS |
| GP-11 | GP-022735 | 070 | 1 | CR 51.010-2-070 r1 Modification of Applicability Table for E-OTD Performance Tests | F | 4.6.0 | 4.7.0 | GP-022735 | LCS |
| GP-11 | GP-022621 | 071 | 1 | DTM additions to the PICS proforma tables for GSM mobile stations. | F | 4.6.0 | 4.7.0 | GP-022621 | DTM |
| GP-11 | GP-022294 | 072 | - | DTM additions to the test applicability tables for GSM mobile stations (WG5). | F | 4.6.0 | 4.7.0 | GP-022294 | DTM |
| GP-11 | GP-022320 | 073 | | CR 51.010-2-073 DTM additions to the test applicability tables for GSM mobile stations (WG4). | F | 4.6.0 | 4.7.0 | GP-022320 | DTM |
| GP-11 | GP-022342 | 074 | | CR 51.010-2-074 Removal of 5 EGPRS test cases from Annex B, Table B.1 Rel-4 | F | 4.6.0 | 4.7.0 | GP-022342 | EDGE |
| GP-11 | GP-022693 | 075 | 1 | Correction of PICS conditions and corrected applicability of test case 45.2.1.2.2 in TS 51.010-2 | F | 4.6.0 | 4.7.0 | GP-022693 | TEI4 |
| GP-11 | GP-022424 | 077 | - | Applicability Table Update | F | 4.6.0 | 4.7.0 | GP-022424 | LCS |
| GP-11 | GP-022602 | 078 | 1 | CR 51.010-2-078 r1 Removal of TBF establishment via DCCH in Annex B, Table B.1 | F | 4.6.0 | 4.7.0 | GP-022602 | GPRS |
| GP-11 | GP-022734 | 079 | 1 | CR 51.010-2-079 r1 Addition of new layer 1 tests to matrix | F | 4.6.0 | 4.7.0 | GP-022734 | AMR |
| GP-11 | GP-022635 | 080 | 1 | Addition of new layer 3 tests to matrix | F | 4.6.0 | 4.7.0 | GP-022635 | AMR |
| GP-11 | GP-022473 | 081 | - | Applicability Table for E-OTD MOLR test cases | F | 4.6.0 | 4.7.0 | GP-022473 | LCS |

| | | | | Change history | | | | | |
|----------------|------------------------|------------|-----|---|--------|----------------|----------------|------------------------|---------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP GP-11 | GP-022625 | 066 | 1 | CR to 51.010-2: Addition of test of short message type 0 REL-5 (34.2.6a) to Applicability Table B.1 | F | 4.6.0 | 5.0.0 | GP-022625 | TEI |
| GP-11 | GP-022128 | 067 | - | Creation of 51.010-2 REL-5: Merging of REL-5, REL-4, R99 etc. PICS proforma Specifications | F | 4.6.0 | 5.0.0 | GP-022128 | TEI |
| GP-12 | GP-023335 | 083 | 1 | CR 51.010-2-083 r1 Addition of WG4 DTM Conformance Tests to the Applicability table (Rel-5) | F | 5.0.0 | 5.1.0 | GP-023335 | DTM |
| GP-12 | GP-022948 | 084 | - | Addition of WG5 DTM Conformance Tests to the Applicability Table | F | 5.0.0 | 5.1.0 | GP-022948 | DTM |
| GP-12 | GP-023388 | 086 | 1 | Applicability Table Update | F | 5.0.0 | 5.1.0 | GP-023388 | LCS |
| GP-12 | GP-023033 | 087 | | CR 51.010-2-087 Changed the name of clause 51.2.2.3. | | 5.0.0 | 5.1.0 | GP-023033 | EDGE |
| GP-12 | GP-023047 | 088 | - | Change of Applicability for test case 44.2.1.1.8 - GPRS attach/abnormal cases/power off | | 5.0.0 | 5.1.0 | GP-023047 | GPRS |
| GP-12 | GP-023295 | 089 | 1 | Add AMR half rate optional applicability | F | 5.0.0 | 5.1.0 | GP-023295 | AMR |
| GP-12 GP-12 | GP-023385 GP-023096 | 091 | 1 | Introduction of UTRAN Classmark Change test cases in section 26.6.11 CR 51.010-2-092 Addition of Extended Uplink | F | 5.0.0 | 5.1.0 | GP-023385 GP-023096 | TEI |
| | | | | TBF Mode test cases to matrix | | | | | |
| GP-12 GP-12 | GP-023142 GP-023393 | 093 094 | 2 | Applicability Table for GMM Test Cases Applicability Table for E-OTD MOLR test cases | F F | 5.0.0 | 5.1.0 5.1.0 | GP-023142 GP-023393 | GPRS LCS |
| GP-12 | GP-023334 | 095 | 1 | CR 51.010-2-095 r1 Error in Conditional Expression C53 in Table B.1 | F | 5.0.0 | 5.1.0 | GP-023334 | GPRS |
| GP-12 | GP-023392 | 096 | 2 | Modifications to allow introduction of the 11.10-4 R99 Test Spec | F | 5.0.0 | 5.1.0 | GP-023392 | TEI |
| GP-12 | GP-023338 | 097 | | CR 51.010-2-097 Addition of 4 new EGPRS test cases. | F | 5.0.0 | 5.1.0 | GP-023338 | EDGE |
| GP-13 | GP-030368 | 099 | 2 | Applicability of "Speech teleservices" test cases in Annex B | F | 5.1.0 | 5.2.0 | GP-030368 | TEI |
| GP-13 | GP-030394 | 100 | 2 | CR 51.010-2-100 r2 Update of applicability table | В | 5.1.0 | 5.2.0 | | EDGE |
| GP-13 | GP-030167 | 101 | | Update to Applicability Table Indicating Tests for MS-Assisted E-OTD | F | 5.1.0 | 5.2.0 | GP-030167 | LCS |
| GP-13 | GP-030363 | 102 | 1 | Update to Applicability Table for Assisted GPS MO-LR Tests | F | 5.1.0 | 5.2.0 | GP-030363 | LCS |
| GP-13 | GP-030359 | 103 | 1 | suppression of table A.26.2 Terminal Profile | F | 5.1.0 | 5.2.0 | GP-030359 | SAT |
| GP-13 | GP-030348 | 104 | | CR 51.010-2-104 Updating PICS for AMR test cases | В | 5.1.0 | 5.2.0 | | AMR-NB |
| GP-13 | GP-030389 | 105 | | CR 51.010-2-105 Updating PICS for EMR cases | В | 5.1.0 | 5.2.0 | | TEI |
| GP-13 | GP-030395 | 106 | 1 | CR 51.010-2 106 r1 Addition of test case on NC2 and Re-allocation in uplink | В | 5.1.0 | 5.2.0 | | GPRS (S42) |
| GP-14 GP-14 | GP-030499 GP-030500 | 107 108 | - | Clarification to speech codec definitions Correction of Applicability column for clause | F F | 5.2.0 5.2.0 | 5.3.0 5.3.0 | GP-030499 GP-030500 | TEI TEI |
| GP-14 | GP-030966 | 109 | 1 | Addition of some DTM test cases to the applicability table. | F | 5.2.0 | 5.3.0 | GP-030966 | DTM |
| GP-14 | GP-030639 | 110 | - | Deletion of test cases 42.4.2.1.5 and 52.4.2.1.5 from Table B.1. | F | 5.2.0 | 5.3.0 | GP-030639 | GPRS |
| GP-14 | GP-031044 | 111 | 2 | Modification of applicability table in 51.010-2 due to introduction of new test cases in | F | 5.2.0 | 5.3.0 | GP-031044 | GPRS |
| GP-14 | GP-031017 | 113 | 2 | 51.010-1 Addition of test case in TS 51.010 S42: Packet Uplink Assignment containing a new Coding Scheme command. | F | 5.2.0 | 5.3.0 | GP-031017 | GPRS |
| GP-14 | GP-030841 | 114 | | Updating PICS for RxQual test cases | F | 5.2.0 | 5.3.0 | GP-030841 | AMR |
| GP-14 | GP-030999 | 115 | 1 | Modification of applicability table in 51.010-2 due to introduction of new test cases in 51.010-1 | F | 5.2.0 | 5.3.0 | GP-030999 | GSM |
| GP-14 | GP-030994 | 116 | 1 | Addition of test cases for Network Assisted Cell Change | В | 5.2.0 | 5.3.0 | GP-030994 | NACC |
| GP-14 | GP-031013 | 117 | - | CR 51.010-2 Incorrect applicabilty for 6 test cases of secion 42.3.1.1.* | F | 5.2.0 | 5.3.0 | GP-031013 | GPRS |
| GP-14 | GP-031050 | 118 | 2 | Update PICS for GPRS EMR Test case | F | 5.2.0 | 5.3.0 | GP-031050 | GPRS |
| GP-15 | GP-031086 | 119 | | CR 51.010-2-119 Table B.1: Conditions for TCs 14.2.18, 14.4.16, 26.6.5.2-2, 26.6.5.2-5, 26.6.5.2-6, 26.6.5.2-10 corrected; Missing TC | F | 5.3.0 | 5.4.0 | GP-031086 | TEI |
| | | | | 31.3.1.2.2.1 added | | <u> </u> | <u> </u> | | <u> </u> |

| | | | | Change history | | | | | |
|-------|------------|-----|-----|---|-----|-------|-------|-----------|------------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-15 | GP-031287 | 122 | | CR 51.010-2-122 B1 Add new TC - 44.2.3.1.1a - Routing area updating / accepted / old P-TMSI | F | 5.3.0 | 5.4.0 | GP-031287 | GPRS |
| GP-15 | GP-031314 | 123 | | CR 51.010-2-123 Modification of applicability table in 51.010-2 due to introduction of new test cases in 51.010-1 and change of some testcases titles | F | 5.3.0 | 5.4.0 | GP-031314 | GPRS |
| GP-15 | GP-031460 | 124 | | CR 51.010-2-124 Update of Applicability Table for PEMR Test Cases (Rel-5) | F | 5.3.0 | 5.4.0 | GP-031460 | GPRS |
| GP-15 | GP-031714 | 125 | 1 | CR 51.010-2-125 rev1 Update of Applicability Table for SMS over GPRS (Rel-5) | F | 5.3.0 | 5.4.0 | GP-031714 | GPRS |
| GP-15 | GP-031493 | 126 | | CR 51.010-2-126 Deletion of clauses 42.4.2.1.2 and 42.4.2.3.2 from Table B.1. | F | 5.3.0 | 5.4.0 | GP-031493 | GPRS |
| GP-15 | GP-031506 | 127 | | CR 51.010-2-127 Deletion of clause 52.4 from Table B.1 | F | 5.3.0 | 5.4.0 | GP-031506 | EDGE |
| GP-15 | GP-031615 | 128 | | CR 51.010-2-1128 Deletion of test case 52.1.1.1 from Table B.1 | F | 5.3.0 | 5.4.0 | GP-031615 | EDGE |
| GP-15 | GP-031629 | 129 | | CR 51.010-2 129 Update PICS for 22.12 | F | 5.3.0 | 5.4.0 | GP-031629 | GPRS |
| GP-15 | GP-031631 | 130 | | CR 51.010-2 "Multiple PCCCH test cases 42.1.2.1.14, 42.1.2.1.15, 42.1.2.1.16, 42.1.2.1.17 and 42.1.2.1.18" | F | 5.3.0 | 5.4.0 | GP-031631 | GPRS |
| GP-15 | GP-031638 | 131 | 2 | CR 51.010-2-131 rev2 Update PICS for 20.22.29 | F | 5.3.0 | 5.4.0 | GP-031638 | Cell selection |
| GP-16 | GP-031952 | 121 | 1 | CR 51.010-2-121 rev 1 Removal of the close- ended TBF feature in annex B, table B1 | С | 5.4.0 | 5.5.0 | | TEI |
| GP-16 | GP-032156 | 135 | 1 | CR 51.010-2-135 rev1 Modification in the applicability of the following testcases: 42.3.1.1.8, 42.7.4, 52.3.1.1.8. Changing the name of the testcase 20.22.5. | F | 5.4.0 | 5.5.0 | | GPRS |
| GP-16 | GP-031875 | 136 | | | F | 5.4.0 | 5.5.0 | | GPRS |
| GP-16 | GP-031961 | 137 | | CR 51.010-2-137 Applicability for 2G to 3G Cell Change Order Test Cases | F | 5.4.0 | 5.5.0 | | GPRS |
| GP-16 | GP-031974 | 138 | | CR 51.010-2-138 Update corresponding to changes to the DTM feature | F | 5.4.0 | 5.5.0 | | DTM |
| GP-16 | GP-032157 | 140 | | CR 51.010-2-140 Section 42: "New test cases: NC2 in Packet transfer mode | F | 5.4.0 | 5.5.0 | | GPRS |
| GP-16 | GP-032178 | 141 | 1 | CR 51.010-2-141 rev1 Section 70: "New test case: Conventional GPS | F | 5.4.0 | 5.5.0 | | LCS |
| GP-16 | GP-032160 | 143 | | CR 51.010-2-143 26.16.10 splitted in two test cases | F | 5.4.0 | 5.5.0 | | AMR |
| GP-17 | GP-032307 | 144 | - | Adding TTY test cases | В | 5.5.0 | 5.6.0 | GP-032307 | TTY |
| GP-17 | GP-032334 | 145 | - | Addition of new NC2 cases | F | 5.5.0 | 5.6.0 | GP-032334 | GPRS |
| GP-17 | GP-032776 | 146 | 1 | Modification to Applicability Table due to introduction of new testcases in 3GPP TS 51.010-1 | F | 5.5.0 | 5.6.0 | GP-032776 | GPRS |
| GP-17 | GP-032425 | 147 | - | CR 51.010-2 Test cases from section 53 missing | F | 5.5.0 | 5.6.0 | GP-032425 | GPRS |
| GP-17 | GP-032457 | 148 | - | Update PICS for MOLR MS-Based AGPS Test cases | F | 5.5.0 | 5.6.0 | GP-032457 | LCS |
| GP-17 | GP-032495 | 149 | - | Spilt of Multislot Classes for HSCSD, GPRS and EGPRS. | F | 5.5.0 | 5.6.0 | GP-032495 | EGPRS |
| GP-17 | GP-032566 | 150 | - | CR 51.010-2 Correction of test numbers in section 21.3 | F | 5.5.0 | 5.6.0 | GP-032566 | GPRS |
| GP-17 | GP-032643 | 151 | - | New test cases: NACC | В | 5.5.0 | 5.6.0 | GP-032643 | GPRS |
| GP-17 | GP-032784 | 153 | 1 | Modification of applicability table in 51.010-2 due to introduction of new test cases in 51.010-1 | F | 5.5.0 | 5.6.0 | GP-032784 | GSM |
| GP-17 | GP-032779 | 154 | - | Removal of test case 26.8.1.3.3.3 Incoming call / U9 mobile terminating call confirmed / termination requested by the user | F | 5.5.0 | 5.6.0 | GP-032779 | TEI |
| GP-18 | GP-040008 | 155 | 1_ | New NC2 testcases | F | 5.6.0 | 5.7.0 | GP-040008 | GPRS |
| GP-18 | GP-040072 | 156 | - | | F | 5.6.0 | 5.7.0 | GP-040072 | GPRS |
| GP-18 | GP-040509 | 157 | 1 | Addition of test cases for Intersystem Change | В | 5.6.0 | 5.7.0 | GP-040509 | Intersyste m Change |
| GP-18 | GP-040504 | 158 | 1 | Removal of AMR C/I tests from section 26.16 | F | 5.6.0 | 5.7.0 | GP-040504 | AMR |
| GP-18 | GP-040496 | 159 | 1 | New section 20 NC2 test cases | F | 5.6.0 | 5.7.0 | GP-040496 | GPRS |
| | GP-040148 | 160 | - | Correction of applicability for clauses | F | 5.6.0 | 5.7.0 | GP-040148 | NC2 GPRS |
| GP-18 | 0. 0.01.10 | | | 20.22.30.x. | | | | | |

| Change history | | | | | | | | | | | |
|----------------|------------------------|------------|------------|--|--------|----------------|------------------|-----------|-----------------------------|--|--|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item | | |
| GP-18 | GP-040176 | 162 | - | CR 51.010-2 Removal of test cases 20.22.21 and 44.2.8.2 | F | 5.6.0 | 5.7.0 | GP-040176 | GPRS | | |
| GP-18 | GP-040202 | 163 | - | PICS/PIXIT missing for Extended Uplink TBF | В | 5.6.0 | 5.7.0 | GP-040202 | Extended Uplink TBF | | |
| GP-18 | GP-040548 | 164 | 3 | New test case: I_level reporting New test case: Coding Scheme adaptation while the MS is in extended Uplink mode New test case: Modulation and Coding Scheme adaptation while the MS is in extended Upli | F | 5.6.0 | 5.7.0 | GP-040548 | GPRS | | |
| GP-18 | GP-040513 | 165 | 1 | CR 51.010-2 Section 45 applicability restrictions for three test cases | F | 5.6.0 | 5.7.0 | GP-040513 | GPRS | | |
| GP-19 | GP-041174 | 166 | 2 | New PICS/PIXIT, conditions and Test cases for NITZ/GPRS. | F | 5.7.0 | 5.8.0 | GP-041174 | GPRS | | |
| GP-19 | GP-041173 | 167 | 1 | Changes in applicability table for AMR RF testcases | F | 5.7.0 | 5.8.0 | GP-041173 | GSM | | |
| GP-19 | GP-041116 | 168 | 1 | Removal of 42.3.1.1.2 and 52.3.1.1.2 | F | 5.7.0 | 5.8.0 | GP-041116 | TEI | | |
| GP-19 | GP-041170 | 170 | 1 | Split Inter-System Handover high data rate test cases in keeping with 34.123-1CR727 (T1-040406) | F | 5.7.0 | 5.8.0 | GP-041170 | Inter System Handover | | |
| GP-19 | GP-040688 | 171 | - | Modification of Applicability Table for testcase 53.1.2.19 | F | 5.7.0 | 5.8.0 | GP-040688 | GPRS | | |
| GP-19 | GP-040694 | 172 | - | New test case for Intersystem Change and Integrity Protection | В | 5.7.0 | 5.8.0 | GP-040694 | Intersyste m Change | | |
| GP-19 | GP-040734 | 173 | - | Correction of applicability table for TCs 20.22.8, 20.22.9, 42.1.2.1.8.2.2, 42.1.2.1.9.3 | F | 5.7.0 | 5.8.0 | GP-040734 | GPRS | | |
| GP-19 | GP-040735 | 174 | - | PICS parameters for concatenated SMS required | В | 5.7.0 | 5.8.0 | GP-040735 | GPRS | | |
| GP-19 | GP-040865 | 175 | - | Addition of supported power classes for GSM 850 terminal equipment | F | 5.7.0 | 5.8.0 | GP-040865 | TEI | | |
| GP-19 | GP-040997 | 176 | - | Update of applicability of test case 46.2.2.4.2 | F | 5.7.0 | 5.8.0 | GP-040997 | GPRS | | |
| GP-19 | GP-041032 | 177 | - | Changing the name of the testcase 42.7.2 in the applicability table. | F | 5.7.0 | 5.8.0 | GP-041032 | GPRS | | |
| GP-19 | GP-041189 | 179 | | Deletion of TC 31.1.4.2 from 51.010-2 Addition of missing v5.8.0 history | F | 5.7.0 5.8.0 | 5.8.0 5.8.1 | GP-041189 | GSM | | |
| GP-20 | GP-041638 | 180 | 1 | Correction of various Multislot Selection Expressions in Annex B, Table B.1 | F | 5.8.1 | 5.9.0 | | GPRS, EDGE | | |
| GP-20 | GP-041237 | 181 | +- | Part 2 : Addition of New NITZ TC 44.2.9.1.3 | F | 5.8.0 | 5.9.0 | | GPRS | | |
| GP-20 | GP-041308 | 183 | - | 51.010-2: Addition of new Extended UL TBF | В | 5.8.0 | 5.9.0 | | GPRS | | |
| GP-20 | GP-041338 | 184 | - | CR 051.010-2-184 Modification to Applicability Table due to addition of new Extended Uplink testcases in 51.010-1 | F | 5.8.0 | 5.9.0 | | GPRS | | |
| GP-20 GP-20 | GP-041416 GP-041649 | 185 189 | - | Removal of reference to 26.16.9.12 Addition of two new test cases: "Network Control PEMR / Packet Cell Change Order " and "Network Control PEMR / Packet Enhanced Measurement Report / Measurement reporting with PBCCH / Invalid BSIC" | F B | 5.8.0 5.8.0 | 5.9.0 5.9.0 | | GSM PEMR | | |
| GP-21 | GP-041750 | 190 | - | Addition of supported power classes for 8-PSK terminal equipment. | | 5.9.0 | 5.10.0 | GP-041750 | EGPRS | | |
| GP-21 | GP-041998 | 191 | <u> </u> - | CR 51.010-2 PICS parameters for band interworking | В | 5.9.0 | 5.10.0 | GP-041998 | GPRS | | |
| GP-21 | GP-041774 | 192 | - | 51.010-2: Addition of new Inter-RAT Cell Change Order / Failure cases | В | 5.9.0 | 5.10.0 | GP-041774 | GPRS | | |
| GP-21 | GP-041901 | 193 | - | CR 51.010-2 Addition of 4 new extended uplink TBF test cases to Table B.1: "Applicability of tests". | F | 5.9.0 | 5.10.0 | GP-041901 | GPRS/EG PRS | | |
| GP-21 | GP-041902 | 194 | - | CR 51.010-2 Section 41.5.1.1.2.3.5 Uplink TBF establishment with reallocation of CS resources / Abnormal case / Multislot class violation / Incorrect Allocation – applicable DTM Multislot class extend | В | 5.9.0 | 5.10.0 | GP-041902 | DTM | | |
| GP-21 | GP-041903 | 195 | <u> </u> | CR 51.010-2 Correction to applicability table for TC 53.1.2.19. | F | 5.9.0 | 5.10.0 | GP-041903 | GPRS | | |
| GP-21 | GP-042157 | 196 | - | 51.010-2: Removal of 20.22.28 | В | 5.9.0 | 5.10.0 | GP-042157 | GPRS | | |
| GP-22 | GP-042300 | 197 | - | Correction to Table B.1: Applicability of tests | F | | 5.11.0 | 1 | Phase 2 | | |
| GP-22 GP-22 | GP-042794 GP-042713 | 199 200 | 1 | Deletion of TC 20.22.25, TC 20.22.24 Addition of PICS/PIXIT item for 14 and 21 series tests | F F | | 5.11.0 5.11.0 | | GPRS AMR | | |

| | | | | Change history | | | | | |
|-------|-----------|-----|-----|---|-----|--------|--------|-----------|--------------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-22 | GP-042815 | 201 | 1 | A.4.8 - Addition of new PICS parameter | F | | 5.11.0 | | GPRS |
| GP-22 | GP-042419 | 202 | - | Change of title on TC 26.16.9.9 | F | | 5.11.0 | | AMR |
| GP-22 | GP-042423 | 203 | - | Title of TC 41.5.1.2.2 changed | F | | 5.11.0 | | DTM |
| GP-22 | GP-042443 | 206 | - | Applicability of the individual test - 41.5.1.1.2.3.5 - Correction of Condition C308 | F | | 5.11.0 | | GPRS |
| GP-22 | GP-042793 | 207 | 1 | Addition of test cases for DTM/EGPRS | С | 5.10.0 | | | DTM |
| GP-22 | GP-042816 | 208 | 2 | Addition of a new test case for USFs decoding by a MS in GPRS TBF mode when the USFs are assigned with EGPRS RLC/MAC blocks coded with MCS-1 to MCS-4. | В | 5.10.0 | 5.11.0 | | GPRS |
| GP-22 | GP-042915 | 209 | 1 | Creation of 51.010-2 REL-6: Merging of REL-5, REL-4, R99 etc. test specifications (Foreword, clause 1 and clause 2) | F | 5.10.0 | 6.0.0 | GP-042915 | TEI |
| GP-23 | GP-050043 | 210 | - | Correction to Tables A.1, B.1 - DTM/GPRS Multislot Class 11, Condition C308 and Applicability of Testcase 57.2.1 | F | 6.0.0 | 6.1.0 | GP-050043 | DTM |
| GP-23 | GP-050093 | 211 | - | Corrections in the testcase applicability table. | F | 6.0.0 | 6.1.0 | GP-050093 | GPRS |
| GP-23 | GP-050181 | 213 | - | Annex B - Removal of testcase 34.4.5 | F | 6.0.0 | 6.1.0 | GP-050181 | GPRS |
| GP-23 | GP-050551 | 218 | 1 | Section A.4.8 addition of PICSs to specify support of header compression algorithm types | F | 6.0.0 | 6.1.0 | GP-050551 | GPRS |
| GP-23 | GP-050187 | 219 | - | Annex B - Modification of C327 | F | 6.0.0 | 6.1.0 | GP-050187 | AMR |
| GP-23 | GP-050227 | 221 | - | Correction to applicability condition C235 | F | 6.0.0 | 6.1.0 | GP-050227 | GPRS |
| GP-23 | GP-050234 | 222 | - | DARP Speech bearer tests / TCH/AFS / DTS-1 (new test) | F | 6.0.0 | 6.1.0 | GP-050234 | DARP |
| GP-23 | GP-050237 | 223 | - | Addition of PICS for GPRS | F | 6.0.0 | 6.1.0 | GP-050237 | GPRS |
| GP-23 | GP-050239 | 224 | - | Cell Reselection based on C32 - Cell Reselction on CCCH - PBCCH not present | F | 6.0.0 | 6.1.0 | GP-050239 | GPRS |
| GP-23 | GP-050507 | 225 | 2 | Applicability of RX Qual Test Cases 21.3.1, 21.3.2, 21.4.1 | F | 6.0.0 | 6.1.0 | GP-050507 | RX Qual Test Cases |
| GP-23 | GP-050025 | 226 | 1- | Removal of the TC 42.4.4.4 - Part 2 | F | 6.0.0 | 6.1.0 | GP-050025 | GPRS |
| GP-23 | GP-050500 | 227 | 1 | Correction to part 2 to include missing TCs in table B.1 | F | 6.0.0 | 6.1.0 | GP-050500 | TEI6 |
| GP-23 | GP-050478 | 228 | - | Differentiation of Single/Multi slot DTM test cases. | С | 6.0.0 | 6.1.0 | GP-050478 | DTM |
| GP-24 | GP-050614 | 229 | - | Annex B, Table B.1: Applicability for 46.1.2.7.2 corrected | F | 6.1.0 | 6.2.0 | GP-050614 | GPRS |
| GP-24 | GP-051069 | 230 | 1 | 14.11.1.1 DARP Speech bearer tests / TCH/FS / DTS-1 (new test) | F | 6.1.0 | 6.2.0 | GP-051069 | DARP |
| GP-24 | GP-051070 | 231 | 1 | 21.3.6 Signal Quality under static conditions - TCH/AHS DTX On (new test) | F | 6.1.0 | 6.2.0 | GP-051070 | DARP |
| GP-24 | GP-050637 | 232 | - | Addition of PICS value for test case 46.1.2.2.2.4 | F | 6.1.0 | 6.2.0 | GP-050637 | GPRS |
| GP-24 | GP-050638 | 233 | 1- | Test case 47.3.1.1 missing | F | 6.1.0 | 6.2.0 | GP-050638 | DTM |
| GP-24 | GP-051076 | 234 | 2 | Addition of new GPRS DARP test cases | В | 6.1.0 | 6.2.0 | GP-051076 | DARP |
| GP-24 | GP-050653 | 235 | - | 20.22.14 - Cell Reselection in case Cell reselection occurred in the previous 15 s | F | 6.1.0 | 6.2.0 | GP-050653 | GPRS |
| GP-24 | GP-050654 | 236 | - | 42.4.4.5 - New TC for Rel-6 | F | 6.1.0 | 6.2.0 | GP-050654 | GPRS |
| GP-24 | GP-050657 | 238 | - | Reinsert applicability for TC 47.3.1.1 in table B.1 | F | 6.1.0 | 6.2.0 | GP-050657 | DTM |
| GP-24 | GP-051105 | 239 | 3 | Additions in table A1 A2 and B1 for Extended dynamic allocation | F | 6.1.0 | 6.2.0 | GP-051105 | GPRS |
| GP-24 | GP-050668 | 240 | - | 51.010-2 - Miscellaneous inconsistencies wrt 51.010-1 | F | 6.1.0 | 6.2.0 | GP-050668 | TEI |
| GP-24 | GP-051082 | 241 | 1 | 51.010 -2 Corrections to the Test case Applicability Table. | F | 6.1.0 | 6.2.0 | GP-051082 | GPRS |
| GP-24 | GP-050688 | 242 | 1- | A4.8, Annex B DARP release applicability | F | 6.1.0 | 6.2.0 | GP-050688 | DARP |
| GP-24 | GP-051084 | 243 | 2 | Annex B new DARP tests TCH/AFS and TCH/AHS | F | 6.1.0 | 6.2.0 | GP-051084 | DARP |
| GP-24 | GP-051072 | 244 | 1 | Annex B 14.4.16 change applicability due to new DARP tests | F | 6.1.0 | 6.2.0 | GP-051072 | DARP |
| GP-24 | GP-050711 | 245 | - | CR 51.010-2 Correction in Table A.26.4 Display Text | F | 6.1.0 | 6.2.0 | GP-050711 | GSM |
| GP-24 | GP-050712 | 246 | - | CR 51.010-2 Annex B Applicability of the individual test | F | 6.1.0 | 6.2.0 | GP-050712 | GSM |
| GP-24 | GP-051078 | 247 | 1 | CR 051.010-2 Applicability table Annex B changed for 41.5.1.1.2.3.4 and 42.6.1. | F | 6.1.0 | 6.2.0 | GP-051078 | GPRS |
| GP-24 | GP-050800 | 248 | - | CR 51.010-2-248 Section 41.5.1.1.2.3.4 - | F | 6.1.0 | 6.2.0 | GP-050800 | - |

| | | | | Change history | | | | | |
|-------|-----------|-----|----------|--|-----|-------|-------|-----------|-----------------------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| | | | | Uplink TBF establishment with reallocation of CS resources / Abnormal case / Multislot class violation / Singleslot allocation – Applicability | | | | | |
| GP-24 | GP-050833 | 249 | - | changed CR 51.010-2 Removal of A-GPS NI-LR test | F | 6.1.0 | 6.2.0 | GP-050833 | TEI |
| GP-24 | GP-050835 | 250 | - | cases on SDCCH CR 51.010-2 New A-GPS NI-LR emergency | F | 6.1.0 | 6.2.0 | GP-050835 | TEI |
| GP-24 | GP-050910 | 251 | - | call test cases without SIM inserted. CR 51.010-2 Table B.1: Applicability of tests The Mnemonic A.25/26 (TSPC_Addinfo_CCprotocol_oneBC) is | F | 6.1.0 | 6.2.0 | GP-050910 | GPRS |
| GP-24 | GP-051079 | 252 | 1 | wrongly named in twelve clauses of Table B.1 51010-2: Changes in the condition of the testcase 47.1.4 | F | 6.1.0 | 6.2.0 | GP-051079 | GPRS |
| GP-24 | GP-051096 | 253 | 1 | Table B.1: Correction of applicability for a mobile terminal supporting card application | F | 6.1.0 | 6.2.0 | GP-051096 | GERAN |
| GP-24 | GP-051074 | 254 | 1 | CR 51.010-2-254 rev 1 Annex B 14.11.4 Change to "Applicability of individual test" due to a new DARP test case | F | 6.1.0 | 6.2.0 | GP-051074 | DARP |
| GP-24 | GP-051075 | 255 | - | CR 51.010-2-255 Annex B 14.11.4 Change to Application | F | 6.1.0 | 6.2.0 | GP-051075 | DARP |
| GP-25 | GP-051193 | 258 | - | Editorial correction to Annex B, underline in table | D | 6.2.0 | 6.3.0 | GP-051193 | TEI |
| GP-25 | GP-051196 | 259 | - | Splitting of Test Case 27.10 in Applicability Table B.1 | F | 6.2.0 | 6.3.0 | GP-051196 | Phase 2 |
| GP-25 | GP-051209 | 263 | - | CR 51.010-2 Section A.4.9.1 SIM Application Toolkit Mechanism Applicability Tables Conflict | F | 6.2.0 | 6.3.0 | GP-051209 | GPRS |
| GP-25 | GP-051735 | 264 | 1 | Additions in table B1 for Extended dynamic allocation | F | 6.2.0 | 6.3.0 | GP-051735 | GPRS |
| GP-25 | GP-051215 | 265 | - | Corrections in Table B.1 | F | 6.2.0 | 6.3.0 | GP-051215 | GSM |
| GP-25 | GP-051222 | 266 | - | Applicability for 26.17.2 - Adaptive Multi Rate Signalling - 8PSK/ Inband Signalling, Uplink Codec Adaptation (New TC) | F | 6.2.0 | 6.3.0 | GP-051222 | 8PSK-AH |
| GP-25 | GP-051237 | 267 | - | Applicability for 14.2.21 DARP Reference sensitivity - O-TCH/AHS (new) | F | 6.2.0 | 6.3.0 | GP-051237 | 8PSK-AH |
| GP-25 | GP-051742 | 268 | 4 | New PICS/PIXIT for Clause 83: PS Domain Procedures | В | 6.2.1 | 6.3.0 | GP-051742 | GAN |
| GP-25 | GP-051261 | 269 | - | Annex B, Table B.1: Conditions C337/C338 corrected for test cases 41.3.6.9, 41.3.6.10, 51.3.6.9 and 51.3.6.10 | F | 6.2.0 | 6.3.0 | GP-051261 | GPRS |
| GP-25 | GP-051737 | 271 | 1 | Add applicability for new tests 14.10.3 and 14.10.4 | F | 6.2.0 | 6.3.0 | GP-051737 | DARP |
| GP-25 | GP-051731 | 272 | 1 | CR 51.010-2: New 8-PSK AMR HR Signalling Test Cases | F | 6.2.0 | 6.3.0 | GP-051731 | GSM |
| GP-25 | GP-051736 | 273 | 1 | Update of PICS to include the new TCs for EDA 42.9.2.1.4, 42.9.2.1.5, 52.9.2.1.4, 52.9.2.1.5 | F | 6.2.0 | 6.3.0 | GP-051736 | GPRS |
| GP-25 | GP-051304 | 274 | - | Corrections in Table B.1 | F | 6.2.0 | 6.3.0 | GP-051304 | TEI-6 |
| GP-25 | GP-051320 | 275 | - | 51010-2: Changes in the applicability of the combined procedure testcases. | F | 6.2.0 | 6.3.0 | GP-051320 | GPRS |
| GP-25 | GP-051321 | 276 | <u> </u> | 51010-2: Correction in the testcase applicability table. | F | 6.2.0 | 6.3.0 | GP-051321 | GPRS |
| GP-25 | GP-051336 | 277 | - | Addition of new EGPRS DARP test cases | В | 6.2.0 | 6.3.0 | GP-051336 | DARP |
| GP-25 | GP-051739 | 278 | 1 | New PICS/PIXIT for Clause 82: GAN CS Domain Procedures | В | 6.2.0 | 6.3.0 | GP-051739 | GAN |
| GP-25 | GP-051372 | 279 | - | New PICS/PIXIT for MS-Based A-GPS: RRLP Error Handling | F | 6.2.0 | 6.3.0 | GP-051372 | TEI |
| GP-25 | GP-051401 | 280 | - | CR 51.010-2 - Annex B - Modification of C327 | F | 6.2.0 | 6.3.0 | GP-051401 | GPRS |
| GP-25 | GP-051456 | 281 | - | CR 51.010-2: New 8-PSK AMR HR Signalling Test Cases | F | 6.2.0 | 6.3.0 | GP-051456 | GSM |
| GP-25 | GP-051367 | 282 | - | Correction of Conventional GPS Applicability | F | 6.2.0 | 6.3.0 | GP-051367 | TEI |
| GP-25 | GP-051740 | 283 | 2 | New PICS/PIXIT for Clause 81: GAN Discovery and Registration Procedures | В | 6.2.0 | 6.3.0 | GP-051740 | GAN |
| GP-26 | GP-051829 | 284 | <u> </u> | Applicability for new tests 14.2.22, 14.4.19 and 14.5.1.4 | | 6.3.0 | 6.4.0 | GP-051829 | AMRWB |
| GP-26 | GP-052286 | 285 | 1 | New 8-PSK AMR signalling test | В | 6.3.0 | 6.4.0 | GP-052286 | GSM |
| GP-26 | GP-052192 | 286 | 1 | Addition of test cases for Extended Dynamic Allocation | В | 6.3.0 | 6.4.0 | GP-052192 | Extended Dynamic Allocation |
| GP-26 | GP-052287 | 287 | 1 | Missing applicability for Extended Dynamic Allocation | F | 6.3.0 | 6.4.0 | GP-052287 | Extended Dynamic |

| | | | | Change history | | | | | |
|-------|-----------|-----|-----|--|-----|-------|-------|-----------|---------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| | | | | | | | | | Allocation |
| GP-26 | GP-051876 | 288 | - | 31.6.2.1 Removal of SIM during an active call | F | 6.3.0 | 6.4.0 | GP-051876 | GSM |
| GP-26 | GP-052196 | 289 | 1 | Additions in table B1 for Extended dynamic allocation | F | 6.3.0 | 6.4.0 | GP-052196 | GPRS |
| GP-26 | GP-052136 | 290 | 1 | Applicability for new test 14.4.20 | F | 6.3.0 | 6.4.0 | GP-052136 | 8PSK-AH |
| GP-26 | GP-051898 | 291 | - | Part 2 for removal of test cases 21.5, 21.6 and 21.7 | F | 6.3.0 | 6.4.0 | GP-051898 | GSM |
| GP-26 | GP-052198 | 292 | 1 | CR 51.010-2 Change of Applicabilty of Test Case 31.8.1.2.3 | F | 6.3.0 | 6.4.0 | GP-052198 | GSM |
| GP-26 | GP-052199 | 293 | 1 | CR 51.010-2 Addition of PICS/PIXIT item "R97/98 MS Use of DST" | F | 6.3.0 | 6.4.0 | GP-052199 | GPRS |
| GP-26 | GP-051945 | 294 | - | CR 51.010-2-294 Annex B - Applicability table entries for section 80 TTY tests moved to section 90 | D | 6.3.0 | 6.4.0 | GP-051945 | GPRS |
| GP-26 | GP-051946 | 295 | - | CR 51.010-2-295 Annex B - 41.5.1.1.2.3.4 - Expanded applicability | F | 6.3.0 | 6.4.0 | GP-051946 | GPRS |
| GP-26 | GP-052201 | 296 | 1 | 51010-2: Addition of new testcases for Extended Dynamic Allocation. | В | 6.3.0 | 6.4.0 | GP-052201 | GPRS |
| GP-26 | GP-052009 | 297 | - | PICS/PIXIT added for reduced interslot dynamic range in multislot configurations | F | 6.3.0 | 6.4.0 | GP-052009 | GPRS |
| GP-26 | GP-052291 | 298 | 1 | Introduction of a new RRLP Error Handling test cases for MS-based A-GPS Clause 70.9.4.x | F | 6.3.0 | 6.4.0 | GP-052291 | TEI |
| GP-27 | GP-052351 | 299 | - | Annex B: Correction to applicability for Extended Dynamic Allocation | F | 6.4.0 | 6.5.0 | GP-052351 | EDA |
| GP-27 | GP-052835 | 301 | 1 | Applicability of 14.1.3, 14.1.4, 14.4.3 – Tests reduction (tests deleted) | F | 6.4.0 | 6.5.0 | GP-052835 | AMR |
| GP-27 | GP-052367 | 302 | - | Applicability of 14.1.6, 14.2.5, 14.2.19 – Tests reduction | F | 6.4.0 | 6.5.0 | GP-052367 | AMR |
| GP-27 | GP-052821 | 304 | 1 | Update of the Applicability for some EGPRS TC | F | 6.4.0 | 6.5.0 | GP-052821 | EGPRS |
| GP-27 | GP-052390 | 305 | - | CR 51.010-2 Correction of Table A.2 concering Ciphering Algorith A5/2 | F | 6.4.0 | 6.5.0 | GP-052390 | GSM |
| GP-27 | GP-052437 | 306 | - | CR 51.010-2 Section 83.1.8.1 and 83.1.8.2 Removal of both Test Cases | F | 6.4.0 | 6.5.0 | GP-052437 | GPRS |
| GP-27 | GP-052840 | 307 | 1 | Introduction of new MS-Based A-GPS test cases | F | 6.4.0 | 6.5.0 | GP-052840 | TEI |
| GP-27 | GP-052456 | 308 | - | Applicability of 60.x to add GSM 850 / PCS 1900 | F | 6.4.0 | 6.5.0 | GP-052456 | Intersystem _Change |
| GP-27 | GP-052467 | 310 | - | part2 test reduction, change of applicability for 13.1, 13.3 and 13.4 | F | 6.4.0 | 6.5.0 | GP-052467 | GSM |
| GP-27 | GP-052857 | 315 | - | Part2, test reduction, change of applicability for test cases 13.6, 13.7 and 13.8 | F | 6.4.0 | 6.5.0 | GP-052857 | GSM |
| GP-27 | GP-052859 | 316 | - | Removal of 20.22.23 | F | 6.4.0 | 6.5.0 | GP-052859 | GPRS |

15

| | | | | Change history | | | | | |
|-------|------------|-------|-----|--|-----|-------|-------|-----------|----------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-28 | GP-060433 | 317 | 2 | Annex B, Table B.1: Correcting applicability for "Frequency and phase error" transmitter testcases 13.1 and 13.6 | F | 6.5.0 | 6.6.0 | GP-060433 | GSM |
| GP-28 | GP-060438 | 318 | 2 | Correction of the applicability of 13.3 and 13.4 | F | 6.5.0 | 6.6.0 | GP-060438 | GSM |
| GP-28 | GP-060439 | 320 | 1 | Update of PICS to include the new TCs | F | 6.5.0 | 6.6.0 | GP-060439 | TEI4 |
| OI 20 | G1 -000433 | 320 | | 26.18.1and 51.6.1for dynamic ARFCN | ľ | 0.0.0 | 0.0.0 | 01 000433 | |
| GP-28 | GP-060101 | 321 | - | 51010-2: Addition of new testcases for WB AMR. | В | 6.5.0 | 6.6.0 | GP-060101 | AMRWB |
| GP-28 | GP-060440 | 322 | 1 | 51010-2: Correction to the 'applicability' and 'status' columns for the testcase 26.6.5.2. | F | 6.5.0 | 6.6.0 | GP-060440 | GSM |
| GP-28 | GP-060132 | 323 | - | Wrong Status Information in Table A.2 Item 71 | F | 6.5.0 | 6.6.0 | GP-060132 | GAN |
| GP-28 | GP-060372 | 324 | 1 | Delete A5/2 in Table A.2 and remove reference of A5/2 in Annex B | F | 6.5.0 | 6.6.0 | GP-060372 | TEI |
| GP-28 | GP-060126 | 325 | - | 22.2 part2 test reduction, removal of test case | F | 6.5.0 | 6.6.0 | GP-060126 | GSM |
| GP-28 | GP-060441 | 328 | 1 | Applicability of testcases 26.6.5.2-2 and 26.6.5.2-10 changed | F | 6.5.0 | 6.6.0 | GP-060441 | GSM |
| GP-28 | GP-060442 | 329 | 1 | Removal of testcases 82.7.2.1 and 82.9.1.2 from table B1 | F | 6.5.0 | 6.6.0 | GP-060442 | TEI-6 |
| GP-28 | GP-060282 | 331 | - | 22.3 part2 change of applicability | F | 6.5.0 | 6.6.0 | GP-060282 | GSM |
| GP-28 | GP-060283 | 332 | - | 22.4 part2 change of applicability | F | 6.5.0 | 6.6.0 | GP-060283 | GSM |
| GP-28 | GP-060286 | 333 | - | GAN test cases clean up 51.010-2 part | F | 6.5.0 | 6.6.0 | GP-060286 | TEI6 |
| GP-28 | GP-060351 | 334 | - | New test case to test removal of algorithm A5/2 from terminals | F | 6.5.0 | 6.6.0 | GP-060351 | TEI 6 |
| GP-28 | GP-060389 | 337 | - | Applicability changes | F | 6.5.0 | 6.6.0 | GP-060389 | GPRS/EG PRS |
| GP-28 | GP-060426 | 338 | - | Remove reference of A5/2 in section 39 | F | 6.5.0 | 6.6.0 | GP-060426 | TEI |
| GP-28 | GP-060429 | 339 | - | Creation of 51.010-2 REL-7 | F | 6.5.0 | 7.0.0 | GP-060429 | TEI |
| GP-28 | GP-060430 | 340 | = | Creation of 51.010-2 REL-7: Merging of REL-5, REL-4, R99 etc. test specifications (Foreword, clause 1 and clause 2) | F | 6.5.0 | 7.0.0 | GP-060430 | TEI |
| GP-29 | GP-060498 | 341 | - | 81.2.3.6, invalid GANC | F | 7.0.0 | 7.1.0 | GP-060498 | GAAI-CT |
| GP-29 | GP-060913 | 342 | 1 | 26.6.7.2 Applicability corrected | F | 7.0.0 | 7.1.0 | GP-060913 | GPRS |
| GP-29 | GP-060919 | 344 | 2 | 31.1.5.* Introduction of Calling Name Presentation Testcases | F | 7.0.0 | 7.1.0 | GP-060919 | TEI |
| GP-29 | GP-060579 | 350 | - | Table B.1, corrections to the previous changes in relation to test case reductions | | 7.0.0 | 7.1.0 | GP-060579 | GSM |
| GP-29 | GP-060564 | 352 | - | New test case 81.1.3.7 for GAN registration | F | 7.0.0 | 7.1.0 | GP-060564 | TEI |
| GP-29 | GP-060884 | 353 | 1 | 14.1.1.1 Change of applicability for MS not supporting AMR speech Codec | F | 7.0.0 | 7.1.0 | GP-060884 | TEI7 |
| GP-29 | GP-060885 | 354 | 1 | 14.1.1.2 Change of applicability for MS not supporting AMR speech Codec | F | 7.0.0 | 7.1.0 | GP-060885 | TEI7 |
| GP-29 | GP-060886 | 355 | 1 | 14.5.1.1 Change of applicability for MS not supporting AMR speech Codec | F | 7.0.0 | 7.1.0 | GP-060886 | TEI7 |
| GP-29 | GP-060614 | 358 | - | 51.010-2: New testcase 8PSK_MEAN_BEP Measurement for PDTCH | F | 7.0.0 | 7.1.0 | GP-060614 | TEI-7 |
| GP-29 | GP-060622 | 359 | 1- | Delete "Reserved for future use" in 51.010-2 | F | 7.0.0 | 7.1.0 | GP-060622 | TEI |
| GP-29 | GP-060944 | 360 | 1 | 51.010-2 Addition of new test cases for WB AMR | F | 7.0.0 | 7.1.0 | GP-060944 | GAMRWB |
| GP-29 | GP-060914 | 361 | 1 | New test case sequence to test support of algorithm A5/3 | F | 7.0.0 | 7.1.0 | GP-060914 | TEI7 |
| GP-29 | GP-060918 | 362 | - | 26.6.3.9 Introduction of Enhanced Measurement Report Testcase | F | 7.0.0 | 7.1.0 | GP-060918 | TEI |
| GP-29 | GP-060514 | 345 | - | Table A.1b: "MS Feature Release Supported" is not up-to-date | F | 7.0.0 | 7.1.0 | GP-060514 | TEI7 |
| GP-29 | GP-060515 | 346 | - | Table B.1: Inconsistent test sequences between 51.010-1 and 51.010-2 for SIM testcases | F | 7.0.0 | 7.1.0 | GP-060515 | TEI7 |
| GP-29 | GP-060917 | 347 | 1 | Table B.1: Inconsistent applicabilities between 51.010-1 and 51.010-2 for some EDGE testcases | F | 7.0.0 | 7.1.0 | GP-060917 | EGPRS |
| GP-29 | GP-060517 | 348 | - | Table B.1: Inconsistent applicabilities between 51.010-1 and 51.010-2 for some GPRS testcases | F | 7.0.0 | 7.1.0 | GP-060517 | GPRS |
| GP-29 | GP-060920 | 349 | 1 | Update of some GPRS tests applicability | F | 7.0.0 | 7.1.0 | GP-060920 | GPRS |
| GP-29 | GP-060603 | 356 | - | 51.010-2 Addition of new test cases for WB AMR | F | 7.0.0 | 7.1.0 | GP-060603 | GAMRWB |
| GP-30 | GP-060999 | 0363 | 1_ | GMSK_MEAN_BEP testcase part 2 | F | 7.1.0 | 7.2.0 | GP-060999 | TEI-7 |
| GP-30 | GP-061027 | 0364 | 1_ | Addition of AMR WB signalling tests | В | 7.1.0 | 7.2.0 | GP-061027 | GAMRWB |
| | J. 001021 | JJJJT | 1 | I | | 1 | 2.0 | | |
| GP-30 | GP-061028 | 0365 | - | Correction to speech version for AMR WB | F | 7.1.0 | 7.2.0 | GP-061028 | GAMRWB |

| TCC # | TCO D | I C C | D | Change history | 0-1 | | Name | WO D | \A/ = # ¹ |
|----------------|---------------------------|-------|--------------|---|-----|--------|----------|------------------------|----------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-30 | GP-061050 | 0367 | | testcases Table B.1: Removal of testcase 83.2.1.2 | F | 7.1.0 | 7.2.0 | GP-061050 | GAN |
| GP-30 | GP-061050 | 0368 | - | Table B.1: Removal of PICS "Support of one | F | 7.1.0 | 7.2.0 | GP-061050 | GPRS |
| | 3 . 3 3.33. | | | PDP Context Activation" from applicabilities | | | | G . 55.55. | |
| GP-30 | GP-061383 | 0369 | 1 | Addition of GSM 710 and T-GSM 810 Bands | F | 7.1.0 | 7.2.0 | GP-061383 | TGSM810 |
| | | | | to selection expressions for InterSystem testcases | | | | | -MStest |
| GP-30 | GP-061096 | 0371 | <u> </u> | 42.2.1.x – Remove erroneous entries from | F | 7.1.0 | 7.2.0 | GP-061096 | TEI7 |
| 0. 00 | 0. 00.000 | 007. | | applicability table | ľ | | 7.2.0 | 0. 00.000 | |
| GP-30 | GP-061127 | 0373 | - | 26.6.3.10 Introduction of Enhanced | F | 7.1.0 | 7.2.0 | GP-061127 | TEI |
| OD 00 | 00.004005 | 0074 | 1 | Measurement Report Testcase | F | 7.4.0 | 7.0.0 | OD 004005 | TEI |
| GP-30 | GP-061385 | 0374 | 1 | DTM/EGPRS Multislot Class 11 PICS is missing | - | 7.1.0 | 7.2.0 | GP-061385 | TEI |
| GP-30 | GP-061184 | 376 | - | 14.1.1.1 and 14.1.1.2 – AMR Loop Back | F | 7.1.0 | 7.2.0 | GP-061184 | TEI7 |
| | | | | Dependent Test Case Applicability | | | | | |
| GP-30 | GP-061185 | 377 | - | 14.5.1.1- AMR Loop Back Dependent Test | F | 7.1.0 | 7.2.0 | GP-061185 | TEI7 |
| GP-30 | GP-061187 | 0378 | | Case Applicability Correction to Conventional GPS Test Case | F | 7.1.0 | 7.2.0 | GP-061187 | TEI |
| GF-30 | GF-001167 | 0376 | - | Applicability | | 7.1.0 | 7.2.0 | GF-001107 | 1 - |
| GP-30 | GP-061370 | 0380 | - | | F | 7.1.0 | 7.2.0 | GP-061370 | TEI |
| | | | | Table B.1 | | | | | |
| GP-31 | GP-061831 | 0383 | 1 | Introduction of new test on Variable Bitmap | В | 7.2.0 | 7.3.0 | GP-061831 | TEI |
| GP-31 | GP-061826 | 0385 | 1 | 51.010-2 Addition of New Test Cases for WB AMR | F | 7.2.0 | 7.3.0 | GP-061826 | WBAMR- |
| GP-31 | GP-061842 | 0386 | 1 | Assorted Typographical errors | F | 7.2.0 | 7.3.0 | GP-061842 | MStest TEI |
| GP-31 | GP-061568 | 0387 | <u>'</u> | 28.4 – Correction of applicability | F | 7.2.0 | 7.3.0 | GP-061568 | TEI |
| GP-31 | GP-061845 | 0388 | 1 | Correction of Applicability Condition C53 of | F | 7.2.0 | 7.3.0 | GP-061845 | TEI7 |
| | | | | 14.5.2, 14.6.2, 14.7.2, and 14.8.2 | | | | | |
| GP-31 | GP-061577 | 0389 | - | Incorrect Boolean Expressions within C393 | F | 7.2.0 | 7.3.0 | GP-061577 | TEI7 |
| CD 04 | CD 004040 | 0200 | | and C394 in Table B.1 | F | 700 | 700 | CD 004040 | MOAMO |
| GP-31 | GP-061618 | 0390 | - | Addition of New WB-AMR test cases 14.4.29 and 14.10.8 to Table B.1 | Г | 7.2.0 | 7.3.0 | GP-061618 | WBAMR- MSTEST |
| GP-31 | GP-061834 | 0392 | 1 | 34.2.3 – Applicability of the Test Case | F | 7.2.0 | 7.3.0 | GP-061834 | TEI |
| | | | | modified | | | | | |
| GP-31 | GP-061844 | 0393 | 2 | 44.2.11 Introduction of Cell Notification Test | F | 7.2.0 | 7.3.0 | GP-061844 | TEI |
| OD 04 | 00.004040 | 0005 | | Cases | _ | 700 | 700 | OD 004040 | TEI |
| GP-31 | GP-061813 | 0395 | - | AP#30.15 To remove not allowed characters used in mnemonics | F | 7.2.0 | 7.3.0 | GP-061813 | TEI |
| GP-31 | GP-061830 | 0396 | 1- | Modify 51.010-2 to reflect the decision on use | F | 7.2.0 | 7.3.0 | GP-061830 | TEI |
| | | | | of PICS/PIXIT in 51.010 | - | | | | |
| GP-32 | GP-061932 | 0397 | - | Annex B - 14.10.9 Performance of the Codec | F | 7.3.0 | 7.4.0 | GP-061932 | WBAMR- |
| | | | | Mode Request Generation – TCH/WFS – | | | | | MStest |
| GP-32 | GP-061935 | 0398 | | improved RX (new test) Annex B - 26.7.5.2 Repeated FACCH testing | F | 7.3.0 | 7.4.0 | GP-061935 | TEI |
| 01 -32 | 01-001933 | 0330 | - | added to existing test | ' | 7.3.0 | 7.4.0 | 01 -00 1933 | 1 |
| GP-32 | GP-061936 | 0399 | - | Annex A, B – Adhock corrections and | F | 7.3.0 | 7.4.0 | GP-061936 | TEI |
| | | | | clarifications resulting from PICS/PIXIT clean- | | | | | |
| OD 00 | 00.004000 | 0.400 | | up of 26.17.x, 26.18.x, 26.19.x | _ | 700 | 7.4.0 | OD 004000 | TEI |
| GP-32 GP-32 | GP-061938 GP-061940 | 0400 | - | Annex B: 26.16.x. PICS/PIXIT clean-up Annex B: 26.17.x, 26.18.x, 26.19.x | F | 7.3.0 | 7.4.0 | GP-061938 GP-061940 | TEI |
| GF-32 | GF-001940 | 0401 | - | PICS/PIXIT clean-up | ' | 7.3.0 | 7.4.0 | GF-001940 | ILI |
| GP-32 | GP-061946 | 0402 | - | PICS/PIXIT clean up | F | 7.3.0 | 7.4.0 | GP-061946 | TEI7 |
| GP-32 | GP-062425 | 0403 | 3 | 2G/3G test case redundancy | F | 7.3.0 | 7.4.0 | GP-062425 | TEI7 |
| GP-32 | GP-062423 | 0405 | 1 | Missing PICS for A-GPS | F | 7.3.0 | 7.4.0 | GP-062423 | TEI7 |
| GP-32 | GP-062435 | 0406 | 1 | Addition of PICS for new A-GPS Minimum | В | 7.3.0 | 7.4.0 | GP-062435 | GAGR |
| GP-32 | GP-062321 | 0407 | 1 | Performance Test Cases PICS Cleaning for GPRS section 44 in table | F | 720 | 740 | GP-062321 | TEI |
| GP-32 | GP-062321 | 0407 | 1 | B1 | Г | 7.3.0 | 7.4.0 | GP-062321 | 1 [|
| GP-32 | GP-062322 | 0408 | 1 | PICS Cleaning for GPRS section 45 in table | F | 7.3.0 | 7.4.0 | GP-062322 | TEI |
| | | | | B1 | | | | | |
| GP-32 | GP-062331 | 0409 | 1 | PICS Cleaning for GPRS section 46 in table | F | 7.3.0 | 7.4.0 | GP-062331 | TEI |
| CD 20 | CB 064004 | 0440 | - | B1 | F | 720 | 740 | CD 064004 | TEI |
| GP-32 | GP-061984 | 0410 | - | Update of Apllicability for some GPRS tests with a CS call | - | 7.3.0 | 7.4.0 | GP-061984 | TEI |
| GP-32 | GP-062424 | 0411 | 1 | 26.9.6.1.1 – Addition of new PICS related to | F | 7.3.0 | 7.4.0 | GP-062424 | TEI |
| . J . | | | | Emergency number & modification of Specific | | | | | |
| | | | <u> </u> | PICS | | | <u> </u> | | |
| GP-32 | GP-061987 | 0413 | - | 26.6.1.1 – Modification to deal with Dual_Rate | [F | 7.3.0 | 7.4.0 | GP-061987 | TEI |
| GP-32 | GP-062433 | 0414 | 2 | Correction to the applicability of TCs 83.1.4.2 | F | 7.3.0 | 7.4.0 | GP-062433 | TEI |
| | | | 14 | POULD COLOUR TO THE APPRICABILITY OF TOO 03.1.4.2 | 11 | 17.0.0 | 11.7.U | - UI - UUZ4JJ | |

| | | | | Change history | | | | | |
|----------------|------------------------|--------------|----------|--|--------|-------|----------------|------------------------|-------------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-32 | GP-062323 | 0415 | 2 | TCs 80-90: PICS/PIXIT Clean-Up | F | 7.3.0 | 7.4.0 | GP-062323 | TEI |
| GP-32 GP-32 | GP-062330 GP-062050 | 0416 0417 | - | Introduction of GEA2 and GEA3 encryption Removal of not allowed characters used in mnemonics | F | 7.3.0 | 7.4.0 | GP-062330 GP-062050 | TEI |
| GP-32 | GP-062341 | 0418 | 1 | Sections 11-13: PICS/PIXIT Clean-Up | F | 7.3.0 | 7.4.0 | GP-062341 | TEI |
| GP-32 | GP-062427 | 0419 | 1 | Section 14: PICS/PIXIT Clean-Up | F | 7.3.0 | 7.4.0 | GP-062427 | TEI |
| GP-32 | GP-062428 | 0420 | 1 | Sections 15-20: PICS/PIXIT Clean-Up | F | 7.3.0 | 7.4.0 | GP-062428 | TEI |
| GP-32 | GP-062429 | 0421 | 1 | Sections 21-25: PICS/PIXIT Clean-Up | F | 7.3.0 | 7.4.0 | GP-062429 | TEI |
| GP-32 | GP-062337 | 0422 | 1 | PICS/PIXIT and Band Dependency modifications in 33.x | F | 7.3.0 | 7.4.0 | GP-062337 | TEI7 |
| GP-32 | GP-062336 | 0423 | 1 | PICS/PIXIT and Band Dependency modifications in 34.x | F | 7.3.0 | 7.4.0 | GP-062336 | TEI7 |
| GP-32 | GP-062059 | 0424 | - | 27 - PICS/PIXIT rationalisation | F | 7.3.0 | 7.4.0 | GP-062059 | TEI |
| GP-32 | GP-062060 | 0425 | - | 28 - PICS/PIXIT rationalisation | F | 7.3.0 | 7.4.0 | GP-062060 | TEI |
| GP-32 | GP-062104 | 0428 | - | Invalid characters in mnemonics | F | 7.3.0 | 7.4.0 | GP-062104 | TEI |
| GP-32 GP-32 | GP-062202 GP-062305 | 0429 | - | Table B.1a: Minor Corrections to Conditions Inserting 14.4.27 as Void | F F | 7.3.0 | 7.4.0 | GP-062202 GP-062305 | TEI WBAMR- MStest |
| GP-33 | GP-070011 | 0432 | - | Annex B: 14.4.28 Add specific PICS items | F | 7.4.0 | 7.5.0 | GP-070011 | TEI5 |
| GP-33 | GP-070012 | 0433 | 1- | Annex B: Invalid PICS references for A-GPS | F | 7.4.0 | 7.5.0 | GP-070012 | TEI |
| GP-33 | GP-070014 | 0434 | 1- | Annex B: 26.9.x PICS/PIXIT clean-up | F | 7.4.0 | 7.5.0 | GP-070014 | TEI |
| GP-33 GP-33 | GP-070016 GP-070017 | 0435 0436 | - | Annex B: 26.15.x PICS/PIXIT clean-up Annex B: DARP changes and reduced applicability, Annex A clean-up | F | 7.4.0 | 7.5.0 7.5.0 | GP-070016 GP-070017 | TEI TEI |
| GP-33 | GP-070039 | 0437 | - | 26.6.x - PICS/PIXIT cleanup | F | 7.4.0 | 7.5.0 | GP-070039 | TEI7 |
| GP-33 | GP-070041 | 0438 | - | Table B.1 – Rationalise TC numbering | F | 7.4.0 | 7.5.0 | GP-070041 | TEI7 |
| GP-33 | GP-070057 | 0440 | - | Improving the specification of the applicability of testcase 22.9 | F | 7.4.0 | 7.5.0 | GP-070057 | TEI |
| GP-33 | GP-070058 | 0441 | - | Corrections to the applicability limitations of audio test cases 30.x | F | 7.4.0 | 7.5.0 | GP-070058 | TEI |
| GP-33 | GP-070060 | 0442 | - | Corrections to the applicability limitations of test case 44.2.3.1.7 | F | 7.4.0 | 7.5.0 | GP-070060 | TEI |
| GP-33 | GP-070062 | 0443 | - | Sections 26.1 to 26.5: PICS/PIXIT Clean-up | F | 7.4.0 | 7.5.0 | GP-070062 | TEI |
| GP-33 | GP-070064 | 0444 | - | Corrections to the Applicability of Testcases 11.3, 14.16.2.1, 14.18.2 and 20.4 | F | 7.4.0 | 7.5.0 | GP-070064 | TEI |
| GP-33 | GP-070065 | 0445 | ļ- | Corrections to the Applicability of Testcase 12.1.1, 12.1.2 and 13.3.4.1 related to R-GSM | F | 7.4.0 | 7.5.0 | GP-070065 | TEI |
| GP-33 | GP-070394 | 0446 | 1 | Addition of New Repeated FACCH test cases 14.2.25 and 14.4.31 to Table B.1 | F | 7.4.0 | 7.5.0 | GP-070394 | TEI6 |
| GP-33 | GP-070070 | 0447 | - | Inserting 45.2.3 as Void | F | 7.4.0 | 7.5.0 | GP-070070 | TEI |
| GP-33 GP-33 | GP-070072 | 0448 | 1 | PICS/PIXIT and Band Dependency modifications in 31.x | F | 7.4.0 | 7.5.0 | GP-070072 | TEI7 |
| GP-33 | GP-070397 | 0450 | | Annex A25: Loop C Delay,possibility to separate HS (Half Rate) and FS (Full Rate), table A.25.1 | F | 7.4.0 | 7.5.0 | GP-070397 | I EI/ |
| GP-33 | GP-070503 | 0451 | 1 | GEAx: split of test cases | F | 7.4.0 | 7.5.0 | GP-070503 | TEI7 |
| GP-33 | GP-070083 | 0452 | - | Annex B, editorial corrections (Rel-7) | F | 7.4.0 | 7.5.0 | GP-070083 | TEI7 |
| GP-33 | GP-070504 | 0453 | 2 | PICS/PIXIT Clean-Up Section 41 Tests | F | 7.4.0 | 7.5.0 | GP-070504 | TEI |
| GP-33 | GP-070384 | 0454 | 1 | PICS/PIXIT Clean-Up Section 42 Tests | F | 7.4.0 | 7.5.0 | GP-070384 | TEI |
| GP-33 | GP-070105 | 0455 | - | PICS/PIXIT Clean-Up Section 43 Tests | F | 7.4.0 | 7.5.0 | GP-070105 | TEI |
| GP-33 | GP-070505 | 0456 | 2 | PICS/PIXIT Clean-Up Section 51 Tests | F | 7.4.0 | 7.5.0 | GP-070505 | TEI |
| GP-33 | GP-070506 | 0457 | 2 | PICS/PIXIT Clean-Up Section 52 Tests | F | 7.4.0 | 7.5.0 | GP-070506 | TEI |
| GP-33 GP-33 | GP-070387 GP-070088 | 0458 0459 | - | PICS/PIXIT Clean-Up Section 53 Tests Annex B: 26.10.x – 26.11.x PICS/PIXIT clean- | F F | 7.4.0 | 7.5.0 7.5.0 | GP-070387 GP-070088 | TEI |
| GP-33 | GP-070090 | 0460 | <u> </u> | Annex B : 26.12.x PICS/PIXIT clean-up | F | 7.4.0 | 7.5.0 | GP-070090 | TEI |
| GP-33 | GP-070507 | 0460 | 1 | 22.13 and 22.14 Enhanced Power Control | В | 7.4.0 | 7.5.0 | GP-070090 GP-070507 | EPC- |
| GP-33 | GP-070414 | 0463 | 1 | (EPC) timing and measurement reporting test scripts (new) Additional information element Tav, | F | 7.4.0 | 7.5.0 | GP-070414 | MStest TEI |
| | | 0463 | <u> </u> | PICS/PIXIT added to table A.25.1 | F | | | | |
| GP-33 | GP-070152 | 0465 | <u> </u> | Incorrect Applicability Limitation on TC 44.2.3.1.1a in Table B.1 | | 7.4.0 | 7.5.0 | GP-070152 | TEI7 |
| GP-33 | GP-070419 | 0467 | 1 | Annex B: Testing of lower layer failure | F | 7.4.0 | 7.5.0 | GP-070419 | GAAI-CT |
| GP-34 | GP-070900 | 0468 | - | Introduction of GAN-UTRAN, UTRAN-GAN handover test case | F | 7.5.0 | 7.6.0 | GP-070900 | TEI6 |
| GP-34 | GP-070914 | 0469 | 1 | Applicability for test cases 60.2a and 60.3a – new condition definitions | F | 7.5.0 | 7.6.0 | GP-070914 | TEI |
| GP-34 | GP-070915 | 0470 | 1 | 81.2.1.2 – Correction to test case title | D | 7.5.0 | 7.6.0 | GP-070915 | TEI6 |
| GP-34 | GP-071013 | 0472 | 1 | Addition of New Repeated SACCH test cases 14.2.26 and 14.4.32 to Table B.1 | F | 7.5.0 | 7.6.0 | GP-071013 | TEI6 |

| | | | | Change history | | | | | |
|-------|-----------|------|-----|--|-----|-------|-------|-----------|------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-34 | GP-070614 | 0473 | - | Additions and corrections to Annex B due to changed layout and content of Table B.1 | F | 7.5.0 | 7.6.0 | GP-070614 | TEI |
| GP-34 | GP-070615 | 0474 | - | Corrections to the Applicability of the acoustic testcases 30.x | F | 7.5.0 | 7.6.0 | GP-070615 | TEI |
| GP-34 | GP-070916 | 0475 | 1 | Corrections to the Applicability of the DARP testcases 14.10.x | F | 7.5.0 | 7.6.0 | GP-070916 | TEI |
| GP-34 | GP-070892 | 0476 | 1 | Section 26.14: PICS/PIXIT Clean-up | F | 7.5.0 | 7.6.0 | GP-070892 | TEI |
| GP-34 | GP-070619 | 0477 | - | Adding testcases 15.2 to 15.5 as void | F | 7.5.0 | 7.6.0 | GP-070619 | TEI |
| GP-34 | GP-070918 | 0478 | 1 | Annex B: Cxxx incorretly implemented on 52.1.2.1.10. | F | 7.5.0 | 7.6.0 | GP-070918 | TEI |
| GP-34 | GP-070919 | 0479 | 1 | 26.9.6.1.x: incorrect handling of half rate speech version 3 | F | 7.5.0 | 7.6.0 | GP-070919 | TEI |
| GP-34 | GP-070633 | 0480 | - | CR 51.010-2-0480 Correction to GERAN feature package 2 | F | 7.5.0 | 7.6.0 | GP-070633 | TEI5 |
| GP-34 | GP-070929 | 0481 | 4 | Introduction of Enhanced DTM Test Cases and PICS | F | 7.5.0 | 7.6.0 | GP-070929 | TEI6 |
| GP-34 | GP-070694 | 0483 | - | Correction to the applicability of testcase 15.8 | F | 7.5.0 | 7.6.0 | GP-070694 | TEI |
| GP-34 | GP-070696 | 0484 | - | Annex B: 81.1.3.3, 81.1.3.2 and 81.2.4.5 removed | F | 7.5.0 | 7.6.0 | GP-070696 | TEI |
| GP-34 | GP-070923 | 0486 | 1 | Additional information element PICS/PIXIT added to table A.25 stating RF performance sensitivity to vibration condition during testing | F | 7.5.0 | 7.6.0 | GP-070923 | TEI |
| GP-34 | GP-070872 | 0489 | - | Annex B : 26.7.x PICS/PIXIT clean-up | F | 7.5.0 | 7.6.0 | GP-070872 | TEI |
| GP-34 | GP-070899 | 0490 | - | Addition of informative Annex for GERAN/UTRAN band combinations for Inter-RAT signalling test cases | F | 7.5.0 | 7.6.0 | GP-070899 | TEI |
| GP-34 | GP-070912 | 0491 | - | Update of NITZ applicability | F | 7.5.0 | 7.6.0 | GP-070912 | TEI |
| GP-34 | GP-071019 | 0492 | - | Annex B – 26.6.23 Test of Repeated SACCH | В | 7.5.0 | 7.6.0 | GP-071019 | TEI6 |
| GP-35 | GP-071418 | 0493 | 1 | Error correction: A-GPS test case condition definitions | F | 7.6.0 | 7.7.0 | GP-071418 | TEI |
| GP-35 | GP-071429 | 0494 | 2 | Addition of New DARP phase 2 L1 test cases to Table B.1 | F | 7.6.0 | 7.7.0 | GP-071429 | TEI |
| GP-35 | GP-071124 | 0495 | - | PICS/PIXIT Clean-Up Section 26.8 | F | 7.6.0 | 7.7.0 | GP-071124 | TEI |
| GP-35 | GP-071394 | 0496 | 1 | PICS/PIXIT Clean-Up Section 26.13 | F | 7.6.0 | 7.7.0 | GP-071394 | TEI |
| GP-35 | GP-071126 | 0497 | - | Annex B: 26.9.x PICS/PIXIT corrections | F | 7.6.0 | 7.7.0 | GP-071126 | TEI |
| GP-35 | GP-071127 | 0498 | - | AMR WB: missing PIXIT for normalisation factors | F | 7.6.0 | 7.7.0 | GP-071127 | GAMRW B |
| GP-35 | GP-071410 | 0499 | 1 | Darp Ph II, new test for Reference Sensitivity | В | 7.6.0 | 7.7.0 | GP-071410 | MSRD2- MSconf |
| GP-35 | GP-071146 | 0501 | - | Various corrections to conditions in Table B.1a | F | 7.6.0 | 7.7.0 | GP-071146 | TEI |
| GP-35 | GP-071414 | 0502 | 1 | Addition of new Darp phase 2 Speech bearer test cases 14.19.1.1, 14.19.2.1, 14.19.2.2, 14.19.3.1 and 14.19.3.2, to Table B.1 | В | 7.6.0 | 7.7.0 | GP-071414 | MSRD2- MSconf |
| GP-35 | GP-071420 | 505 | 1 | Annex B: deletion of TC 20.22.26 | F | 7.6.0 | 7.7.0 | GP-071420 | TEI7 |
| GP-35 | GP-071382 | 0506 | 1 | Annex B: PICS correction for test case 20.15 | F | 7.6.0 | 7.7.0 | GP-071382 | TEI |
| GP-35 | GP-071421 | 0509 | 1 | Introduction of Enhanced DTM Test Cases | F | 7.6.0 | 7.7.0 | GP-071421 | TEI6 |
| GP-36 | GP-071579 | 0510 | - | Introduction of Enhanced DTM Test Cases | F | 7.7.0 | 7.8.0 | GP-071579 | TEI6 |
| GP-36 | GP-071599 | 0511 | - | Introduction of Enhanced DTM Test Cases | В | 7.7.0 | 7.8.0 | GP-071599 | TEI6 |
| GP-36 | GP-071594 | 0512 | - | Corrections to bearer services tables | F | 7.7.0 | 7.8.0 | GP-071594 | TEI |
| GP-36 | GP-071606 | 0513 | - | Annex B: support of basic service missing for some test cases | F | 7.7.0 | 7.8.0 | GP-071606 | TEI7 |
| GP-36 | GP-071607 | 0514 | - | Annex B: alignment of Status codes for DARP Ph II | F | 7.7.0 | 7.8.0 | GP-071607 | MSRD2- MSconf |
| GP-36 | GP-071608 | 0515 | - | Inconsistent applicability concerning MT-LR test cases | F | 7.7.0 | 7.8.0 | GP-071608 | TEI7 |
| GP-36 | GP-071642 | 0516 | - | 31.3.1.2.2.1 – Test applicability correction | F | 7.7.0 | 7.8.0 | GP-071642 | TEI |
| GP-36 | GP-071659 | 0518 | - | Removal of PICS Item A5/36 | F | 7.7.0 | 7.8.0 | GP-071659 | TEI7 |
| GP-36 | GP-071861 | 0519 | - | Corrections to integral antenna wording in table A.25 | F | 7.7.0 | 7.8.0 | GP-071861 | TEI |
| GP-36 | GP-071862 | 0520 | - | Introduction of a new item in table A.25 for MS with a temporary antenna connector | F | 7.7.0 | 7.8.0 | GP-071862 | TEI |
| GP-36 | GP-071882 | 0521 | - | 26.5.7.3 – Addition of Specific PICS information to table B.1 | F | 7.7.0 | 7.8.0 | GP-071882 | TEI |
| GP-37 | GP-080021 | 0522 | - | Introduction of ew PS Handover TC 41.6.1.1 | F | 7.8.0 | 7.9.0 | GP-080021 | TEI |
| GP-37 | GP-080025 | 0523 | - | 26.19.5 Additionnal procedures for handover between speech version 3 and 5 | F | 7.8.0 | 7.9.0 | GP-080025 | TEI |
| GP-37 | GP-080055 | 0524 | - | Testcase 26.6.3.4 not applicable for Data Only Terminals | | 7.8.0 | 7.9.0 | GP-080055 | TEI |
| GP-37 | GP-080319 | 0526 | 1 | Corrections to applicability of MS Based | F | 7.8.0 | 7.9.0 | GP-080319 | TEI |

| TSG # | TSG Doc | CR | | | | | | | |
|-------|------------------|------|-----|--|-----|--------|--------|------------------|---------------------------------|
| | | CK | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| | | | | MOLR Basic Self Location Request Test Cases | | | | | |
| GP-37 | GP-080061 | 0527 | - | Annex B: PICS correction for test case 27.10-1 to 27.10-8 | F | 7.8.0 | 7.9.0 | GP-080061 | TEI |
| GP-37 | GP-080063 | 0529 | - | Annex B: Test applicability correction for test case 27.18.1.1 | F | 7.8.0 | 7.9.0 | GP-080063 | TEI |
| GP-37 | GP-080328 | 0530 | 2 | Correction to the applicability of Repeated FACCH and Repeated SACCH test cases | F | 7.8.0 | 7.9.0 | GP-080328 | TEI6 |
| GP-37 | GP-080321 | 0531 | - | 31.8.6.1 and 31.8.6.2 - Addition of Specific PICS | F | 7.8.0 | 7.9.0 | GP-080321 | TEI |
| GP-38 | <u>GP-080455</u> | 0532 | | CR 51.010-2-0532 Introduction of new PS | F | 7.9.0 | 7.10.0 | GP-080455 | PSHCT_M |
| GP-38 | GP-080469 | 0533 | | handover test case (Rel-7) CR 51.010-2-0533 rev 1 Addition of | F | 7.9.0 | 7.10.0 | GP-080672 | Stest TEI7 |
| GP-38 | <u>GP-080474</u> | 0534 | | applicability for new TC 60.1a (Rel-7) CR 51.010-2-0534 14.4.20 – Applicability | F | 7.9.0 | 7.10.0 | GP-080469 | TEI |
| GP-38 | <u>GP-080481</u> | 0535 | | update (Rel-7) CR 51.010-2-0535 Introduction of new PS | F | 7.9.0 | 7.10.0 | <u>GP-080474</u> | PSHCT_M |
| GP-38 | GP-080593 | 0536 | | Handover TC 41.6.1.2 (Rel-7) CR 51.010-2-0536 Voltage operation modes | F | 7.9.0 | 7.10.0 | GP-080481 | Stest TEI |
| | | | | incorrect for some electrical SIM test cases 27.17.2.x (Rel-7) | | | | | |
| GP-38 | GP-080672 | 0537 | | CR 51.010-2-0537 rev 1 Addition of PIXIT for MS LCS Notification timeout timer (Rel-7) | F | 7.9.0 | 7.10.0 | GP-080864 | TEI7 |
| GP-38 | <u>GP-080755</u> | 0538 | | CR 51.010-2-0538 rev 1 New Pics for DTM support in GAN (Rel-7) | F | 7.9.0 | 7.10.0 | GP-080852 | GAAI-CT |
| GP-38 | <u>GP-080768</u> | 0539 | | CR 51.010-2-0539 rev 1 Introduction of new PS handover test case, TC 41.6.2.2 (Rel-7) | F | 7.9.0 | 7.10.0 | GP-080865 | PSHCT_M Stest |
| GP-38 | GP-080852 | 0540 | | CR 51.010-2-0540 rev 1 Correction to Test Applicability of Section 27.10.x (Rel-7) | F | 7.9.0 | 7.10.0 | GP-080768 | TEI |
| GP-38 | GP-080862 | 0541 | | CR 51.010-2-0541 rev 1 Insertion of Specific PICS for Test case 31.2.1.6.1 (Rel-7) | F | 7.9.0 | 7.10.0 | <u>GP-080755</u> | TEI7 |
| GP-38 | <u>GP-080864</u> | 0542 | | CR 51.010-2-0542 26.19.10.1 – Applicability for half rate speech is removed (Rel-7) | F | 7.9.0 | 7.10.0 | <u>GP-080593</u> | TEI |
| GP-38 | GP-080865 | 0543 | | CR 51.010-2-0543 41.5.4.7 split into two | F | 7.9.0 | 7.10.0 | GP-080862 | TEI7 |
| GP-39 | GP-080975 | 0544 | | procedures CR 51.010-2-0544 Introduction of new PS handover test case 41.6.3.3 (Rel-7) | F | 7.10.0 | 7.11.0 | GP-080975 | PSHCT_M Stest |
| GP-39 | GP-080980 | 0545 | | CR 51.010-2-0545 Addition of applicability for new TC 20.22.29a and 20.22.29b (Rel-7) | F | 7.10.0 | 7.11.0 | GP-080980 | TEI7 |
| GP-39 | GP-080985 | 0546 | | CR 51.010-2-0546 Introduction of a new PS Handover Tests (Rel-7) | F | 7.10.0 | 7.11.0 | GP-080985 | TEI |
| GP-39 | GP-080988 | 0547 | | CR 51.010-2-0547 Introduction of new PS Handover TC 41.6.1.3 (Rel-7) | F | 7.10.0 | 7.11.0 | GP-080988 | PSHCT_M Stest |
| GP-39 | GP-080991 | 0548 | | CR 51.010-2-0548 Pics TSPC_MS_RRLP_RELEASE introduced (Rel- | F | 7.10.0 | 7.11.0 | GP-080991 | TEI |
| GP-39 | GP-081276 | 0553 | | 7) CR 51.010-2-0553 Introduction of new Latred | F | 7.10.0 | 7.11.0 | GP-081276 | CTLATRE |
| GP-39 | GP-081357 | 0554 | 2 | test case, TC 58.1.1.1.1 (Rel-7) CR 51.010-2-0554 Introduction of new LATRED test case 58.1.2.1 Dynamic | F | 7.10.0 | 7.11.0 | GP-081357 | D-MStest CTLATRE D-MStest |
| GP-40 | GP-081450 | 0555 | | Allocation/Uplink RTTI TBF (Rel-7) CR 51.010-2-0555 Polled Fast Ack/Nack | F | 7.11.0 | 7.12.0 | GP-081450 | CTLATRE |
| GP-40 | GP-081457 | 0557 | | Reporting CR 51.010-2-0557 Change of lowest allowed | F | 7.11.0 | 7.12.0 | GP-081457 | D-MStest TEI7 |
| GP-40 | GP-081459 | 0558 | | value for Round Trip Delay CR 51.010-2-0558 New test case 30.20 for | F | 7.11.0 | 7.12.0 | GP-081459 | TEI7 |
| GP-40 | GP-081486 | 0560 | | Side Tone Masking Rating - HATS CR 51.010-2-0560 26.7.5.2 adding specific | F | 7.11.0 | 7.12.0 | GP-081486 | TEI7 |
| GP-40 | GP-081490 | 0562 | | PICS CR 51.010-2-0562 Introduction of new PS | F | | 7.12.0 | GP-081490 | PSHCT M |
| GP-40 | GP-081514 | 0563 | | handover test case, TC 41.6.3.1 CR 51.010-2-0563 Introduction of new PICS | F | 7.11.0 | 7.12.0 | GP-081514 | Stest TEI7 |
| GP-40 | GP-081519 | 0564 | | values for Multislot Power Profiles CR 51.010-2-0564 A new Test Case 83.2.2.3- | F | 7.11.0 | 7.12.0 | GP-081519 | TEI6 |
| JI 70 | 0. 001019 | 0004 | | MS Receives a Downlink Message to Initiate Uplink GPRS User Data Transfer while the GA-PSR TC activation Procedure is in progres | | 7.11.0 | 7.12.0 | 0. 001019 | 1.2.0 |
| GP-40 | GP-081834 | 0556 | 1 | CR 51.010-2-0556 Applicability correction of test cases 31.9.2.1 and 31.9.2.3 | F | 7.11.0 | 7.12.0 | GP-081834 | TEI7 |
| | | | | DESCUASES 3 LM / 1 200 3 LM / 3 | 1 | | | 1 | |

| | Change history | | | | | | | | |
|-------|----------------|------|-----|--|-----|--------|--------|-----------|---------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| GP-40 | GP-081897 | 0565 | 1 | CR 51.010-2-0565 Editorial Correction for TC Number 27.18.1.2 (Rel-7) | F | 7.11.0 | 7.12.0 | GP-081897 | TEI |
| GP-40 | GP-081898 | 0566 | 1 | CR 51.010-2-0566 Editorial Correction for TC Number 42.4.8.4.4 (Rel-7) | F | 7.11.0 | 7.12.0 | GP-081898 | TEI |
| GP-40 | GP-081899 | 0567 | 2 | CR 51.010-2-0567 Applicability Correction for TC20.8 (Rel-7) | F | 7.11.0 | 7.12.0 | GP-081899 | TEI |
| GP-40 | GP-081900 | 0568 | 1 | CR 51.010-2-0568 Editorial Correction for Table B.1a: Applicability of tests - Conditions definitions (Rel-7) | F | 7.11.0 | 7.12.0 | GP-081900 | TEI |
| GP-40 | GP-081912 | 0572 | | CR 51.010-2-0572 New Test Cases- 58a.2.2/2.5 Uplink RTTI TBF/Default PDCH pair configuration/Dynamic Allocation/USF Mode reconfiguration/RTTI USF Mode | F | 7.11.0 | 7.12.0 | GP-081912 | CTLATRE D-MStest |
| GP-40 | GP-081913 | 0573 | | CR 51.010-2-0573 Introduction of new Downlink Dual Carrier test case 58.b.1.1 | F | 7.11.0 | 7.12.0 | GP-081913 | GDCDL- MStest |
| GP-41 | GP-090038 | 0577 | - | CR 51.010-2-0577 27.15 - Correction in applicability of test case (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090038 | TEI |
| GP-41 | GP-090053 | 0579 | - | CR 51.010-2-0579 Introduction of new PICS TSPC_MS_HIGHER_LAYER_RELEASE, Definition of Release-8 for the MS Features supported (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090053 | TEI |
| GP-41 | GP-090392 | 0575 | 1 | Update of TS 51.010-2-0575 from Rel-7 to Rel-8 (Release 7) | F | 8.0.0 | 8.1.0 | GP-090392 | TEI7 |
| GP-41 | GP-090393 | 0578 | 1 | CR 51.010-2-0578 58a.1.* Re-ordering and introduction of Latred, FANR/PAN Test Cases (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090393 | CTLATRE D-MStest |
| GP-41 | GP-090394 | 0582 | 1 | CR 51.010-2-0582 New RTTI Test Cases- 58a.2.6 and 58a.2.9 (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090394 | TEI7 |
| GP-41 | GP-090395 | 0583 | 1 | CR 51.010-2-0583 New Test case 58b.1.2- Single Carrier Concurrent TBF to DLDC TBF/ Uplink DLDC TBF (on both carrier 1 and carrier 2)/ Reconfigured back to Single Carrier Concurrent TBF (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090395 | TEI7 |
| GP-41 | GP-090405 | 0581 | 1 | CR 51.010-2-0581 Addition of new Multi-Band PLMN (re)selection tests (Rel-8) | F | 8.0.0 | 8.1.0 | GP-090405 | TEI |
| GP-42 | GP-090586 | 0584 | | CR 51.010-2-0584 New RTTI Test Cases | F | 8.1.0 | 8.2.0 | GP-090586 | TEI |
| GP-42 | GP-090587 | 0585 | | CR 51.010-2-0585 New Test case 58b.2.8- Concurrent Downlink Dual Carrier TBF/ Dual Carrier Uplink TBF/ USF granularity 4 | F | 8.1.0 | 8.2.0 | GP-090587 | TEI |
| GP-42 | GP-090599 | 0587 | | CR 51.010-2-0587 New Test case 58b.3.1- DLDC Configuration / Abnormal Case / DLDC Assignment Multislot Class Violation | F | 8.1.0 | 8.2.0 | GP-090599 | TEI7 |
| GP-42 | GP-090596 | 0589 | | CR 51.010-2-0589 58a.1.* Introduction of Latred, FANR/PAN Test Cases | F | 8.1.0 | 8.2.0 | GP-090596 | CTLATRE D-MStest |
| GP-42 | GP-090601 | 0590 | | CR 51.010-2-0590 New Test Case 58a.1.15 for LATRED feature | F | 8.1.0 | 8.2.0 | GP-090601 | CTLATRE D-MStest |
| GP-42 | GP-090606 | 0591 | | CR 51.010-2-0591 New Test Case 58b.2.1 and 58b.2.2 – Concurrent Downlink Dual Carrier TBF | F | 8.1.0 | 8.2.0 | GP-090606 | GDCDL- MStest |
| GP-43 | GP-091480 | 0592 | 1 | CR 51.010-2-0592 rev 1 Changes in the applicability of test case 34.4.2 from C215 to C253 | F | 8.2.0 | 8.3.0 | GP-091480 | TEI |
| GP-43 | GP-091090 | 0594 | | CR 51.010-2-0594 26.6.5.x Applicablity incorrect for data bearers for handover test cases | В | 8.2.0 | 8.3.0 | GP-091090 | TEI |
| GP-43 | GP-091636 | 0595 | 1 | CR 51.010-2-0595 rev 1 58a.1.* Introduction of Latred, FANR/PAN Test Cases | В | 8.2.0 | 8.3.0 | GP-091636 | CTLATRE D-MStest |
| GP-43 | GP-091613 | 0597 | 1 | CR 51.010-2-0597 rev 1 Addition of new PICS items and new test Downlink Dual Carrier test cases | F | 8.2.0 | 8.3.0 | GP-091613 | GDCDL- MStest |
| GP-43 | GP-091616 | 0598 | 1 | | F | 8.2.0 | 8.3.0 | GP-091616 | GDCDL- MStest |
| GP-43 | GP-091575 | 0599 | 2 | CR 51.010-2-0599 rev 2 Aligning the abbreviation of FDN in 51.010-2 | F | 8.2.0 | 8.3.0 | GP-091575 | GDCDL- MStest |
| GP-43 | GP-091149 | 0600 | | CR 51.010-2-0600 Introduction of new PICS "TSPC_MS_AUDIO_RELEASE" | F | 8.2.0 | 8.3.0 | GP-091149 | TEI |
| GP-43 | GP-091150 | 0601 | | CR 51.010-2-0601 Addition of TSPC_MS_HIGHER_LAYER_RELEASE in column Specific PICS Statements of Table B.1 | F | 8.2.0 | 8.3.0 | GP-091150 | TEI |
| GP-43 | GP-091154 | 0602 | | CR 51.010-2-0602 New Test Cases 58a.2.3 and 58a.2.4 for LATRED feature | F | 8.2.0 | 8.3.0 | GP-091154 | CTLATRE D-MStest |
| GP-43 | GP-091576 | 0603 | 1 | CR 51.010-2-0603 rev 1 Correct test case | F | 8.2.0 | 8.3.0 | GP-091576 | TEI |

| | Change history | | | | | | | | |
|-------|----------------|------|-----|--|-----|-------|-------|-----------|---------------------|
| TSG # | TSG Doc | CR | Rev | Subject/Comment | Cat | Old | New | WG Doc | Work item |
| | | | | numbering for 31.4.2.1.x and 31.4.4.1.1 to match 51.010-1 | | | | | |
| GP-43 | GP-091577 | 0604 | 2 | CR 51.010-2-0604 rev 2 26.12.2.1 - Changes to Test Case numbering | F | 8.2.0 | 8.3.0 | GP-091577 | TEI |
| GP-43 | GP-091579 | 0605 | | CR 51.010-2-0605 New Test Case 58a.1.16 for LATRED feature | В | 8.2.0 | 8.3.0 | GP-091579 | CTLATRE D-MStest |
| GP-43 | GP-091631 | 0606 | | CR 51.010-2-0606 Formal closing of 51.010-2 V7.12.0 | F | 8.2.0 | 8.3.0 | GP-091631 | TEI7 |
| GP-43 | GP-091635 | 0607 | | CR 51.010-2-0607 Introduction of Test for MS with no UTRAN-TDD capability while SI2QUATER containing UTRAN-TDD Neighbor Cells is broadcasted on BCCH | F | 8.2.0 | 8.3.0 | GP-091635 | TEI |
| GP-44 | GP-092210 | 0626 | - | CR 51.010-2-0626 Formal closing of 51.010-2 V8.3.0 | В | 8.3.0 | 8.4.0 | GP-092210 | TEI8 |

History

| Document history | | | | | | | |
|------------------|---------------|-------------|--|--|--|--|--|
| V8.0.0 | February 2009 | Publication | | | | | |
| V8.1.0 | April 2009 | Publication | | | | | |
| V8.2.0 | July 2009 | Publication | | | | | |
| V8.3.0 | October 2009 | Publication | | | | | |
| V8.4.0 | February 2010 | Publication | | | | | |