# ETSI TS 126 444 V12.6.0 (2016-05)



Universal Mobile Telecommunications System (UMTS); LTE; Codec for Enhanced Voice Services (EVS); Test sequences (3GPP TS 26.444 version 12.6.0 Release 12)





# Reference RTS/TSGS-0426444vc60 Keywords LTE,UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

#### Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Foreword**

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <a href="http://webapp.etsi.org/key/queryform.asp">http://webapp.etsi.org/key/queryform.asp</a>.

# Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# Contents

Intelle	ectual Property Rights	2
Forev	vord	2
Moda	ıl verbs terminology	2
Forev	vord	4
1	Scope	5
2	References	5
3	Definitions and abbreviations	5
3.1 3.2	Definitions	
4 4.1	General	
5	Test sequence format	6
5.1 5.2	Introduction to test sequence format	
6	EVS codec test sequences including error concealment of lost packets	
6.1	Introduction to test sequences	
6.2	Codec configuration	
6.3	EVS codec test sequences	
6.3.1	EVS encoder test sequences	
6.3.2	EVS decoder test sequences	
6.3.3	Test sequences for AMR-WB interoperable function	
6.3.4	Test sequences for jitter buffer management	
7	Conformance Testing	8
Anne	ex A (informative): Change history	9
	ry	
111310	ı y	0

#### **Foreword**

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

#### where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

# 1 Scope

The present document specifies the digital test sequences for the Enhanced Voice Services (EVS) Codec. These sequences test for a bit-exact implementation of the EVS Codec (3GPP TS 26.445), Voice Activity Detection (VAD) (3GPP TS.26.451), Comfort Noise Generation (3GPP TS 26.449), Discontinuous Transmission (DTX) (3GPP TS 26.450), Error Concealment of Lost Packets (3GPP TS 26.447), Jitter Buffer Management (JBM) (3GPP TS 26.448), and AMR-WB Interoperable Function (3GPP TS 26.446). In addition, the present document specifies conformance testing (FFS).

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
[2]	3GPP TS 26.445: "Codec for Enhanced Voice Services (EVS); Detailed Algorithmic Description".
[3]	3GPP TS 26.451: "Codec for Enhanced Voice Services (EVS); Voice Activity Detection (VAD)".
[4]	3GPP TS 26.449: "Codec for Enhanced Voice Services (EVS); Comfort Noise Generation (CNG) Aspects".
[5]	3GPP TS 26.450: "Codec for Enhanced Voice Services (EVS); Discontinuous Transmission (DTX)".
[6]	3GPP TS 26.447: "Codec for Enhanced Voice Services (EVS); Error Concealment of Lost Packets".
[7]	3GPP TS 26.442: " Codec for Enhanced Voice Services (EVS); ANSI C code (fixed-point)".
[8]	3GPP TS 26.443: "Codec for Enhanced Voice Services (EVS); ANSI C code (floating-point)".
[9]	3GPP TS 26.174: "Adaptive Multi-Rate - Wideband (AMR-WB) Speech Codec Test Sequences".
[10]	3GPP TS 26.446: "Codec for Enhanced Voice Services (EVS); AMR-WB Backward Compatible Functions".
[11]	3GPP TS 26. 448: "Codec for Enhanced Voice Services (EVS); Jitter Buffer Management".

# 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 26.445 [2], 3GPP TS 26.451 [3], 3GPP TS 26.449 [4], 3GPP TS 26.450 [5], 3GPP TS 26.447 [6], 3GPP TS 26.448 [11], and 3GPP TS 26.446 [10] apply.

#### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

ACELP Algebraic Code-Excited Linear Prediction AMR-WB Adaptive Multi Rate Wideband (codec)

CNG Comfort Noise Generator
DTX Discontinuous Transmission
EVS Enhanced Voice Services

FB Fullband

FEC Frame Erasure Concealment

IP Internet Protocol

JBM Jitter Buffer Management MSB Most Significant Bit

MTSI Multimedia Telephony Service for IMS

NB Narrowband PS Packet Switched

PSTN Public Switched Telephone Network

SAD Sound Activity Detection

SC-VBR Source Controlled - Variable Bit Rate

SID Silence Insertion Descriptor

SWB Super Wideband

VAD Voice Activity Detection

WB Wideband

WMOPS Weighted Millions of Operations Per Second

#### 4 General

#### 4.1 Introduction

Digital test sequences are necessary to test for a bit exact implementation of the EVS codec (TS 26.445 [2]), Voice Activity Detection (TS 26.451 [3]), Comfort Noise Generation (TS 26.449 [4]), Discontinuous Transmission (TS 26.450 [5]), and Concealment of Lost Packets (3GPP TS 26.447 [6]). Jitter Buffer Management (JBM) (3GPP TS 26.448 [11]), and AMR-WB Interoperable Function (3GPP TS 26.446 [10]) and for the testing of the bit exactness of installations of the ANSI C code in TS 26.442 [7]. In addition, test sequences for the testing of the bit exactness of installations of the ANSI C code in TS 26.443 [8] are provided. For a standard compliant implementation of the above specifications the encoder and decoder output sequences shall match the provided output test sequences in the attached ZIP file.

Clause 5 describes the format of the files, which contain the digital test sequences. Clause 6 describes the test sequences for the EVS codec, including error concealment of lost packets, the AMR-WB interoperable function. the VAD, comfort noise generation, discontinuous transmission, the AMR-WB interoperable function, the EVS jitter buffer management, Clause 7 describes the conformance testing for non-bit exact implementations of the EVS codec.

# 5 Test sequence format

# 5.1 Introduction to test sequence format

This clause provides information on the format of the digital test sequences for the EVS codec (TS 26.445 [2]), Voice Activity Detection (TS 26.451 [3]), Comfort Noise Generation (TS 26.449 [4]), Discontinuous Transmission (TS 26.449 [5]), and Error Concealment of Lost Packets (TS 26.447 [6]), Jitter Buffer Management (JBM) (3GPP TS 26.448 [11]), and AMR-WB Interoperable Function (3GPP TS 26.446 [10]).

#### 5.2 File format

The test sequence files in PC (little-endian) byte order are provided in archive files (ZIP format, see the pointer file Readme.txt which accompanies the present document).

Following decompression, three types of file are provided:

-	Files for input to the speech encoder:	*.INP
-	Files for comparison with the encoder output and for input to the speech decoder:	*.COD
-	Files for comparison with the decoder output:	*.OUT
-	Files for input to the speech decoder with JBM	*.RTP
-	One mode control file for the mode switching test	*.MOD
-	Instructions how to operate the test sequences	*TXT

# 6 EVS codec test sequences including error concealment of lost packets

#### 6.1 Introduction to test sequences

This clause provides information on the test sequences designed to exercise the EVS codec (TS 26.445 [2]).

### 6.2 Codec configuration

The speech encoder shall be configured as instructed in the readme file attached.

# 6.3 EVS codec test sequences

#### 6.3.1 EVS encoder test sequences

The test sequences are provided and described in the ZIP archive.

The test sequences for encoder testing and instructions to operate the encoder are summarized in Readme\_EVS\_enc.txt.

#### 6.3.2 EVS decoder test sequences

The test sequences for decoder testing and instructions to operate the decoder are summarized in Readme\_EVS\_dec.txt.

# 6.3.3 Test sequences for AMR-WB interoperable function

The test sequences for the AMR-WB interoperable function include the test sequences defined in TS 26.174 [9], but \*.COD and \*.OUT files are not identical to those provided by TS 26.174.

Readme\_AMRWB\_IO\_enc.txt and Readme\_AMRWB\_IO\_dec.txt summarized the input test sequences, output test sequences, and instructions to execute the AMR-WB interoperable function test.

# 6.3.4 Test sequences for jitter buffer management

The input test sequences, the output sequences, and instructions to run the jitter buffer management test are summarized in the Readme\_JBM\_dec.txt.

# 7 Conformance Testing

Conformance Testing is for further study.

# Annex A (informative): Change history

	Change history						
Date	TSG#	TSG Doc.	CR	Rev	Subject/Comment	Old	New
2014-09	65	SP-140459			Presented at TSG#65 for approval		1.0.0
2014-09	65				Approved at TSG#65	1.0.0	12.0.0
2014-12	66	SP-140725	0001		Update of existing test vectors for the fixed-point EVS	12.0.0	12.1.0
					codec		
2014-12	66	SP-140725	0002	1	Inclusion of test vectors for the floating-point EVS	12.0.0	12.1.0
					codec		
2015-03	67	SP-150085	0003		Update of test vectors for the EVS codec	12.1.0	12.2.0
2015-06	68	SP-150202	0004		Update of test vectors for the EVS codec	12.2.0	12.3.0
2015-09	69	SP-150434	0005	1	Update of test vectors for the EVS codec	12.3.0	12.4.0
2015-12	70	SP-150639	0006		Update of test vectors for the EVS codec	12.4.0	12.5.0
2016-03	71	SP-160064	0007		Update of test vectors for the EVS codec	12.5.0	12.6.0

# History

Document history					
V12.0.0	October 2014	Publication			
V12.1.0	January 2015	Publication			
V12.2.0	April 2015	Publication			
V12.3.0	July 2015	Publication			
V12.4.0	October 2015	Publication			
V12.5.0	January 2016	Publication			
V12.6.0	May 2016	Publication			