

SQL fundamentals Exercise 3: SQL CASE Statement

1: Table products.

Output

Product-id	Product-name	Price	Price-category
1	Laptop	1200	Expensive
2	Phone	800	Mid-range
3	Key board	45	Budget
4	Monitor	300	Mid-Range
5	Mouse	25	Budget.

Syntax

```
SELECT 'product-id', 'product-name', 'Price'
```

```
CASE
```

```
WHEN 'Price' > 1000 THEN 'Expensive'
```

```
WHEN 'Price' BETWEEN 100 AND 1000 THEN Mid-Range.
```

```
ELSE 'Budget'
```

```
END AS Price-Category
```

```
FROM 'workspace'. 'default'. 'product';
```

2. Table : Orders.

Output

	Customer_name	amount	Order_value-Category
1	Alice	150.00	Low-Value
2	Bob	560.00	Medium-Value
3	Charlie.	999.99	Medium-Value
4	Diana	45.50	Low-Value
5	Ethan	1200	High-Value.

```
SELECT 'customer_name', 'amount',
```

```
CASE
```

```
WHEN 'amount' >= 1000 THEN 'High-Value.
```

```
WHEN 'amount' BETWEEN 500 AND 999.99 THEN  
'Medium-Value.
```

```
ELSE 'Low Value.
```

```
END AS Order_value-Category
```

```
FROM 'workspace'. 'default'. 'order';
```

3 Table : Employees.

Output

	emp_name	department	Salary	Position-Level
1	John	IT	85000	Senior IT
2	Sara	HR	60000	Experience HR
3	Mark	IT	75000	Staff
4	Lucy	finance	95000	Staff
5	Tom	HR.	55000	Staff
6	Null	Null	Null	Staff

SELECT 'emp_name', 'department', 'Salary',

CASE

WHEN 'department' = 'IT' and Salary > 80000 THEN
'Senior IT'.

WHEN 'department' = 'HR' and Salary > 55000 THEN
'Experienced HR'

Else 'Staff'

end as position_level.

FROM 'Work space'. 'default'. 'book-1-25-03-2026';

4: Students.

	Student - name	Score	grade.
1	Anna	92	A
2	Ben	76	C
3	Cara	59	F
4	David	83	B
5	Ella	68	D.

Syntax

```
SELECT 'Student - name', 'Score',  
CASE  
  WHEN 'Score' >= 90 THEN 'A'  
  WHEN 'Score' BETWEEN 80 AND 89 THEN 'B'  
  WHEN 'Score' BETWEEN 70 AND 79 THEN 'C'  
  WHEN 'Score' BETWEEN 60 AND 69 THEN 'D'  
  ELSE 'F'  
END AS grade  
FROM 'Workspace'. 'default'. 'Students';
```

5. Deliveries.

	delivery-id	delivery-time-minute	Performance
1	1	45	On time
2	2	80	Late
3	3	30	Fast
4	4	65	Late
5	5	100	Late.

Syntax

SELECT 'delivery-id', 'delivery-time-Minutes',

CASE

WHEN 'delivery-time-Mintes' <= 30 THEN 'Fast'

WHEN 'delivery-time-Mintes' BETWEEN 31 AND 60 THEN 'On Time'

ELSE 'Late'

END AS 'performance'.

FROM 'Workspace'. 'default'. 'deliveries';

6. Tickets

	Issue-type	Priority	Priority-Label
1	Login issue	1	Low
2	Sever down	3	High
3	Slow System	2	Medium
4	Email error	2	Medium
5	Password reset	1	Low

SELECT 'issue-type', 'Priority',

CASE

WHEN 'priority' = 3 THEN HIGH

WHEN 'priority' = 2 THEN Medium

ELSE 'Low'

END AS priority label

FROM 'Workspace'. 'default'. 'tickets';

7. Attendance

	Student-Id	total-days	days-present	attendance-perc	Attendance-Status
1	1	50	45	90	Excellent
2	2	50	30	60	Needs-Improvement
3	3	50	48	96	Excellent
4	4	50	25	50	Needs-Improvement
5	5	50	50	100	Excellent

Syntax

```
SELECT 'Student-Id', 'total-days', 'days-present',  
( 'days-present' / total-days ) = 100 AS Attendance
```

Percentage,

CASE

```
WHEN ( 'days-present' / 'total-days' ) = 100 >= 98
```

```
THEN 'Excellent'
```

```
WHEN ( 'days-present' / 'total-days' ) = 100 BETWEEN
```

```
75 AND 89 THEN 'Good'
```

```
ELSE 'Needs-Improvement'
```

```
END AS Attendance-Status
```

```
FROM 'Workspace'. 'default'. 'attendance';
```

8. Product-Inventory

	Product-Id	Stock-qty	Stock-Status
1	1	5	Low Stock
2	2	0	Out of Stock
3	3	25	In Stock
4	4	10	In Stock

Syntax

```
SELECT 'Product-Id', 'Stock-qty',
```

CASE

```
WHEN 'Stock-qty' = 0 THEN 'Out of Stock'
```

```
WHEN 'Stock-qty' BETWEEN 1 AND 5 THEN 'Low Stock'
```

```
ELSE 'In Stock'
```

```
END AS Stock-Status
```

```
FROM 'Workspace'. 'default', 'product-inventory';
```

9. Class-Size-Category

	Subject	enrolled-Student	Class-Size-Category
1	Maths	30	Large.
2	English	25	Large
3	Science	15	Medium
4	Art	5	Small

SELECT 'Subject', 'enrolled-Student',

CASE

WHEN 'enrolled-Students' $\geq$ 25 THEN 'Large'

WHEN 'enrolled-Students' BETWEEN 10 AND 24 THEN '
'medium'

WHEN 'enrolled-Students' $<$ 10 THEN 'Small'

END AS Class-Size-Category

FROM 'Workspace'. 'default'. 'Classes';

10.

	Payment-id	amount	Payment-Method	discount-eligibility
1	1	50	Card	not eligibility
2	2	200	Cash	Eligibility for discount
3	3	150	Card	Not eligibility
4	4	75	Pay pal	Not eligibility
5	5	300	Cash	Eligible for discount

SELECT Payment-id, amount, Payment-Method

CASE

WHEN 'Payment-Method' = 'Cash' AND Amount $\geq$ 200

THEN Eligible for Discount'

ELSE 'Not Eligible'

END AS discount-eligibility

FROM 'Workspace'. 'default'. 'payments';