NCK MOCK 1 – OCTOBER 2025

Complete Questions with Correct Answers and Detailed Rationales

Each question is followed by the correct answer and a clear rationale. Incomplete questions (4, 44, 88, 100) are marked as such. Review the rationales carefully – understanding the reasoning is more valuable than memorising the letter.

Question 1

Eclampsia is diagnosed when the patient presents with

a. oedema, convulsion, proteinuria
b. Proteinuria, oedema, headache
c. Proteinuria, low urine output, vomiting
d. oedema, polyuria, oedema

✓ Correct Answer: A

Rationale:
Eclampsia is the occurrence of convulsions in a woman with preeclampsia. The classic triad is hypertension + proteinuria + oedema, plus seizures. Headache alone is a symptom of preeclampsia, not eclampsia.

Question 2

Mrs B para 0+0 gravida 1 is at 37 weeks 5 days gestation, comes to the clinic complaining of low back pain, abdominal pain and vaginal bleeding after she fell. She has changed two fully soaked perineal pads for the last four hours. She is most likely to have

a. Post-partum haemorrhage
b. Placenta praevia
c. Placenta abruption
d. Cord prolapse

✓ Correct Answer: C

Rationale:
Trauma + pain + bleeding in late pregnancy is classic for placental abruption. Placenta praevia is usually painless bleeding. She is still pregnant, so not PPH. Cord prolapse presents with fetal distress, not heavy bleeding.

Question 3

The layers of the uterus are:

a. Perimetrium, pericardium, fourchette
b. Broad ligament, Round ligament, Endocervix
c. Endometrium, myometrium, perimetrium
d. Round ligament, myometrium, ischiocarvenosus

✓ Correct Answer: C

Rationale:
The three layers of the uterine wall are endometrium (inner lining), myometrium (smooth muscle), and perimetrium (serosal outer layer).

Question 4

A

■ *Question incomplete in source document*

Question 5

The most important factors in fracture healing is:

a. Adequate phosphorus intake, Immobilization
b. Good alignment, Immobilization
c. Adequate calcium intake, wound closure
d. Wound closure, adequate potassium intake

✓ Correct Answer: B

Rationale:
Proper anatomical alignment and immobilization (to prevent movement at the fracture site) are the two most critical mechanical factors for successful bone healing.

Question 6

Licensing and registration of Nurses in Kenya is the mandate of:

a. Kenya progressive Nurses Association (KPNA)
b. Kenya National Union of Nurses (KNUN)
c. National Nurses Association of Kenya (NNAK)
d. Nursing Council of Kenya (NCK)

✓ Correct Answer: D

Rationale:
The Nursing Council of Kenya (NCK) is the statutory regulatory body responsible for registration, licensing, and regulation of nursing practice in Kenya.

Question 7

One of the following statement best describes a professional nurse in Kenya

a. Trained outside Kenya, communicates well
b. Treats clients with dignity, wears clean uniform
c. Trained and licensed to practice
d. Spiritual, cares about the patients

✓ Correct Answer: C

Rationale:
A professional nurse must be formally trained and hold a valid license to practice. Other attributes are desirable but the legal definition centers on training + licensure.

Question 8

An example of 3rd generation cephalosporin is:

a. Ceftriaxone
b. Amikacin
c. Erythromycin
d. Gentamycin

✓ Correct Answer: A

Rationale:
Ceftriaxone is a classic 3rd-generation cephalosporin. Amikacin and gentamicin are aminoglycosides; erythromycin is a macrolide.

Question 9

Drug bio-availability is described as:

a. Amount of drug accessible at the site of action
b. Amount of drug excreted through the kidney
c. Amount of drug in the liver
d. The dosage

✓ Correct Answer: A

Rationale:
Bioavailability is the fraction of an administered dose of unchanged drug that reaches the systemic circulation (and thus the site of action).

Question 10

A nurse formulates a diagnosis of altered tissue perfusion when a presents with

a. Hypoxia
b. Paleness of the extremities
c. Jaundice
d. Gasps for air

✓ Correct Answer: B

Rationale:
Altered peripheral tissue perfusion is commonly evidenced by cool, pale extremities, delayed capillary refill, and weak pulses.

Question 11

Self-care Deficit theory in nursing was proposed by

a. Florence Nightingale
b. Dorothea Orem
c. Virginia Henderson
d. Jean Orlando

✓ Correct Answer: B

Rationale:
Dorothea Orem developed the Self-Care Deficit Nursing Theory.

Question 12

To prevent pressure sores for bedridden patients, the nurse should:

a. Massage the pressure suite, Turn patient regularly
b. Administer pain killers, catheterize the patient
c. Offer diet rich in vitamins, Monitor vital signs
d. Monitor vital signs, Turn patient regularly

✓ Correct Answer: D

Rationale:
Regular turning/repositioning is the cornerstone of pressure-ulcer prevention. Massage over bony prominences is no longer recommended. Option d pairs turning with general monitoring.

Question 13

When making a patient bed, the procedure should end with:

a. Nurse mitering the corners
b. Nurse washing the hands
c. Nurse adjusting the height of the bed
d. Taking linen to the laundry

✓ Correct Answer: B

Rationale:
Hand hygiene is performed at the end of every nursing procedure to prevent cross-infection.

Question 14

When guiding a patient with loss of sight, the nurse should

a. Ask to hold the nurses hand at the elbow
b. Ask them to hold the nurse around the waist
c. Hold their hand
d. Hold their arm

✓ Correct Answer: A

Rationale:
The correct sighted-guide technique is to allow the visually impaired person to hold the guide’s arm just above the elbow so they can feel the guide’s body movements.

Question 15

When performing bladder irrigation the nurse should

a. Monitor the input and output chart 24 hourly
b. Wash the hands before the procedure and not after
c. Unblock the catheter if fluid fails to return
d. Call the doctor if active bleeding is noted

✓ Correct Answer: D

Rationale:
Active bleeding during continuous bladder irrigation after TURP or similar procedures requires prompt medical attention. Input/output is important but the urgent action is reporting significant bleeding.

Question 16

The main goal of treatment for acute glomerulonephritis is to:

a. Encourage activity
b. Encourage a high protein intake
c. Maintain a fluid balance
d. Teach urinary catheterization

✓ Correct Answer: C

Rationale:
Acute GN often causes fluid overload and hypertension; the primary goal is fluid and electrolyte balance while supporting renal recovery.

Question 17

Which clinical finding would suggest to a nurse that a client with ulcer has an ulcer perforation?

a. Bradycardia
b. Numbness in the leg
c. Nausea and vomiting
d. A rigid board-like abdomen

✓ Correct Answer: D

Rationale:
A rigid, board-like abdomen is the classic sign of peritonitis secondary to perforated peptic ulcer.

Question 18

The nursing action important before an x-ray is:

a. Sedate the patient
b. Keep the patient nil per oral for 6 hours
c. Remove metallic objects from the patient
d. Administer a contrast dye

✓ Correct Answer: C

Rationale:
Metallic objects create artifacts on plain radiographs and must be removed. NPO and contrast are for specific studies only.

Question 19

Which of the following is a classical symptom of pleurisy associated with pneumonia

a. Hyperpyrexia
b. Pain on breathing
c. Cyanotic nails
d. Tachycardia

✓ Correct Answer: B

Rationale:
Pleuritic pain is sharp and worsened by inspiration or coughing – the hallmark of pleurisy.

Question 20

Which nursing diagnosis takes the highest priority for a female client with hyperthyroidism?

a. Risk for imbalanced nutrition less than body requirements related to thyroid hormone excess
b. Risk for impaired skin integrity to oedema and poor wound care
c. Body image disturbance related to weight gain
d. Imbalanced nutrition less than body requirement related to thyroid hormone excess

✓ Correct Answer: D

Rationale:
Hyperthyroidism causes hypermetabolism and weight loss; actual imbalanced nutrition is a higher priority than 'risk for'. Weight gain is more typical of hypothyroidism.

Question 21

The antidote for heparin toxicity is:

a. Potassium chloride
b. Vitamin K
c. Protamine sulfate
d. Calcium gluconate

✓ Correct Answer: C

Rationale:
Protamine sulfate is the specific antidote that neutralizes heparin. Vitamin K is for warfarin.

Question 22

Severe chest pain that radiates to the left arm and the back is an indication of:

a. Cancer of the neck structures
b. Hypertension
c. Liver disease
d. Myocardial infraction

✓ Correct Answer: D

Rationale:
Classic presentation of myocardial infarction (note: spelling in option is 'infraction').

Question 23

Before removing the impacted cerumen, the nurse should instill _____ for 30 minutes:

a. 5% dextrose
b. Half strength Darrows solution
c. Sodium peroxide
d. Mineral oil

✓ Correct Answer: D

Rationale:
Mineral oil (or commercial cerumenolytics) softens impacted wax before irrigation or removal.

Question 24

The priority nursing diagnosis for a 4 years old child presenting with diarrhea

a. Altered consciousness
b. Fluid volume deficit and electrolyte imbalance
c. Fluid volume excess and electrolyte balance
d. Elevated body temperatures

✓ Correct Answer: B

Rationale:
Dehydration and electrolyte imbalance are the most immediate threats to life in paediatric diarrhoea.

Question 25

Cyanosis observed on the lips and tongue in sick children indicates:

a. Poor perfusion
b. Alter gaseous exchange
c. C Hypothermia
d. inadequate venous return

✓ Correct Answer: B

Rationale:
Central cyanosis (lips and tongue) indicates impaired gas exchange / hypoxaemia.

Question 26

AVPU as used in the assessment of level of consciousness in children stands for

a. Alertness, Voice response, Pain response, Unresponsiveness
b. Awake, Volatile, pain reaction, unconsciousness
c. Alert, Voice response, pupil response to light, unconsciousness
d. Alertness, Volatile, Pain response, Unresponsiveness

✓ Correct Answer: A

Rationale:
AVPU = Alert, responds to Voice, responds to Pain, Unresponsive.

Question 27

Examples of cutting instruments in theatre are:

a. Dissecting forceps, scissors
b. Dissecting forceps, artery forceps
c. Scissors, scalpel
d. Abdominal retractor, scalpel

✓ Correct Answer: C

Rationale:
Scalpel and scissors are cutting instruments. Forceps are grasping; retractors hold tissue aside.

Question 28

The best method for a couple who have met their desired family size would be:

a. Condom
b. Sterilization of one partner
c. Intrauterine contraceptive device
d. Sterilization of both partner

✓ Correct Answer: B

Rationale:
Permanent methods (sterilization of one partner) are most appropriate once family size is complete. Sterilizing both is unnecessary.

Question 29

Infections that spread through contaminated drinking water are classified as

a. Water-borne
b. Water-washed
c. Water-based
d. Water-related

✓ Correct Answer: A

Rationale:
Water-borne diseases are transmitted by ingestion of contaminated water (e.g., cholera, typhoid).

Question 30

One of the following is a pre-renal cause of kidney failure

a. Neurogenic bladder
b. Prostrate hypertrophy
c. Acute glomerulo-nephritis
d. Severe hemorrhage

✓ Correct Answer: D

Rationale:
Pre-renal failure results from decreased renal perfusion (hypovolaemia from haemorrhage, shock, etc.). Prostate hypertrophy and neurogenic bladder are post-renal; glomerulonephritis is intrinsic renal.

Question 31

A client who has just been sexually abused remains calm and quiet. This is an example of which type of defense mechanism?

a. Denial
b. Dissociation
c. Intellectualization
d. Projection

✓ Correct Answer: B

Rationale:
Dissociation is a common response to trauma in which the person feels detached or emotionally numb.

Question 32

For Voluntary admission in a hospital, the client must fill form MOH _____ in duplicate

a. 306
b. 314
c. 308
d. 400

✓ Correct Answer: A

Rationale:
In Kenyan mental-health practice, Form MOH 306 is commonly used for voluntary admission (confirm with current MOH forms).

Question 33

The drug of choice for treating all species of schistosome is:

a. Malathion
b. Hydroxchloroquine
c. Praziquantel
d. Ivermectin

✓ Correct Answer: C

Rationale:
Praziquantel is the drug of choice for all Schistosoma species.

Question 34

Management of the spread of cholera in the community involves:

a. Referral of the patient to the hospital for treatment
b. Creating a temporary isolation Centre in the community, rehydrating the patients
c. Quarantining the health care workers only
d. Admitting the patients to the hospital, administering antibiotics

✓ Correct Answer: B

Rationale:
Community-level cholera control focuses on rapid rehydration (ORS/IV), isolation of cases, sanitation, and safe water – often in temporary treatment centres.

Question 35

A nurse manager motivates the theatre team with a lunch after saving a patient. Which theory is the manager applying?

a. Theory X and Y
b. Scientific theory of management
c. System management theory
d. Human relation

✓ Correct Answer: D

Rationale:
Recognizing and rewarding staff (e.g., a celebratory lunch) is a classic application of human-relations theory (Elton Mayo).

Question 36

Sexual relations between children and relatives is termed as:

a. Rape
b. Incest
c. Bigamy
d. Interrelations

✓ Correct Answer: B

Rationale:
Incest is sexual activity between close relatives.

Question 37

The appropriate nursing diagnosis for a client with stage IV cancer of the stomach is

a. Altered body image
b. Disturbed sleep
c. Acute Pain
d. Elevated body temperatures

✓ Correct Answer: C

Rationale:
Advanced gastric cancer commonly causes significant pain; acute/chronic pain is a high-priority nursing diagnosis.

Question 38

Community midwifery encourages

a. Home deliveries
b. Home grown solution to pregnancy and child care
c. Safe hospital delivery and postnatal follow up
d. Pregnant mothers to seek alternative care

✓ Correct Answer: C

Rationale:
Community midwifery in Kenya aims to increase skilled birth attendance (preferably facility-based) and continuum of postnatal care.

Question 39

Madam K has gone into shock after caesarian section identify signs of shock

a. Sweating profusely, high urine out put
b. Altered mental state, low blood pressure
c. Increased blood pressure, reduced pulse rate
d. Increased blood pressure, reduced pulse rate

✓ Correct Answer: B

Rationale:
Hypovolaemic/haemorrhagic shock after CS presents with hypotension, tachycardia, altered mental status, cool clammy skin, and oliguria.

Question 40

Vaginal examination during second stage is performed to

a. Confirm full cervical dilatation
b. Check presentation
c. Rupture membranes
d. Prepare for delivery

✓ Correct Answer: A

Rationale:
In second stage the key finding is full dilatation; VE confirms the cervix is fully dilated and assesses station/progress.

Question 41

The number of antenatal visit as per the WHO recommendation is

a. 3
b. 2
c. 1
d. 4

✓ Correct Answer: D

Rationale:
WHO previously recommended a minimum of 4 antenatal visits (focused ANC). The newer model recommends 8 contacts, but many curricula still teach 4.

Question 42

Cord care should be done using

a. Methylated Spirit
b. Chlorhexidine
c. Normal Saline
d. Topical steroid

✓ Correct Answer: B

Rationale:
WHO and Kenyan guidelines recommend 7.1% chlorhexidine digluconate for cord care, especially in high-mortality settings.

Question 43

The skin changes during pregnancy due to:

a. Good diet
b. Increased melanocytes activity
c. Reduced vitamin intake in the diet
d. Reduced intake of fluids

✓ Correct Answer: B

Rationale:
Increased melanocyte-stimulating hormone and oestrogen/progesterone cause hyperpigmentation (linea nigra, melasma, darkening of areolae).

Question 44

A

■ *Question incomplete in source document*

Question 45

A negative feedback response by the body to hyperthermia is

a. Shivering
b. Sweating
c. Vasoconstriction of blood vessels in the dermis
d. An increase in metabolic rate

✓ Correct Answer: B

Rationale:
Sweating (evaporative cooling) and dermal vasodilatation are negative-feedback responses that lower body temperature.

Question 46

A theory is a set of concepts, definitions, relationships, and assumptions that:

a. Formulates legislation
b. Explains a phenomenon
c. Measures nursing function
d. Reflects domains of nursing practice

✓ Correct Answer: B

Rationale:
A theory systematically explains a phenomenon by relating concepts and assumptions.

Question 47

The best nursing action when dealing with a patient who does not understand the physician's earlier explanation of a planned surgery is:

a. Quickly explain the surgery procedure and the risks to the client
b. Ask supervisor to explain the surgery procedure and its risks
c. Notify the physician
d. Cancel the surgery

✓ Correct Answer: C

Rationale:
Informed consent is the physician's responsibility. If the patient does not understand, the nurse must notify the physician so the explanation can be repeated.

Question 48

An examination done with a radio opaque dye and x-ray is:

a. Pap smear
b. Barium meal
c. Sigmoidoscopy
d. Laryngoscopy

✓ Correct Answer: B

Rationale:
Barium meal uses radio-opaque contrast and fluoroscopy/X-ray to visualize the upper GI tract.

Question 49

A patient is scheduled for magnetic Resonance (MRI) of the abdomen. The nurse should instruct the patient to avoid

a. Wearing metal objects during the procedure
b. Taking oral medication up to 12 hours after the procedure
c. Urinating prior to the procedure
d. Eating solid food 12 hours prior to the procedure

✓ Correct Answer: A

Rationale:
Metal objects are a strict contraindication/safety hazard in MRI (projectile risk and image artifact).

Question 50

The following is true concerning urinary incontinence

a. Caffeine drinks inhibit bladder function
b. Cough stress stimulates accidental urine release
c. Diuretics are used to treat incontinence
d. Polyuria is a definite cause of incontinence

✓ Correct Answer: B

Rationale:
Stress incontinence is leakage triggered by increased intra-abdominal pressure (cough, sneeze, laugh).

Question 51

Pulmonary edema is associated with failing

a. Right atrium
b. Left atrium
c. Right ventricle
d. Left ventricle

✓ Correct Answer: D

Rationale:
Left-ventricular failure raises left-atrial and pulmonary venous pressure, forcing fluid into the alveoli (cardiogenic pulmonary oedema).

Question 52

Pemphigus vulgaris is characterized by:

a. Painful small blisters which form clusters
b. Intensive itching blisters of varying sizes
c. Chronic firm raised bumps which form a ring with normal sunken skin in the centre
d. Formation of tender red bumps under the skin

✓ Correct Answer: A

Rationale:
Pemphigus vulgaris presents with flaccid, painful blisters that rupture easily, often starting in the oral mucosa.

Question 53

Non modifiable risk factors in coronary artery diseases include

a. Hyperlipidemia, hypertension, diabetes mellitus
b. Obesity, physical inactivity, family history
c. Cigarette smoking, gender, hyperlipidemia
d. Increasing age, gender, family history

✓ Correct Answer: D

Rationale:
Age, sex, and family history/genetic predisposition are non-modifiable. The others are modifiable.

Question 54

Pulmonary disorders that cause finger-clubbing include:

a. Pneumonia, asthma, emphysema
b. Lung cancer, lung abscess, pulmonary fibrosis
c. Cystic fibrosis, pulmonary hypertension, pneumothorax
d. Pleural effusion, beryllium disease, chronic atelectasis

✓ Correct Answer: B

Rationale:
Clubbing is associated with lung cancer, chronic suppurative lung disease (abscess, bronchiectasis), and interstitial fibrosis.

Question 55

The main cause of enlargement of the thyroid gland is:

a. Pregnancy
b. Growth hormone
c. Deficient intake of iodine
d. Autoimmune disease

✓ Correct Answer: C

Rationale:
Iodine deficiency is the most common cause of goitre worldwide.

Question 56

Which of these nursing actions will best promote independence for the client in skeletal traction?

a. Instruct the client to call for an analgesic before pain becomes severe
b. Encourage leg exercise within the limits of traction
c. Provide skin care to prevent skin breakdown
d. Provide an overhead trapeze for client use

✓ Correct Answer: D

Rationale:
An overhead trapeze allows the patient to reposition independently, promoting autonomy while in traction.

Question 57

Diarrhea takes out too much of water and minerals which causes

a. Lack of energy
b. Dryness
c. Dehydration
d. Hunger

✓ Correct Answer: C

Rationale:
Loss of water and electrolytes leads to dehydration.

Question 58

The nurse is assessing a comatose client receiving gastric tube feedings. Which of the following assessment findings requires an IMMEDIATE response from the nurse?

a. Aspiration of a residual of 100 cc of formula
b. Decrease in bowel sounds
c. Urine output of 250cc in past eight hours
d. Decreased breath sounds

✓ Correct Answer: D

Rationale:
Decreased breath sounds may indicate aspiration of feed into the lungs – an immediate life-threatening complication.

Question 59

An appropriate nursing diagnostic label for a client with renal calculi is:

a. Ineffective tissue perfusion
b. Functional urinary incontinence
c. Acute pain
d. Decreased cardiac output

✓ Correct Answer: C

Rationale:
Renal colic produces severe acute pain – the priority nursing diagnosis.

Question 60

The finding suggestive of a blocked drainage catheter following transurethral resection of the prostate (TURP) is:

a. The urine in the drainage bag appears red to pink
b. The client reports bladder spasms and the urge to void
c. The normal saline irrigant is infusing at a rate of 50 drops/minute
d. About 1,000 ml of irrigant have been instilled; 1,200 ml of drainage have been returned

✓ Correct Answer: B

Rationale:
Bladder spasms and urge to void despite continuous irrigation often indicate catheter obstruction by clots.

Question 61

Normal fetal heart rate is:

a. 120-160b/m
b. 120-140b/m
c. 110-160b/m
d. 110-140B/M

✓ Correct Answer: C

Rationale:
Current normal fetal heart rate range is 110–160 bpm.

Question 62

Factors hindering home visiting by a midwife include:

a. Rejection by family, unfavorable weather conditions, language barrier
b. Poor infrastructure, laziness by the midwife, rejection by family
c. Lack of privacy, reliable transport facilities, language barrier
d. Language barrier, favorable weather conditions, unreliable transport facilities

✓ Correct Answer: A

Rationale:
Rejection by the family, bad weather, and language barriers are real obstacles to effective home visiting.

Question 63

Preventive measures of ophthalmia neonatorum include

a. Administering systemic penicillin with one hour after birth, isolation of the baby
b. Instillation of penicillin eye drops after birth, taking eye swab for culture and sensitivity
c. Treatment of all vaginal discharges prenatally, application of 3% tetracycline eye ointment within one hour of birth
d. Treatment of abnormal vaginal discharge prenatally, application of 1% tetracycline eye ointment within one hour of birth

✓ Correct Answer: D

Rationale:
Kenyan/WHO practice: treat maternal STIs antenatally and apply 1% tetracycline eye ointment (or silver nitrate/erythromycin) within 1 hour of birth.

Question 64

The management of hypotonic uterine action includes:

a. Intravenous infusion of 10% dextrose
b. Intravenous infusion of syntocinon in 5%dextrose
c. Intravenous infusion of syntocinon in normal saline
d. Intravenous infusion of buscopan 15mgs

✓ Correct Answer: B

Rationale:
Oxytocin (Syntocinon) infusion in 5% dextrose is the standard pharmacological management of hypotonic labour once obstruction is excluded.

Question 65

Hegar's sign is a probable sign of pregnancy characterized by:

a. Softening of the cervix
b. Periodic uterine tightening
c. Colour change of the vagina from pink to violet
d. Softening of the lower uterine segment

✓ Correct Answer: D

Rationale:
Hegar's sign = softening of the lower uterine segment (isthmus). Softening of the cervix is Goodell's sign; colour change is Chadwick's sign.

Question 66

The pelvic joints include the following:

a. One symphysis pubis, two sacrococcygeal joint, two sacroiliac joint
b. One symphysis pubis, one sacrococcygeal joint, one sacroiliac joint
c. One symphysis pubis, one sacrococcygeal joint, two sacroiliac joint
d. One symphysis pubis, two sacrococcygeal joint, one sacroiliac joint

✓ Correct Answer: C

Rationale:
The pelvis has one pubic symphysis, one sacrococcygeal joint, and two sacroiliac joints.

Question 67

A client with a diagnosis of schizophrenia refuses to take meals. The nursing action that will be most appropriate will be to:

a. Allow the client to eat whatever is desired at their convenience
b. Firmly direct the patient to take meals
c. Give appetizers such as multivitamins and force the patient to eat
d. Be with the client while the meals are being served and get explanations from the patient.

✓ Correct Answer: D

Rationale:
Presence, observation, and gentle exploration of reasons for refusal are therapeutic and help detect paranoia or other barriers to eating.

Question 68

Anything that interferes with the communication process is generally referred to as a:

a. Feedback
b. Semantic
c. Barrier
d. Context

✓ Correct Answer: C

Rationale:
Barriers (noise, language, cultural, emotional, etc.) interfere with effective communication.

Question 69

The population of vectors can be controlled by

a. Environment sanitation
b. Chemoprophylaxis
c. Isolation
d. Vaccination

✓ Correct Answer: A

Rationale:
Environmental sanitation (drainage, waste management, source reduction) is the primary method of vector control.

Question 70

The following vaccines are live attenuated

a. Oral polio, pentavalent
b. pentavalent, BCG
c. BCG, Measles
d. Yellow fever, pentavalent

✓ Correct Answer: C

Rationale:
BCG and measles (and oral polio, yellow fever) are live attenuated. Pentavalent is inactivated/subunit.

Question 71

Physical therapy in home based care helps in

a. Reducing loneliness, relaxation, improving circulation
b. Improving circulation, preventing muscle wasting, improving digestion
c. Reducing loneliness, preventing CHEST INFECTION, improving digestion
d. Socialization, improving breathing, preventing infections

✓ Correct Answer: B

Rationale:
Physical therapy maintains circulation, prevents contractures and muscle wasting, and supports gastrointestinal motility.

Question 72

The following are examples of “spacing methods” of family planning

a. Natural methods, chemical barriers, vasectomy
b. Mechanical barriers, tubectomy, chemical barriers
c. Tubectomy, vasectomy, Natural methods
d. chemical barriers, Natural methods, Mechanical barriers

✓ Correct Answer: D

Rationale:
Spacing methods are temporary: natural methods, barriers (condoms, diaphragms), and chemical (spermicides). Sterilization is permanent.

Question 73

Active involved in school health include:

a. Vitamin A supplementation
b. Youth friendly services
c. Minor surgery
d. Screening and treatment of minor ailments

✓ Correct Answer: D

Rationale:
School health programmes classically include screening, treatment of minor ailments, health education, and immunisation.

Question 74

The declaration of health for all by year 2000 was made in the year

a. 1978
b. 1987
c. 1986
d. 1976

✓ Correct Answer: A

Rationale:
The Alma-Ata Declaration (1978) set the goal of “Health for All by the Year 2000”.

Question 75

Familiarization assessment as a type of community needs assessment involves

a. The researcher focusing on a single problem and studies the community in terms of that problem
b. Examining a single facet of community life
c. An in-depth survey of the entire community
d. Studying data already available in the community and gathering a certain amount of first hand data

✓ Correct Answer: D

Rationale:
Familiarization assessment is a quick overview using existing data plus limited primary data collection.

Question 76

Cold chain management

a. Starts from the health facility to the community
b. Starts from the manufacture to the recipient
c. Is a system that uses community health workers and equipment
d. Enable the use of the various vaccines for a longtime after reconstitution

✓ Correct Answer: B

Rationale:
The cold chain is the temperature-controlled supply chain from manufacturer to the point of administration.

Question 77

Which of the four is NOT a reason for nutrition status assessment:

a. Identify population/individuals at risk of malnutrition
b. Develop health care programs that meet community needs which are defined by the assessment
c. Management of malaria
d. Identify those already malnourished

✓ Correct Answer: C

Rationale:
Nutrition assessment is not primarily for malaria management.

Question 78

The following are short term methods of family planning

a. Intrauterine contraceptive device and condoms
b. Implant insertion and IUCD
c. Oral contraceptive and vasectomy
d. Microlut and microgynon

✓ Correct Answer: D

Rationale:
Microlut and Microgynon are oral contraceptives – short-acting/reversible methods.

Question 79

A community can be broadly defined as:

a. Social unit of any size that shares common values and resources
b. Social identity and practice within the community
c. Having a common traditional health seeking behavior
d. Enhancing the understanding of community health status

✓ Correct Answer: A

Rationale:
A community is a social unit sharing common values, interests, or resources.

Question 80

The cell type responsible for bone maintenance is

a. Osteoclast
b. Osteoblast
c. Chondrocyte
d. Osteocyte

✓ Correct Answer: D

Rationale:
Osteocytes are the mature bone cells that maintain the bone matrix. Osteoblasts form bone; osteoclasts resorb it.

Question 81

The diameter of the lumen of the aorta is mainly controlled by

a. The volume of the blood flowing through it
b. The vasomotor centre in the brain
c. Nerve stimulation
d. The weather condition surrounding the individual

✓ Correct Answer: B

Rationale:
The vasomotor centre (medulla) regulates vascular tone via sympathetic outflow, controlling aortic and arteriolar diameter.

Question 82

A patient has history of fainting at around 10 am. He was doing self-injection on the abdomen about 30 minutes before he fainted. The patient is likely to have injected himself with:

a. A strong antibiotic
b. Adrenaline
c. Insulin
d. Penicillin

✓ Correct Answer: C

Rationale:
Hypoglycaemia from insulin overdose commonly causes syncope, especially if a meal is delayed.

Question 83

During handwashing in the prevention of covid-19, the chain is broken at the

a. Reservoir
b. Portal of entry
c. susceptible host
d. Infectious agent

✓ Correct Answer: B

Rationale:
Hand hygiene removes the organism from the hands, preventing transmission via the portal of entry (mouth, nose, eyes, or to other surfaces).

Question 84

In children, paralytic ileus accompanies the following metabolic abnormalities EXCEPT

a. Hypokalemia
b. Hypocalcemia
c. Uremia
d. Hypermagnesemia

✓ Correct Answer: B

Rationale:
Hypokalaemia, hypermagnesaemia, and uraemia can cause or contribute to ileus. Hypocalcaemia is less directly associated.

Question 85

A caretaker brings a 5 years child to hospital and bright red blood is seen flowing bilaterally from the nasal opening. The initial action the nurse should take on this child will be

a. Pinch the nostrils over the nasal ridge as child lean forward
b. Take child to theatre for surgical toileting
c. Pinch the nostrils over the nasal ridge as the child lies supine
d. Take the vitals of the child

✓ Correct Answer: A

Rationale:
First-aid for epistaxis: lean forward and pinch the soft part of the nose for 10–15 minutes.

Question 86

While performing bed making, the nurse ensures that the bed linen the patient lies on are well straightened. The great reason for this is to:

a. Have the ward appear neat
b. Demonstrate to the client the proper technique of bed making
c. Prevent creases that can cause decubitus ulcers
d. Avoid tearing the bed linen by having folds on it

✓ Correct Answer: C

Rationale:
Wrinkles and creases increase pressure and friction, predisposing to pressure ulcers.

Question 87

A patient complains of dysuria and the nurse decides to collect a urine sample from the patient for urinalysis possible findings from the urinalysis will most likely reveal

a. Normal urine composition
b. Pus cells in the urine
c. Glucose in urine
d. Epithelial cells

✓ Correct Answer: B

Rationale:
Dysuria is classically associated with urinary-tract infection; pyuria (pus cells) is expected.

Question 88

A

■ *Question incomplete in source document*

Question 89

The priority nursing diagnosis for patient with rheumatoid arthritis (RA) who is not responding to nonsteroidal anti-inflammatory drugs (NSAIDs) is:

a. Self-care deficit related to fatigue and joint stiffness
b. Ineffective airway clearance related to chronic pain.
c. Risk for hopelessness related to body image disturbance
d. Anxiety related to chronic joint pain

✓ Correct Answer: A

Rationale:
Fatigue and joint stiffness commonly impair ADLs; self-care deficit is a priority functional diagnosis.

Question 90

The action that a nurse would do during the evaluation phase of the nursing process is:

a. Have a patient provide input on the quality of care received
b. Remove a patients surgical staples on the schedule postoperative day
c. Provide information on a follow-up appointment for a postoperative patient
d. Document a patient improved air entry with incentive spirometry

✓ Correct Answer: D

Rationale:
Evaluation involves assessing whether outcomes have been met (e.g., improved air entry after intervention).

Question 91

A patient is due for pyelography the following day. Before the procedure the nurse ensures that:

a. The patient is well fed
b. The patient is passing adequate urine
c. The patient pays for the procedure
d. The relatives have consented to the procedure

✓ Correct Answer: B

Rationale:
Adequate renal function (urine output) is required before contrast pyelography to minimise nephrotoxicity risk.

Question 92

The nutritional needs of a patient who is comatose are safely met through

a. Small frequent oral feeds
b. Nasogastric tube feeding
c. Intravenous fluids administration
d. Letting patient recover first before any feeding

✓ Correct Answer: B

Rationale:
A comatose patient has an unprotected airway; nasogastric or other enteral tube feeding is the safe route.

Question 93

An advantage of balloon valvuloplasty over valve replacement is:

a. Lower doses of antirejection drugs required than with valve replacement
b. The procedure is not associated with a risk for infection
c. Repaired valves tend to function longer than replaced valve
d. The procedure can be performed on an outpatient basis in a physician’s office.

✓ Correct Answer: A

Rationale:
Balloon valvuloplasty does not involve prosthetic material, so no lifelong anticoagulation or immunosuppression is required.

Question 94

The therapeutic action of omeprazole is:

a. Reduction in the amount of acid secreted in the stomach
b. Reduction of peristaltic movement
c. Helping the stomach lining to repair itself
d. Making the stomach lining more resistant to damage

✓ Correct Answer: A

Rationale:
Omeprazole is a proton-pump inhibitor that irreversibly blocks H+/K+-ATPase, markedly reducing gastric acid secretion.

Question 95

A clinical manifestation of acute glomerulonephritis is:

a. Hematuria
b. Hypotension unresolved by fluid administration
c. Glucosuria
d. Precipitous decrease in serum creatinine levels

✓ Correct Answer: A

Rationale:
Acute GN classically presents with haematuria (cola-coloured urine), oliguria, hypertension, and mild oedema.

Question 96

The nurse has identified the nursing diagnosis of risk for infection in a patient who undergoes peritoneal dialysis. What nursing action best addresses this risk?

a. Add antibiotics to the dialysate as ordered
b. Maintain aseptic technique when administering dialysate
c. Administer prophylactic antibiotics by mouth or IV as ordered
d. wash the skin surrounding the catheter site with soap and water prior to each exchange

✓ Correct Answer: B

Rationale:
Strict aseptic technique during connection/disconnection is the single most important measure to prevent peritonitis.

Question 97

The most appropriate type of traction to apply to a fractured proximal femur is:

a. Russell's traction
b. Cervical head halter
c. Dunlop's traction
d. Bucks extension

✓ Correct Answer: D

Rationale:
Buck's extension (skin traction) is commonly used for temporary immobilisation of proximal femoral fractures before surgery.

Question 98

A clinical manifestation of third spacing in a patient with burns is:

a. Metabolic alkalosis
b. Hypermagnesemia
c. Hypercalcemia
d. Hypovolemia

✓ Correct Answer: D

Rationale:
Fluid shifts into the interstitium (third spacing) cause intravascular hypovolaemia.

Question 99

A nurse is caring for a patient who has sustained a deep-thickness burn injury. In prioritizing the nursing diagnoses for the plan of care the nurse will give the highest priority to what nursing diagnosis?

a. Activity intolerance
b. Ineffective coping
c. Acute pain
d. Anxiety

✓ Correct Answer: C

Rationale:
Deep partial- or full-thickness burns are extremely painful; acute pain is an immediate priority after airway/circulation.

Question 100

A

■ *Question incomplete in source document*

Question 101

When performing chest compressions during cardiopulmonary resuscitation on a patient who is unresponsive the nurse should:

a. Perform high-quality chest compressions as rapidly as possible
b. Pause chest compressions to allow for vital signs monitoring every 4 to 5 minutes
c. Pause to allow a colleague to provide a breath every 10 compressions
d. Perform 100-120 chest compressions per minute.

✓ Correct Answer: D

Rationale:
Current AHA/ILCOR guidelines recommend a rate of 100–120 compressions per minute with minimal interruptions.

Question 102

A patient with mastoiditis is admitted to the post-surgical unit after undergoing a radical mastoidectomy. The nurse should identify what priority of postoperative care?

a. Assessing for mouth droop and decreases lateral eye gaze
b. Assessing for scar tissue and cerumen obstructing the auditory canal
c. Assessing for increased middle ear pressure and perforated ear drum
d. Assessing for gradual onset of conductive hearing loss and nystagmus

✓ Correct Answer: A

Rationale:
Facial-nerve injury (CN VII) is a known risk of mastoidectomy; mouth droop and impaired eye movement must be assessed.

Question 103

The most dangerous complication during induction of spinal anesthesia is

a. Cardiac arrest
b. Hypotension
c. Hyperthermia
d. Respiratory paralysis

✓ Correct Answer: D

Rationale:
High spinal block can cause respiratory arrest by paralysing the intercostal muscles and diaphragm – the most immediately life-threatening complication.

Question 104

Direct methods of nutritional assessment include

a. Measuring the weight of an individual
b. Taking 24 hours recall on diet history
c. Taking the economic history of the patient or caregiver
d. Enquiring the patient's food preferences

✓ Correct Answer: A

Rationale:
Anthropometry (weight, height, MUAC, etc.) is a direct method. Dietary recall and socioeconomic history are indirect.

Question 105

Which of the following symptoms in pregnant women is of greatest concern?

a. Vomiting
b. Visual disturbances
c. Heartburn
d. Slight oedema

✓ Correct Answer: B

Rationale:
Visual disturbances (scotomata, blurred vision) are a warning sign of severe preeclampsia/eclampsia.

Question 106

In the part of the 3rd trimester, the mother may experience shortness of breath. This complaint may be explained as

a. A normal occurrence in pregnancy because the fetus is using more oxygen
b. The fundus of the uterus is high pushing the diaphragm upwards
c. The woman is having allergic reaction to the pregnancy and its hormones
d. The woman maybe experiencing complication of pregnancy

✓ Correct Answer: B

Rationale:
In late pregnancy the enlarged uterus elevates the diaphragm, reducing lung expansion and causing physiological dyspnoea.

Question 107

Fetal lie refers to

a. Longitudinal axis of the fetus in relation to the oblique axis of the maternal uterus
b. Longitudinal axis of the fetus in relation to the transverse axis of the maternal uterus
c. Longitudinal axis of the fetus in relation to the long axis of the maternal uterus
d. Longitudinal axis of the fetus in relation to the long axis of the maternal pelvis

✓ Correct Answer: C

Rationale:
Lie is the relationship of the long axis of the fetus to the long axis of the uterus (longitudinal, transverse, or oblique).

Question 108

A woman at 32 weeks gestation is brought to hospital with complaints of headache, and progressive oedema of the lower limbs. Her temperature is 36.8 degrees, blood pressure 220/156 mmHg. On urinalysis, there is proteinuria. The most probable diagnosis for this woman is:

a. Malaria in pregnancy
b. Urinary tract infection in pregnancy
c. Preeclampsia
d. Eclampsia

✓ Correct Answer: C

Rationale:
Severe hypertension + proteinuria + oedema at 32 weeks = preeclampsia (eclampsia would include seizures).

Question 109

A baby born at 32 weeks through caesarean section due to placenta praevia is brought to the neonatal intensive care unit. On examination the pulse rate is 200 b/m, capillary refill of 4 seconds, cold extremities with a birth weight of 2580g. After initiation of supplemental oxygen the next most appropriate step in management is:

a. Administration of IV normal saline 10ml/kg over 60 minutes
b. Administration of normal saline/ringer lactate 10ml/kg over 10 minutes
c. Transfusion of blood 10ml/kg over 30 minutes
d. Immediate give 20ml/kg 0negative packed RBS over 30 minutes

✓ Correct Answer: B

Rationale:
Signs of shock (tachycardia, prolonged CRT, cold extremities) after blood loss (placenta praevia) require rapid volume expansion with crystalloid 10 ml/kg over 10–20 min while preparing blood.

Question 110

A 30 years old Gravida 3 para 2+0 at 28 weeks of gestation presents with severe pain in the right flank radiating to her groin, rigors and chills. Urinalysis reveals numerous cells. The most likely diagnosis is

a. Appendicitis
b. Pyelonephritis
c. Round ligament torsion
d. Torsion of the ovarian cyst

✓ Correct Answer: B

Rationale:
Flank pain radiating to groin + fever/rigors + pyuria in pregnancy = acute pyelonephritis.

Question 111

Which of the following is the most common indication for primary cesarean section?

a. Prolapsed cord
b. Labor Dystocia
c. Diabetes
d. Malpresentation

✓ Correct Answer: B

Rationale:
Labour dystocia (failure to progress) is the most common indication for primary caesarean section.

Question 112

Which of the following situations has the greatest risk for the mother and infant?

a. Rupture of uterus
b. Dehiscence of a uterine scar
c. Cervical laceration
d. Lack of spontaneous uterine contractions at term

✓ Correct Answer: A

Rationale:
Complete uterine rupture is a catastrophic obstetric emergency with high maternal and fetal mortality.

Question 113

Application of forceps is appropriate in which of the following situations?

a. Breech at +3 station, cervix completely dilated, membranes ruptured.
b. Vertex at +1 station, cervix completely dilated, membranes intact
c. Mentum anterior, +3 station, cervix completely dilated, membranes ruptured
d. Transverse lie, +3 station, cervix completely dilated, membranes ruptured

✓ Correct Answer: C

Rationale:
Forceps can be applied for a mentum-anterior face presentation at low station with full dilatation and ruptured membranes. Transverse lie and high station are contraindications.

Question 114

During history taking for a client who has come to seek VCT services in your health facility, you include paraphrasing as part of your communication skills. This means that

a. You ask the patient to repeat what you tell them to ensure understanding
b. You get a language interpreter if you don't share a common language with the client to ensure understanding.
c. You repeat what the client tells you in your own words to ensure understanding
d. You provide writing materials if client hearing difficulties

✓ Correct Answer: C

Rationale:
Paraphrasing is restating the client's message in the counsellor's own words to confirm understanding.

Question 115

Which of the following group of diseases is prevented by PCV 10 vaccine?

a. Mumps, pneumonia, diarrhea and sinusitis
b. Mastoiditis, pneumonia, bacterial meningitis and cellulitis
c. pneumonia, poliomyelitis, cryptococcal meningitis and typhoid fever
d. Rhinitis, pneumonia, burns and whooping cough

✓ Correct Answer: B

Rationale:
PCV10 protects against Streptococcus pneumoniae serotypes that cause pneumonia, meningitis, bacteraemia, mastoiditis, and other invasive disease.

Question 116

An objective of school health program is?

a. To inspect teacher's behavior regarding health of school children
b. To provide age appropriate about health information to the children in schools
c. To interview the children about their family health behavior because children always tell the truth
d. To show the teachers how they should implement correct teaching strategies

✓ Correct Answer: B

Rationale:
A core objective is health education – delivering age-appropriate health information to school children.

Question 117

Types of environment include

a. Physical, biological, political
b. Physical, physiological, political
c. biological, physiological, political
d. Economical, biological, psychological

✓ Correct Answer: A

Rationale:
In community-health classification the environment is commonly divided into physical, biological, and socio-cultural/political components.

Question 118

The causative organism for bacillary dysentery is

a. Vibrio
b. Salmonella
c. Shigella
d. Amoeba

✓ Correct Answer: C

Rationale:
Bacillary dysentery is caused by Shigella species. Amoebic dysentery is caused by Entamoeba histolytica.

Question 119

According to Sigmund Freud, the structure of the mind is classified as

a. Conscious ID and super ego
b. Ego pre-conscious and ID
c. ID, ego and super ego
d. Conscious, pre-conscious and unconscious

✓ Correct Answer: C

Rationale:
Freud's structural model of the psyche comprises the id, ego, and superego.

Question 120

The state in which a patient repeats words or phrases spoken to him is referred to as:

a. Echopraxia
b. Echolalia
c. Neologism
d. Word salad

✓ Correct Answer: B

Rationale:
Echolalia is the pathological repetition of another person's words or phrases. Echopraxia is repetition of movements.

End of Mock 1 — Focus on the rationales. Good luck with your NCK examination!