Monozukuri Fullstack Revamp: AI-Powered Technical Interview Platform

Assessment Deliverable & Executive Engineering Submission
Candidate: Tunggal Wigati (GitHub: @tunggalw7)
Role Focus: Fullstack Engineer (Frontend Depth)
Target Repository: rakamin-ai-interview-platform
Branch: `feature/monozukuri-fullstack-revamp`
Pull Request (GitHub): https://github.com/rakamindev/ai-interview-platform/pull/162
Video Demonstration (Loom): https://www.loom.com/share/11dcd0ced750444f8a6a31e7e5841c08

Executive Summary

This report presents the end-to-end revamp of the **AI-Powered Technical Interview Platform** under the Japanese philosophy of **Monozukuri (ものづくり)** — combining deep craftsmanship, systematic verification, structural empathy for candidate evaluation, and absolute respect for production failure paths.

Starting from an unhardened prototype with zero automated test coverage, silent scoring degradation defects, unhandled model timeouts, and unredacted PII logging, we have delivered:

1. **A Complete Automated Test Harness Built From Scratch**:
    - **Backend**: 32 RSpec unit, service, and integration request tests covering multi-tenant scoping, state transitions, portfolio generation, and fit/gap analytics (100% pass).
    - **Frontend**: Full Playwright End-to-End (30 test scenarios passing across live candidate interview, assessment management, portfolio human override, and report export) + Vitest unit tests.
    - **Seeded Fault Verification**: Proven harness sensitivity on both backend and frontend by injecting breaking logic mutations, observing exact test failure diagnostics, and verifying clean recovery.
2. **Defect Remediation & Structural Hardening**:
    - **Fixed AI Scoring Downgrade**: Eliminated a silent bug where `"L3".to_i` returned `0` and downgraded qualified Senior/Staff candidates to `L1`.
    - **Gemini Dynamic Multi-Model Failover**: Added zero-latency fallback across `gemini-3.5-flash`, `gemini-flash-lite`, and heuristic rubric mapping, preventing rate-limit disruptions during live assessment recordings.
    - **Transactional Database Integrity & Concurrency Control**: Wrapped portfolio and fit/gap writes in database transactions with atomic status claims, eliminating duplicate model calls and half-written records.
    - **Multi-Tenant Scoping**: Verified default tenant isolation preventing cross-organization leakage of candidate data.
    - **Indonesian UU PDP Compliance (UU No. 27/2022)**: Parameterized log filtering of candidate PII (`:nik`, `:phone`, `:candidate_name`).
3. **UI/UX Craftsmanship**:

    - Elevated Fit/Gap analysis with executive KPI cards, clear delta mapping, human-in-the-loop override audit trails, expandable evidence quotes, and respectful handling of unassessed skills.

Table of Contents

1. 1. Domain Immersion & Regional Realities
2. 2. Severity-Ranked Problem & Gap Analysis
3. 3. Revamp Strategy & Acceptance Criteria
4. 4. Monozukuri Implementation Details
5. 5. Verification Proofs & AI Moments
6. 6. Video Demonstration Walkthrough
7. 7. Visual Evidence & UI Screenshots
8. 8. Claimed Engineering Depth & Production Verification

---

1. Domain Immersion & Regional Realities

1.1 The 5 Core Pillars

1. **Conversational AI Probing**: Replacing static multiple-choice tests with a Gemini-powered conversational agent that probes depth across technical competencies.
2. **Dynamic Coverage Mapping**: Tracking candidate competency exploration in real-time across four discrete states: `not_yet` (0%) → `initiated` (25%) → `partial` (60%) → `covered` (100%).
3. **Portfolio Synthesis**: Automatically summarizing transcript evidence quotes, AI competency determinations, and confidence levels into an assessor dossier.
4. **Fit/Gap Benchmark Analytics**: Comparing synthesized candidate portfolios against specific vacancy job requirements to determine delta values (Match, Exceed, Gap, Not Assessed).
5. **Human-in-the-Loop Governance**: Empowering technical hiring leads and recruiters to review evidence, adjust AI levels with documented rationale, and rerun downstream fit/gap analytics atomically.

1.2 Indonesian Hiring Market Dynamics

- **Network Asymmetry & Connectivity Variations**: Candidates interviewing from across Indonesia (Jabodetabek vs tier-2/3 cities across Java, Sumatra, Sulawesi) experience bandwidth fluctuations, packet loss, and latency spikes. The system must never drop interviews due to transient disconnects or audio packet delays.
- **Bilingual Nuance & Bahasa Indonesia Code-Switching**: Indonesian software engineering interviews heavily feature code-switching (*"Aku pake hook useReducer buat manage state-nya..."*). Skill extraction must accommodate colloquial phrasing and localized terminology without hallucinating low confidence.
- **Compliance with UU No. 27/2022 (UU Perlindungan Data Pribadi)**: Mandates explicit purpose limitation, non-disclosure of candidate PII, and data minimization. Logging raw candidate names,

phone numbers, NIK, or unredacted CV data in server logs or Gemini prompt traces breaches compliance.

---

2. Severity-Ranked Problem & Gap Analysis

Through fullstack static analysis and dynamic runtime inspection, eight critical gaps were identified and categorized:

ID	Severity	Category	Seam	Description
F-01	P0	Defective Implementation	Backend Data Layer	String-to-integer conversion bug (`"L3".to_i == 0`) silently downgraded candidate scores to `L1`.
F-02	P0	Defective Implementation	Backend API	Destructive fit/gap regeneration destroyed previous reports before background worker completed.
F-03	P0	Missing Spec	Backend / Infra	Zero automated test coverage across both Rails backend and React frontend.
F-04	P1	Defective Implementation	Fullstack Seam	Vacancy skills not probed during the interview were rendered as gaps (-3 delta) or caused frontend crashes.
F-05	P1	Defective Implementation	Data Pipeline	Non-transactional DB writes left orphaned records when Gemini timed out.
F-06	P1	Missing Spec	Compliance	Production server logs printed unredacted candidate personal information violating UU PDP.
F-07	P2	Defective Implementation	Fullstack Seam	Inconsistent attribute naming (`expected_level` vs `required_level`) between Rails serializer and React types.
F-08	P2	Defective Implementation	Frontend UI/UX	Text overflow and cramped layout on long candidate quotes and lack of visual audit trail for overrides.

Technical Lead Constraint Signal

> **Architectural Signal to Tech Lead**: In multi-tenant environments, default scopes (`TenantScoped`) ensure complete database row isolation. However, relying on implicit background job arguments without explicit tenant context risks worker execution errors. All asynchronous workers (`PortfolioGeneratorWorker` , `FitGapGeneratorWorker`) must maintain explicit tenant boundaries.

---

3. Revamp Strategy & Acceptance Criteria

3.1 Self-Derived Acceptance Criteria (AC)

- **AC-01 (Unassessed Skills)**: Skills required by a vacancy that were not explored during the session must be explicitly marked as `not_assessed` with `candidate_level: nil` and `delta: nil` . They must never be penalized as 0.
- **AC-02 (Deterministic Fallbacks)**: If the LLM narrative call fails or times out, the system must generate structured rule-based narratives reflecting matches, gaps, and unassessed counts without failing the background job.
- **AC-03 (Idempotent Regeneration)**: Regenerating fit/gap reports must preserve the existing report until the new synthesis completes successfully.
- **AC-04 (Executive UI & Human Audit)**: Comparison tables must render executive metric cards, clean visual badges, and prominent assessor override justification callouts.
- **AC-05 (UU PDP Redaction)**: All candidate PII parameters (`:nik` , `:phone` , `:candidate_name`) must be filtered from Rails production logs.

3.2 Architectural Decision Trade-Off Matrix

We evaluated two implementation paths:

Architectural Dimension	Option A: Rapid Patch	Option B: Monozukuri Fullstack Revamp (Selected)
Testing Architecture	Ad-hoc manual verification script	RSpec & Vitest harnesses built from scratch with seeded fault proof
Unassessed Handling	Coalesce missing skills to L1 in DB	Explicit `not_assessed` domain state with UI badge and metric tracking
Failure Recovery	Let Sidekiq retry failed jobs 5 times	Atomic database transactions + deterministic rule-based narrative fallbacks
Assessor Experience	Plain table with text values	Executive metric cards, expandable quotes, override audit trails
Long-Term Maintainability	High technical debt	Self-documenting test suite, zero regressions, strict type safety

---

4. Monozukuri Implementation Details

4.1 Backend Hardening (`api/`)

1. **`Portfolios::Generator`**:
   - Added `ActiveRecord::Base.transaction` to ensure all portfolio skills and metadata persist atomically.
   - Implemented regex markdown fence stripping (`sub(/\A```json\s*/i, '').sub(/\s*```\z/i, '')`).
   - Fixed string level parsing: `clean_num = val.to_s.gsub(/\D/, '').to_i`, preventing silent score downgrades.
   - Added API key sanitization in error logs.
2. **`FitGap::Engine`**:
   - Added unassessed skill tracking (`result: 'not_assessed'`, `delta: nil`, `candidate_level: nil`).
   - Implemented `generate_fallback_culture_narrative` and `generate_fallback_overall_narrative` to guarantee report generation even during complete Gemini API outages.
3. **`PortfoliosController`**:
   - Removed destructive `existing&.destroy` before job enqueue; report is now replaced atomically when the new report is ready.
4. **`filter_parameter_logging.rb`**:
   - Configured UU PDP PII parameter filtering.

4.2 Frontend Elevation (`web/`)

1. **`ComparisonTable.tsx`**:
   - Added 4 executive metric cards: Matches, Exceeds, Gaps, and Not Evaluated.
   - Added `ResultBadge` with distinct icons and color tokens (emerald for match, sky for exceed, amber for gap, slate for not assessed).
   - Rendered human assessor override icons (`UserCheck`) and contextual explanatory footnotes.
2. **`FitGapReportPage.tsx`**:
   - Added vacancy context header, loading pulse state, and error recovery banners.
   - Structured recommendation narratives into dual executive cards: Executive Recommendation and Culture & Competency Fit.
   - Built additive discovered competencies card for skills discovered beyond the job description.
3. **`SkillPortfolioCard.tsx`**:
   - Added expandable quote accordion ("Show all (N) / Show less").
   - Added assessor override rationale banner displaying the assessor's justification notes.
   - Added low-confidence advisory callout for skills briefly touched upon.

---

5. Verification Proofs & AI Moments

5.1 Test Suite Results

- **Backend RSpec Suite**: 32 examples, 0 failures (Services, Models, Requests, Multitenancy, UU PDP sanitization).
- **Frontend Playwright E2E Suite**: 30 comprehensive browser scenarios, 100% passed (Auth, Interview room, Portfolio, Fit/Gap, Vacancy management).
- **Frontend Vitest Suite**: 11 unit tests, 0 failures.
- **Production Bundle**: `npm run build` compiled cleanly in 2.21 seconds.

5.2 Seeded Fault Proof

- **Backend**: Inverting `delta = expected_level - candidate_level` in `FitGap::Engine` caused immediate RSpec failure (`expected "gap", got "exceed"`). Restoring code returned the suite to 100% pass.
- **Frontend**: Hardcoding `const result = "match"` in `ComparisonTable.tsx` caused Vitest to fail (`Unable to find element with text: Not Assessed`). Restoring code returned the suite to 100% pass.

5.3 AI Verification Moment

The discovery of `"L3".to_i == 0` demonstrates the critical necessity of manual code inspection over blind model reliance. AI models frequently write concise parsing code that behaves unexpectedly across language boundaries. Catching and resolving this bug saved candidates from systematic wrongful disqualification.

---

6. Video Demonstration Walkthrough

Loom Walkthrough Link: https://www.loom.com/share/11dcd0ced750444f8a6a31e7e5841c08

> **Assessor Note on Video Duration**:
> In accordance with **Monozukuri craftsmanship standards**, this video demonstration delivers complete architectural transparency and an authentic end-to-end live product walkthrough. Rather than an edited high-level overview, the video walks through the entire user journey and technical edge cases. Assessors may view the complete video or utilize the structured chapter markers below for targeted review:

1. **Role & Vacancy Creation**: Creating the vacancy with specific competency levels and role expectations.
2. **Assessment Rubric Setup**: Configuring the assessment, adding B7 rubric behavioral anchors (L1–L5), and generating candidate invitation links.
3. **Live AI Candidate Interview**: Hardware checks, entry into the live room, dynamic audio interaction, and session completion.

4. **Portfolio Synthesis & Evidence Extraction**: Verbatim transcript extraction, AI level determination, and confidence ratings.
5. **Human Assessor Override**: Modifying candidate competency levels with mandatory audit rationale in compliance with Indonesian UU PDP standards.
6. **Fit/Gap Benchmark Analytics**: Reviewing the delta matrix (Matches, Exceeds, Gaps, and unassessed competencies) with narrative synthesis.
7. **Export & Verification**: Generating PDF dossiers, CSV matrices, and verifying automated test harnesses (`bundle exec rspec` and `npx playwright test`).

---

7. Visual Evidence & UI Screenshots

The following embedded high-resolution screenshots document the platform's core workflows, interaction states, responsive views, and test suites:

7.1 Fit/Gap Benchmark Analytics & Executive Decision Matrix




Figure 7.1: Executive metric cards (Matches 1/2, Exceeds 1, Gaps 0, Not Evaluated 0), 100% benchmark alignment progress bar, and verified skill comparison matrix.

7.2 Candidate Competency Portfolio & Evidence Quotes




Figure 7.2: Candidate Competency Dossier (Budi Santoso) displaying extracted verbatim evidence quotes per competency, AI level determinations (L4 Advanced, L3 Proficient), and human assessor override controls.

7.3 Live Multimodal AI Interview & Real-Time Voice Waveform




Figure 7.3: Real-time multimodal interview stage with pulsing voice visualizer, active listening state, 9 live conversation turns, and connection telemetry.

7.4 Modern Role Vacancy & Assessment Catalog





Figure 7.4: Role vacancies catalog with gold CTA action buttons, category filter pills, benchmark targets, and authenticated user profile (Tunggal).

7.5 Mobile Responsive Adaptation (390px Viewport)


Rakamin
Hasil Bukti Kompetensi
Kandidat: Budi Santoso
Transkrip
Export PDF
JSON
Candidate Competency Dossier
Portfolio AI: Budi Santoso Rakamin B7
Dossier bukti kompetensi teknis dari rekaman wawancara suara kandidat, dilengkapi level AI, kutipan verbatim, dan assessor override.
Analisis bukti transkrip verbatim per skill anchor B7
Deteksi kompetensi tambahan (Discovered Skills)
Dukungan Assessor Human Override sesuai standar UU PDP & Monozukuri
Configured Skills
0 Skill
Kompetensi teknis utama yang disyaratkan dalam kurikulum asesmen
Discovered Skills
2 Skill Tambahan
Keahlian tambahan yang terdeteksi secara otomatis dari percakapan kandidat
L4
Advanced
Node.js / Backend Development
Discovered Skill
Confidence: HIGH
Override rating
INTERVIEW EVIDENCE QUOTES (3)
Show all (3)




Figure 7.5: Mobile-first responsive adaptation on 390px viewport demonstrating fluid touch targets, collapsible evidence quotes, and clean typography.

7.6 Automated Test Suite Execution (100% Pass Rate)




Figure 7.6a: End-to-end browser test execution — 30 Playwright scenarios passing on headless Chromium (56.2s).




Figure 7.6b: Backend test harness — 32 RSpec unit, model, and request specs passing with 0 failures (0.61s).

---

8. Claimed Engineering Depth & Production Verification

- **Claimed Engineering Depth**: **Fullstack Engineer with Frontend Depth**
- **Frontend Architecture & Craftsmanship (50%)**:
  - React 18, TypeScript, Tailwind CSS, Framer Motion, and Radix UI primitives.
  - Pixel-perfect typography alignment using Nunito Sans font hierarchy.
  - Graceful responsive adaptation across desktop, tablet, and mobile (390px viewport).
  - Robust client-side validation, error boundaries, accessible modal dialogues, and audio visualizer stages.
  - End-to-end browser test harness: **30 Playwright scenarios running against headless Chromium with 100% pass**.
- **Backend Rigor & Data Safety (50%)**:
  - Ruby on Rails 7 with PostgreSQL, Redis, Sidekiq, and Gemini AI.
  - Multi-model failover engine (`gemini-3.5-flash` → `gemini-flash-lite` → heuristic fallback) eliminating 429 rate limit errors.
  - Atomic database transactions with concurrency claim locks preventing duplicate worker jobs.
  - UU PDP No. 27/2022 parameter sanitization filtering candidate personal identifiers (`:nik` , `:phone` , `:candidate_name`).
  - Automated test harness: **32 RSpec unit, model, and request specs with 100% pass**.