

Is DOE Being Used in an Agentry-Based SMP Setup?

Based on your description—using SMP for deploying Agentry applications to handheld devices, with configurations managed via the Syclo ConfigPanel (now known as the Agentry SAP Framework Configuration Panel)—the SAP Data Orchestration Engine (DOE) is **likely not in use**. Here's why:

- **Agentry's Architecture:** Agentry (from the Syclo acquisition) is a metadata-driven platform integrated into SMP for offline-capable, transaction-heavy mobile apps (e.g., field service like SAP Work Manager or Inventory Manager). It relies on the **Agentry SAP Framework** for SAP ECC integration, which is an ABAP add-on (e.g., SMERP for ERP) installed directly on your ECC system. This framework handles BAPI calls, data synchronization, and configurations via the ConfigPanel. DOE, by contrast, is a separate NetWeaver Mobile middleware component for modeling and distributing data objects (DOs) in non-Agentry mobile scenarios (e.g., Object API apps).
- **No Direct Dependency:** Agentry apps synchronize data directly with ECC via the Java Backend (JavaBE) or ABAP adapters in SMP, without requiring DOE as an intermediary. The ConfigPanel focuses on Agentry-specific settings like mappings, POJOs, stephandlers, and security roles—none of which reference DOE. If your setup uses standard Agentry adapters (e.g., for PM orders or inventory), DOE isn't involved.
- **When DOE *Could* Be Present:** DOE might be installed in your landscape if you have legacy non-Agentry mobile apps (e.g., MI-based or DOE-modeled apps) running alongside Agentry. However, in a pure Agentry/SMP scenario as described, it's extraneous.

To confirm DOE usage in your specific setup:

- Check for active DOE jobs or transactions in ECC/NetWeaver (e.g., via SM37 for DOE-related jobs like delta downloads, or transaction SDOE_WB for the Data Orchestration Workbench). If these are inactive or absent, DOE isn't operational.
- Review SMP logs (via Management Cockpit or server logs in <SMP_HOME>\Server\logs) for any DOE connector references during Agentry syncs.

- In the Agency Editor (Eclipse-based), inspect your application project for backend connections—if they're set to "Java" or "ABAP" without DOE wrappers, it's independent.

Safely Removing SAP DOE Without Impacting SMP/Agency

Since DOE is optional for Agency/SMP, you can remove it safely, but follow a structured process to avoid disruptions (e.g., to shared NetWeaver instances or monitoring). DOE is typically installed as a NetWeaver Mobile 7.x add-on on a dedicated ABAP system, so removal involves deinstallation via SAP tools. Here's a step-by-step guide:

1. Pre-Removal Assessment (1-2 Days)

- **Verify No Dependencies:**

- Run a system scan in ECC/NetWeaver: Use transaction SOST or SM59 to check for active RFC destinations pointing to DOE (e.g., DOE_* or MOB_*). Disable any unused ones.
- Query the SMP Management Cockpit (under Applications > Agency) for connection strings—ensure no "DOE Connector" or ESDMA bundles are configured.
- Check user authorizations: In PFCG, review roles for DOE access (e.g., SAP_DOE_ADMIN). Revoke if unused.
- Test Agency syncs: Perform end-to-end tests from a handheld device (e.g., transmit data to ECC) before/after temporarily stopping DOE services.

- **Backup Everything:**

- Export DOE configurations (if any) via SDOE_WB > Export.
- Full system backup of the NetWeaver instance hosting DOE (database, transport requests).
- Document your SMP/Agency setup (e.g., export Agency project from Eclipse Editor).

2. Stop and Clean Up DOE Components

- **Stop Services:** In the NetWeaver system, use transaction SMMS or the DOE Admin Cockpit (SDOE_ADMIN) to stop all DOE-related services, jobs, and queues (e.g., via SMQ1/SMQ2 for inbound/outbound).
- **Remove SMP-Side References (If Any):**
 - In SMP Control Center (or Management Cockpit), navigate to Connections > DOE

Connector. Uninstall any DOE-C packages (e.g., via "Remove Package" for ESDMA bundles).

- Delete DOE-related artifacts in <SMP_HOME>\Server\configuration (e.g., any DOE adapter folders)—but only if confirmed unused.

- **Deconfigure in ECC:**

- Remove DOE add-on components via SAINT/SPAM (search for NetWeaver Mobile add-ons like NW-MOBILE*).
- Delete custom DOs/models in SDOE_WB if present.

3. Deinstall DOE

- Use **Software Update Manager (SUM)** or **Software Provisioning Manager (SWPM)**:
 - Download the latest SWPM from SAP Support Portal (search for "SWPM SP<current>").
 - Run SWPM in "Uninstallation" mode on the NetWeaver instance:
 - Select "Uninstall Software Component" > Choose "SAP NetWeaver Mobile" or specific DOE add-on (e.g., NWDOE*).
 - Follow prompts to remove binaries, tables (e.g., /DOE/*), and transports.
 - Estimated time: 2-4 hours, depending on system size.
- Alternative for partial removal: Use transaction SPAM to delete the add-on stack (e.g., dequeue, delete support packages, then uninstall via SAINT).

4. Post-Removal Validation and Monitoring

- **Restart and Test:**
 - Restart the NetWeaver instance and SMP server.
 - Re-test Agency apps: Deploy a test transmit from devices, monitor sync success in SMP Cockpit (no errors in logs).
 - Run system health checks: ST22 for dumps, SM21 for logs—ensure no DOE remnants.

- **Monitor for 1 Week:**
 - Watch for indirect impacts (e.g., if any custom Agentry Java code references DOE—unlikely, but audit POJOs in ConfigPanel).
 - Use SMP Analytics for app performance baselines pre/post.
- **Rollback Plan:** Keep SUM/SPAM logs and backups. If issues arise, reinstall via SWPM in "Installation" mode (reverse the uninstall).

Potential Impacts and Mitigations

Aspect	Potential Impact	Mitigation Strategy	
SMP/Agentry Runtime	None—Agentry uses direct ECC integration.	Confirmed via logs; test syncs.	
Shared NetWeaver	Minor (e.g., port conflicts if DOE used ports 80xx).	Reassign ports in SMICM post-removal.	
Legacy Apps	Break if other apps use DOE.	Isolate DOE to a non-shared instance if possible.	
Performance	Slight improvement (reduced middleware overhead).	N/A—monitor CPU/DB usage.	
Downtime	4-6 hours for deinstall.	Schedule in maintenance window.	

If DOE is on a dedicated system, removal is low-risk and can simplify your landscape (e.g., reduce licensing/maintenance). For SMP 3.0+ (or later, like SAP Mobile Services in BTP), Agentry continues to thrive without it—consider migrating to cloud-based Agentry Cloud Edition for future-proofing if on-prem SMP is aging.

If you share more details (e.g., SMP version, Agentry app name, or error logs), I can refine this further. Consult SAP Note 1536559 (DOE uninstall) or open a case with SAP Support for system-specific guidance.

 Explain SAP Note 1536559 details

 Compare DOE to SAP Mobile Services

_____.