Toprak Gürhan-40540024098
Yıldırım Mert Gökçe-24016271698
Muhammed Emre Eğin-21571913964

CMPE232 – DATABASE

GROUP29

TABLES AND INSERTS

--DOCTOR TABLE

create table Doctor(

Doc_ID varchar(11),

Doc_Name varchar(50) not null,

Gender varchar(1) not null,

E_mail varchar(50) not null,

Age int not null,

Salary money not null,

Phone_Num varchar(14),

primary key (Doc_ID));

--PRESCRİPTİON TABLE

create table Prescription(

Prs_ID varchar(11),

Time time not null,

Date date not null,

Doc_ID varchar(11),

Med_ID varchar(11),

Pat_ID varchar(11),

primary key (Prs_ID,Doc_ID,Med_ID,Pat_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Med_ID) references Medicine,

foreign key (Pat_ID) references Patient);

--MEDİCİNE TABLE

create table Medicine(

Med_ID varchar(11),

Med_Name varchar(50) not null,

Company varchar(50) not null,

Manu_Date varchar(10) not null,

Exp_Date varchar(10) not null,

Cost money not null,

primary key (Med_ID));

--ASSİST TABLE

create table Assist(

Serial_Num varchar(11),

Time time not null,

Date date not null,

Doc_ID varchar(11),

Pat_ID varchar(11),

Test_ID varchar(11),

primary key (Serial_Num,Doc_ID,Test_ID,Pat_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Test_ID) references Test,

foreign key (Pat_ID) references Patient);

--TEST TABLE

create table Test(

Test_ID varchar(11),

Test_Name varchar(25) not null,

Date date not null,

Fee money not null,

```
Rep_Date varchar(10),

primary key (Test_ID));


--DEPARTMENT TABLE

create table Department(

Dept_ID varchar(11),

Dept_Name varchar(50) not null,

primary key (Dept_ID));


--DOCTOR_FROM_DEPARTMENT TABLE

create table Dctr_frm_Dept(

Dfd_ID varchar(11),

Doc_ID varchar(11),

Dept_ID varchar(11),

primary key (Dfd_ID,Doc_ID,Dept_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Dept_ID) references Department);


--PATİENT TABLE

create table Patient(

Pat_ID varchar(11),

Pat_Name varchar(50) not null,

Gender varchar(1) not null,

E_mail varchar(50) not null,

Age int not null,

Phone_Num varchar(14),

primary key (Pat_ID));


--APPOİNTMENT TABLE
```

```sql
create table Appointment(

Ap_ID varchar(11),

Pat_ID varchar(11),

Doc_ID varchar(11),

Receptionist_ID varchar(11),

Ap_Time time not null,

Ap_Date date not null,

primary key (Ap_ID,Doc_ID,Pat_ID,Receptionist_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Pat_ID) references Patient,

foreign key (Receptionist_ID) references Receptionist);


--RECEPTİONİST TABLE

create table Receptionist(

Receptionist_ID varchar(11),

Receptionist_Name varchar(50) not null,

Gender varchar(1) not null,

E_mail varchar(50) not null,

Age int not null,

Phone_Num varchar(14),

Salary money not null,

primary key (Receptionist_ID));


--OPERATİON TABLE

create table Operation(

Op_ID varchar(11),

Pat_ID varchar(11),

Doc_ID varchar(11),

Operation_ID varchar(11),
```

```sql
Op_Time time not null,

Op_Date date not null,

primary key (Op_ID,Doc_ID,Pat_ID,Operation_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Pat_ID) references Patient,

foreign key (Operation_ID) references Operation_Saloon);
```

--OPERATİON_SALOON TABLE
```sql
create table Operation_Saloon(

Operation_ID varchar(11),

Operation_Room int not null,

primary key (Operation_ID));
```

--ASSİST TABLE
```sql
create table Assist(

Serial_Num varchar(11),

Time time not null,

Date date not null,

Doc_ID varchar(11),

Pat_ID varchar(11),

Test_ID varchar(11),

primary key (Serial_Num,Doc_ID,Test_ID,Pat_ID),

foreign key (Doc_ID) references Doctor,

foreign key (Test_ID) references Test,

foreign key (Pat_ID) references Patient);
```

--PAYMENT TABLE

create table Payment(

Pay_ID varchar(11),

Bill_ID varchar(11),

Pat_ID varchar(11),

Pay_Type not null,

Pay_Date date not null,

primary key (Pay_ID, Bill_ID, Pat_ID),

foreign key (Bill_ID) references Bill,

foreign key (Pat_ID) references Patient);

--ADMİSSİON TABLE

create table Admission(

Adm_ID varchar(11),

Room_ID varchar(11),

Rcp_ID varchar(11),

Pat_ID varchar(11),

Time time not null,

Date date not null,

primary key (Adm_ID, Room_ID, Pat_ID, Rcp_ID),

foreign key (Room_ID) references Room,

foreign key (Receptionist_ID) references Receptionist,

foreign key (Pat_ID) references Patient);

--NURSİNGSERVİCE TABLE

create table Nursing_Service(

NingS_ID varchar(11),

Room_ID varchar(11),

```sql
Nrs_ID varchar(11),

Pat_ID varchar(11),

Date date not null,

primary key (NingS_ID, Room_ID, Pat_ID, Nrs_ID),

foreign key (Room_ID) references Room,

foreign key (Nrs_ID) references Nurse,

foreign key (Pat_ID) references Patient);
```

```sql
--Bill TABLE

create table Bill(

Bill_ID varchar(11),

Bill_Total int not null,

Bill_Purpose varchar(50) not null,

primary key (Bill_ID));
```

```sql
--ROOM TABLE

create table Room(

Room_ID varchar(11),

Cost money not null,

Room_Type varchar(1) not null,

Room_No int not null,

primary key (Room_ID));
```

```sql
--NURSE TABLE

create table Nurse(

Nrs_ID varchar(11),
```

```sql
Nurse_Name varchar(50) not null,

Gender varchar(1) not null,

E_mail varchar(50) not null,

Age int not null,

Salary money not null,

Phone_Num varchar(14) not null,

primary key (Nrs_ID));
```

--ACCOUNTANT TABLE

```sql
create table Accountant(

Acc_ID varchar(11),

Acc_Name varchar(50) not null,

Age int not null,

Salary money not null,

Working_Time int not null,

primary key (Acc_ID));
```

--DAD TABLE

```sql
create table Dad(

Pat_ID varchar(11),

primary key (Pat_ID),

foreign key (Pat_ID) references Patient);
```

--DOCTOR INSERT

```sql
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)

values (1,'Micheal','M','micheal@tedu.edu.tr',21,'$2001',+0905000000001);

insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
```

```sql
values (2,'Ted','M','ted@tedu.edu.tr',22,'$2002',+0905000000002);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (3,'Jacson','M','jacson@tedu.edu.tr',23,'$2003',+0905000000003);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (4,'Mason','M','mason@tedu.edu.tr',24,'$2004',+0905000000004);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (5,'Daniel','M','daniel@tedu.edu.tr',25,'$2005',+0905000000005);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (6,'Hazel',F,'hazel@tedu.edu.tr',26,'$2006',+0905000000006);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (7,'Annabeth','F','annabeth@tedu.edu.tr',27,'$2007',+0905000000007);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (8,'Calipso','F','calipso@tedu.edu.tr',28,'$2008',+0905000000008);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (9,'Piper','F','piper@tedu.edu.tr',29,'$2009',+0905000000009);
insert into Doctor(Doc_ID,Doc_Name,Gender,E_mail,Age,Salary,Phone_Num)
values (10,'Reyna','F','reyna@tedu.edu.tr',30,'$2010',+0905000000010);


--PRESCRİPTİON INSERT
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (1,'12:01:00','01/01/2022',1,1,1);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (2,'12:02:00','01/02/2022',2,2,2);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (3,'12:03:00','01/03/2022',3,3,3);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (4,'12:04:00','01/04/2022',4,4,4);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (5,'12:05:00','01/05/2022',5,5,5);
```

```sql
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (6,'12:06:00','01/06/2022',6,6,6);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (7,'12:07:00',01/07/2022,7,7,7);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (8,'12:08:00','01/08/2022',8,8,8);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (9,'12:09:00','01/09/2022',9,9,9);
insert into Prescription(Prs_ID,Time,Date,Doc_ID,Med_ID,Pat_ID)
values (10,'12:10:00','01/10/2022',10,10,10);


--MEDİCİNE INSERT
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (1,'Afinitor','Everolimus','01/01/2022','01/01/2024','$100');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (2,'Alomide','Calusis','01/01/2022','01/01/2024',$200);
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (3,'Arzerra','Mopheus','01/01/2022','01/01/2024','$300');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (4,'Azarga','Oasis','01/01/2022','01/01/2024','$400');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (5,'Azopt','Revelunt','01/01/2022','01/01/2024','$500');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (6,'Betoptic','Sunshine','01/01/2022','01/01/2024','$600');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (7,'Cataflam','DcMec','01/01/2022','01/01/2024','$700');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
values (8,'Certican','MedBet','01/01/2022','01/01/2024','$800');
insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)
```

```
values (9,'Ciloxan','Tedü','01/01/2022','01/01/2024','$900');

insert into Medicine(Med_ID,Med_Name,Company,Manu_Date,Exp_Date,Cost)

values (10,'Co-Diovan','Ersona','01/01/2022','01/01/2024','$1000');


--ASSİST INSERT

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (1,'12:01:00','01/01/2022',1,1,1);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (2,'12:01:00','01/01/2022',2,2,2);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (3,'12:01:00','01/01/2022',3,3,3);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (4,'12:01:00','01/01/2022',4,4,4);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (5,'12:01:00','01/01/2022',5,5,5);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (6,'12:01:00','01/01/2022',6,6,6);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (7,'12:01:00','01/01/2022',7,7,7);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (8,'12:01:00','01/01/2022',8,8,8);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (9,'12:01:00','01/01/2022',9,9,9);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (10,'12:01:00','01/01/2022',10,10,10);


--TEST INSERT

insert into test(test_id,test_name,date,fee,rep_date)

values(1,'Kan testi','2022/01/02',100,'2022/01/02');
```

```sql
insert into test(test_id,test_name,date,fee,rep_date)
values(2,'Üre testi','2022/02/13',130,'2022/02/13');
insert into test(test_id,test_name,date,fee,rep_date)
values(3,'Covid testi','2022/01/22',200,'2022/01/22');
insert into test(test_id,test_name,date,fee,rep_date)
values(4,'Covid testi','2022/03/12',200,'2022/03/12');
insert into test(test_id,test_name,date,fee,rep_date)
values(5,'MR','2022/03/20',95,'2022/03/20');
insert into test(test_id,test_name,date,fee,rep_date)
values(6,'Ultrason','2022-10-12',125,'2022-10-12');
insert into test(test_id,test_name,date,fee,rep_date)
values(7,'Kan testi','2022-12-22',100,'2022-12-22');
insert into test(test_id,test_name,date,fee,rep_date)
values(8,'Ultrason','2022-09-12',125,'2022-09-12');
insert into test(test_id,test_name,date,fee,rep_date)
values(9,'Covid testi','2022-10-29',200,'2022-10-29');
insert into test(test_id,test_name,date,fee,rep_date)
values(10,'Alerji','2022-12-08',50,'2022-12-08');


--DEPARTMENT INSERT
insert into Department(Dept_ID,Dept_Name)
values (1,'Acil');
insert into Department(Dept_ID,Dept_Name)
values (2,'Anesteziyoloji');
insert into Department(Dept_ID,Dept_Name)
values (3,'Beslenme Diyet');
insert into Department(Dept_ID,Dept_Name)
values (4,'Beyin Cerrahisi');
insert into Department(Dept_ID,Dept_Name)
```

```sql
values (5,'Check Up');

insert into Department(Dept_ID,Dept_Name)

values (6,'Dermatoloji');

insert into Department(Dept_ID,Dept_Name)

values (7,'Çocuk Hastalıkları');

insert into Department(Dept_ID,Dept_Name)

values (8,'Endoskopi');

insert into Department(Dept_ID,Dept_Name)

values (9,'Gastroentroloji');

insert into Department(Dept_ID,Dept_Name)

values (10,'Genel Cerrahi');


--DOCTOR_FROM_DEPARTMENT INSERT

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (1,1,1);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (2,2,2);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (3,3,3);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (4,4,4);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (5,5,5);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (6,6,6);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (7,7,7);

insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)

values (8,8,8);
```

```sql
insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)
values (9,9,9);
insert into Dctr_frm_Dept (Dfd_ID,Doc_ID,Dept_ID)
values (10,10,10);


--PATİENT INSERT
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(1,'Ali',18,'ali@outlook.com',05386347018,'E');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(2,'Burak',20,'burak@outlook.com',05389852879,'E');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(3,'Cemile',21,'cemile@outlook.com',03789102873,'K');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(4,'Doruk',29,'doruk@outlook.com',09163975219,'E');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(5,'Elif',29,'elif@outlook.com',05317441258,'K');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(6,'Fatma',16,'fatma@outlook.com',09816420944,'K');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(7,'Fahri',16,'fahri@outlook.com',05221908548,'E');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(8,'Gamze',45,'gamze@outlook.com',09012316891,'K');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(9,'Ayşe',45,'ayse@outlook.com',09011234561,'K');
insert into patient(pat_id,pat_name,age,e_mail,phone_num,gender)
values(10,'Hasan',55,'hasan@outlook.com',09012316880,'E');


--APPOİNTMENT INSERT
insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)
```

```sql
values (1,1,1,1,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (2,2,2,2,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (3,3,3,3,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (4,4,4,4,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (5,5,5,5,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (6,6,6,6,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (7,7,7,7,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (8,8,8,8,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (9,9,9,9,'12:00:00','01/01/2022');

insert into Appointment(Ap_ID,Pat_ID,Doc_ID,Receptionist_ID,Ap_Time,Ap_Date)

values (10,10,10,10,'12:00:00','01/01/2022');


--RECEPTİONİST INSERT

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (1,'Mohandas
Yuryatin','N','myuryatin0@japanpost.jp',45,+0905555555555,'$10414.81');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (2,'Lilias Easom','F','leasom1@pinterest.com',20,+0905555555554,'$88134.63');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (3,'Karry Escalera', 'F', 'kescalera2@twitter.com', 21,+0905555555556, '$45173.50');
```

```sql
insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (4,'Payton Siuda', 'N', 'psiuda3@cam.ac.uk', 21,+0905555555558, '$49182.08');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (5,'Shaine Petrik','M','spetrik4@foxnews.com',19,+0905555555559,'$89386.61');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (6,'Batholomew
Broske','M','bbroske5@baidu.com',28,+0905555555553,'$54663.65');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (7,'Jasmine Iacovielli','F','jiacovielli6@digg.com', 30,+0905555555551,'$1019.54');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (8,'Rorke
Catchpole','M','rcatchpole7@hugedomains.com',21,+0905555555550,'$58795.23');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (9,'Atlante Keay','F','akeay8@yellowbook.com',48,+0905555555552,'$76196.69');

insert into
Receptionist(Receptionist_ID,Receptionist_Name,Gender,E_mail,Age,Phone_Num,Salary)

values (10,'Zerk
MacCulloch','M','zmacculloch9@hexun.com',44,+0905555555553,'$85505.68');


--OPERATİON INSERT

insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)

values (1,1,1,1,'12:01','01-01-2022');

insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)

values (2,2,2,2,'12:01','01-01-2022');

insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)

values (3,3,3,3,'12:01','01-01-2022');

insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
```

```sql
values (4,4,4,4,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (5,5,5,5,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (6,6,6,6,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (7,7,7,7,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (8,8,8,8,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (9,9,9,9,'12:01','01-01-2022');
insert into Operation(Op_ID,Pat_ID,Doc_ID,Operation_ID,Op_Time,Op_Date)
values (10,10,10,10,'12:01','01-01-2022');


--OPERATİON_SALOON INSERT
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(1,10);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(2,11);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(3,12);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(4,13);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(5,14);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(6,15);
insert into Operation_Saloon(Operation_Id,Operation_Room )
values(7,16);
```

```sql
insert into Operation_Saloon(Operation_Id,Operation_Room )

values(8,17);

insert into Operation_Saloon(Operation_Id,Operation_Room )

values(9,18);

insert into Operation_Saloon(Operation_Id,Operation_Room )

values(10,19);


--ASSİST INSERT

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (1,'12:01','01-01-2022',1,1,1);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (2,'12:01','01-01-2022',2,2,2);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (3,'12:01','01-01-2022',3,3,3);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (4,'12:01','01-01-2022',4,4,4);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (5,'12:01','01-01-2022',5,5,5);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (6,'12:01','01-01-2022',6,6,6);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (7,'12:01','01-01-2022',7,7,7);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (8,'12:01','01-01-2022',8,8,8);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (9,'12:01','01-01-2022',9,9,9);

insert into Assist(Serial_Num,Time,Date,Doc_ID,Pat_ID,Test_ID)

values (10,'12:01','01-01-2022',10,10,10);
```

```sql
--PAYMENT INSERT

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (1,1,1,'Kredi','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (2,2,2,'Banka','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (3,3,3,'Kredi','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (4,4,4,'Çek','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (5,5,5,'Nakit','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (6,6,6,'Kredi','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (7,7,7,'Nakit','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (8,8,8,'Banka','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (9,9,9,'Devlet','01-01-2022');

insert into Payment(Pay_ID,Bill_ID,Pat_ID,Pay_Type,Pay_Date)

values (10,10,10,'Sigorta','01-01-2022');


--ADMİSSİON INSERT

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (1,1,1,1,'02:00:00', '12/10/2021');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (2,2,2,2,'23:00:00', '11/4/2021');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (3,3,3,3,'12:00:00', '8/6/2021');
```

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (4,4,4,4,'12:54:00', '1/31/2022');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (5,5,5,5,'06:10:00', '4/3/2022');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (6,6,6,6,'03:00:00', '3/10/2022');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (7,7,7,7,'09:00:00', '6/9/2021');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (8,8,8,8,'14:30:00', '3/30/2022');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (9,9,9,9,'15:15:15', '3/19/2022');

insert into Admission(Adm_ID,Room_ID,Rcp_ID,Pat_ID,Time,Date)

values (10,10,10,10,'05:17:59', '1/30/2022');

--NURSİNGSERVİCE INSERT

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (1,1,1,1,'1/3/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (2,2,2,2,'9/26/2021');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (3,3,3,3,'7/22/2021');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (4,4,4,4,'4/3/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (5,5,5,5,'8/1/2021');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (6,6,6,6,'3/24/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

```
values (7,7,7,7,'5/7/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (8,8,8,8,'3/28/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (9,9,9,9,'1/20/2022');

insert into Nursing_Service(NingS_ID,Room_ID,Nrs_ID,Pat_ID,Date)

values (10,10,10,10,'11/14/2021');


--Bill INSERT

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(1,'İlaç parası',130);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(2,'Muayene parası',400);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(3,'Muayene parası',450);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(4,'İlaç parası',110);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(5,'İlaç parası',80);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(6,'İlaç parası ve muayene parası',550);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(7,'İlaç parası ve muayene parası',560);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(8,'İlaç parası ve muayene parası',590);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(9,'İlaç parası ve muayene parası'480);

insert into Bill(Bill_Id,Bill_Purpose,Bill_Total)

values(10,'İlaç parası ve muayene parası',600);
```

--ROOM INSERT

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (1,'$5537.08', 'A',100);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (2,'$2890.42', 'B',101);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (3,'$8395.08', 'E',102);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (4,'$7562.66', 'B', 103);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (5,'$8622.54', 'D', 104);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (6,'$2897.73', 'T', 201);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (7,'$1477.01', 'B', 202);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (8,'$7014.95', 'T', 203);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (9,'$8811.46', 'D', 204);

insert into Room(Room_ID,Cost,Room_Type,Room_No)

values (10,'$8970.02', 'O', 205);

--NURSE INSERT

insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)

values (1, 'nmaclise0@example.com', '+0764082067752', 'M', '$2536.65', 53);

insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)

values (2, 'ebevans1@utexas.edu', '+3088416456187', 'M', '$3546.94', 36);

insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)

values (3, 'khallbird2@google.de', '+8694753254184', 'M', '$9336.57', 18);

```
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (4, 'drapkins3@bbc.co.uk', '+4651472105583', 'F', '$5709.19', 35);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (5, 'jmorling4@bluehost.com', '+63-189-201-0958', 'G', '$5183.24', 48);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (6, 'rbramsen5@sakura.ne.jp', '+6251681555900', 'M', '$4146.32', 43);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (7, 'blevey6@fastcompany.com', '+9256578233072', 'F', '$1135.65', 50);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (8, 'rearnshaw7@disqus.com', '+8681853086078', 'N', '$8251.97', 24);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (9, 'hrouge8@smugmug.com', '+8659436575774', 'M', '$4484.68', 34);
insert into Nurse (Nurse_ID, EMail, Phone_Number, Gender, Salary, Age)
values (10, 'lshilvock9@fema.gov', '+03511373450372', 'M', '$6556.06', 56);


--ACCOUNTANT INSERT
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(1,'Kuzey',30,'09:00-16:00',3000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(2,'Mustafa',34,'09:00-16:00',4000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(3,'Nusret',40,'10:00-18:00',4000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(4,'Ezgi',23,'13:00-16:00',2000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(5,'Firuze',31,'14:00-22:00',3000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
values(6,'Gürhan',19,'12:00-20:00',2000);
insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)
```

```
values(7,'Melisa',38,'11:00-19:00',4000);

insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)

values(8,'Cansu',51,'14:00-22:00',4300);

insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)

values(9,'İlkay',28,'10:00-18:00',3200);

insert into Accountant(acc_id,acc_name,age,working_time,acc_salary)

values(10,'Ceren',29,'14:00-24:00',3400);


--DAD INSERT

insert into Dad(Pat_ID)

values (1);

insert into Dad(Pat_ID)

values (2);

insert into Dad(Pat_ID)

values (3);

insert into Dad(Pat_ID)

values (4);

insert into Dad(Pat_ID)

values (5);

insert into Dad(Pat_ID)

values (6);

insert into Dad(Pat_ID)

values (7);

insert into Dad(Pat_ID)

values (8);

insert into Dad(Pat_ID)

values (9);

insert into Dad(Pat_ID)

values (10);
```