

Project Title: PetCare Manager
A Pet-Sitting Business Management System
(Boarding, Walking, Day Care, House Sitting)

Team 11

Team member 1: (Yi Xiao yi.xiao01@sjsu.edu)

Team member 2: (Tunir Bhattacharya tunir.bhattacharya@sjsu.edu)

Table of Contents

Updated Functional Requirements	3
How the Entities, Attributes, and Relationships Were Identified	9
Entities, Attributes, and Relationships	12
Relationships and Multiplicities	14
Entity-Relationship Diagram (ERD)	16
Relational Schemas (ERD Converted to Tables)	18
Database Tables and Data	19

Updated Functional Requirements

1. Application Users

PetCare Manager has two types of users, Client and Sitter. Both are types of User: shared account information is stored once in User, and each type adds its own role-specific information.

Pet Owner or Client

The client uses the application to manage pets, request services, make payments, and review completed services. Client-specific information includes an emergency contact name and phone number.

Sitter or Business Owner

The sitter manages the pet-care business, including services, bookings, payments, client accounts, and pet-care information. Sitter-specific information includes the business name, a short bio, and the service area.

Because this project models a solo pet-sitting business, there is one sitter account. Client and Sitter are modeled as subclasses of User (ISA), so an account is created as a User and then extended as either a Client or the Sitter.

2. User Registration and Login

Clients and the sitter can create an account or log in using an email address and password.

Inputs:

- Full name
- Email
- Phone number
- Password
- Account type (Client or Sitter)
- Emergency contact name and phone (Client only)
- Business name, bio, and service area (Sitter only)

Outputs:

- New account confirmation
- Login success or failure message
- Secure user session

Passwords are stored as hashed values. Users who are not logged in may view available services, but they cannot create bookings or add pets.

3. Pet Profile Management

Clients can add and manage one or more pets.

Inputs:

- Pet name
- Species
- Breed
- Age
- Gender
- Color and markings
- Favorite toys
- Feeding instructions
- Medication needs
- Behavioral notes
- Emergency notes
- Photo

Outputs:

- New pet profile
- Updated pet profile
- List of pets owned by the client

Each pet belongs to exactly one client, but one client may own many pets.

4. Service Management

Clients can view the services offered by the sitter. The sitter can add, edit, activate, or deactivate services.

Inputs:

- Service name
- Category
- Price
- Duration
- Capacity
- Availability status

Outputs:

- Service directory
- Current service price
- Service duration
- Service availability

Example services include dog walking, overnight boarding, daycare, and house sitting.

5. Booking Management

Clients can request a booking by selecting one or more pets, one or more services, and a date and time.

Inputs:

- Client ID
- Selected pet or pets
- Selected service or services
- Start date and time
- End date and time
- Service address
- Special instructions

Outputs:

- Booking confirmation
- Booking status
- Booking summary
- Estimated price

Possible booking statuses include: Requested, Confirmed, In Progress, Completed, Cancelled, Declined

The system must prevent overlapping bookings for the same sitter and time period.

6. Sitter Booking Management

The sitter can view and manage all bookings.

Inputs:

- Booking ID
- New booking status
- New date or time
- Cancellation reason
- Rescheduling information

Outputs:

- Updated booking status
- Accepted or declined booking
- Updated client notification

The sitter can view the client's contact information, the pets included in the booking, and the relevant care instructions.

7. Care Instructions

Clients can provide instructions for a specific pet and booking.

Inputs:

- Feeding schedule
- Medication instructions
- Behavioral information
- Emergency information
- Other special instructions

Outputs:

- Saved care instructions
- Care instructions displayed to the sitter
- Instructions connected to the correct pet and booking

The instructions may be different for each booking.

8. Payment Management

Clients and the sitter can record payment information for a booking.

Inputs:

- Booking ID
- Payment amount
- Payment method
- Payment status
- Payment date

Allowed payment methods include:

Cash, Credit Card , Venmo, Zelle

The system stores only payment records. It does not store credit-card numbers or bank-account information.

Outputs:

- Invoice amount
- Payment confirmation
- Payment history
- Payment status

Possible payment statuses include:

Pending, Paid, Refunded

9. Reviews and Ratings

After a booking is completed, the client can leave a review.

Inputs:

- Booking ID
- Rating
- Comment
- Tip amount
- Review date

Outputs:

- Saved review
- Rating shown in the sitter's records
- Review history

Only completed bookings may receive reviews.

10. Drop-Off and Pick-Up Events

For boarding and daycare services, the sitter can record when a pet arrives and leaves.

Inputs:

- Booking ID
- Pet ID
- Event type
- Event time

Outputs:

- Drop-off record
- Pick-up record
- Actual care duration
- Updated invoice information

11. Client Account Management

The sitter can review and manage client accounts.

Inputs:

- Client ID
- Account status
- Suspension reason

Outputs:

- Updated account status
- Suspended or active account
- Client history

A sitter may suspend an account because of repeated no-shows, fake bookings, or other problems.

12. Reports

The sitter can generate business reports.

Inputs:

- Date range
- Report type
- Service category
- Booking status

Outputs:

- Total revenue
- Number of bookings
- Most-booked services
- Payment history
- Booking history

How the Entities, Attributes, and Relationships Were Identified

The database design was built directly from the functional requirements in this report. Anything the system must remember about became an entity, the inputs and outputs of each function became attributes, and the sentences that connect two of those things became relationships with a multiplicity.

1. Identifying the Entities

Each functional requirement was read for the important things the application must store. The table below shows which requirement produced which entities.

Functional requirement	Entities identified	Why
1. Application Users and 2. User Registration and Login	User, Client, Sitter	Every person who logs in has an account, so User holds the shared account information. Clients and the sitter need different extra information, so they are subclasses of User (ISA).
3. Pet Profile Management	Pet	Clients create and manage pets. Each pet needs its own record.
4. Service Management	Service	The sitter offers services with a price, duration, and capacity.
5. Booking Management	Booking, Address, Booking Pet, Booking Service	A booking is the central record. The service location is stored as an Address. One booking can include several pets and several services, so two linking tables are needed.
6. Sitter Booking Management and 12. Reports	No new entity	These functions view and update Booking and Payment data, and reports are calculated from data that is already stored.
7. Care Instructions	Care Instruction	Feeding, medication, and behavior notes are written for a specific pet on a specific booking.
8. Payment Management	Payment	Each booking may have one payment record. Card or bank numbers are not stored.
9. Reviews and Ratings	Review	After a completed booking, the client leaves a rating, comment, and optional tip.
10. Drop-Off and Pick-Up Events	Care Event	Drop-off and pick-up times are recorded for each pet.

11. Client Account Management

Audit Log

Important sitter actions, such as changing a booking status or suspending an account, are recorded.

2. Identifying the Attributes

Attributes came from the inputs and outputs listed under each function. The following rules were used to decide where each attribute belongs:

- Each input a user types in becomes an attribute of the entity it describes. For example, pet name, species, and breed become attributes of Pet.
- Every entity has an ID attribute as its primary key so each row is unique. Client and Sitter reuse UserID from User.
- Information shared by all accounts (email, password hash, full name, phone, account status, creation date) is stored once in User. Role-specific information is stored only in Client or Sitter.
- Values that can be calculated are not stored. Estimated price, actual care duration, and report totals are calculated from stored data.
- An attribute that describes the link between two entities is stored on the link. PriceAtBooking is in Booking Service because a service price may change after the booking was made.
- Only safe payment data is stored (amount, method, status, time). Card and bank numbers are never stored.

3. Identifying the Relationships and Multiplicities

Relationships came from the sentences in the requirements that connect two things. The multiplicity comes from how many of each side the sentence allows. Examples:

- One client can own many pets, but each pet has exactly one owner, so Client owns Pet is 1 to many.
- A booking can include one or more pets and one or more services, and a pet or service can appear in many bookings, so Booking includes Pet and Booking requests Service are many to many. Each is stored in its own linking table.
- A booking may have no payment yet or exactly one payment, and it may have no review or exactly one review. These are 1 to 0 or 1.
- The sitter offers many services and manages many bookings. Each service and each booking belongs to one sitter, so both are 1 to many.
- Care instructions and care events are recorded for one pet on one booking, so both Booking and Pet have a 1 to many relationship with them.
- Every user may store many addresses, and one address may be used for many bookings.

In the ERD and the tables, a filled or open arrowhead at an entity means that side of the relationship is limited to one (open: exactly one, filled: zero or one), and no arrowhead means many.

4. ISA, Weak Entity Sets, and Constraints

ISA: Client and Sitter are types of User. Each is shown with its own ISA triangle pointing to the superclass User. A subclass table has the same primary key as User (UserID), and that key is also a foreign key to User.

Weak entity sets: none are needed. Every entity has its own primary key. Booking Pet and Booking Service use a two-column key, but they only link two independent entities, so they are linking tables rather than weak entity sets.

Dependencies and constraints used in this design:

- A booking depends on one client, one sitter, and one address. Payments, reviews, care instructions, and care events depend on a booking.
- Email must be unique for every account.
- A booking can have at most one payment and at most one review, so BookingID is unique in both Payment and Review.
- A pet can have only one care instruction per booking: BookingID and PetID together are unique in Care Instruction.
- A care instruction or care event can only be created for a pet that is part of that booking.
- Only completed bookings can be reviewed, and a sitter cannot have two overlapping confirmed bookings.
- Status columns only accept the values named in the requirements, for example ACTIVE or SUSPENDED for AccountStatus.

Entities, Attributes, and Relationships

1. User

Stores account information common to every account, whether it belongs to a client or the sitter.

User(UserID PK, Email, PasswordHash, FullName, Phone, AccountStatus, CreatedAt)

User is the superclass. Client and Sitter are its subclasses (ISA), so common account information is stored only once, here.

2. Client

Stores information specific to pet owners.

Client(UserID PK, EmergencyContactName, EmergencyContactPhone)

UserID is both the primary key of Client and a foreign key to User(UserID). Client is a subclass of User (ISA).

3. Sitter

Stores information specific to the business owner.

Sitter(UserID PK, BusinessName, Bio, ServiceArea)

UserID is both the primary key of Sitter and a foreign key to User(UserID). Sitter is a subclass of User (ISA).

4. Address

Stores client or service-location addresses.

Address(AddressID, UserID, Street, City, State, ZipCode, AddressType)

5. Pet

Stores information about each pet.

Pet(PetID PK, OwnerID, PetName, Species, Breed, Age, Gender, Color, Markings, FavoriteToys, EmergencyNotes, PhotoURL)

OwnerID references Client(UserID).

6. Service

Stores the services offered by the sitter.

Service(ServiceID, SitterID, ServiceName,Category,Description, Price, DurationMinutes, Capacity,AvailabilityStatus)

SitterID references Sitter(UserID).

7. Booking

Stores the main booking information.

Booking(BookingID, ClientID, SitterID, AddressID, StartDateTime, EndDateTime, Status,CreatedAt)

ClientID references Client(UserID) and SitterID references Sitter(UserID).

8. Booking Pet

Connects bookings and pets.

BookingPet(BookingID PK, PetID PK)

This is an associative entity because a booking may include multiple pets and a pet may appear in many bookings.

9. Booking Service

Connects bookings and services.

BookingService(BookingID, ServiceID, PriceAtBooking)

This is an associative entity because a booking may include multiple services and a service may be included in many bookings.

10. Care Instruction

Stores instructions for a pet during a specific booking.

CareInstruction(InstructionID, BookingID, PetID, FeedingInstructions, MedicationNeeds, BehavioralNotes, EmergencyNotes)

A useful constraint is:

UNIQUE(BookingID, PetID)

This prevents duplicate instructions for the same pet in the same booking.

11. Payment

Stores payment records.

Payment(PaymentID, BookingID, Amount, PaymentMethod, PaymentStatus, PaymentTime)

A booking may have zero or one payment record.

12. Review

Stores ratings and comments.

Review(ReviewID PK, BookingID, ClientID, Rating, Comment, TipAmount, ReviewDate)

A completed booking may have zero or one review.

13. Care Event

Stores drop-off and pick-up events.

CareEvent(EventID, BookingID, PetID, EventType, EventTime)

EventType may be DropOff or Pickup.

14. Audit Log

Records important sitter actions.

AuditLog(LogID PK, UserID, Action, Description, ActionTime)

Relationships and Multiplicities

Relationship


Multiplicity

Explanation

Client is a type of User (ISA)	ISA (subclass)	Every client is a user. Client.UserID is both the primary key and a foreign key to User.UserID.
Sitter is a type of User (ISA)	ISA (subclass)	The sitter is a user. Sitter.UserID is both the primary key and a foreign key to User.UserID.
Client owns Pet	1 to many	One client may own many pets. Each pet has one owner.
Client creates Booking	1 to many	One client may create many bookings.
Sitter offers Service	1 to many	The sitter offers many services. Each service is offered by one sitter.
Sitter manages Booking	1 to many	The sitter manages many bookings. Each booking is managed by one sitter.
User has Address	1 to many	A client may store multiple addresses.
Address is used for Booking	1 to many	An address may be used for many bookings. Each booking uses one service address.
Booking includes Pet	many to many	A booking may include many pets, and a pet may appear in many bookings.
Booking requests Service	many to many	A booking may include many services, and a service may appear in many bookings.
Booking has Payment	1 to 0 or 1	A booking may not be paid yet, but it can have one payment record.

Booking receives Review	1 to 0 or 1	A booking may not have a review, but it can have one review after completion.
Booking has Care Instruction	1 to many	A booking may have instructions for multiple pets.
Pet has Care Instruction	1 to many	A pet may have different instructions for different bookings.
Booking has Care Event	1 to many	A booking may have drop-off and pick-up events.
Pet has Care Event	1 to many	A pet may have many drop-off and pick-up events. Each event is recorded for one pet.
User performs Audit Log	1 to many	A sitter may perform many recorded actions.

Entity-Relationship Diagram (ERD)



<https://drive.google.com/file/d/1EXGf72FtiG-guOe3SmeXbz94qCoCWeON/view?usp=sharing>

Relational Schemas (ERD Converted to Tables)

The ERD was converted into relational schemas using these rules:

- Each entity set becomes a table, and each attribute becomes a column. The underlined key attribute becomes the PRIMARY KEY.
- ISA: Client and Sitter each get their own table. UserID is the primary key of the subclass table and also a foreign key to User.
- One to many: the foreign key is placed in the table on the many side.
- Many to many: a new linking table holds a foreign key to each side, and the pair is the primary key.
- One to zero or one: the foreign key is placed in the table on the optional side and made UNIQUE.

PK = primary key. There are 14 tables.


Table	Schema	Keys and constraints
User	User(UserID PK, Email, PasswordHash, FullName, Phone, AccountStatus, CreatedAt)	Email is UNIQUE and NOT NULL. AccountStatus is ACTIVE or SUSPENDED.
Client	Client(UserID PK, EmergencyContactName, EmergencyContactPhone)	UserID references User(UserID). ISA subclass of User.
Sitter	Sitter(UserID PK, BusinessName, Bio, ServiceArea)	UserID references User(UserID). ISA subclass of User.
Address	Address(AddressID PK, UserID, Street, City, State, ZipCode, AddressType)	UserID references User(UserID).
Pet	Pet(PetID PK, OwnerID, PetName, Species, Breed, Age, Gender, Color, Markings, FavoriteToys, EmergencyNotes, PhotoURL)	OwnerID references Client(UserID).
Service	Service(ServiceID PK, SitterID, ServiceName, Category, Description, Price, DurationMinutes, Capacity, AvailabilityStatus)	SitterID references Sitter(UserID).
Booking	Booking(BookingID PK, ClientID, SitterID, AddressID, StartDateTime, EndDateTime, Status, CreatedAt)	ClientID references Client(UserID), SitterID references Sitter(UserID), AddressID references Address(AddressID). EndDateTime is after StartDateTime.
BookingPet	BookingPet(BookingID PK, PetID PK)	Composite key. BookingID references Booking, PetID references Pet.

BookingService	BookingService(BookingID PK, ServiceID PK, PriceAtBooking)	Composite key. BookingID references Booking, ServiceID references Service.
CareInstruction	CareInstruction(InstructionID PK, BookingID, PetID, FeedingInstructions, MedicationNeeds, BehavioralNotes, EmergencyNotes)	UNIQUE(BookingID, PetID). (BookingID, PetID) references BookingPet.
Payment	Payment(PaymentID PK, BookingID, Amount, PaymentMethod, PaymentStatus, PaymentTime)	BookingID is UNIQUE and references Booking (zero or one payment per booking).
Review	Review(ReviewID PK, BookingID, ClientID, Rating, Comment, TipAmount, ReviewDate)	BookingID is UNIQUE and references Booking. ClientID references Client(UserID).
CareEvent	CareEvent(EventID PK, BookingID, PetID, EventType, EventTime)	EventType is drop-off or pick-up. (BookingID, PetID) references BookingPet.
AuditLog	AuditLog(LogID PK, UserID, Action, Description, ActionTime)	UserID references User(UserID).

Database Tables and Data

For each table below, paste screenshots from MySQL Workbench that show the table structure and its content. Each table must contain at least 10 real-world rows.


1. User



The screenshot shows the MySQL Workbench interface with the 'User' table selected. The table has 8 columns: UserID, Email, PasswordHash, FullName, Phone, AccountStatus, and CreatedAt. The data is displayed in a grid with 20 rows. The first 19 rows contain real-world data, and the 20th row is a NULL row.

UserID	Email	PasswordHash	FullName	Phone	AccountStatus	CreatedAt
1	emily.carter@gmail.com	b3fa78d77d75392e780f6e8243810446ad4b7...	Emily Carter	650-555-9042	ACTIVE	2026-06-02 10:15:00
2	marcus.nguyen@gmail.com	2689649291080fafab120eaf697e844eea7df8e...	Marcus Nguyen	408-565-3631	ACTIVE	2026-06-05 14:20:00
3	priya.raman@yahoo.com	f37b7cb06f73adcead6011b14c1147245bc7153...	Priya Raman	408-755-1486	ACTIVE	2026-06-08 09:05:00
4	daniel.ortiz@outlook.com	7d48be451fb7ba187c09811a281bf81102816e8...	Daniel Ortiz	669-555-6678	ACTIVE	2026-06-11 18:40:00
5	sophie.chen@gmail.com	4faa8f9feecf1762ed09a148b31636b2c3646ee...	Sophie Chen	408-555-6204	ACTIVE	2026-06-15 11:30:00
6	james.whitaker@gmail.com	a217fbb7f6896a09b41d715298b60e066a7b746...	James Whitaker	408-905-2483	ACTIVE	2026-06-20 16:45:00
7	aisha.mohammed@gmail.com	267047bc57015388e0f5cb23d6c91975bdebef0...	Aisha Mohammed	408-533-4673	ACTIVE	2026-06-24 08:10:00
8	kevin.park@icloud.com	4058686b68c702ae7bb8b73b15d87a52ad1247...	Kevin Park	650-505-2731	ACTIVE	2026-07-01 12:00:00
9	laura.gomez@gmail.com	2241cea3095c04d6f3fe6913609c88926b1eec2...	Laura Gomez	408-505-2804	ACTIVE	2026-07-06 19:25:00
10	ryan.patel@gmail.com	404f65f8cbd4a1386493618bf3a0c55a617f812c...	Ryan Patel	650-545-7420	SUSPENDED	2026-07-10 13:50:00
11	maria@pawssitvecare.com	c938f8df4d2d3f027285212e1428366655d9ac4f...	Maria Lopez	669-595-7229	ACTIVE	2026-05-01 09:12:00
12	jordan@happytails.com	573e58bb11a1d603cd623a05f83565217013c3...	Jordan Blake	669-996-2673	ACTIVE	2026-05-03 14:37:00
13	hannah@whiskerwatch.com	c038c137f77f0dab820a41604875fde98a6aaa7...	Hannah Kim	669-532-8789	ACTIVE	2026-05-05 10:48:00
14	carlos@baypaws.com	502b148f1eecfa97be72972935c0b3b6f104b34...	Carlos Rivera	408-167-1440	ACTIVE	2026-05-07 16:05:00
15	olivia@cozycritter.com	2e625b1e821a5c661927d47a315b50a445fddad...	Olivia Bennett	650-221-2842	ACTIVE	2026-05-09 08:21:00
16	ethan@leashandlearn.com	216dc06601b3b68d247fece6601c4eaccfb84fb...	Ethan Wu	669-099-6547	ACTIVE	2026-05-11 13:56:00
17	grace@purrfectstay.com	8960e6ca3000da80d50b61e2b950e4284d9526...	Grace Thompson	669-311-6889	ACTIVE	2026-05-13 19:03:00
18	noah@trailtails.com	dd3fd793f46dda6cd90dc1c1508c17256b0c7dd...	Noah Silva	650-101-4979	ACTIVE	2026-05-15 11:40:00
19	chloe@furryfriends.com	7c3bb1a397013dbe0df5adb2faf650536bc2073...	Chloe Adams	669-223-2506	ACTIVE	2026-05-17 15:18:00
20	liam@homebasepets.com	21bdcdc30cf568dd9f990549ff64058a7613d65c...	Liam Foster	669-477-6647	ACTIVE	2026-05-19 09:44:00
	NULL	NULL	NULL	NULL	NULL	NULL

2. Client



The screenshot shows the MySQL Workbench interface with the 'Client' table selected. The table has 3 columns: UserID, EmergencyContactName, and EmergencyContactPhone. The data is displayed in a grid with 10 rows. The first 9 rows contain real-world data, and the 10th row is a NULL row.

UserID	EmergencyContactName	EmergencyContactPhone
1	Mark Carter	408-555-2286
2	Linh Nguyen	650-555-2080
3	Arjun Raman	650-555-1481
4	Rosa Ortiz	650-555-3300
5	Wei Chen	650-555-6360
6	Sarah Whitaker	408-555-7075
7	Omar Mohammed	650-555-3080
8	Jenny Park	650-555-8780
9	Luis Gomez	650-555-3633
10	Neha Patel	669-555-5514
	NULL	NULL

3. Sitter

Result Grid				
		Filter Rows:	Edit:	Export/Import:
UserID	BusinessName	Bio	ServiceArea	
11	Pawsitive Care	Certified pet first-aid sitter with 8 years of boar...	San Jose	
12	Happy Tails Sitting	Dog walker who loves high-energy breeds.	Santa Clara	
13	Whisker Watch	Cat specialist offering calm in-home visits.	Sunnyvale	
14	Bay Paws Walkers	Small group walks around neighborhood parks.	San Jose	
15	Cozy Critter Boarding	Home boarding with a fenced backyard.	Gilroy	
16	Leash & Learn	Daycare with basic obedience practice.	San Jose	
17	Purrfect Stay	Overnight house sitting for cats and dogs.	Cupertino	
18	Trail Tails	Hiking adventures for active dogs.	Los Gatos	
19	Furry Friends Daycare	Supervised play groups, half and full day.	Milpitas	
20	HomeBase Pet Sitting	Reliable house sitting with daily photo updates.	Santa Clara	
NULL	NULL	NULL	NULL	

4. Address

Result Grid							
Filter Rows:		Edit:		Export/Import:		Wrap Cell Content:	
AddressID	UserID	Street	City	State	ZipCode	AddressType	
1	1	245 N 4th St	San Jose	CA	95112	HOME	
2	2	1780 Homestead Rd	Santa Clara	CA	95050	HOME	
3	3	930 E El Camino Real	Sunnyvale	CA	94087	HOME	
4	4	512 Almaden Ave	San Jose	CA	95110	HOME	
5	5	3350 Stevens Creek Blvd	San Jose	CA	95117	HOME	
6	6	10200 Bubb Rd	Cupertino	CA	95014	HOME	
7	7	88 S 10th St	San Jose	CA	95112	HOME	
8	8	15 University Ave	Los Gatos	CA	95030	HOME	
9	11	1190 Lincoln Ave	San Jose	CA	95125	BUSINESS	
10	15	7450 Monterey St	Gilroy	CA	95020	BUSINESS	
NULL	NULL	NULL	NULL	NULL	NULL	NULL	

5. Pet

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:												
PetID	OwnerID	PetName	Species	Breed	Age	Gender	Color	Markings	FavoriteToys	EmergencyNotes	PhotoURL	
1	1	Biscuit	Dog	Golden Retriever	4	Male	Golden	None	Tennis ball	Allergic to chicken	lorem_ipsum_jpg	
2	1	Luna	Cat	Domestic Shorthair	2	Female	Gray	White paws	Feather wand		lorem_ipsum_jpg	
3	2	Rocky	Dog	German Shepherd	6	Male	Black and tan	Saddle pattern	Rope toy	Hip issues, avoid stairs	lorem_ipsum_jpg	
4	3	Mochi	Dog	Shiba Inu	3	Female	Red	Cream chest	Squeaky duck	Escape artist, check gates	lorem_ipsum_jpg	
5	4	Max	Dog	Labrador Retriever	5	Male	Black	None	Frisbee		lorem_ipsum_jpg	
6	5	Coco	Dog	Toy Poodle	8	Female	Apricot	None	Plush bunny	Heart murmur, no hard exercise	lorem_ipsum_jpg	
7	6	Oliver	Cat	Maine Coon	5	Male	Brown tabby	Striped tail	Catnip mouse		lorem_ipsum_jpg	
8	7	Bella	Dog	Beagle	2	Female	Tricolor	White tail tip	Kong	Eats anything, watch trash	lorem_ipsum_jpg	
9	8	Pepper	Dog	Border Collie	1	Female	Black and white	White blaze	Ball launcher		lorem_ipsum_jpg	
10	9	Simba	Cat	Orange Tabby	7	Male	Orange	Striped	Laser pointer	Diabetic, insulin at 8am	lorem_ipsum_jpg	

pet 1 x Apply

6. Service

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:									
ServiceID	SitterID	ServiceName	Category	Description	Price	DurationMinutes	Capacity	AvailabilityStatus	
1	11	Dog Walk (30 min)	WALKING	Neighborhood walk, one dog	25.00	30	3	AVAILABLE	
2	11	Overnight Boarding	BOARDING	Boarding at sitter home, per night	65.00	1440	4	AVAILABLE	
3	12	Dog Walk (60 min)	WALKING	Long walk for high-energy dogs	40.00	60	2	AVAILABLE	
4	13	Cat Drop-In Visit	HOUSE_SITTING	Feeding, litter, and playtime	30.00	45	1	AVAILABLE	
5	14	Group Walk	WALKING	Walk with up to 5 dogs	20.00	60	5	UNAVAILABLE	
6	15	Overnight Boarding	BOARDING	Boarding with fenced yard, per night	70.00	1440	3	AVAILABLE	
7	16	Daycare Full Day	DAYCARE	Play and training, 8am to 5pm	45.00	540	6	AVAILABLE	
8	17	Overnight House Sitting	HOUSE_SITTING	Sitter stays at client home, per night	90.00	1440	1	AVAILABLE	
9	18	Adventure Hike	WALKING	Two-hour trail hike	55.00	120	4	AVAILABLE	
10	19	Daycare Half Day	DAYCARE	Morning or afternoon play group	28.00	240	8	AVAILABLE	

service 1 x

7. Booking

Result Grid								
Filter Rows:								
Edit: Export/Import: Wrap Cell Content:								
BookingID	ClientID	SitterID	AddressID	StartDateTime	EndDateTime	Status	CreatedAt	
1	1	11	9	2026-08-01 09:00:00	2026-08-03 17:00:00	COMPLETED	2026-07-25 10:00:00	
2	2	12	2	2026-08-05 08:00:00	2026-08-05 09:00:00	COMPLETED	2026-08-01 12:30:00	
3	3	19	3	2026-08-07 08:00:00	2026-08-07 12:00:00	COMPLETED	2026-08-03 09:15:00	
4	5	15	10	2026-08-14 10:00:00	2026-08-17 10:00:00	COMPLETED	2026-08-08 11:45:00	
5	6	17	6	2026-08-20 18:00:00	2026-08-23 09:00:00	COMPLETED	2026-08-12 20:10:00	
6	8	18	8	2026-09-01 07:30:00	2026-09-01 09:30:00	COMPLETED	2026-08-28 16:00:00	
7	1	13	1	2026-09-05 12:00:00	2026-09-05 12:45:00	COMPLETED	2026-09-02 10:20:00	
8	4	16	4	2026-09-10 08:00:00	2026-09-10 17:00:00	COMPLETED	2026-09-04 14:05:00	
9	1	11	9	2026-09-15 09:00:00	2026-09-16 17:00:00	COMPLETED	2026-09-10 08:40:00	
10	7	12	7	2026-09-25 08:00:00	2026-09-25 09:00:00	COMPLETED	2026-09-21 21:15:00	
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	

booking 1 x Apply

8. BookingPet

Result Grid		
Filter Rows:		
Edit: Export/Import: Wrap Cell Content:		
	BookingID	PetID
▶	1	1
	9	1
	7	2
	2	3
	3	4
	8	5
	4	6
	5	7
	10	8
	6	9
•	NULL	NULL

booking_pet1 x

9. BookingService

Result Grid			
Filter Rows:			
Edit: Export/Import: Wrap Cell Content:			
	BookingID	ServiceID	PriceAtBooking
▶	1	2	60.00
	2	3	40.00
	3	10	28.00
	4	6	70.00
	5	8	90.00
	6	9	55.00
	7	4	30.00
	8	7	45.00
	9	2	65.00
	10	3	40.00
•	NULL	NULL	NULL

Booking_service1 x

10. CareInstruction

Result Grid						
Filter Rows:						
Edit: Export/Import: Wrap Cell Content:						
	InstructionID	BookingID	PetID	FeedingInstructions	MedicationNeeds	BehavioralNotes
▶	1	1	1	2 cups kibble at 7am and 6pm	NULL	Friendly, pulls on leash
	2	2	3	No food during walk	Joint supplement at 7am	Slow on hills
	3	3	4	Lunch snack at 11am	NULL	Shy with big dogs
	4	4	6	Half cup soft food twice daily	Heart pill with breakfast	Gets anxious at night
	5	5	7	Wet food at 8am and 8pm	NULL	Hides from strangers at first
	6	6	9	Water breaks every 30 minutes	NULL	Herds other dogs, keep on leash
	7	7	2	Quarter cup dry food	NULL	Needs a quiet room
	8	8	5	1 cup kibble at noon	NULL	Loves fetch, very social
	9	9	1	2 cups kibble at 7am and 6pm	NULL	Friendly, pulls on leash
	10	10	8	Treats only after the walk	NULL	Sniffs everything, go slow
•	NULL	NULL	NULL	NULL	NULL	NULL

Instruction 1 x

Apply Revert

11. Payment

[illegible]

12. Review

Result Grid							
Filter Rows:		Edit:		Export/Import:		Wrap Cell Content:	
ReviewID	BookingID	ClientID	Rating	Comment	TipAmount	ReviewDate	
1	1	1	5	Biscuit came home happy and tired. Great phot...	15.00	2026-08-04	
2	2	2	4	Good walk, arrived 10 minutes late.	5.00	2026-08-06	
3	3	3	5	Mochi loved the play group.	0.00	2026-08-08	
4	4	5	5	Very careful with Coco's medication.	20.00	2026-08-18	
5	5	6	4	House was clean, Oliver was relaxed.	10.00	2026-08-24	
6	6	8	5	Pepper finally got tired! Will book again.	10.00	2026-09-02	
7	7	1	2	Sitter left early, so the visit was refunded.	0.00	2026-09-06	
8	8	4	5	Max learned to sit on command!	10.00	2026-09-11	
9	9	1	5	Second stay, just as good as the first.	10.00	2026-09-17	
10	10	7	3	Walk was fine, but Bella came back muddy.	0.00	2026-09-26	
NULL	NULL	NULL	NULL	NULL	NULL	NULL	

13. CareEvent

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	EventID	BookingID	PetID	EventType	EventTime
▶	1	1	1	DROP_OFF	2026-08-01 09:05:00
	2	1	1	PICK_UP	2026-08-03 17:20:00
	3	3	4	DROP_OFF	2026-08-07 08:02:00
	4	3	4	PICK_UP	2026-08-07 12:05:00
	5	4	6	DROP_OFF	2026-08-14 10:10:00
	6	4	6	PICK_UP	2026-08-17 10:15:00
	7	8	5	DROP_OFF	2026-09-10 07:55:00
	8	8	5	PICK_UP	2026-09-10 17:10:00
	9	9	1	DROP_OFF	2026-09-15 09:00:00
	10	9	1	PICK_UP	2026-09-16 16:50:00
*	NULL	NULL	NULL	NULL	NULL

care_event 1

×

14. AuditLog

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	LogID	UserID	Action	Description	ActionTime
▶	1	11	CONFIRM_BOOKING	Confirmed booking 1	2026-07-25 11:00:00
	2	12	CONFIRM_BOOKING	Confirmed booking 2	2026-08-01 13:00:00
	3	19	UPDATE_BOOKING	Marked booking 3 as COMPLETED	2026-08-07 12:10:00
	4	15	CONFIRM_BOOKING	Confirmed booking 4	2026-08-08 12:30:00
	5	11	UPDATE_SERVICE	Changed Overnight Boarding price from 60.00 t...	2026-08-20 09:00:00
	6	13	REFUND_PAYMENT	Refunded payment for booking 7	2026-09-06 10:00:00
	7	16	UPDATE_BOOKING	Marked booking 8 as COMPLETED	2026-09-10 17:05:00
	8	11	SUSPEND_ACCOUNT	Suspended client 10: repeated no-shows	2026-09-14 10:00:00
	9	14	DEACTIVATE_SERVICE	Set Group Walk to UNAVAILABLE	2026-09-20 15:00:00
	10	12	UPDATE_BOOKING	Marked booking 10 as COMPLETED	2026-09-25 09:05:00
•	NULL	NULL	NULL	NULL	NULL

audit_log 1 ×