

上傳網頁內容

By GitHub

Git

版本控制的工具

GitHub

放原始碼的空間

安全、免費



About

Learn

Book

Cheat Sheet

Videos

External Links

Tools

Reference

Install

Community

This book is available in [English](#).

Full translation available in

[azərbaycan dili](#),

[български език](#),

[Deutsch](#),

[Español](#),

[فارسی](#),

[Français](#),

[Ελληνικά](#),

[日本語](#),

[한국어](#)

Chapters ▾ 2nd Edition

1.5 開始 - Git 安裝教學

Git 安裝教學

在你開始使用 Git 以前，你必須先在你的電腦設定到讓 Git 可以使用。如果你之前已經安裝過，那麼你應該確認 Git 已經升級到最新版。你可以使用套件（package）進行安裝、透過安裝程式或是自行下載原始碼自己編譯。

筆記

本書在撰寫時，Git 的版本為 **2.0.0**。雖然本書使用到的指令在比較舊版的 Git 中通常都可以使用，但是仍然會有一些指令的行為相差極大或是根本無法使用。Git 提供了相當出色的向下相容性，所以如果你目前的 Git 版本大於 2.0，那麼應該是不會有什麼太大的問題。

在 Linux 安裝

如果你想要透過二進位安裝程式安裝基本的 Git 工具集，你通常可以直接透過你所用的發行版（distribution）內建的基礎套件管理工具。舉例來說，如果你使用的是 Fedora，你可以使用 yum：


```
$ sudo yum install git-all
```

如果你是使用 Debian 系列的發行版，如 Ubuntu，你可以使用 apt-get：

```
$ sudo apt-get install git-all
```

如果需要更多選擇，Git 官方網站上有更多其他的發行版中安裝 Git 的安裝步驟，網址為 <http://git-scm.com/download/linux>。

在 Mac 中安裝



Platform Solutions Resources Open Source Enterprise Pricing



Sign in

Sign up

申請GitHub
有帳號選Sign in
沒有帳號選 Sign up

The future of building happens together


Tools and trends evolve, but collaboration endures. With GitHub, developers, agents, and code come together on one platform.

Enter your email

Sign up for GitHub

Download GitHub Copilot app





Sign in to GitHub

Username or email address

Password

[Forgot password?](#)

Sign in

or



Continue with Google



Continue with Apple

New to GitHub? [Create an account](#)

[Sign in with a passkey](#)

Sign in 截圖

Create your free account

Explore GitHub's core features for individuals and organizations.

See what's included ^

- ✓ **Access to GitHub Copilot**
Increase your productivity and accelerate software development.
- ✓ **Unlimited repositories**
Collaborate securely on public and private projects.
- ✓ **Integrated code reviews**
Boost code quality with built-in review tools.

Sign up 截圖

Already have an account? [Sign in](#) →

Sign up for GitHub

 Continue with Google

 Continue with Apple

or

Email*

Email

Password*

Password

Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username*

Username

Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

Your Country/Region*

Taiwan

For compliance reasons, we're required to collect country information to send you occasional updates and announcements.

Email preferences

Create your first project

Ready to start building? Create a repository for a new idea or bring over an existing repository to keep contributing to it.

Create repository

Import repository

Home

Ask anything or type @ to add context

Ask All repositories + Auto Optimized for: Balance

Debug Agent Create issue Write code Git Pull requests

Feed

Filter

Trending repositories · See more

debpalash/VoiceStudio

VoiceStudio is the open-source, fully-local ElevenLabs alternative — voice cloning, voice design, video dubbing, dictation, transcription & audiobook creation in 646 languages.

Python 45.3k

paperclipai/paperclip

The open-source app everyone uses to manage agents at work

TypeScript 93.4k

開啟VSCode

串連GitHub帳號

步驟

- 需將 git 連到 vscode
- 找到文字段多中，run的區段
- 複製裡面的內容，替換成自己 GitHub 的 mail 和帳號

串連GitHub與VSCode



Authorize Visual Studio Code

From the options below, choose which account you would like to use to authorize this app.



Signed in as
tuno1019

Continue

or

Use a different account

開啟VSCode

點開要上傳的資料夾

GitHub上傳準備

檔案(F) 編輯(E) 選取項目(S) 檢視(V)



原始檔控制



初始化存放庫


目前開啟的資料夾沒有任何 Git 存放庫。您可以初始化存放庫，其將啟用 Git 支援的原始檔控制功能。

若要深入了解如何在 VS Code 中使用 Git 和原始檔控制，[請閱讀我們的文件](#)。

您可以直接將此資料夾發布到 GitHub 存放庫。發佈之後，您就可以存取 Git 與 GitHub 所支援的原始檔控制功能。




發佈至 GitHub



GitHub
repository(儲存庫)

Key
{ first commit }



GitHub repository(儲存庫)

選public的版本

Publish to GitHub private repository tunc

Publish to GitHub public repository tuno

Vercel

vercel.com/tuno

Tuno Hobby

Find F

Projects

Deployments

Logs >

Analytics

Speed Insights

Observability >

Firewall >

CDN

All Projects

Search Projects

Usage

Last 30 days

Edge Requests 153

Fast Data Transfer 5.02 MB / 1

Edge Request CPU Duration 0

Fast Origin Transfer 0 /

Upg

All Projects ▾

Find Project...

Esc

△ ex1

△ ex1

△ ex1

+ Create Project

○ Fast Data Transfer ⓘ 5.02 MB / 100 GB

○ Edge Request CPU Duration ⓘ 0s / 1h

○ Fast Origin Transfer ⓘ 0 / 10 GB

Alerts

Get alerted for anomalies

Automatically monitor your projects for anomalies and get notified.

Upgrade to Pro

Overview

新增專案

Projects



Deploy your first project

You can also drag and drop your project, or choose a [file](#) or a [folder](#).



Onboard your coding agent



Import Project

Frontends, backends or agents from a repository

Import



Agent

Build and deploy an AI agent

Create

Import Git Repository

使用GitHub

Select a Git provider to import an existing project from a Git Repository.



GitHub



GitLab



Bitbucket



Origin

[Manage Login Connections](#)

串聯兩者



Install Vercel

Install on your personal account tuno1019

for these repositories:

☐ All repositories

This applies to all current and future repositories owned by the resource owner. Also includes public repositories (read-only).

☒ Only select repositories

Select at least one repository. Also includes public repositories (read-only).

Select repositories ▾

Selected 1 repository.

tuno1019/ex1

with these permissions:

- ✓ Read access to actions and metadata
- ✓ Read and write access to administration, checks, code, commit statuses, deployments, issues, pull requests, repository hooks, and workflows

User permissions

Vercel can also request users' permission to the following resources. These permissions will be requested and authorized on an individual-user basis.

- ✓ Read access to email address

Install

Cancel

Next: you'll be directed to the GitHub App's site to complete setup.

成功連結

GitHub App Installed - Vercel - Google Chrome

vercel.com/github/installed?installationId=164334872

GitHub Installation Completed

This window will close automatically.

專案上傳

Import Git Repository

 tuno1019



 Search



ex1 · 14m ago

Import

Missing Git repository? [Adjust GitHub App Permissions](#)

部署專案


New Project

Importing from GitHub

 tuno1019/ex1  main

Choose where you want to create the project and give it a name.

Vercel Team



Tuno

Hobby



Project Name

ex1

Application Preset

 Other



Root Directory

./

Edit

> Build and Output Settings

> Environment Variables

Deploy

Congratulations!

You just deployed a new project to  Tuno.



Install Coding Agent Plugin



Turn your coding agent into a Vercel expert. Simply copy and run this in your terminal to install the plugin. Available for Claude, Cursor and Codex.

```
$ npx plugins add vercel/vercel-plugin
```



Next Steps



Instant Previews

Push a new branch to preview changes instantly



Add Domain

Add a custom domain to your project



Enable Speed Insights


Track how users experience your site over time



Continue to Dashboard

直接更新

Production Deployment



Deployment

ex1-3qq2z704e-tuno.vercel.app

Domains ⊕

ex1-peach.vercel.app [↗](#)

Status

● Ready

Created

1m ago by tuno1019 

Source

 main

 03bc684 first commit

[> Deployment Settings](#)

[3 Recommendations](#)

檔案(F) 編輯(E) 選取項目(S) 檢視(V) ...

Vscode更新檔案 GitHub連動



檔案總管

...

已開啟的編輯器

✕ <> index.html

M

ex1.css css

M

ex1

css

•

ex1.css

M

images

i.png

m.png


s.png

t.png

≡ ex1.txt


<> index.html


M



Vscode更新檔案 GitHub連動

Key
{ update }





Vscode更新檔案 GitHub連動

Vscode更新檔案 GitHub連動

檔案(F) 編輯(E) 選取項目(S) 檢視(V) ...

原始檔控制

▼ 存放庫

ex1 main 0! 1! ...

▼ 變更

訊息 (要在 "Ctrl+Enter" 上提交 main)

同步變更 1↑

index.html x # ex1.css x

```
2 <html>
3
4 <head>
5   <!-- 設定頁面基本資訊+外部連結 -->
6   <meta charset="utf-8">
7   <title>作業列表</title>
8   <link href="css/ex1.css" rel="stylesheet"
9
10 </head>
11
12 <body>
13
14 <header>
15   <h1>課程作業網站test</h1>
16 </header>
17
18 <nav>
19   <a href="#">平時作業</a>
20   <a href="#">期中作業</a>
21   <a href="#">期末作業</a>
22 </nav>
23
```

Visual Studio Code




此動作會從 "origin/main" 提取和推送提交。

確定

確定，不要再顯示

取消

Vscode更新檔案 GitHub連動成功




檢視GitHub

The screenshot shows the GitHub interface for a repository named 'ex1', which is public. At the top, there are navigation elements including a dropdown for the 'main' branch, indicating '1 Branch' and '0 Tags'. A search bar labeled 'Go to file' and buttons for 'Add file' and 'Code' are also visible. Below this, a commit summary for user 'tuno1019' shows an 'update' with commit hash '54245df' made '4 minutes ago' and consisting of '2 Commits'. A table below lists the changes in this commit:

File	Commit	Time
css	update	4 minutes ago
images	first commit	33 minutes ago
ex1.txt	first commit	33 minutes ago
index.html	update	4 minutes ago

The 'css' folder update and the 'index.html' file update are highlighted with orange boxes in the original image.

Production Deployment



Deployment

ex1-m8nu7ygwc-tuno.vercel.app

Domains ⊕

ex1-peach.vercel.app [🔗](#)

Status

● Ready

Created

4m ago by tuno1019 

Source


 main

 54245d

自動更新

[> Deployment Settings](#) [3 Recommendations](#)

檢視Domains的網址



檢視部署更新狀態

The screenshot displays the Tuno Hobby dashboard. On the left sidebar, the 'Deployments' menu item is highlighted with a yellow box. The main content area is titled 'Deployments' and features a table of deployment records. Above the table, there are filter buttons for 'Add Filter', 'Author tuno1019-9069', 'Environment Production', and 'Status Error'. The table lists two deployments: 'update' and 'first commit', both with a status of 'Ready 3s' and a 'Production' environment. The 'update' deployment was made 9m ago, and the 'first commit' deployment was made 23m ago. Both deployments show a green checkmark icon, indicating successful status.

Deployment Name	Status	Environment	Author	Commit Hash	Branch	Time Ago	Icon
update	Ready 3s	Production	tuno1019-9069	54245df	ma...	9m ago	Green Checkmark
first commit	Ready 3s	Production	tuno1019-9069	03bc684	ma...	23m ago	Green Checkmark

臨時更換版本

△ ex1 ▾

Deployments

≡ Add Filter

Author tuno1019-9069

Environment Production

Status Error

update	● Ready 2s	↺ Production	813bfb1	m...	2m ago	...
update	● Ready 2s	✖ Production	f9989d8	m...	18m ago	...
update	● Ready 2s	⬆ Production	e51cb6b	m...		Instant Rollback
update	● Ready 3s	⬆ Production	54245df	m...		Promote
first commit	● Ready 3s	⬆ Production	03bc684	m...		Redeploy

Deployment Retention is enabled for this project — some deployments will be deleted after a set time period. [Learn more](#)

Instant Rollback

Promote

Redeploy

Inspect Deployment

View Source

Copy URL

版權宣告

- 本篇PPT所引用之圖片僅為教學說明使用非商業用途，出處皆有標註於各圖片下方。著作權歸圖片原作者所有，請勿引作其他商業用途。