

Online Supplementary Material

Freund T, Campbell SM, Geissler S, et al. Strategies for reducing potentially avoidable hospitalizations for ambulatory care-sensitive conditions. *Ann Fam Med*. 2013;11(4):363-370.

<http://www.annfammed.org/content/11/4/363>

Supplemental Table 1. List of ICD 10-GM Codes Used to Identify Hospitalizations for Ambulatory Care-Sensitive Conditions

Ambulatory Care-Sensitive Condition	ICD10-GM Code
Angina	I20, I24.0, I24.8, I24.9
Asthma	J45, J46
Cellulitis	L03, L04, L08.0, L08.8, L08.9, L88, L98.0
Congestive heart failure	I11.0, I50, J81
Convulsion and epilepsy	G40, G41, R56, O15
Chronic obstructive pulmonary disease	J20, J41, J42, J43, J47
Dehydration and gastroenteritis	E86, K52.2, K52.8, K52.9
Dental conditions	A69.0, K02, K03, K04, K05, K06, K08, K09.8, K09.9, K12, K13
Diabetes complications	E10.0–E10.8, E11.0–E11.8, E12.0–E12.8, E13.0–E13.8, E14.0–E14.8
Ear, nose and throat infections	H66, H67, J02, J03, J06, J31.2
Gangrene	R02
Hypertension	I10, I11.9
Influenza and pneumonia	J10, J11, J13, J14, J15.3, J15.4, J15.7, J15.9, J16.8, J18.1, J18
Iron-deficiency anemia	D50.1, D50.8, D50.9
Nutritional deficiency	E40, E41, E42, E43, E55.0, E64.3
Other vaccine preventable diseases	A35, A36, A37, A80, B05, B06, B16.1, B16.9, B18.0, B18.1, B26, G00.0, M01.4
Pelvic inflammatory disease	N70, N73, N74
Perforated/bleeding ulcer	K25.0–K25.2, K25.4–K25.6, K26.0–K26.2, K26.4–K26.6, K27.0–K27.2, K27.4–K27.6, K280–282, K284–K286
Pyelonephritis	N10, N11, N12, N13.6
Alcohol-related diseases	F10
Atrial fibrillation and flutter	I47.1, I47.9, I49.5, I49.8, I49.9, R00.0, R00.2, R00.8
Constipation	K59.0
Fractured proximal femur	S72.0, S72.1, S72.2
Dyspepsia and other stomach function disorders	K30, K31
Hypokalemia	E87.6
Migraine/acute headache	G43, G44.0, G44.1, G44.3, G44.4, G44.8, R51x

ICD-10-CM = International Classification of Diseases-, Tenth Revision – German Modification.