

			A	1	2	3	4	5	6	7	8	9		first	1
	Please use median of three rule.			1	2	3	4	9	6	7	8	5		last	9
				i	->	->	->	i						mid val	5
	(a) {1, 2, 3, 4, 5, 6, 7, 8, 9}						j	<-	<-	<-	j			pivot	5
				1	2	3	4	5	6	7	8	9			
	(b) {8, 7, 6, 5, 4, 3, 2, 1, 9}														
	(c) {9, 1, 8, 2, 7, 3, 6, 4, 5}		B	8	7	6	5	4	3	2	1	9		first	8
				9	7	6	5	4	3	2	1	8		last	9
				i							j			mid	4
				1	7	6	5	4	3	2	9	8		pivot	8
					i	->	->	->	->	j	i				
				1	7	6	5	4	3	2	8	9		first	1
				1	7	6	5	4	3	2	8	9		last	2
				i	i				j					mid val	5
				j					j					pivot	2
				1	2	6	5	4	3	7	8	9			
				1	2	6	3	4	5	7	8	9		first	6
						i		j						last	3
				1	2	4	3	6	5	7	8	9		mid val	5
							i	i						pivot	5
							j								
				1	2	4	3	5	6	7	8	9		first	3
				1	2	5	3	4	6	7	8	9		last	5
						i	j							mid val	4
				1	2	3	5	4	6	7	8	9		pivot	4
						j	i								
				1	2	3	4	5	6	7	8	9			
			C	9	1	8	2	7	3	6	4	5		first	9
				9	1	8	2	5	3	6	4	7		last	5

		k(4)=4			4							first	3
												last	4
												mid val	3
												pivot	
		B	8	7	6	5	4	3	2	1	9	first	8
		k=5	9	7	6	5	4	3	2	1	8	last	9
			i							j		mid	4
			1	7	6	5	4	3	2	9	8	pivot	8
				i	->	->	->	->	j	i			
			1	7	6	5	4	3	2	8	9		
			E									first	1
		QuickSelect	E	7								last	2
			1	7	6	5	4	3	2			mid val	5
			i					j				pivot	2
			j	i									
			1	2	6	5	4	3	7			5-2	3
			E	G			H						
		QuickSelect	H	5									
					6	5	4	3	7			first	6
		5-2=3			7	5	4	3	6			last	7
					i			j				mid val	5
					3	5	4	7	6			pivot	6
						i	j						
								i					
					3	5	4	6	7				
		3-3=0				E		G	H				
		QuickSelect	E	3									
					3	5	4					first	3
					i	j						last	4
					j	i						mid val	5
					3	4	5					pivot	4

