DO THE NEXT THING

Complete, Import or Run	⌘↵
Completions	⌥Space or ^Space
Quick Fix / Assist	⌥↵ or ⌘1
Quick documentation	⌘J or F1
Complete Statement	⇧⌘↵
Request AI completion	⌥⇧Space

BUILD · RUN · TEST

Make Project	⌘B or F9
Fast Compile	⌥⌘B or ⌥F9
Compile Project	⇧⌘B
Run Java / JUnit	⌘R or ^F9
Arguments and input	⇧⌘R
Stop program	⌘.
Run Current Test	⌘U
Run All Tests	⇧⌘U
Run Failed Tests	⌥⌘U
Next Error	⌘' or ⌥F8
Previous Error	⇧⌘' or ⌥F7

FIND CODE

Search Everywhere	⌘P or F3
Go to Class	⌘T
Go to File	⇧⌘P
Go to Symbol	⇧⌘O
Go to declaration	⌘D or F12
Go To Implementation	⌘I
Find References	⇧⌘D
Type Hierarchy	⇧⌘H
Call Hierarchy	⌥⇧⌘H
Source ↔ test	⇧⌘T
Go to line	⌘L
Recent Files	⌘E
Recent Locations	⇧⌘E

MOVE AROUND

Navigate back	⌘[or ^⌘←
Navigate forward	⌘] or ^⌘→
Previous Edit Location	⇧⌘⌫
Next tab	^⇥ or ⇧⌘]
Previous tab	^⇧⇥ or ⇧⌘[

MOVE AROUND cont.

Next Method	^⇧↓
Previous Method	^⇧↑
Matching Brace	⇧⌘\

EDIT

Undo	⌘Z
Redo	⇧⌘Z
Cut	⌘X
Copy	⌘C
Paste	⌘V
Select all	⌘A
Toggle line comment	⌘/
Toggle Block Comment	⌥⌘/
Move line up	⌥↑
Move line down	⌥↓
Copy Line Down	⌥⌘↓
Copy Line Up	⌥⌘↑
Delete line	⇧⌘K
Insert Line Below	⇧↵
Expand Selection	^⇧→

EDIT cont.

Shrink Selection	^⇧←
Select Next Occurrence	⌥⌘G
Indent / next placeholder	⇥
Unindent / previous placeho...	⇧⇥

SEARCH TEXT

Find	⌘F
Find next	⌘G
Find previous	⇧⌘G
Find and Replace	⌥⌘F

FILES

New	⌘N
Open	⌘O
Save	⌘S or F2
Save All	⌥⌘S
Save as	⇧⌘S
Close Current File	⌘W
Quit TurboJ	⌘Q

REFACTOR

Refactor This	⌥⌘T
Rename	⌥⌘R
Extract Method	⌥⌘M
Extract Variable	⌥⌘V
Extract Constant	⌥⌘C
Extract Parameter	⌥⌘P
Inline	⌥⌘I
Safe Delete	⌥⌘⌫

SOURCE

Format Document	⌥⌘L
Format Selection	⌥⇧⌘L
Organize Imports	⌥⌘O
Generate	⌥⌘N

PANELS

Toggle Explorer	⌘0
Toggle Console	⇧⌘Y
Focus Console	⇧⌘C
Compiler Diagnostics	⇧⌘M

PANELS cont.

Switch editor / console	F6
Focus Next Panel	^F6
Focus Previous Panel	^⇧F6
Expand editor	F5
Toggle full screen	^⌘F
Return to editor / dismiss	Esc

MORE EDITING

Smart Home	⌘← or fn←
Smart End	⌘→ or fn→
Select All Occurrences	⌥⇧⌘G
Delete Previous Word	⌥⌫
Delete Next Word	⌥fn⌫

PROJECT · MAVEN

New Java Project	⇧⌘N

TURBOJ

Command palette	⇧⌘A
Open menu	F10

TURBOJ cont.

Keymap	⌘K
General Settings	⌘,

HOW THE KEYS WORK

⌘+letter is the verb: **B**uild, **R**un, **U**nit tests, **D**eclaration, **T**ype, o**P**en, **J**avadoc, **L**ine, r**E**cent.

⇧ widens or reverses it: ⇧⌘U all tests, ⇧⌘D every reference, ⇧⌘G find previous.

⌥⌘ (Ctrl+Alt on a PC) transforms code: **R**ename, **M**ethod, **V**ariable, **C**onstant, **I**nline, **L**ayout, imp**O**rts, **T**his menu.

↵ family: ⌘↵ does the next thing, ⌥↵ lists the choices, ⇧⌘↵ completes the statement.

Turbo C's function keys still work: F9 make, ^F9 run, ⌥F9 compile, ⌥F7 ⌥F8 errors, F2 save, F1 help.

⌥+letter types characters and ^+letter are the Mac's text keys: TurboJ binds neither.

TURBOJ cont.

Keyboard reference	⇧F1
Larger font	⌘=
Smaller font	⌘-

MORE JAVA INTELLIGENCE

Accept next AI word	^⌥↵
Accept suggestion	⇥ or ↵

ON THE MAC

F-keys need fn unless “Use F1, F2, etc. keys as standard function keys” is on in Keyboard settings.

macOS keeps ⌘Space, ⌘⇥, ⌘`, ^←, ^→ and ^F1…^F8.

Click a symbol with ⌘ to open its declaration; Esc always returns to the editor.

Find Action ⇧⌘A lists every command with its shortcut; Keymap edits them.