INFORMATION SHOWN TO BE READ IN CONJUNCTION WITH LMDG CODE REPORT, INCLUDED AS PART OF SUBMITTAL

FLORES LADUE PARADE SE

FOR ROAD MARKINGS, REFER TO CIVIL.

3 A02-02-10

NOTE:
ALL FIRE TRUCK PATHS MIN. 6m CLEAR.

FOR 'SWEPTH PATH ANALYSIS',

REFER TO SHEET
A01-10-10

FIRE ACCESS ROUTE MUST REMAIN CLEAR OF OBSTRUCTIONS. NO PARKING ANY TIME

FIRE ACCESS ROUTE IS DESIGNED TO SUPPORT A 38,556KG/85,000 LBS LOAD.

6.0m WIDTH CLEAR UNOBSTRUCTED PATH ALONG ENTIRE FIRE TRUCK CIRCULATION ROUTE
NO TEMPORARY PARKING PERMITTED AT ANY TIME ALONG FIRE ROUTE

18700

PROPOSED LAY-BY TO ACCOMMODATE FIRE TRUCK AT MAX. 15m DISTANCE TO PRINCIPAL ENTRANCE

REAR

FRONT

FIRE ACCESS ROUTE

3000

3000

6000

3965

FLUSH CURB

PROPERTY LINE

FH

5 SITE DETAIL A02-02-10

PORTS FACING NORTH EAST

1700

1.5 m SETBACK

1.2 m PATH

COL

SIGN ABOVE

DASHED LINE DENOTES OUTLINE OF PORTE-COCHERE CONCRETE SLAB ABOVE

3350

6155 CLEAR

3350

PORTE-COCHERE 4.25m MIN. CLEAR HEIGHT AFF UNDER SEPARATE PERMIT

12855

01 FIRE A02-02-11

13900

8750 DIST. FD CONNECTION TO FACE OF BUILDING

7940

6740

8.575m PATH OF TRAVEL

ORNAMENTAL PIERS, TYP

EXIT

ENTER EXIT

PB

PRINCIPAL ENTRANCE

100.0

1045.30

VESTIBULE 100.1

1.98 m

VALET OFFICE 183.2

100.2

100.3

1045.30 m

13.725 m PATH OF TRAVEL

7.88 m PATH OF TRAVEL

1.8 m

COLUMNS RE: STRUCTURAL, TYP

LOBBY - MAIN

0.91 m

CONCIERGE

3140 CLEAR

EQ

EQ

INTERIOR FURNITURE

LUGGAGE STORAGE

100.5

D108

D104.1

ELEVATORS E1 & E2 - SERVICE

ELECTRICAL

D110

REGISTRATION 2026

12.7 m PATH OF TRAVEL

8 m PATH OF TRAVEL

D105

EXIT CORRIDOR

ELEVATOR LOBBY

FRONT OFFICE MANAGER

SERVICE ELEVATOR LOBBY

EMERGENCY FIRE FIGHTER ACCESS TO ALL OCCUPIED LEVELS

L.V.

D111

ADMINISTRATION

D108a

20.40 m TRAVEL DIST

D113

XPS4a

CACF 113

3400 DEPTH

5359 WIDTH

XPS4a

XPS4a

XPS4a

CASHIER OFFICE

SOILED LINEN

D106

D112

SAFE DEPOSIT BOXES/VIEWING

COUNTING ROOM

PASTRY COOLER

POT / PAN WASH

WAREWASH

WASHROOM - LOBBY - MEN

D114

WASHROOM - LOBBY - MEN

D115

WASHROOM - LOBBY - WOMEN