

Cucumber Report

Feb 20, 2022 12:32:33 AM

Start : Feb 20, 12:32:32.944 AM

End : Feb 20, 12:32:33.033 AM

Duration : 0.089 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 5


SKIPPED - 0

PASSED - 0


FAILED - 5

SKIPPED - 25







#	Feature Name	T	P	F	S	Duration
1	<u>HomePage Feature</u>	5	0	5	0	0.089 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>HomePage Feature</u>	: <u>Entering the order summary page with Anında Havale and İş Bankası</u>	6	0	1	5	0.039 s
2	<u>HomePage Feature</u>	: <u>Entering the order summary page with Anında Havale and Akbank</u>	6	0	1	5	0.040 s
3	<u>HomePage Feature</u>	: <u>Entering the order summary page with Anında Havale and Vakıfbank</u>	6	0	1	5	0.009 s
4	<u>HomePage Feature</u>	: <u>Entering the order summary page with Anında Havale and Kuveyt Türk</u>	6	0	1	5	0.009 s
5	<u>HomePage Feature</u>	: <u>Entering the order summary page with Anında Havale and AlBaraka Türk</u>	6	0	1	5	0.004 s

(F)- HomePage Feature

FAILED	DURATION - 0.089 s	Scenarios		Steps	
/ 12:32:32.944 AM // 12:32:33.033 AM /		Total - 5	5	Total - 30	30
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 25	



(S)- : Entering the order summary page with Anında Havale and İş Bankası

FAILED	DURATION - 0.039 s		Steps	
/ 12:32:32.949 AM // 12:32:32.988 AM /			Total - 6	
HomePage Feature			Pass - 0	
			Fail - 1	
		Skip - 5		

#	Step / Hook Details	Status	Duration
1	<p>Given Go to "https://www.hepsiburada.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.HomePageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.IllegalArgumentException: Input must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:56) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:97) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:128) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:61) at com.pages.HomePage.<init>(HomePage.java:37) at stepDefinations.HomePageSteps.<init>(HomePageSteps.java:13) </pre>		
2	When Login with "denemepoc123@gmail.com" email and "Denemepoc1" password	SKIPPED	0.001 s
3	When Search "Kitap" and add basket 3. product	SKIPPED	0.000 s
4	When Go to order summary page with İş Bankası and Anında Havale	SKIPPED	0.001 s
5	Then The bank name in the payment information field is checked	SKIPPED	0.002 s
6	Then Clear basket for next scenarios	SKIPPED	0.000 s

(S)- : Entering the order summary page with Aninda Havale and Akbank

<div>FAILED</div> <div>DURATION - 0.040 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
<div>/ 12:32:32.950 AM // 12:32:32.990 AM /</div>			
<div>HomePage Feature</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given Go to "https://www.hepsiburada.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.HomePageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266)</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.IllegalArgumentException: Input must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:56) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:97) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:128) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:61) at com.pages.HomePage.<init>(HomePage.java:37) at stepDefinations.HomePageSteps.<init>(HomePageSteps.java:13)		
2	When Login with "denemepoc123@gmail.com" email and "Denemepoc1" password	SKIPPED	0.003 s
3	When Search "Kitap" and add basket 3. product	SKIPPED	0.002 s
4	When Go to order summary page with Akbank and Aninda Havale	SKIPPED	0.000 s
5	Then The bank name in the payment information field is checked	SKIPPED	0.000 s
6	Then Clear basket for next scenarios	SKIPPED	0.000 s

(S)- : Entering the order summary page with Aninda Havale and Vakifbank



FAILED DURATION - 0.009 s / 12:32:33.012 AM // 12:32:33.021 AM / HomePage Feature		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Go to "https://www.hepsiburada.com/" io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinations.HomePageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.IllegalArgumentException: Input must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:56) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:97) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:128) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:61) at com.pages.HomePage.<init>(HomePage.java:37) at stepDefinations.HomePageSteps.<init>(HomePageSteps.java:13)		
2	When Login with "denemepoc123@gmail.com" email and "Denemepoc1" password	SKIPPED	0.000 s
3	When Search "Kitap" and add basket 3. product	SKIPPED	0.001 s
4	When Go to order summary page with Vakıfbank and Anında Havale	SKIPPED	0.001 s
5	Then The bank name in the payment information field is checked	SKIPPED	0.000 s
6	Then Clear basket for next scenarios	SKIPPED	0.000 s



(S)- : Entering the order summary page with Anında Havale and Kuveyt Türk

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:32:33.013 AM // 12:32:33.022 AM /				
HomePage Feature				

#	Step / Hook Details	Status	Duration
1	Given Go to "https://www.hepsiburada.com/" io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinations.HomePageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.IllegalArgumentException: Input must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:56) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:97) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:128) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:61) at com.pages.HomePage.<init>(HomePage.java:37) at stepDefinations.HomePageSteps.<init>(HomePageSteps.java:13) </pre>		
2	When Login with "denemepoc123@gmail.com" email and "Denemepoc1" password	SKIPPED	0.001 s
3	When Search "Kitap" and add basket 3. product	SKIPPED	0.000 s
4	When Go to order summary page with Kuveyt Türk and Anında Havale	SKIPPED	0.000 s
5	Then The bank name in the payment information field is checked	SKIPPED	0.000 s
6	Then Clear basket for next scenarios	SKIPPED	0.001 s

(S)- : Entering the order summary page with Anında Havale and AlBaraka Türk

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:32:33.029 AM // 12:32:33.033 AM /				
HomePage Feature				

#	Step / Hook Details	Status	Duration
1	<p>Given Go to "https://www.hepsiburada.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.HomePageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266)</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.IllegalArgumentException: Input must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:56) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:97) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:128) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:61) at com.pages.HomePage.<init>(HomePage.java:37) at stepDefinations.HomePageSteps.<init>(HomePageSteps.java:13) </pre>		
2	When Login with "denemepoc123@gmail.com" email and "Denemepoc1" password	SKIPPED	0.000 s
3	When Search "Kitap" and add basket 3. product	SKIPPED	0.000 s
4	When Go to order summary page with AlBaraka Türk and Anında Havale	SKIPPED	0.000 s
5	Then The bank name in the payment information field is checked	SKIPPED	0.000 s
6	Then Clear basket for next scenarios	SKIPPED	0.000 s