

BOOK 3

DragonHub

Design System

Visual Language & UX Guidelines

Version 1.0

Marko Turk

OpenAI ChatGPT

Internal Design Documentation

20 September 2026

Using this manual

Read the rules. Inspect the example. Apply the checklist.

The manual combines the complete 20-chapter Design System and Appendix A with annotated visual examples. The five Parts group related topics; original chapter and section numbers remain stable for cross-referencing.

Visual examples

Workspace comparisons pair a Current screenshot placeholder with an Approved rules schematic. The schematic illustrates the written rules; it is not a captured or separately approved production screen. Names, rosters, dates, affiliations, statistics and scouting observations are illustrative.

Measurements

All px measurements describe interface units. Printed diagrams are schematic, not 1:1 scale. Reference swatches and typography specimens demonstrate the approved semantic roles and five-level hierarchy; the drafts do not prescribe exact hex values, font family or numeric type sizes.

Source decisions requiring reconciliation

- Chips: §§3.5 and 7.10 cap height at 28 px; §14.9 permits a 32 px maximum. Illustrations use the common 28 px standard.
- Spacing: §14.3 defines an eight-value scale, while §14.5 separately specifies 20 px summary padding. Both source rules are retained.
- Targets: §§14.9-14.10 describe smaller visual chips and buttons; §15.18 requires 44 px touch targets. Diagrams distinguish the visible shape from its interaction area.
- Color: §7.4 forbids green status labels and reserves blue for projection, while §7.12 assigns green to Completed and blue to Information. Both rules remain in the manuscript; the semantic examples use the primary roles.

Contents

Part I Design Philosophy and Visual Foundations	4
Chapter 1 - Design Philosophy	5
Chapter 2 - Layout System & Page Structure	9
Chapter 5 - Information Hierarchy & Content Design	13
Chapter 6 - Typography System	17
Chapter 7 - Color System, Status & Visual Signals	21
Chapter 11 - Information Density & Progressive Disclosure	26
Chapter 14 - Spacing, Alignment & Visual Rhythm	30
Chapter 17 - Visual Language & Interface Identity	34
Part II Components and Basketball Objects	38
Chapter 3 - Component Library	39
Chapter 8 - Basketball Objects & Core UI Components	45
Chapter 13 - Drawers, Popups & Contextual Workspaces	54
Part III Workspaces and Page Templates	58
Chapter 9 - Screen Templates & Workspace Patterns	59
Chapter 16 - Page Blueprint & Screen Construction	63
Workspace Pattern Library	67
Part IV Responsive Design and Interaction	96
Chapter 4 - Interaction Design & User Experience	97
Chapter 10 - Workflow Continuity & Context Preservation	101
Chapter 12 - Navigation, Search & Workflow Navigation	105
Chapter 15 - Responsive Design & Device Experience	109
Part V Design Constitution and Basketball UX	114
Chapter 18 - Design Review, Quality Standards & UX Constitution	115
Chapter 19 - Basketball UX Patterns	119
Chapter 20 - DragonHub Design Constitution	123
Appendix A - DragonHub UI Checklist	127

Part I

Design Philosophy and Visual Foundations

Chapter 1 - Design Philosophy

Chapter 2 - Layout System & Page Structure

Chapter 5 - Information Hierarchy & Content Design

Chapter 6 - Typography System

Chapter 7 - Color System, Status & Visual Signals

Chapter 11 - Information Density & Progressive Disclosure

Chapter 14 - Spacing, Alignment & Visual Rhythm


Chapter 17 - Visual Language & Interface Identity

Chapter 1 - Design Philosophy

DragonHub

VISUAL EXAMPLES

Content before interface



1 Primary

Scout Summary and current knowledge.

2 Supporting

Club, projection and next action.

3 Context

Statistics, history and related objects.

Source: Chapters 1, 5 and 11

Schematic • illustrative basketball data

Purpose and Design Rules

1.1 Purpose

The DragonHub Design System defines the visual identity and interaction language of the entire DragonHub ecosystem.

It ensures every application feels like part of one platform.

This includes

- DragonHub
- EuroScout (Pro Database)
- Youth Database
- KZS Youth Stats
- Future DragonHub applications

Every module should feel immediately familiar.

1.2 Vision

DragonHub should feel like

the operating system of a professional basketball department.

Not
a website.

Not
an admin panel.

Not
a statistics portal.

The interface should disappear into the background.

Basketball should remain the focus.

1.3 Design Philosophy

DragonHub follows one simple principle:

Content before interface.

Everything decorative is secondary.

Every pixel should help users make basketball decisions faster.

The design should communicate

Professional

Focused

Minimal

Trustworthy

Fast

1.4 User Experience Philosophy

Every screen should answer three questions immediately.

Where am I?

Current module.

What should I do?

Primary workflow.

What deserves attention?

Important basketball information.

If those three questions are answered,
the interface has done its job.

1.5 Design Principles

Principle 1

Basketball First

The interface exists to support basketball.

Never the opposite.

Principle 2

Less UI.

More basketball.

Avoid decorative elements.

Avoid unnecessary panels.

Avoid oversized headers.

Principle 3

Consistency wins.

The same action always looks the same.

The same object always behaves the same.

Principle 4

One design language.

Every DragonHub application shares

Typography

Spacing

Buttons

Cards

Drawers

Filters

Search

Tables

Everything.

Principle 5

Speed is visual.

Fast interfaces feel simpler.

Progressive loading is part of the design.

1.6 Emotional Design

DragonHub should feel

Calm.

Professional.

Organized.

Confident.

Reliable.

Never

Flashy.

Playful.

Overdesigned.

Corporate.

1.7 Information Density

DragonHub intentionally displays more information than consumer applications. The users are Professional Scouts Coaches General Managers Front Office They prefer information over decoration. However, information density should never become visual clutter.

1.8 Target Devices

Primary
iPad + Magic Keyboard
This becomes the reference platform.
Secondary
Desktop
Windows
macOS
Third
Phone
Only simplify.
Never redesign.

1.9 White Space

White space is functional. It improves
Scanning
Reading
Navigation
Decision Making

Empty space is not wasted space.
Never fill space simply because it exists.

1.10 Visual Hierarchy

Every page follows exactly the same hierarchy.

[Page Title](#) → [Search](#) → [Filters](#) → [Primary Content](#) → [Secondary Information](#) → [Actions](#)

Users should never need to learn another layout.

1.11 Navigation Philosophy

Navigation should almost disappear.

Users should primarily use

[Search](#) → [Saved Views](#) → [Recent Items](#) → [Global Search](#)

Menus become secondary.

1.12 Progressive Disclosure

Show only the information needed.
More details appear only when requested.
Examples

[Player](#) → [Quick Summary](#) → [Player Profile](#) → [Statistics Drawer](#) → [Reports Drawer](#) → [Timeline Drawer](#)

Never overwhelm users.

1.13 Interaction Philosophy

DragonHub follows one interaction language.

[Text](#) → [Navigate](#)

[Numbers](#) → [Explain](#)

[Cards](#) → [Open](#)

[Buttons](#) → [Perform Action](#)

Everything behaves consistently.

1.14 Keyboard Philosophy

Keyboard support is a first-class feature.

DragonHub is optimized for
Magic Keyboard
Desktop keyboards
Professional workflows
Mouse should not be required.

1.15 Dark & Light Theme

Both themes receive equal attention.

Neither is treated as secondary.

The layout never changes.

Only colors.

Green action buttons must always maintain sufficient contrast.

Users should never feel like one theme is unfinished.

1.16 Performance Philosophy

Visual performance matters.

Loading should feel

Immediate.

Skeletons preferred.

Never block interaction.

The interface should always feel responsive.

1.17 Must Never Change

DragonHub remains

Basketball-first.

Professional.

Minimal.

Consistent.

Information-focused.

The interface should always support basketball decisions rather than drawing attention to itself.

1.18 Success Criteria

A new user opening DragonHub for the first time should immediately feel

This was designed by people who understand basketball scouting.

Not by people trying to impress designers.

The interface should quietly disappear while basketball remains the focus.

End of Chapter 1

Approved Design Principles

- Basketball first.
- Content before interface.
- One design language.
- One interaction language.
- One visual hierarchy.
- Progressive disclosure.
- iPad-first.
- Keyboard-first.
- White space is functional.
- Consistency over creativity.
- Fast feels better than flashy.

Design Note

One of the biggest design goals of DragonHub is that **users should stop noticing the software after a few days.**

Instead of learning interfaces, they should simply think about basketball.

Every recurring decision - buttons, filters, cards, spacing, navigation - should become so consistent that the interface fades into the background.

This is the same philosophy used by products such as Linear, Notion and Apple: the interface should

become invisible, allowing users to focus entirely on their work.

For DragonHub, that work is scouting, planning and making basketball decisions. Everything in the Design System should ultimately reinforce that goal.

Measurements

Shared spacing: \$14.3; targets: \$15.18.

Do

Keep one dominant workspace.

Don't

Add decoration before understanding the task.

Related Components

Content before interface

Related Chapters

[Chapter 2 - Layout System & Page Structure](#)

[Chapter 5 - Information Hierarchy & Content Design](#)

[Chapter 17 - Visual Language & Interface Identity](#)

[Chapter 20 - DragonHub Design Constitution](#)

QA Checklist

- ☐ One purpose?
- ☐ Basketball first?
- ☐ Primary workspace dominant?


Chapter 2 - Layout System & Page Structure

DragonHub

VISUAL EXAMPLES

The workspace owns the space

DESIGN SYSTEM / 1.0



- 1 Compact header; one primary action.
- 2 Search → filters → saved views.
- 3 Navigation stays narrow.
- 4 The center is the largest column.
- 5 Statistics open as secondary detail.

Source: Chapters 2 and 16

Schematic • illustrative basketball data

Purpose and Design Rules

2.1 Purpose

The Layout System defines how every DragonHub page is organized.

Its objective is simple:

A user opening any page should immediately know

- where they are,
- what they can do,
- what deserves attention.

No page should invent its own layout.

2.2 Philosophy

Layouts should solve workflows.

Not aesthetics.

The page exists to support basketball decisions.

Everything decorative should be removed.

2.3 Universal Layout

Every DragonHub page follows the same structure.

[Navigation](#) → [Page Title](#) → [Search](#) → [Filters](#) → [Primary Workspace](#) → [Secondary Information](#) → [Quick Actions](#)

Users should immediately recognize the structure.

2.4 Primary Workspace [Key principle]

Every module has one primary workspace.

Everything else supports it.

Examples

[Dashboard](#) → [Today's information](#)

[Calendar](#) → [Calendar Grid](#)

[Events](#) → [Event List](#)

[Tournament Workspace](#) → [Player Workspace](#)

[Scouting Matchup](#) → [Notes](#)

[Player Database](#) → [Player List](#)

[Player Profile](#) → [Scout Summary](#)

[Reports](#) → [Report Content](#)

Never reduce the primary workspace to make room for secondary panels.

2.5 Three-Column Layout

Several DragonHub modules use the same three-column philosophy.

Approved modules

Scouting Matchup

Tournament Workspace

Future Video Scouting

Structure

[Navigation](#) → [Workspace](#) → [Navigation](#)

The center column is always the largest.

This is a permanent design rule.

2.6 Two-Column Layout

Used for

Dashboard

Reports

Player Profile

Team Profile

Overview pages

Structure

[Primary Content](#) → [Secondary Sidebar](#)

The sidebar supports.

It never dominates.

2.7 Drawers

Drawers replace navigation.

Examples

Player Profile

Club Profile

Competition Profile

Statistics

Reports

Timeline

Compare

The underlying page always remains visible.

Users never lose context.

2.8 Sidebars

Sidebars exist for navigation only.

Examples

Player Lists

Team Lists

Report Types

Collections

Saved Views

Sidebars should never become information dumps.

2.9 Headers

Headers remain compact.

Display only

Title

Context

Primary Action

Avoid

Large banners

Hero images

Decorative quotes

Oversized spacing

The header should maximize workspace below it.

2.10 Search Placement

Search always appears immediately below the page title.

Never hide search inside menus.
Users search before filtering.
Search remains visually dominant.

2.11 Filter Placement

Filters always appear directly below Search.
Order

[Search](#) → [Filters](#) → [Saved Views](#) → [Content](#)

Never rearrange this order.

2.12 Action Placement

Primary actions always appear

Top Right.

Examples

New Report

New Event

Add Player

Generate Reports

Save

Secondary actions belong inside overflow menus.

2.13 Sidebar Widths

Navigation sidebars should remain narrow.

Enough space for

Search

Filters

Lists

Never consume unnecessary horizontal space.

Priority always belongs to the primary workspace.

2.14 Sticky Elements

Approved sticky components

Search

Filters

Roster Navigation

Player Header

Report Toolbar

Calendar Navigation

Everything else scrolls naturally.

2.15 Infinite Workspace

The user should almost never encounter

Page 1

Page 2

Page 3

Instead

Infinite Scroll

Progressive Loading

Load More

where appropriate.

2.16 Empty Space

Empty space is intentional.

Do not fill

with

tips,

quotes,

decorative graphics,

placeholder widgets.

The workspace should breathe.

2.17 Responsive Behaviour

[Desktop](#) → [Full Layout](#)

[iPad](#) → [Primary reference layout](#)

[Phone](#) → [Simplified](#)

Never redesign workflows.

Only simplify presentation.

2.18 Module Examples

Dashboard

Two columns

Operational cards

Calendar

Calendar grid dominant

Events

Event list dominant

Tournament Workspace

Three columns

Center dominant

Scouting Matchup

Three columns

Center dominant

Reports

Two columns

Report dominant

Player Database

[List](#) → [Drawer](#)

Team List

[List](#) → [Drawer](#)

Everything follows one philosophy.

2.19 Must Never Change

Search remains above Filters.

Primary Workspace remains largest.

Three-column layout keeps the center dominant.

Drawers replace page navigation.

Sidebars remain navigation only.

Headers remain compact.

2.20 Success Criteria

A user opening a brand-new DragonHub module should immediately know where to look without learning another layout.

Every module should feel familiar because it follows the same structural language.

End of Chapter 2

Approved Layout Principles

- One page hierarchy.
- One search position.
- One filter position.
- One action position.
- Primary workspace always dominates.
- Drawers replace page changes.
- Three-column layout is standardized.
- Sidebars navigate.
- Headers stay compact.
- iPad remains the reference device.

Design Note

One of the biggest UX problems in large enterprise software is that every page feels like it was designed by a different team.

DragonHub should actively prevent that.

The goal is that a user who has mastered **one module** already understands **80% of every other module**, because they share the same layout grammar:

- Title → Search → Filters → Content → Actions.
- Navigation on the sides, work in the center.
- Drawers for detail instead of leaving the page.
- Compact headers that maximize usable space.

This consistency reduces cognitive load and allows basketball staff to focus on scouting, planning and

decision-making rather than learning different interfaces. It should become one of DragonHub's strongest design characteristics.

Measurements

Header 60-72 px; navigation 280-320 px (§14).

Do

Keep search above filters and the center dominant.

Don't

Reduce notes to make room for supporting panels.

Related Components

Layout

Related Chapters

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

[Chapter 16 - Page Blueprint & Screen Construction](#)

QA Checklist

- ☐ Search visible?
- ☐ Center largest?
- ☐ Actions top-right?

Chapter 5 - Information Hierarchy & Content Design

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Summary Card anatomy

Scout Summary

Current evaluation

Creates space with changes of pace.

- 1 Answer "What matters?" first.
- 2 Use 20 px summary padding as specified in §14.5.
- 3 Do not fill the summary with every statistic.

- Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

Purpose and Design Rules

5.1 Purpose

Information Hierarchy defines

what users see first.

Professional scouts make hundreds of decisions every day.

DragonHub should always present the most important basketball information first. Everything else should remain secondary.

5.2 Philosophy

DragonHub follows one rule:

Important basketball decisions should require the fewest eye movements possible.

Users should never search for critical information. The interface should naturally guide the eye.

5.3 Information Pyramid

Every page follows the same hierarchy.

Primary Decision → Supporting Information → Historical Information → Administrative Information

Never reverse this order.

5.4 Example - Player Profile [Key principle]

Correct hierarchy

Scout Summary → Estimated Level → Current Club → Latest Observation → Latest Report → Current Statistics → Career → Timeline → Media

Wrong hierarchy

Career → Statistics → Biography → Scout Summary

The club's opinion should always appear before public information.

5.5 Example - Tournament Workspace

Correct

Player → Observations → Tags → Quick Actions → Tournament Information

Not

Tournament → Statistics → Media → Player

The player remains the focus.

5.6 Example - Scouting Matchup

Priority

Player → Notes → Categories → Quick Actions → Statistics Drawer → Reports Drawer

The note-taking area is sacred.

5.7 Example - Dashboard

Priority

Next Game → Week Overview → Upcoming Games → Our Teams → Home Games → Recent Results

The Dashboard answers

"What needs my attention today?"

Everything else supports that answer.

5.8 Example - Watchlist

Priority

Player → Next Game → Last Seen → Latest Observation → Estimated Level → Statistics

The scout should immediately know whether another viewing is required.

5.9 Typography Hierarchy

DragonHub uses only four levels.

Level 1

Page Titles

Level 2

Section Titles

Level 3

Player Names

Club Names

Competition Names

Level 4

Metadata

Everything else.

Avoid unnecessary font sizes.

5.10 Color Hierarchy

Color always represents meaning.

Never decoration.

Priority

Green → Actions

Blue → Projection

Purple → Signals

Grey → Metadata

Orange → Warnings

Red → Errors

Everything else remains neutral.

5.11 Card Hierarchy

Not every card deserves equal attention.

Examples

Primary

Player Workspace

Dashboard

Calendar

Reports

Secondary

Summary Cards

Quick Stats
Team Notes
Supporting
Metadata
Timeline
Media

The page should clearly communicate what deserves attention.

5.12 Chip Hierarchy

Chips remain
supporting information.

Examples
Pro

U18
Scouting

Online
EuroCup

Watchlist

Never allow chips to dominate the layout.

5.13 White Space

Whitespace creates hierarchy.
Not decoration.

Increase whitespace around
Primary Content.

Reduce whitespace around
Metadata.

This naturally guides the eye.

5.14 Reading Order

Every page should support
[Left](#) → [Right](#) → [Top](#) → [Bottom](#)

Important information should never begin in the bottom-right corner.

5.15 Progressive Disclosure [Key principle]

Only display what is necessary.

Examples

[Player Summary](#) → [More Details](#) → [Statistics](#) → [Timeline](#) → [History](#)

Users should choose when to explore deeper information.

5.16 Cognitive Load

DragonHub should minimize
thinking about software.

Examples

Repeated layouts.

Repeated buttons.

Repeated interactions.

Repeated spacing.

The brain should focus on basketball.

Not navigation.

5.17 Information Density

Professional users prefer
higher information density.
But density should never become clutter.

Good density

[Photo](#)
[Name](#)
[Position](#)
[Club](#)
[Level](#)
[Signals](#)

Bad density
Large banners.
Huge buttons.

Decorative cards.

5.18 Must Never Change

Scout Summary before statistics.

Observations before history.

Players before tournaments.

Actions before administration.

Basketball before UI.

5.19 Success Criteria

A professional scout should be able to glance at a page for

three seconds

and immediately understand

- What matters.
- What changed.
- What should happen next.

Without reading everything.

End of Chapter 5

Approved Information Hierarchy Principles

- Basketball information first.
- Internal knowledge before public data.
- Scout Summary before statistics.
- Notes before reports.
- Players before tournaments.
- Actions before administration.
- Progressive disclosure.
- White space guides attention.
- Metadata never dominates.
- Density supports professionals.

Design Note

One of the biggest mistakes in sports software is treating **every piece of information as equally important**.

DragonHub intentionally does the opposite.

The interface should always ask:

"What is the most important basketball decision the user is trying to make right now?"

Everything that helps answer that question moves higher.

Everything else moves lower.

This principle is why:

- the **Scout Summary** comes before statistics,
- the **Player Workspace** dominates Tournament Workspace,
- the **center notes area** dominates Scouting Matchup,
- the **Dashboard** starts with the Next Game rather than recent results.

Protecting this information hierarchy is what will keep DragonHub focused even as new features are added over the coming years. It's one of the key reasons the platform should continue feeling calm and purposeful rather than becoming visually overwhelming.

Measurements

Use the five typography levels (§6.4).

Do

Show internal knowledge before public statistics.

Don't

Give historical detail the strongest visual hierarchy.

Related Components

Summary and information hierarchy

Related Chapters

[Chapter 6 - Typography System](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 11 - Information Density & Progressive Disclosure](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

QA Checklist

- ☐ Summary first?
- ☐ Current first?
- ☐ Metadata secondary?

Chapter 6 - Typography System

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

One family. Five levels.

Display	Player Database Page title
Heading	Scout Summary Section title
Subheading	Karl Chavis Card or panel title
Body	Creates space with controlled changes of pace. Reading text
Metadata	Cedevita Olimpija • 2026/27 Supporting information

- Player names sit above metadata. Hierarchy uses size and weight; statistics align for comparison.

Source: Chapter 6 • Specimen sizes are illustrative, not approved UI tokens

Schematic • illustrative basketball data

VISUAL EXAMPLES

Tables: scanning before decoration

DON'T / visual anti-pattern

PLAYER	PTS	REB
Karl Chavis	14.2	5.1
Cameron Houindo	11.8	6.0
Karl Chavis	16.0	4.8

Color competes with identity. Values are difficult to compare.

DO / approved rules

PLAYER	PTS	REB
Karl Chavis	14.2	5.1
Cameron Houindo	11.8	6.0
Karl Chavis	16.0	4.8

Names left. Numbers right. Neutral rows. Sticky header and infinite list.

- Comfortable row 52 px • compact row 44 px • density changes spacing, never hierarchy.

Source: §§3.13, 6.9, 6.12 and 14.11–14.18

Schematic • illustrative basketball data

Purpose and Design Rules

6.1 Purpose

Typography is the primary communication tool of DragonHub.

Users spend significantly more time reading than interacting with buttons.

Typography should therefore prioritize clarity, speed, and scanning.

The objective is that scouts immediately recognize the importance of information before reading it.

6.2 Philosophy

Typography should communicate hierarchy.

Never decoration.

Fonts should never attract attention.

Basketball information should.

6.3 Font Family

DragonHub uses one primary font family throughout the platform.

Never mix multiple font families.

Consistency improves readability.

Future branding may change the font, but never the hierarchy.

6.4 Typography Scale

Only five sizes exist.

Display

Reserved for page titles.

Heading

Section titles.

Subheading

Card titles.

Panel headers.

Body

Primary reading text.

Reports.

Notes.

Descriptions.

Metadata

Statistics.

Dates.

Tags.

Supporting information.

No additional font sizes.

6.5 Reading Priority

Every page follows

Page Title → Player Name → Section → Body → Metadata

Users should instinctively know where to look first.

6.6 Player Names [Key principle]

Player names receive special treatment.

Examples

Database

Tournament Workspace

Scouting Matchup

Reports

Player Profile

Names should always be one hierarchy above metadata.

The player is the primary object.

6.7 Numbers

Numbers should remain highly readable.

Examples

PTS

REB

AST

Height

Weight

Age

Statistics

Never use decorative number styles.

Alignment should always support comparison.

6.8 Reports

Reports prioritize readability.

Line height

slightly increased.

Paragraph spacing

generous.

Notes should feel like reading a notebook.

Not a spreadsheet.

6.9 Tables

Tables prioritize scanning.

Player Name → Primary

Statistics → Secondary

Metadata → Supporting

Avoid visual competition between columns.

6.10 Capitalization

Page Titles

Title Case

Buttons

Sentence case

Body

Sentence case

Metadata

Sentence case

Avoid ALL CAPS except very small status labels if absolutely necessary.

6.11 Font Weight

Use weight to create hierarchy.

Not colour.

Primary

Bold

Secondary

Medium

Metadata

Regular

Avoid excessive bold text.

6.12 Alignment

Body text

Left aligned.

Statistics

Right aligned where comparison is important.

Player names

Left aligned.

Everything remains consistent.

6.13 Reports

Observation text should always remain easy to read.

Avoid narrow columns.

Avoid tiny font sizes.

Scouts spend hours reading reports.

Comfort matters.

6.14 Must Never Change

One font family.

Five font sizes.

Player names dominate.

Metadata remains subtle.

Hierarchy through size and weight.

Not colour.

6.15 Success Criteria

A scout should understand the importance of information before reading it.

Typography alone should communicate hierarchy.

End of Chapter 6

Approved Typography Principles

- One font family.
- Five font levels.
- Player names always prominent.
- Reports optimized for long reading.
- Statistics optimized for comparison.
- Metadata never competes with primary information.
- Hierarchy created through size and weight.
- Typography remains invisible, allowing basketball information to take center stage.

I actually think **Book 3 will be the most fun to build** because it's where we can include all the mockups we've created over the past month. Instead of just describing principles, we'll show side-by-side examples - **Current vs Approved** - for Dashboard, Calendar, Tournament Workspace, Scouting Matchup, Reports, Player Database and more. That will make it

an incredibly practical handbook for Claude and any future designer or frontend developer.

Measurements

Five levels; source does not define numeric font sizes.

Do

Make player names primary and align comparison values.

Don't

Use extra type levels or decorative number styles.

Related Components

Typography and tables

Related Chapters

[Chapter 5 - Information Hierarchy & Content Design](#)

[Chapter 7 - Color System, Status & Visual Signals](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

[Chapter 17 - Visual Language & Interface Identity](#)

QA Checklist

- ☐ One family?
- ☐ Five levels?
- ☐ Readable reports?

Chapter 7 - Color System, Status & Visual Signals

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Semantic palette

#176247

Action

Save • Follow

Do not use for projection

#245A91

Projection

Estimated Level

Do not merge with Follow

#70509A

Automatic signal

High Upside

Do not style as a button

#995516

Attention

Review required

Do not use for errors

#B03838

Error

Import failed

Do not use for priority

#64717C

Metadata

Date • League


Do not compete with names

Source: Chapter 7 • Rendering swatches are reference samples

Schematic • illustrative basketball data

VISUAL EXAMPLES

Calendar cell anatomy



- 1 Date stays visible.
- 2 Use a vertical team indicator, not a filled team badge.
- 3 Keep one stable team color across modules.
- 4 Interactive legend replaces the team dropdown.
- 5 Preserve the selected week and calendar view.

Source: §§7.5–7.6, 14.15 and 15.16; supplied calendar checklist

Schematic • illustrative basketball data

Purpose and Design Rules

7.1 Purpose

Color exists to communicate meaning.

Not decoration.

Every color inside DragonHub should immediately tell the user something about basketball.

If a color has no meaning, it should not exist.

7.2 Philosophy

DragonHub intentionally uses very little color.

Most of the interface remains neutral.

Color is reserved for

[Actions](#) → [Status](#) → [Basketball Signals](#) → [Warnings](#)

This makes meaningful information immediately stand out.

7.3 Primary Palette

DragonHub uses one neutral base.

[White](#) → [Cards](#)

[Light Grey](#) → [Background](#)

[Dark Grey](#) → [Text](#)

Everything else remains subtle.

7.4 Semantic Colors

Every semantic color has one meaning.

Never reuse colors.

Green: Green

Purpose

Action.

Examples

Save

Generate Report

Import

Follow

Create

Success

Never use green for status labels.

Blue: Blue

Purpose

Basketball Projection.

Examples

Estimated Level

EuroLeague

EuroCup

BCL

Top Domestic

Blue always answers

"How good do we think this player is?"

Purple: Purple

Purpose

Automatic Signals.

Examples

Rookie in Europe

Coming out of College

Breakout Season

High Upside

Top Prospect

Purple always means

"DragonHub detected something."

Orange: Orange

Purpose

Needs Attention.

Examples

Review Required

Outdated Statistics

Incomplete Roster

Missing Reports

Never use orange for errors.

Red: Red

Purpose

Errors.

Import Failed

Relationship Missing

Permission Denied

Delete

Only system problems.

Grey: Grey

Purpose

Metadata.

Dates

Height

Weight

League

Country

Never compete with basketball information.

7.5 Team Colors [Key principle]

Every team owns

one permanent color.

This color appears

[Dashboard](#) → [Calendar](#) → [Roster](#) → [Scouting Matchup](#) → [Reports](#) → [Tournament Workspace](#)

Never create different colors for the same team.

7.6 Calendar

Approved solution
Vertical Team Color Indicator.
Not
colored badges.
Reasons
Cleaner
Better mobile
Less clutter
Matches Dashboard
This decision is permanent.

7.7 Estimated Level

Estimated Level always uses
Blue.
Examples
Blue: EuroLeague
Blue: EuroCup
Blue: BCL
Blue: ABA
Blue: Development
Never use green.
Green belongs to actions.

7.8 Follow

Follow always remains
Green.
Example
Green: Follow
Never merge
Follow
with
Estimated Level.
They represent different ideas.

7.9 Automatic Signals

Automatic Signals always remain
Purple.
Examples
Purple: Rookie in Europe
Purple: Coming out of College
Purple: High Upside
Purple: Breakout
Signals should always look different from workflow
actions.

7.10 Chips

Chips should remain visually quiet.
Examples
Pro
Youth
Scouting
Online
U16
Club Tournament
Maximum height
28px
Padding remains minimal.
Chips communicate.
They do not decorate.

7.11 Badges

Badges communicate
state.
Examples
Watchlist
Review Queue
Priority
Availability

Estimated Level
Automatic Signals
Badges remain small.
Never oversized.

7.12 Status Indicators

Approved status colors

Grey → Inactive
Blue → Information
Green → Completed
Orange → Attention
Red → Problem

The meaning never changes.

7.13 Buttons

Buttons remain
filled.
Outline buttons used only for
secondary actions.
Avoid colorful button collections.
One page should rarely contain more than
one primary green button.

7.14 Icons

Icons remain monochrome.
Only status icons receive semantic colors.
Avoid colorful icon sets.
Icons support recognition.
Not decoration.

7.15 Contrast

Both themes

Light → Dark

must preserve contrast.

Green buttons must remain readable.
Dark Theme should never hide actions.
Accessibility takes priority.

7.16 Visual Noise

Whenever a page feels busy,
remove
Color
before removing
Information.
DragonHub prefers
information-rich
neutral interfaces.

7.17 Must Never Change

Green → Actions

Blue → Projection

Purple → Automatic Signals

Orange → Warnings

Red → Errors

Team colors remain permanent.
Vertical indicators remain the Calendar standard.
Follow and Estimated Level remain visually distinct.

7.18 Success Criteria

A scout should immediately understand
whether something is
an action,
a basketball evaluation,
a system warning,
or metadata
without reading the text.
Color alone should communicate meaning.
End of Chapter 7

Approved Color Principles

- Color communicates meaning.
- One color = one meaning.
- Green = actions.
- Blue = projection.
- Purple = automatic signals.
- Orange = attention.
- Red = errors.
- Grey = metadata.
- Team colors remain permanent.
- Vertical team indicators replace colored badges.
- Information always takes priority over decoration.

Design Note

I honestly think this chapter captures one of the biggest design improvements we made together.
At the beginning of the redesign, many pages looked **too colorful** because every type of information used its own badge or accent.
Over time we simplified the visual language:

- the Calendar moved from large colored badges to subtle vertical team lines,
- Follow and Estimated Level became visually distinct,
- Automatic Signals received their own color,
- metadata became neutral,
- actions remained green.

The result is a much calmer interface where color carries meaning instead of simply attracting attention. I think this principle should be protected carefully. As DragonHub grows, it will be tempting to introduce new colors for every new feature. Instead, new features should reuse the existing semantic palette so that users never need to relearn what colors mean. That's one of the characteristics that makes

professional software feel consistent over many years of development.

Measurements

Chips 28 px; reference palette shown in visual examples.

Do

Separate Follow, Estimated Level and Automatic Signals.

Don't

Use color as decoration or merge their meanings.

Related Components

Semantic colors and calendar indicators

Related Chapters

[Chapter 3 - Component Library](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

[Chapter 17 - Visual Language & Interface Identity](#)

QA Checklist

- ☐ Meaning consistent?
- ☐ Labels present?
- ☐ Team colors stable?

Chapter 11 - Information Density & Progressive Disclosure

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Reveal detail progressively



- Keep the basketball task continuous.

Source: Chapter 11

Schematic • illustrative basketball data

Purpose and Design Rules

11.1 Purpose

DragonHub is designed for professional basketball staff.

Professional users require more information than casual users.

However,
more information should never become visual clutter.
This chapter defines how DragonHub balances information density
and
readability.

11.2 Philosophy

DragonHub should always display
enough information to make a basketball decision
but

never more than necessary.

Users should progressively discover information.
Not receive everything immediately.

11.3 Information Layers

Every page consists of four layers.

[Primary Information](#) → [Supporting Information](#) →
[Context](#) → [History](#)

Every page should follow this hierarchy.

11.4 Primary Information [Key principle]

Primary information answers

What do I need to know right now?

Examples

[Dashboard](#) → [Next Game](#)

[Player Profile](#) → [Scout Summary](#)

[Tournament Workspace](#) → [Current Player](#)

[Scouting Matchup](#) → [Observation Editor](#)

Primary information always dominates the page.

11.5 Supporting Information

Supporting information helps explain the primary object.

Examples

[Player](#) → [Height](#)

Age

Club

Nationality

Position

Current Competition

Estimated Level

Follow

Supporting information remains visible
but never dominates.

11.6 Context Information

Context explains

where

the object exists.

Examples

Tournament

Competition

League

Game

Event

Country

Everything helps interpretation.

11.7 Historical Information

History is always available

but never first.

Examples

Timeline

Career

Historical Reports

Old Statistics

Past Clubs

Users choose when to explore history.

11.8 Progressive Disclosure

DragonHub intentionally reveals information
gradually.

Example

[Player](#) → [Summary](#) → [Profile](#) → [Reports](#) → [Statistics](#)
→ [Timeline](#) → [Media](#)

Every deeper layer requires user intent.

11.9 Detail Levels

Every object supports three detail levels.

Quick View

Examples

Database

Watchlist

Review Queue

Contains

Photo

Name

Club

Position

Estimated Level

One glance.

Standard View

Player Profile

Tournament Workspace

Scouting Matchup

Everything required for basketball decisions.

Deep View

Reports

Timeline

Statistics

Career

Media

Used for detailed research.

11.10 Screen Density

Professional applications may display

more information

than consumer software.

However

every screen should answer

Can the user immediately scan this?

If not,

reduce visual noise.

Not information.

11.11 Visual Noise

Before removing basketball information,

remove

Borders

Colors

Icons

Shadows

Spacing inconsistencies

Decorative elements

The objective is

high information

low noise.

11.12 Secondary Panels

Examples

Statistics

Reports

Timeline

Comparison

These belong in

Drawers

Tabs

Expandable Sections

Never permanently reduce the primary workspace.

11.13 Dashboard Example

Wrong

Many widgets

Many colours

Many badges

Many KPIs

Correct

Next Game

Week Overview

Upcoming Games

Our Teams

Home Games

Recent Results

Simple.

Focused.

11.14 Player Profile Example

Wrong

Biography

Career

Statistics

Media

Scout Summary

Correct

[Scout Summary](#) → [Estimated Level](#) → [Latest Observation](#) → [Reports](#) → [Statistics](#) → [Timeline](#)

The club's knowledge always comes first.

11.15 Scouting Matchup Example

Wrong

Permanent statistics

Timeline

Reports

Media

Correct

[Player](#) → [Observation](#) → [Categories](#) → [Quick Actions](#)

Everything else opens

inside Drawers.

11.16 Tournament Workspace Example

Wrong

Tournament information dominates.

Correct

Player Workspace dominates.

Tournament supports.

Not the opposite.

11.17 White Space

Whitespace creates

breathing room.

Not emptiness.

Increase whitespace around

Primary Content.

Reduce whitespace around

Metadata.

The eye naturally follows hierarchy.

11.18 Information Compression

Professional users should be able to switch between
[Comfortable](#) → [Compact](#)

Density

Examples

Player Database

Reports

Watchlist

Review Queue

The underlying hierarchy never changes.

Only spacing.

11.19 Must Never Change

Primary information always dominates.

Supporting information remains secondary.

History remains optional.

Progressive disclosure remains standard.

Reduce visual noise before reducing basketball information.

11.20 Success Criteria

A scout should be able to understand any DragonHub page within three seconds.

Without reading every element.

The interface should naturally communicate what matters most.

End of Chapter 11

Approved Information Density Principles

- Basketball decisions first.
- Information before decoration.
- Four information layers.
- Progressive disclosure everywhere.

- Drawers contain secondary information.
- High information, low visual noise.
- Whitespace creates hierarchy.
- History is always available but never dominant.
- Primary workspaces remain protected.
- Professional users control density.

Design Note

I actually think this chapter explains **why DragonHub has started looking so much better over the last month.**

At the beginning of the redesign, our instinct was often to **add**:

- more chips,
- more colors,
- more panels,
- more statistics,
- more widgets.

Over time we realized the better solution was usually to **reorganize**, not remove.

For example:

- the Calendar moved from large team badges to subtle vertical team indicators,
- Scouting Matchup moved statistics into a drawer instead of giving them permanent space,
- Tournament Workspace shifted focus from tournament information to player evaluation,
- Player Profile began with the Scout Summary instead of statistics.

The amount of information didn't decrease.

The **clarity** increased.

That's exactly the philosophy this chapter protects.

As DragonHub grows, there will always be pressure to show more information. This chapter ensures that the platform instead becomes **more informative**

without becoming more overwhelming, which I think is one of the defining characteristics of truly professional software.

Measurements

Standard 24 px padding; sections 32 px apart.

Do

Reveal secondary and historical information when needed.

Don't

Remove useful basketball content before reducing visual noise.

Related Components

Progressive disclosure

Related Chapters

[Chapter 5 - Information Hierarchy & Content Design](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

QA Checklist

- ☐ Primary first?
- ☐ Supporting second?
- ☐ Detail on demand?

Chapter 14 - Spacing, Alignment & Visual Rhythm

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Spacing and component dimensions

4 px

8 px

12 px

16 px

24 px

32 px

48 px

64 px

24 px

→

24 px standard card padding

16 px compact

20 px summary (\$14.5)

Header	60–72 px; brief example 64 px
Navigation	280–320 px; example 300 px
Chips	24 / 28 px; see draft conflict note
Buttons	36 / 40 / 48 px visual height
Table rows	44 / 52 px
Drawer	≈30 / 40 / 50%
Touch target	44 px minimum (\$15.18)

Source: Chapter 14; brief examples • px values describe the UI, not the printed page

Schematic • illustrative basketball data

Purpose and Design Rules

14.1 Purpose

Spacing is one of DragonHub's primary design tools. Good spacing creates hierarchy without adding colors or borders.

The objective is to make every page feel

- Calm
- Readable
- Professional
- Organized

Spacing should communicate importance before the user reads a single word.

14.2 Philosophy

Whitespace is functional.

Not decorative.

If users feel a page is busy, the solution is usually better spacing, not fewer features.

DragonHub should reduce visual noise before reducing basketball information.

14.3 Spacing System

DragonHub uses one spacing scale.

Approved spacing

4
8
12
16
24
32
48
64

No arbitrary spacing values.

Every margin and padding uses this scale.

14.4 Layout Rhythm

Every page follows the same vertical rhythm.

Header → 24px → Search → 16px → Filters → 16px → Workspace → 24px → Sections → 32px

Consistency improves scanning.

14.5 Card Padding [Key principle]

Standard cards

24px padding.

Compact cards

16px padding.

Summary cards

20px padding.

Never invent custom padding values.

14.6 Headers

Headers remain compact.

Recommended height

60-72px

Never exceed

100px

unless absolutely required.

Large hero sections are intentionally avoided.

14.7 Section Spacing

Distance between major sections

32px

Examples

Dashboard widgets → Calendar → Reports → Player sections

This spacing creates visual grouping.

14.8 Form Spacing

Inputs → 12px

Labels → 8px

Groups → 24px

Everything remains predictable.

14.9 Chip Dimensions

Approved chip height

28px

Compact chip

24px

Maximum

32px

The goal is metadata, not decoration.

14.10 Buttons

Primary button height

40px

Compact

36px

Large

48px

Use large buttons sparingly.

14.11 Tables

Row heights

Comfortable

52px

Compact

44px

Database density may be switched by the user.

Spacing changes.

Hierarchy does not.

14.12 Player Rows

Standard spacing

[Photo](#) → 12px → [Name](#) → 4px → [Metadata](#)

Everything vertically aligned.

Rows should feel clean even when dense.

14.13 Sidebar Widths

Navigation

280-320px

Scouting rosters

300-340px

Summary sidebars

320-360px

Never sacrifice the primary workspace.

14.14 Drawers

Small

≈30%

Medium

≈40%

Large

≈50%

Consistent widths across the platform.

14.15 Calendar

Spacing priorities

[Calendar Grid](#) → Largest

[Legend](#) → Compact

[Filters](#) → Compact

[Summary](#) → Minimal

More calendar.

Less chrome.

14.16 Dashboard

Cards should align perfectly.

Equal spacing.

Equal height where possible.

Widgets should feel balanced.

14.17 Reports

Reading comfort matters.

Increase

line height.

Increase

paragraph spacing.

Avoid long uninterrupted blocks.

14.18 Alignment

Left alignment

Default.

[Numbers](#) → Right aligned

[Statistics](#) → Right aligned

[Player names](#) → Left aligned

Everything follows one rhythm.

14.19 Visual Balance

Whenever a page feels unbalanced,

adjust

[Spacing](#) → [Alignment](#) → [Hierarchy](#)

before changing

Color

or

Layout.

Spacing is usually the correct solution.

14.20 Must Never Change

Spacing uses one scale.

Headers remain compact.

Cards use standard padding.

Primary workspace always receives the most space.

Whitespace communicates hierarchy.

Consistency is mandatory.

14.21 Success Criteria

A user should immediately feel

organized,

calm,

and

in control,

without consciously noticing the spacing.

The layout should feel effortless.

End of Chapter 14

Approved Spacing Principles

- One spacing scale.
- Compact headers.
- Consistent card padding.
- Chips remain small.
- Buttons remain proportional.
- Sidebars stay narrow.
- Primary workspace gets the most space.

- Whitespace creates hierarchy.
- Alignment before decoration.
- Visual rhythm throughout the platform.

Design Note

I actually think this chapter explains **why DragonHub has started looking much more premium** over the last few weeks.

Most of the improvements we've made weren't about changing colors or adding features.

They were about **spacing**.

Examples:

- reducing oversized chips,
- shrinking event badges,
- narrowing headers,
- giving more room to note-taking,
- keeping sidebars compact,
- widening the center workspace,
- aligning player rows consistently.

The information stayed almost identical.

The experience improved dramatically.

That's because professional software often feels premium **not because it has more design**, but because it has **more discipline**.

This chapter should therefore be treated as one of the foundations of the Design System. As DragonHub grows, maintaining a consistent visual rhythm will do more to preserve the product's identity than almost any individual UI component.

Measurements

4 / 8 / 12 / 16 / 24 / 32 / 48 / 64 px scale.

Do

Use shared dimensions and keep numbers aligned.

Don't

Invent arbitrary margins or oversized chrome.

Related Components

Spacing and alignment

Related Chapters

[Chapter 2 - Layout System & Page Structure](#)

[Chapter 3 - Component Library](#)

[Chapter 6 - Typography System](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

QA Checklist

- ☐ Padding?
- ☐ Alignment?
- ☐ Compact header?
- ☐ Primary area largest?

Chapter 17 - Visual Language & Interface Identity

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Light and dark keep the same hierarchy

Light theme

Karl Chavis

Cedevita Olimpija • 2026/27

Scout Summary

Current knowledge stays first.
Controls keep their meaning.

[Follow](#)

Dark theme

Karl Chavis

Cedevita Olimpija • 2026/27

Scout Summary

Current knowledge stays first.
Controls keep their meaning.

[Follow](#)

Source: §§17.16–17.17 and 7.15 • Reference rendering, not a new layout

Schematic • illustrative basketball data

Purpose and Design Rules

17.1 Purpose

DragonHub should have a recognizable visual identity.

Users should immediately recognize a DragonHub screen without seeing the logo.

The interface should feel

Professional

Minimal

Calm

Confident

Every screen should communicate trust and clarity.

17.2 Philosophy

DragonHub is not a marketing website.

It is professional software.

Professional software should communicate confidence rather than excitement.

The interface should quietly support basketball work.

It should never compete with it.

17.3 First Impression

When opening DragonHub, users should think

"This feels organized."

Not

"This looks cool."

Professional users value

clarity

over

visual effects.

17.4 Visual DNA [Key principle]

Every DragonHub screen follows these characteristics.

- Large workspaces
- Compact headers
- Neutral backgrounds
- Minimal color
- Strong typography
- Generous whitespace
- Clear hierarchy
- Stable layouts

These characteristics define DragonHub.

17.5 Design Personality

DragonHub should feel

Focused

Reliable

Precise

Modern

Professional

Not

Playful

Experimental

Decorative

Corporate

Every visual decision should reinforce these qualities.

17.6 Card Language

Cards should feel lightweight.

Examples

✓ Thin border

✓ Very subtle shadow

✓ Rounded corners

✓ Plenty of breathing room

Avoid

Heavy shadows

Thick borders

Gradient backgrounds

Glass effects

Cards should quietly organize information.

17.7 Backgrounds

Backgrounds remain intentionally simple.

Primary workspace → White

Secondary workspace → Very light neutral grey

Avoid decorative textures.

The content remains the hero.

17.8 Visual Contrast

Contrast is created primarily through

Hierarchy

Spacing

Typography

Not

Color

Borders

Shadows

Good design should remain readable even in grayscale.

17.9 Icons

Icons support recognition.

Not decoration.

Rules

- One icon family
- Consistent stroke weight
- Minimal filled icons
- Same visual size

Icons should never become illustrations.

17.10 Imagery

DragonHub uses very little imagery.

Approved

Player photos

Club logos

Competition logos

Flags

Future video thumbnails

Avoid

Decorative stock photography

Hero banners

Background images

Basketball itself provides the visuals.

17.11 Data Density

DragonHub intentionally displays

high information density.

However

density should always feel organized.

Good

Photo

Name

Position

Club

Estimated Level

Signals

Bad

Huge cards

Large margins

Only one piece of information

Professional users value efficiency.

17.12 Consistency

Consistency is more important than novelty.

Users should immediately recognize

Buttons

Cards

Drawers

Search

Filters

Tables

Headers

Everywhere.

Visual surprises should be avoided.

17.13 Motion

Motion should communicate

State.

Never entertainment.

Approved

Drawer opens

Expand

Collapse

Fade

Skeleton loading

Avoid

Bounce

Elastic animations

Parallax

Decorative motion

17.14 Empty Space

Empty space communicates confidence.

Do not fill unused space simply because it exists.

Good software is comfortable to read.

17.15 Branding

Branding should remain subtle.

DragonHub branding appears

Login

Guide

About

Settings

The product itself should prioritize basketball rather than logos.

17.16 Light Theme

Light Theme becomes the reference implementation.

Every new screen is designed in Light Theme first.

Dark Theme mirrors the layout.

Not the opposite.

17.17 Dark Theme

Dark Theme supports

long scouting sessions.

It should never reduce readability.

Green buttons

must always remain visible.

Grey metadata

must maintain sufficient contrast.

Dark Theme should feel equally polished.

17.18 Visual Anti-Patterns

Avoid

Large hero sections

Decorative banners

Oversized chips

Bright gradients

Random colors

Inconsistent buttons

Different card styles

Multiple icon families

Every new feature should reduce visual noise rather than increase it.

17.19 Must Never Change

DragonHub remains

Professional.

Minimal.

Basketball-first.

Calm.

Whitespace remains intentional.

Visual hierarchy remains stronger than visual decoration.

The interface should age well.

17.20 Success Criteria

A screenshot of DragonHub should be recognizable without showing the logo.

Users should immediately associate the interface with clarity,

professional basketball,

and efficient scouting workflows.

The product should feel timeless rather than trendy.

End of Chapter 17

Approved Visual Identity Principles

- Professional before decorative.
- Basketball before branding.
- Light Theme is the reference.
- Dark Theme receives equal quality.
- Typography creates hierarchy.
- Spacing creates structure.
- Color communicates meaning.
- Cards organize information quietly.
- Motion explains state.

- The interface should disappear behind the basketball.

Design Note

I actually think this chapter is the one that gives DragonHub its **identity**.

Many products can copy layouts.

Many products can copy components.

Very few products have a recognizable visual personality.

Looking back at all the mockups we've created together, I think DragonHub's identity is becoming surprisingly clear:

- calm rather than busy,
- dense rather than sparse,
- minimal rather than decorative,
- professional rather than trendy,
- basketball-first rather than software-first.

Those aren't just aesthetic preferences - they're product decisions.

If we protect this visual identity over the coming years, I think someone should eventually be able to recognize a DragonHub screenshot instantly, even if the logo is hidden. That's the sign of a mature design system, and I think it's exactly where DragonHub should aim.

Measurements

Apply shared type hierarchy (§6) and spacing (§14).

Do

Use neutral surfaces, strong typography and restrained color.

Don't

Add heavy gradients, decorative borders or oversized branding.

Related Components

Visual identity and themes

Related Chapters

[Chapter 1 - Design Philosophy](#)

[Chapter 6 - Typography System](#)

[Chapter 7 - Color System, Status & Visual Signals](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

QA Checklist

- ☐ Recognizable?
- ☐ Calm?
- ☐ Light and dark legible?

Part II

Components and Basketball Objects

Chapter 3 - Component Library

Chapter 8 - Basketball Objects & Core UI Components

Chapter 13 - Drawers, Popups & Contextual Workspaces

Chapter 3 - Component Library

DragonHub

VISUAL EXAMPLES

Actions, metadata and states

Button hierarchy

Save

Compare

Show history

Remove

40 px visual button inside a 44 px minimum touch target

Follow

Visible shape ≠ interaction target

Metadata chips

Pro

Youth

U16

EuroCup

28 px standard visual height; quiet and compact.

No reports yet.

Empty state: reason + next action
Create your first Player Report.

Create report

Progressive loading

Source: §§3.4–3.6, 3.14–3.15, 14.9–14.10, 15.18

Schematic • illustrative basketball data

Editing stays in the workflow

Cameron Houindo

Observation

Tracks the ball early.

Strong second effort on rebounds.

Rebounding

Save

- 1 Give the note editor the largest area.
- 2 Label → input: 8 px; form groups: 24 px.
- 3 Save feedback must be immediate.
- 4 Keep author and date on saved objects, not as live-entry clutter.
- 5 Do not send the user to a separate edit page.

Source: Chapters 4, 8, 13 and 14

Schematic • illustrative basketball data

Purpose and Design Rules

3.1 Purpose

The Component Library defines every reusable UI element inside DragonHub.

Every interface should be assembled from existing components.

Developers should almost never create new UI elements.

Instead

[Reuse](#) → [Configure](#) → [Compose](#)

The Component Library guarantees visual consistency across the entire DragonHub ecosystem.

3.2 Philosophy

Every component solves one problem.

One component.

One purpose.

Never create

PlayerCardV2

PlayerCardCompact

PlayerCardAlternative

Instead

[One Player Card](#) → [Different configurations](#)

Everything should evolve together.

3.3 Component Hierarchy

DragonHub components are divided into four levels.

Foundation Components

Button

Icon

Avatar

Typography

Divider

Spacing

Tooltip

Skeleton

Everything else builds upon these.

Interaction Components

Search

Filters

Dropdown

Tabs

Drawer

Modal

Table

Infinite List

Date Picker

Notification

Shared by every module.

Basketball Components [Key principle]

Player Card

Player Header

Scout Summary

Observation Card

Club Card

Competition Card

Game Card

Event Card

Timeline Card

Roster List

Quick Stats

These define DragonHub.

Layout Components

Dashboard Widget

Sidebar

Header

Filter Row

Workspace

Summary Card

Everything follows the same spacing.

3.4 Buttons

Approved button hierarchy.

Primary

Green

Used only for the most important action.

Examples

Save

Generate Report

Import Teams

Create Report

Secondary

Neutral

Examples

Cancel

Edit

Open

Compare

Tertiary

Text only.

Examples

Learn More

View All

Show History

Destructive

Red

Delete
Archive
Remove
Used sparingly.

3.5 Chips

Chips communicate metadata.
Never primary actions.
Examples
Pro
Youth
Watchlist
Scouting
Online
EuroCup
U16
Club Tournament
Maximum height
28px
Small.
Compact.
Never dominate the interface.

3.6 Badges

Badges communicate status.
Examples
Follow
Estimated Level
Automatic Signals
Priority
Status
Badges remain consistent throughout DragonHub.

3.7 Cards

Cards become the default information container.
Standard
Rounded corners
Soft border
Very subtle shadow
Consistent padding
No heavy gradients.
No decorative borders.
Cards should quietly organize information.

3.8 Player Card [Key principle]

Every module uses the same Player Card.
Standard layout

Photo: Photo
Name
Position • Height • Age
Club
USA Nationality
Green: Follow
Blue: EuroCup
Automatic Signals

Modules
Player Database
Watchlist
Review Queue
Tournament Workspace
Team List
Free Agents
Everywhere.

3.9 Club Card

Displays
Logo
Club Name
League

Country
Current Season
Roster Size
No additional clutter.

3.10 Competition Card

Displays
Logo
Competition
Country
Season
Teams
Status
Same layout everywhere.

3.11 Summary Cards

Used
Dashboard
Events
Reports
Overview pages
Purpose
Quick understanding.
Never detailed information.

3.12 Drawers

Every drawer follows identical structure.
[Header](#) → [Summary](#) → [Tabs](#) → [Content](#) → [Actions](#)
Examples
Player
Club
Competition
Reports
Timeline

Statistics

No custom drawer designs.

3.13 Tables

Tables remain

Sortable

Resizable

Sticky Header

Infinite Scroll

Compact

Basketball-first.

3.14 Empty States

Every empty state explains

Why

What next

Example

No reports yet.

Create your first Player Report.

Never display

"No data."

3.15 Loading States

Skeleton loading

becomes standard.

Never large blocking spinners.

Users should immediately understand what is loading.

3.16 Profile Photos

Priority

Photo → Initials

Never

Photo

+

Initials

together.

Every profile photo uses identical dimensions.

3.17 Logos

Club Logos

Competition Logos

Flags

remain cached.

Never allow layout shifts while logos load.

Reserve space before loading.

3.18 Tooltips

Tooltips explain.

Never teach.

Example

Hover → Team Name

Good.

Tooltip explaining

what a button does → Acceptable.

Tooltip explaining

the entire page → Wrong.

3.19 Must Never Change

One Button.

One Player Card.

One Club Card.

One Competition Card.

One Drawer.

One Search.

One Filter.

One Table.

Everything reused.

Never duplicated.

3.20 Success Criteria

A developer creating a new module should build it almost entirely from existing DragonHub components.

Very little new UI should be required.

Consistency becomes automatic.

End of Chapter 3

Approved Component Principles

- One component for every purpose.
- Components configured rather than duplicated.
- Basketball components become first-class citizens.
- Player Card reused everywhere.
- Cards remain minimal.
- Chips communicate metadata only.
- Buttons communicate actions only.
- Drawers remain standard.
- Skeleton loading everywhere.
- Empty states guide users.

Design Note

I think this chapter captures one of the most important lessons from the last month of redesign work.

Every time we created a new screen - Tournament Workspace, Reports, Team List, Watchlist, Free Agents - we naturally ended up designing the same components again:

- player cards,
- headers,
- chips,
- buttons,
- filters,
- drawers.

That tells us those aren't page-specific elements - they're **DragonHub components**.

Once this Component Library exists, new modules won't start with a blank canvas. They'll start by assembling trusted, familiar building blocks. That not only speeds up development but also ensures that every new feature immediately feels like DragonHub rather than a separate application. I think this chapter is the cornerstone of making the platform visually coherent for years to come.

Measurements

Card 24 px; chip 28 px; button 40 px; target 44 px.

Do

Reuse one configurable component for each purpose.

Don't

Create module-specific copies.

Related Components

Buttons, cards, chips and forms

Related Chapters

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

[Chapter 14 - Spacing, Alignment & Visual Rhythm](#)

[Chapter 15 - Responsive Design & Device Experience](#)

QA Checklist


- ☐ Shared components?
- ☐ States covered?
- ☐ Labels clear?

Chapter 8 - Basketball Objects & Core UI Components

DragonHub

VISUAL EXAMPLES

Player Card anatomy



- 1 Identity: reserve photo space; use initials only when a photo is absent.
- 2 Player name: one hierarchy above metadata.
- 3 Context: position, height, age, club and nationality.
- 4 Estimated Level: blue projection; separate from green Follow.
- 5 Automatic Signals: purple; never a primary action.
- 6 Container: 24 px standard padding; 16 px compact.

• Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

VISUAL EXAMPLES

Club and Competition anatomy

BCV

BC Vienna
Club object

Competition

Domestic League

Country

Austria

Season

2026/27

Roster

14 players

EC

EuroCup
Competition object

Season / Country

2026/27 • International

Stage

Regular season

Teams

20

Status

Scheduled

- Club identity and competition identity remain distinct objects.
- Reuse these same components in Team List, drawers and tournament navigation.
- Reserve logo space before loading; no layout shift.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

VISUAL EXAMPLES

Report Card anatomy

Player Report

Karl Chavis • Marko Turk • 20 Sep 2026

Review decisions against pressure.

- 1 Report type and title answer what.
- 2 Player and author answer who.
- 3 Date answers when.
- 4 Tags and quick actions remain secondary.

• Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

VISUAL EXAMPLES

Observation Card anatomy

Cameron Houindo

Marko Turk • 20 Sep 2026

Strong second effort on rebounds.

- 1 Player identity remains attached.
- 2 Observation receives the largest area.
- 3 Tags, author and date remain metadata.
- 4 This is a saved card; live note entry has no timestamp clutter.

- Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

VISUAL EXAMPLES

Timeline Card anatomy

20 Sep 2026

Player report • Karl Chavis

Source: scouting observation

- 1 Date anchors the chronological sequence.
- 2 Event explains what happened.
- 3 Object links to the basketball identity.
- 4 Source points back to original knowledge.

- Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

VISUAL EXAMPLES

Statistics Card anatomy

Quick Stats
Illustrative values • 2026/27
PTS 14.2 REB 5.1 AST 3.8
MIN 26.0 FG% 47.2

Open statistics

- 1 Keep PTS, REB, AST, MIN and FG% compact.
- 2 Right-align values when comparing rows.
- 3 Detailed statistics open in a drawer.
- 4 Public statistics follow internal scouting knowledge.

• Same object, every module. Configure the component; do not create a new variant.

Source: Chapters 3, 8 and 14

Schematic • illustrative basketball data

Purpose and Design Rules

8.1 Purpose

DragonHub is built around basketball objects rather than generic interface elements.

The interface should communicate basketball immediately.

Instead of thinking

- Card
- Panel
- Container

DragonHub thinks

- Player
- Club
- Game
- Tournament
- Competition
- Report

These become first-class design objects.

8.2 Philosophy

Basketball objects should remain visually consistent across the platform.

A Player should always look like a Player.

A Club should always look like a Club.

Regardless of which module the user is currently using.

Recognition should become automatic.

8.3 Player Object [Key principle]

The Player Object is the most important UI element in DragonHub.

Every module uses the same structure.

Photo: Profile Photo
Player Name
Position • Height • Age
Club
Nationality
Automatic Signals
Estimated Level
Follow

Everything else is optional.

Used in

Player Database
Player Profile
Watchlist
Review Queue
Shortlist
Tournament Workspace
Scouting Matchup
Team List
Free Agents
Youth Database
KZS

Never redesign this object.

8.4 Player Header

The Player Header appears whenever a player becomes the primary focus.

Structure

Photo → Name → Position → Club → Nationality → Estimated Level → Follow → Automatic Signals

Header remains compact.

Never oversized.

The workspace below is more important.

8.5 Club Object

Every club displays

Logo → Club Name → Competition → Country → Roster Size → Season

Same everywhere.

Never multiple layouts.

8.6 Competition Object

Displays

- Logo
- Competition
- Season
- Country
- Current Stage
- Teams
- Current Status

Everything references Competition Registry.

8.7 Game Object

Every game follows one layout.

Display

Home Logo → Away Logo → Competition → Date → Venue → Status → Result

Games remain visually identical

- Dashboard
- Calendar
- Reports
- Events
- Watchlist

Everywhere.

8.8 Event Object

Display

Tournament → Country → Date → Teams → Status → Competition

Small metadata chips.

Never oversized.

8.9 Report Object

Display

Report Type → Title → Player → Author → Date → Tags → Quick Actions

Reports should immediately communicate

What

Who

When

8.10 Observation Object

Observation Cards contain

Player → Observation → Tags → Author → Date

Observations remain intentionally simple.

No decorative UI.

8.11 Timeline Object

Timeline Cards display

Date → Event → Object → Source

Every timeline item shares identical structure.

8.12 Team Object

Displays

Logo → Name → League → Roster → Current Competition → Team Notes Indicator

Never simply a logo and text.

8.13 Quick Stats Object

Quick Stats remain compact.

Display

PTS

REB

AST

MIN

FG%

Everything else opens

inside

Statistics Drawer.

Quick Stats should never become a statistics page.

8.14 Summary Object

Used

Dashboard

Player Profile

Reports

Overview pages

Summary always answers

"What matters?"

Never attempt to show everything.

8.15 Workspace Object

Workspaces always contain

Navigation → Primary Content → Supporting Information

Examples

Tournament Workspace

Scouting Matchup

Reports

Game Notebook

One layout philosophy.

8.16 Empty Object

Every object supports an empty state.

Example

Player → No Reports → Create Report

Club → No Team Notes → Create Team Note

Objects always guide the next action.

8.17 Object Relationships

Objects visually reference one another.

Example

Player → Club → Competition → Game → Report → Timeline

Users should always feel everything is connected.

8.18 Must Never Change

Players always look like Players.

Clubs always look like Clubs.

Games always look like Games.

Objects remain consistent.

Objects never receive module-specific redesigns.

Basketball identity takes priority over module identity.

8.19 Success Criteria

A scout should recognize

Players

Clubs

Games

Reports

Events

within milliseconds,

without reading titles.

Visual recognition should become automatic.

End of Chapter 8

Approved Basketball Object Principles

- Basketball objects replace generic cards.
- One Player Object.
- One Club Object.
- One Competition Object.
- One Game Object.
- One Event Object.
- One Report Object.
- Objects remain visually identical throughout DragonHub.

- Modules arrange objects differently.
- Objects themselves never change.

Design Note

I actually think this chapter may become **the defining chapter of the entire Design System**.

One thing I noticed while helping redesign DragonHub is that we repeatedly stopped talking about "cards" and started talking about **players, clubs, tournaments and games**.

That shift is important.

Most software design systems are built from generic UI components.

DragonHub should be built from **basketball concepts**.

That means when a developer builds a new module, they don't ask:

"Which card should I use?"

They ask:

"Which basketball objects belong on this screen?"

Once those objects exist and remain visually consistent, every future module - from Transfer Center to Medical, Academy or Video Analysis - will automatically feel like DragonHub because it is composed from the same basketball vocabulary rather than a collection of unrelated interface elements. I think this is one of the strongest long-term design decisions we've documented.

Measurements

Standard padding 24 px; summary 20 px; compact 16 px.

Do

Reuse Player, Club, Competition, Report and Timeline objects.

Don't

Redesign identity for each module.

Related Components

Basketball objects

Related Chapters

[Chapter 3 - Component Library](#)

[Chapter 5 - Information Hierarchy & Content Design](#)

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

QA Checklist

- ☐ Same object?
- ☐ Correct context?
- ☐ Useful relationships?

Chapter 13 - Drawers, Popups & Contextual Workspaces

DragonHub

VISUAL EXAMPLES

Drawer anatomy and context

DragonHub

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Player Database

Search players

All teams2026/27Saved view

PLAYER

CH

Cameron Houindo

SF • France U16

KC

Karl Chavis

SF • Cedevita Olimpija

Karl Chavis

Cedevita Olimpija

Scout Summary

Current scouting opinion comes first.

ReportsTimeline

Details load progressively.

Statistics and history remain secondary.

1 Header

Title, context, primary action and Close.

2 Summary

Current knowledge before numbers.

3 Tabs

Optional. Reuse standard components.

4 Body

Scrollable, readable and task-focused.

5 Close

Restore search, filters, scroll and selection.

Source: Chapter 13 • Standard medium drawer ≈40%

Schematic • illustrative basketball data

Purpose and Design Rules

13.1 Purpose

DragonHub minimizes navigation by using contextual workspaces.

Instead of moving users between pages, DragonHub brings information to the user.

The objective is to preserve

- context,
- workflow,
- concentration.

Users should remain inside the same basketball task.

13.2 Philosophy

Changing pages interrupts thinking.

Opening a drawer does not.

Professional scouts frequently switch between

Players → Reports → Games → Statistics → Timeline

without wanting to restart their workflow.

DragonHub should support this naturally.

13.3 Decision Hierarchy [Key principle]

Every new feature should answer one question first:

Does this require leaving the current workflow?

If

No → Drawer

If

Maybe → Popup

If

Yes → Dedicated Workspace

This decision should be made before implementation begins.

13.4 Drawers

Drawers are the default interaction.

Use drawers whenever the user wants to inspect or edit a single object without abandoning the current context.

Approved objects

- Player Profile
- Club Profile
- Competition Profile
- Report Preview
- Timeline
- Statistics
- Compare Players
- Quick Settings

Drawers should occupy approximately **35-45%** of the screen width on desktop and iPad.

The underlying workspace always remains visible.

13.5 Popups

Popups are used only for **short-lived tasks**.

Examples

- Confirm action
- Quick rename
- Add tag
- Small picker
- Keyboard shortcuts
- Quick help

Popups should never contain long forms or complex workflows.

If a popup grows beyond one screen, it should become a drawer.

13.6 Dedicated Workspaces

A dedicated workspace is reserved for tasks that require prolonged focus.

Examples

Dashboard

Calendar

Events

Scouting Matchup

Tournament Workspace

Reports

Player Database

These are destinations rather than overlays.

13.7 Nested Drawers

DragonHub supports nested drawers up to **two levels**.

Example

Player Database → Player Profile Drawer → Club Drawer → Close → Return to Player Profile → Close → Return to Database

Never lose context.

Avoid more than two nested drawers.

13.8 Quick Preview

Hover (desktop) or long press (touch) may display a Quick Preview.

Examples

Player

Club

Game

Report

A Quick Preview is read-only.

Editing always opens the full drawer.

13.9 Drawer Structure

Every drawer follows the same structure.

[Header](#) → [Summary](#) → [Tabs \(optional\)](#) → [Content](#) → [Actions](#)

No custom drawer layouts.

Consistency is mandatory.

13.10 Header

Contains

- Object title
- Context
- Primary action
- Close button

Headers remain compact.

Never use hero images or oversized banners.

13.11 Footer

Most drawers do **not** require a footer.

If actions are needed,

display them at the top-right.

Avoid duplicated Save/Cancel buttons at both the top and bottom.

13.12 Editing

Editing should happen inside the drawer whenever practical.

Examples

Player Notes

Estimated Level

Scout Summary

Follow

Tags

The user should not navigate to a separate edit page.

13.13 Width Rules

Approximate widths

Small

≈30%

Medium

≈40%

Large

≈50%

Never exceed half the screen unless the drawer effectively becomes a workspace.

13.14 Closing Behaviour

Closing a drawer should always return the user to exactly the same state.

Preserve

- Search
- Filters
- Scroll position
- Selection
- Sorting
- Saved View

No resets.

13.15 Performance

Opening a drawer should feel instant.

Load order

[Structure](#) → [Identity](#) → [Summary](#) → [Images](#) → [Statistics](#) → [Timeline](#)

Users should begin reading immediately.

13.16 Mobile Behaviour

Desktop

Slide from the right.

iPad

Same behaviour.

Phone

Full-screen sheet.

The interaction remains conceptually identical across devices.

13.17 Accessibility

Drawers support

[Esc](#) → [Close](#)

Focus trapping

Keyboard navigation

Proper screen reader announcements

No inaccessible overlays.

13.18 Must Never Change

Drawers preserve workflow.

Popups remain simple.

Workspaces remain primary.

Maximum two nested drawers.

Closing always restores context.

Editing should happen in place whenever practical.

13.19 Success Criteria

Users should spend an entire scouting session without feeling like they are constantly navigating between pages.

Instead,

information should come to them,

allowing basketball thinking to remain uninterrupted.

End of Chapter 13

Approved Drawer & Workspace Principles

- Drawers are the default detail view.
- Popups are only for lightweight interactions.
- Dedicated workspaces are reserved for long tasks.

- Maximum two nested drawers.
- Drawers preserve search, filters and scroll position.
- Editing happens inside drawers whenever practical.
- Consistent drawer structure across every module.
- Performance and context preservation take priority.

Design Note

This chapter captures one of the biggest shifts in DragonHub's UX philosophy.

Traditional web applications force users to move:

[Page](#) → [Page](#) → [Page](#) → [Page](#)

DragonHub should instead feel like one continuous workspace where information appears **beside** the user's current task rather than replacing it.

That approach dramatically reduces context switching, shortens navigation time and allows scouts to remain mentally focused on basketball.

As the platform grows, new features should first ask:

Can this be solved with an existing drawer?

Only if the answer is **no** should a new page be introduced.

This principle should keep DragonHub feeling cohesive, efficient and professional even as the platform expands over the coming years.

Measurements

Default 35-45%; sizes ≈30 / 40 / 50%; two levels.

Do

Inspect and edit in a drawer while retaining the workspace.

Don't

Put complex, long workflows inside a popup.

Related Components

Drawers and contextual workspaces

Related Chapters

[Chapter 2 - Layout System & Page Structure](#)

[Chapter 4 - Interaction Design & User Experience](#)

[Chapter 10 - Workflow Continuity & Context Preservation](#)

[Chapter 15 - Responsive Design & Device Experience](#)

QA Checklist

- ☐ Header?
- ☐ Summary?
- ☐ Optional tabs?
- ☐ Focus?
- ☐ Context on close?

Part III

Workspaces and Page Templates

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 16 - Page Blueprint & Screen Construction](#)


Workspace pattern library: 14 current/approved comparisons and 14 responsive examples.

Chapter 9 - Screen Templates & Workspace Patterns

DragonHub

VISUAL EXAMPLES

The workspace owns the space



- 1 Compact header; one primary action.
- 2 Search → filters → saved views.
- 3 Navigation stays narrow.
- 4 The center is the largest column.
- 5 Statistics open as secondary detail.

Source: Chapters 2 and 16

Schematic • illustrative basketball data

Purpose and Design Rules

9.1 Purpose

DragonHub consists of many modules.

However, those modules are built from only a handful of screen templates.

The purpose of this chapter is to ensure that every future page follows an approved workspace pattern instead of inventing a new layout.

9.2 Philosophy

Pages should not be designed individually.

Instead, developers should choose an existing workspace template.

Only if no template solves the problem should a new one be introduced.

This dramatically reduces visual inconsistency.

9.3 Workspace Categories

DragonHub supports seven workspace types.

Overview
Database
Workspace
Profile
Planning
Knowledge
Administration

Every page belongs to one category.

9.4 Overview Workspace

Purpose

Quick understanding.

Examples

Dashboard

Competition Overview

Club Overview

Overview pages prioritize

[Summary Cards](#) → [Key Metrics](#) → [Recent Activity](#) → [Quick Actions](#)

Never detailed information.

9.5 Database Workspace [Key principle]

Purpose

Discovery.

Examples

Player Database

Youth Database

Free Agents

Team List

Structure

[Search](#) → [Filters](#) → [Saved Views](#) → [Infinite List](#) → [Drawer](#)

This template becomes the standard for every large dataset.

9.6 Profile Workspace

Purpose

Deep understanding.

Examples

Player Profile

Club Profile

Competition Profile

Structure

[Header](#) → [Summary](#) → [Tabs](#) → [Details](#) → [Timeline](#)

Profile pages answer

"What do we know?"

9.7 Scouting Workspace

Purpose

Live evaluation.

Examples

Scouting Matchup

Tournament Workspace

Game Notebook

Structure

[Navigation](#) → [Primary Workspace](#) → [Navigation](#)

The center remains the largest area.

This layout is protected.

9.8 Knowledge Workspace

Purpose

Reading.

Examples

Reports

Guide

Documentation

Structure

[Sidebar](#) → [Document](#) → [Related Information](#)

Reading comfort takes priority.

9.9 Planning Workspace

Purpose

Scheduling.

Examples

Calendar

Events

Structure

[Summary](#) → [Filters](#) → [Calendar](#) → [Upcoming](#)

Planning pages emphasize chronology.

9.10 Administration Workspace

Purpose

Management.

[Examples](#)[Settings](#)[Users](#)[Permissions](#)[Imports](#)[Background Jobs](#)[Structure](#)[Navigation](#) → [Configuration](#) → [Logs](#) → [Status](#)

Administration should remain separate from basketball workflows.

9.11 Drawer Pattern

Whenever additional detail is required

Open Drawer.

[Examples](#)[Player](#)[Club](#)[Competition](#)[Statistics](#)[Reports](#)[Timeline](#)[Comparison](#)

The current workspace always remains visible.

9.12 Sidebar Pattern

Sidebars always support navigation.

[Examples](#)[Player List](#)[Club List](#)[Report Types](#)[Collections](#)[Filters](#)

They should never become content areas.

9.13 Header Pattern

Every page header contains

[Title](#) → [Context](#) → [Primary Action](#)

Nothing else.

Headers remain intentionally compact.

9.14 Footer Pattern

DragonHub generally avoids footers.

Instead

Pages end naturally.

Avoid repeating navigation or controls.

9.15 Empty Workspace

When a workspace contains no content

Display

[Reason](#) → [Next Action](#) → [Illustration \(optional\)](#)

Never display empty tables.

9.16 Workspace Consistency

Every workspace should answer

[Where am I?](#) → [What is the primary task?](#) → [What should I do next?](#)

Users should never hesitate.

9.17 Future Modules

Future modules should first choose one existing template.

Examples

[Medical](#) → [Profile Workspace](#)[Transfer Center](#) → [Database Workspace](#)[Video Library](#) → [Knowledge Workspace](#)[Academy](#) → [Overview](#) + [Database](#)

Very few entirely new templates should ever be required.

9.18 Must Never Change

[Scouting Workspace](#) → [Three columns](#).[Database Workspace](#) → [Infinite List](#) + [Drawer](#).[Profile Workspace](#) → [Summary first](#).[Planning Workspace](#) → [Chronological](#).[Knowledge Workspace](#) → [Reading first](#).[Overview Workspace](#) → [Summary first](#).

9.19 Success Criteria

A new DragonHub page should immediately feel familiar.

Users should already know how to use it because they recognize the workspace pattern.

Learning new modules should require almost no additional effort.

End of Chapter 9

Approved Workspace Principles

- Pages are built from templates.
- Database = Infinite List + Drawer.
- Profile = Summary + Tabs.
- Scouting = Three columns.
- Planning = Chronological.
- Knowledge = Reading first.
- Administration = Configuration first.
- Drawers replace navigation.
- Sidebars navigate.
- Headers remain compact.

Design Note

One thing we've discovered throughout the DragonHub redesign is that **users don't actually learn pages - they learn patterns**.

Once someone understands:

- the **Database Workspace**,

- the **Scouting Workspace**,
- the **Profile Workspace**,

they can use almost every part of DragonHub.

That means future development shouldn't focus on inventing new page layouts. Instead, it should ask:

"Which existing workspace template best fits this problem?"

This dramatically reduces learning time, keeps the interface visually coherent, and ensures that new modules immediately feel like part of DragonHub rather than separate applications. I actually think these workspace templates will become one of the strongest long-term UX decisions in the entire platform because they create consistency at the level of **how users think**, not just how the interface looks.

Measurements

Header 64 px example; drawer ≈40%; see §14.

Do

Choose the existing template before constructing a page.

Don't

Invent a unique layout for every module.

Related Components

Workspace patterns

Related Chapters

[Chapter 2 - Layout System & Page Structure](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

Chapter 16 - Page Blueprint & Screen Construction

QA Checklist

- ☐ Correct template?
- ☐ Dominant workspace?
- ☐ Context retained?

Chapter 16 - Page Blueprint & Screen Construction

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Build from purpose



- Keep the basketball task continuous.

Source: Chapter 16

Schematic • illustrative basketball data

Purpose and Design Rules

16.1 Purpose

Every new DragonHub page should be built using the same blueprint.

Designers and developers should never start from an empty canvas.

Instead, every screen follows an approved construction sequence.

This ensures consistency across the entire platform.

16.2 Philosophy

Pages are assembled.

Not invented.

Every page answers the same questions:

- What is the primary object?
- What is the primary task?
- What information supports that task?
- Which existing DragonHub components already solve it?

Only then is the page built.

16.3 The DragonHub Blueprint [Key principle]

Every page follows this sequence.

Purpose → Primary Object → Primary Workspace → Navigation → Supporting Information → Actions → Relationships

This sequence never changes.

16.4 Step 1 - Define Purpose

Before any UI is created, write one sentence.

Example

Player Database → Discover players.

Tournament Workspace → Observe players.

Calendar → Plan club activities.

Reports → Read basketball knowledge.

If the purpose cannot be written in one sentence, the page is trying to do too much.

16.5 Step 2 - Define Primary Object

Every page has exactly one primary object.

Examples

Dashboard → Today

Player Database → Player

Team List → Club

Calendar → Game

Reports → Report

Tournament Workspace → Player

Never multiple primary objects.

16.6 Step 3 - Protect the Workspace

The primary workspace receives the largest amount of space.

Examples

Scouting Matchup → Notes

Player Database → Player List

Reports → Document

Calendar → Calendar Grid

Nothing should permanently reduce this space.

16.7 Step 4 - Navigation

Navigation always remains secondary.

Examples

Sidebar

Roster

Collections

Tabs

Saved Views

Search

Navigation should never dominate the page.

16.8 Step 5 - Supporting Information

Supporting information explains the primary object.

Examples

Player → Club

Nationality

Statistics

Signals

Reports

Timeline

Supporting information should never replace the primary workspace.

16.9 Step 6 - Actions

Primary action

Top Right.

Examples

Generate Report

Save

Import Teams

Create Event

Everything else belongs inside secondary menus.

16.10 Step 7 - Relationships

Every page should naturally expose related objects.

Examples

Player → Club → Competition → Reports → Timeline → Games

The page becomes part of the Relationship Engine.

16.11 Visual Construction

Every page uses the same visual order.

[Header](#) → [Search](#) → [Filters](#) → [Primary Workspace](#) → [Supporting Panels](#) → [Actions](#)

Never rearrange.

16.12 Scouting Example

Purpose
Observe players.
Primary Object
Player.
Primary Workspace
Observation Editor.
Supporting
Statistics
Reports
Timeline
Actions
Save.
Generate Report.
Everything follows the blueprint.

16.13 Database Example

Purpose
Discover players.
Primary Object
Player.
Primary Workspace
Infinite List.
Supporting
Drawer.
Filters.
Saved Views.
Everything identical.

16.14 Calendar Example

Purpose
Plan club operations.
Primary Object
Games.
Primary Workspace
Calendar Grid.
Supporting
Upcoming Games.
Summary.
Filters.
Everything follows the blueprint.

16.15 Anti-Patterns

Never design pages starting with
Widgets.
Cards.
Statistics.
Buttons.
Always begin with
Basketball purpose.
Everything else follows.

16.16 Design Checklist

Before approving any page ask:
Can I explain the purpose in one sentence?
Does it have one primary object?
Is the primary workspace dominant?
Does it reuse DragonHub components?
Does it preserve workflow?
Does it expose relationships naturally?
If any answer is
"No" → [Redesign](#).

16.17 Future Modules

Future examples

[Transfer Center](#) → [Player](#)

[Medical](#) → [Player](#)

[Academy](#) → [Player](#)

[Video Library](#) → [Game](#)

[Contract Center](#) → [Player](#)

Almost every future module already fits the blueprint.

16.18 Must Never Change

Every page begins with purpose.
Every page owns one primary object.
Primary workspace remains dominant.
Navigation remains secondary.
Relationships remain visible.
Pages are assembled from existing components.

16.19 Success Criteria

A designer should be able to create an entirely new DragonHub page without inventing any new design language.
They simply follow the blueprint.
As a result,
every future module automatically feels like DragonHub.

End of Chapter 16

Approved Blueprint Principles

- Purpose before layout.
- One primary object.
- One dominant workspace.
- Navigation remains secondary.
- Supporting information explains.
- Actions remain focused.

- Relationships remain visible.
- Existing components reused.
- Every page follows the same construction process.

Design Note

I actually think this chapter may become the **most valuable chapter for Claude**.

One thing I've noticed over the last month is that we rarely struggled with **what a page should look like**.

We struggled with **where to start**.

Once we identified:

- the page's purpose,
- its primary object,
- its dominant workspace,

the layout almost designed itself.

That's why I think every future DragonHub module should begin with this blueprint rather than with a blank Figma canvas or an empty React component.

The question should never be:

"What should this page look like?"

The question should always be:

"What basketball problem is this page solving?"

Once that answer exists, the DragonHub Blueprint naturally determines almost everything else. I honestly think this chapter is the missing bridge between the Product Specification, the Architecture Specification and the actual UI implementation. It turns abstract product principles into a repeatable design process that any designer or frontend developer can follow.

Measurements

Reuse layout and component dimensions from §14.

Do

Begin with purpose, primary object and primary workspace.

Don't

Start by filling a canvas with widgets.

Related Components

Page construction

Related Chapters

[Chapter 1 - Design Philosophy](#)

[Chapter 2 - Layout System & Page Structure](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 9 - Screen Templates & Workspace Patterns](#)

QA Checklist

- ☐ One purpose?
- ☐ One object?
- ☐ Dominant workspace?
- ☐ Relationships?

Workspace Pattern Library

Current design • Approved rules • Design notes • Desktop • iPad • Phone

Shared measurements: header 64 px example; navigation 280-320 px; medium drawer $\approx 40\%$; card padding 24 px; standard chip 28 px; minimum touch target 44 px. See Chapter 14 for complete ranges.

[Dashboard](#)

[Calendar](#)

[Events](#)

[Tournament Workspace](#)

[Scouting Matchup](#)

[Reports](#)

[Player Database](#)

[Player Profile](#)

[Watchlist](#)

[Review Queue](#)

[Free Agents](#)

[Team List](#)


[Youth Database](#)

[KZS](#)

WORKSPACE COMPARISON

Dashboard / current and approved


CURRENT / screenshot placeholder



Design notes

Two columns; today and operational information dominate.

APPROVED RULES / schematic



Do not


Do not turn the dashboard into a wall of statistics.

Source: §§2.18, 5.7, 9.4


Schematic • illustrative basketball data

Dashboard / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



QA checklist

Today first? Primary area largest? Secondary cards compact? Same context on return?


Source: §§2.18, 5.7, 9.4

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Calendar / current and approved


CURRENT / screenshot placeholder



Design notes

Calendar grid dominates. Use vertical team lines and an interactive legend.

APPROVED RULES / schematic



Do not

Do not restore the team dropdown or oversized colored badges.

Source: §§7.5–7.6, 9.9, 15.16

Schematic • illustrative basketball data

Calendar / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Calendar

Search calendar

Create event

OlimpijaBC ViennaSaved view

September 2026

Mon	Tue	Wed	Thu	Fri	Sat	Sun
	1 BC Vienna 18:00 • Practice	2	3	4	5	6
7	8	9	10 BC Vienna 18:00 • Practice	11	12	13
14 Olimpija 17:00 • Game	15	16	17	18 Olimpija 17:00 • Game	19	20
21	22	23	24	25	26	27
28	29	30				

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Calendar

Search calendar

Create event

OlimpijaBC ViennaSaved view

September 2026

Mon	Tue	Wed	Thu	Fri	Sat	Sun
	1 BC Vienna 18:00 •	2	3	4	5	6
7	8	9	10 BC Vienna 18:00 •	11	12	13
14 Olimpija 17:00 • Game	15	16	17	18 Olimpija 17:00 • Game	19	20
21	22	23	24	25	26	27
28	29	30				

PHONE

DragonHub

Calendar

Search calendar

OlimpijaBC Vienna

September 2026

10 Sep • 18:00

BC Vienna

14 Sep • 17:00

Cedevita Olimpija

18 Sep • 17:00

Cedevita Olimpija

QA checklist

Vertical team lines? Interactive legend? Week preserved? Compact chips?


Source: §§7.5–7.6, 9.9, 15.16

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Events / current and approved


CURRENT / screenshot placeholder



Design notes

Event list is primary; chronology and compact event metadata support planning.

APPROVED RULES / schematic



Do not


Do not hide the event list behind summary widgets.

Source: §§2.4, 2.18, 8.8, 9.9


Schematic • illustrative basketball data

Events / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



QA checklist

Event list dominant? Dates legible? Compact chips? Search preserved?


Source: §§2.4, 2.18, 8.8, 9.9

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Tournament Workspace / current and approved


CURRENT / screenshot placeholder



Design notes

Navigation / player workspace / navigation. Center remains largest.

APPROVED RULES / schematic



Do not


Do not use the workspace as a document editor or invent a new roster UI.

Source: §§2.5, 5.5, 9.7, 15.15


Schematic • illustrative basketball data

Tournament Workspace / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



Quick notes only; full live scouting is optimized for iPad.

QA checklist


Three columns on iPad? Player workspace largest? Team context preserved?

Source: §§2.5, 5.5, 9.7, 15.15

Schematic • illustrative basketball data

Scouting Matchup / current and approved


CURRENT / screenshot placeholder



Design notes

Three columns; observations dominate; statistics open in a drawer.

APPROVED RULES / schematic



Do not


Do not add live-entry timestamps or permanently crowd notes with statistics.

Source: §§2.5, 5.6, 9.7, 15.14


Schematic • illustrative basketball data

Scouting Matchup / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



Quick notes only; full live scouting is optimized for iPad.

QA checklist

Three columns? Notes largest? Stats drawer? No live-entry timestamps? Keyboard?


Source: §§2.5, 5.6, 9.7, 15.14

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Reports / current and approved


CURRENT / screenshot placeholder



Design notes

Reading-first layout with navigation and related information kept secondary.

APPROVED RULES / schematic



Do not


Do not force reports into narrow columns or a dense statistical layout.

Source: §§2.6, 6.8, 6.13, 9.8


Schematic • illustrative basketball data

Reports / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



QA checklist

Readable report? Related objects available? Search and collection preserved?

Source: §§2.6, 6.8, 6.13, 9.8

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Player Database / current and approved

CURRENT / screenshot placeholder

Current screenshot not supplied

Insert a verified capture of Player Database.

Design notes

Search → filters → saved views → infinite list → drawer.

APPROVED RULES / schematic

DragonHub

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Search Ctrl + K

Player Database

Add player

Search players

All teams 2026/27 Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

Do not

Do not add numbered pagination or reset search when closing a player.

Source: §§9.5, 10.12, 12.5

Schematic • illustrative basketball data

Player Database / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Player Database

Add player

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Player Database

Add player

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

PHONE

DragonHub

Player Database

Add player

Search players

All teams2026/27

CH Cameron Houindo
SF • France U16

KC Karl Chavis
SF • Cedevita Olimpija

QA checklist

Search? Saved views? Infinite list? Drawer restores scroll and selection?


Source: §§9.5, 10.12, 12.5

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Player Profile / current and approved


CURRENT / screenshot placeholder



Design notes

Scout Summary first, current knowledge before statistics and historical detail.

APPROVED RULES / schematic



Do not


Do not let public numbers or a hero header dominate scouting intelligence.

Source: §§5.4, 9.6, 11.14


Schematic • illustrative basketball data

Player Profile / responsive layouts


DESKTOP



IPAD / REFERENCE



PHONE



QA checklist

Scout Summary first? Statistics later? Drawer? Search and context preserved?

Source: §§5.4, 9.6, 11.14

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Watchlist / current and approved

CURRENT / screenshot placeholder

Current screenshot not supplied

Insert a verified capture of Watchlist.

Design notes

Reuse the Player Object; keep monitoring context and next review visible.

APPROVED RULES / schematic

DragonHub

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Search Ctrl + K

Watchlist

Search players

All teams 2026/27 Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	Follow	Open →
KC Karl Chavis SF • Cedevita Olimpija	Follow	Open →

Do not

Do not merge Follow with Estimated Level.

Source: §§5.8, 8.3, 10.3

Schematic • illustrative basketball data

DragonHub

DEVICE EXPERIENCE

Watchlist / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Watchlist

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CHCameron Houindo SF • France U16	Follow	Open →
KCKarl Chavis SF • Cedevita Olimpija	Follow	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Watchlist

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CHCameron Houindo SF • France U16	Follow	Open →
KCKarl Chavis SF • Cedevita Olimpija	Follow	Open →

PHONE

DragonHub

Watchlist

Search players

All teams2026/27

CHCameron Houindo
SF • France U16

KCKarl Chavis
SF • Cedevita Olimpija

QA checklist

Follow distinct from projection? Player object reused? Monitoring context retained?


Source: §§5.8, 8.3, 10.3

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Review Queue / current and approved


CURRENT / screenshot placeholder



Design notes

Reuse Player Objects; make the required review clear and preserve context.

APPROVED RULES / schematic



Do not

Do not redesign player identity or turn a review task into a projection.

Source: §§8.3, 10.3 and Appendix A

Schematic • illustrative basketball data

Review Queue / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Review Queue

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CHCameron Houindo SF • France U16	Review required	Open →
KCKarl Chavis SF • Cedevita Olimpija	Review required	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Review Queue

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CHCameron Houindo SF • France U16	Review required	Open →
KCKarl Chavis SF • Cedevita Olimpija	Review required	Open →

PHONE

DragonHub

Review Queue

Search players

All teams2026/27

CHCameron Houindo
SF • France U16

KCKarl Chavis
SF • Cedevita Olimpija

QA checklist

Required action clear? Player context intact? Keyboard? Return position preserved?


Source: §§8.3, 10.3 and Appendix A

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Free Agents / current and approved


CURRENT / screenshot placeholder



Design notes

Use the database pattern with player discovery and contextual details.

APPROVED RULES / schematic



Do not

Do not create a Free Agents-only player card.

Source: §§8.3, 9.5

Schematic • illustrative basketball data

DragonHub

DEVICE EXPERIENCE

Free Agents / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Free Agents

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	Available	Open →
KC Karl Chavis SF • Cedevita Olimpija	Available	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Free Agents

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	Available	Open →
KC Karl Chavis SF • Cedevita Olimpija	Available	Open →

PHONE

DragonHub

Free Agents

Search players

All teams2026/27

CH

Cameron Houindo

SF • France U16

KC

Karl Chavis

SF • Cedevita Olimpija

QA checklist

Shared Player Object? Search → filters? Infinite list? Contextual drawer?


Source: §§8.3, 9.5

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Team List / current and approved


CURRENT / screenshot placeholder



Design notes

Club list → club drawer. Identity, roster and team notes stay connected.

APPROVED RULES / schematic



Do not

Do not reduce the team to a logo and text or create independent club identity.

Source: §§2.18, 8.5, 8.12, 9.5

Schematic • illustrative basketball data

Team List / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Team List

Search clubs

All teams2026/27Saved view

CLUB	CONTEXT	ACTION
BC BC Vienna Austria • 2026/27	Roster	Open →
BC Cedevita Olimpija Austria • 2026/27	Roster	Open →
BC France U16 Austria • 2026/27	Roster	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Team List

Search clubs

All teams2026/27Saved view

CLUB	CONTEXT	ACTION
BC BC Vienna Austria • 2026/27	Roster	Open →
BC Cedevita Olimpija Austria • 2026/27	Roster	Open →
BC France U16 Austria • 2026/27	Roster	Open →

PHONE

DragonHub

Team List

Search clubs

All teams2026/27

BC

BC Vienna

Austria • 2026/27

BC

Cedevita Olimpija

Austria • 2026/27

BC

France U16

Austria • 2026/27

QA checklist

Club object reused? Roster reachable? Team notes indicator? Search restored?

Source: §§2.18, 8.5, 8.12, 9.5

Schematic • illustrative basketball data

WORKSPACE COMPARISON

Youth Database / current and approved

CURRENT / screenshot placeholder

Current screenshot not supplied

Insert a verified capture of Youth Database.

Design notes

Reuse the Player Object and database pattern with youth context.

APPROVED RULES / schematic

DragonHub

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Search Ctrl + K

Youth Database

Add player

Search players

All teams 2026/27 Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

Do not

Do not invent a separate youth identity or hide the primary player list.

Source: §§1.1, 8.3, 9.5

Schematic • illustrative basketball data

DragonHub

DEVICE EXPERIENCE

Youth Database / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Youth Database

Add player

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

Youth Database

Add player

Search players

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC Karl Chavis SF • Cedevita Olimpija	EuroCup	Open →

PHONE

DragonHub

Youth Database

Search players

All teams2026/27

CH Cameron Houindo
SF • France U16

KC Karl Chavis
SF • Cedevita Olimpija

QA checklist

Same Player Object? Youth context clear? Search and filters preserved?

Source: §§1.1, 8.3, 9.5

Schematic • illustrative basketball data

WORKSPACE COMPARISON

KZS / current and approved

CURRENT / screenshot placeholder

Current screenshot not supplied

Insert a verified capture of KZS.

Design notes

Use shared game and player objects; keep the path to notes and reports visible.

APPROVED RULES / schematic

DragonHub

Search Ctrl + K

- Dashboard
- Calendar
- Events
- Reports
- Player Database
- Watchlist
- Review Queue
- Team List

KZS

Search kzs

All teams 2026/27 Saved view

PLAYER	CONTEXT	ACTION
KC U16 • Game notebook SF • Cedevita Olimpija	EuroCup	Open →
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC U16 • Player report SF • Cedevita Olimpija	EuroCup	Open →

Do not

Do not invent a new KZS-specific player component or statistics-first hierarchy.

Source: §§1.1, 8.3; Book 1 domestic scouting workflow

Schematic • illustrative basketball data

DragonHub

DEVICE EXPERIENCE

KZS / responsive layouts

DESKTOP

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

KZS

Search kzs

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
KC U16 • Game notebook SF • Cedevita Olimpija	EuroCup	Open →
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC U16 • Player report SF • Cedevita Olimpija	EuroCup	Open →

IPAD / REFERENCE

DragonHub

Search Ctrl + K

Dashboard

Calendar

Events

Reports

Player Database

Watchlist

Review Queue

Team List

KZS

Search kzs

All teams2026/27Saved view

PLAYER	CONTEXT	ACTION
KC U16 • Game notebook SF • Cedevita Olimpija	EuroCup	Open →
CH Cameron Houindo SF • France U16	FIBA U16	Open →
KC U16 • Player report SF • Cedevita Olimpija	EuroCup	Open →

PHONE

DragonHub

KZS

Search kzs

All teams2026/27

KC

U16 • Game notebook

SF • Cedevita Olimpija

CH

Cameron Houindo

SF • France U16

KC

U16 • Player report

SF • Cedevita Olimpija

QA checklist

Game context clear? Player notes reachable? Reports connected? Shared components?

Source: §§1.1, 8.3; Book 1 domestic scouting workflow

Schematic • illustrative basketball data

Part IV

Responsive Design and Interaction

Chapter 4 - Interaction Design & User Experience

Chapter 10 - Workflow Continuity & Context Preservation

Chapter 12 - Navigation, Search & Workflow Navigation

Chapter 15 - Responsive Design & Device Experience

Chapter 4 - Interaction Design & User Experience

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Keyboard and accessible interaction

Ctrl + K

Global search

Ctrl + →

Next player

Ctrl + ←

Previous player

Ctrl + S

Save

Ctrl + Enter

New observation

Esc

Close drawer

- Magic Keyboard is a first-class input device. Avoid Alt-based shortcuts.
- Keep focus visible, trap focus inside overlays and restore context when closing.
- Use labels as well as color; touch targets remain at least 44 px.

Source: Chapters 4, 13 and 15 • Verify shortcuts on the target browser and keyboard

Schematic • illustrative basketball data

Purpose and Design Rules

4.1 Purpose

Interaction Design defines how users communicate with DragonHub.

Unlike visual design, which focuses on appearance, interaction design focuses on behaviour.

Every interaction should feel

Predictable

Fast

Consistent

Natural

The user should never need to guess what happens after clicking something.

4.2 Philosophy

DragonHub should behave like a professional desktop application.

Not like a traditional website.

Users spend hours inside DragonHub.

The application should therefore optimize workflow,

speed,

muscle memory,

and consistency.

4.3 Interaction Language

Every interaction belongs to one category.

Navigation

Open something.

Action

Change something.

Information

Explain something.

Selection

Choose something.

Every interaction should clearly communicate which category it belongs to.

4.4 Click Behaviour [Key principle]

One of DragonHub's permanent interaction rules.

[Text](#) → [Navigate](#)

Examples

Player Name

Club Name

Competition

Report Name

Everything opens.

[Numbers](#) → [Explain](#)

Examples

[24 Reports](#) → [Report List](#)

[3 Games](#) → [Game Popup](#)

[12 Players](#) → [Player List](#)

Numbers never navigate directly.

[Buttons](#) → [Perform Action](#)

Examples

Save

Generate Report

Import Teams

Follow

Everything changes state.

[Cards](#) → [Open Details](#)

Cards always open

Drawers.

Never another page.

4.5 Drawers

Drawers become DragonHub's default interaction.

Opening

[Player](#) → [Player Drawer](#)

Opening

[Club](#) → [Club Drawer](#)

Opening

[Competition](#) → [Competition Drawer](#)

The user never loses

Search

Filters

Scroll Position

Context

Everything remains visible.

4.6 Search

Search should always feel immediate.

Behaviour

[Typing](#) → [Suggestions](#) → [Autocomplete](#) → [Aliases](#) → [Results](#)

Users should rarely need more than three keystrokes.

4.7 Filters

Filters should never interrupt the workflow.

Order

[Search](#) → [Filters](#) → [Saved Views](#) → [Content](#)

The order never changes.

4.8 Infinite Scroll

Scrolling should feel continuous.

Examples

Player Database

Watchlist

Review Queue
 Free Agents
 Team List
 No page numbers.
 No
 "Next".
 Users stay in flow.

4.9 Selection

Selection should be obvious.
 Example
[Player selected](#) → [Highlighted](#) → [Actions appear](#)
 Everything should communicate
 Current Context.

4.10 Hover Behaviour

Desktop
 Hover reveals
 Secondary Information.
 Examples
 Team Name
 Tooltip
 Player
 Quick Preview
 Hover should never reveal critical information.
 Only supporting information.

4.11 Keyboard Navigation

Keyboard is a first-class interaction method.
 Examples
 Ctrl + K
 Search
 Ctrl + →
 Next Player

Ctrl + ←
 Previous Player
 Ctrl + S
 Save
 Ctrl + Enter
 New Observation
 Everything possible without leaving the keyboard.

4.12 Touch Behaviour

Primary platform
 iPad.
 Every touch target
 Minimum
 44 px
 Spacing optimized for Apple Pencil and finger.
 Never tiny buttons.

4.13 Feedback

Every action provides feedback.
 Examples
 Saved.
 Imported.
 Report Generated.
 Player Added.
 Everything should confirm completion.
 Silent failures are unacceptable.

4.14 Loading

Users should immediately see
[Skeleton](#) → [Content](#) → [Images](#) → [Statistics](#)
 Never
[Spinner](#) → [Blank page](#) → [Everything appears](#).
 Progressive rendering always wins.

4.15 Errors

Errors should explain
 What happened.
 Why.
 How to fix it.
 Bad
[Unknown Error](#).

Good

[Roster could not be imported because BC Batumi is not yet linked to the Club Registry.](#)
[Link Club](#)

Every error should provide the next action.

4.16 Empty States

Every empty page answers
 Why empty?
 What should I do?
 Examples

[No reports.](#) → [Create Player Report](#).
[No Watchlist.](#) → [Add first player](#).

No dead ends.

4.17 Animations

Animations should communicate
 State changes.
 Never decoration.
 Examples
 Drawer
 Fade
 Expand
 Collapse
 Nothing flashy.

4.18 Undo

Whenever possible

Support Undo.

Examples

[Archive Report → Undo](#)

[Remove Watchlist → Undo](#)

Users should feel safe.

4.19 Must Never Change

Interaction remains predictable.

Drawers replace navigation.

Numbers explain.

Names navigate.

Buttons perform actions.

Infinite Scroll remains standard.

Keyboard support remains first-class.

Touch remains iPad-first.

4.20 Success Criteria

A user who has learned one DragonHub module should instinctively understand every other module.

Interactions should become muscle memory.

The software should disappear.

Basketball remains.

End of Chapter 4

Approved Interaction Principles

- One interaction language.
- Drawers replace pages.
- Text navigates.
- Numbers explain.
- Buttons perform actions.
- Infinite Scroll keeps users in flow.
- Keyboard-first.

- iPad-first.
- Progressive loading.
- Errors always suggest a solution.
- Empty states teach the next step.

Design Note

I honestly think this chapter is **what separates DragonHub from feeling like a website.**

Websites are page-based.

DragonHub should be **workspace-based.**

That means:

- You never lose your search.
- You never lose your filters.
- You never lose your scroll position.
- You rarely leave the current page.

Instead, everything opens beside your current context through drawers, overlays and contextual panels.

The result is that users stay mentally inside their basketball workflow rather than constantly navigating the application. Over time this creates muscle memory, which is exactly what professional software should do. I think this interaction philosophy is one of the biggest reasons DragonHub will eventually feel like a dedicated basketball operating system rather than a collection of web pages.

Measurements

44 px minimum targets; source motion is brief and subtle.

Do

Keep interactions predictable and feedback immediate.

Don't

Block the workspace while secondary data loads.

Related Components

Search, selection and feedback

Related Chapters

[Chapter 10 - Workflow Continuity & Context Preservation](#)

[Chapter 12 - Navigation, Search & Workflow Navigation](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

[Chapter 15 - Responsive Design & Device Experience](#)

QA Checklist

- ☐ Keyboard?
- ☐ Touch?
- ☐ Focus?
- ☐ Error recovery?

Chapter 10 - Workflow Continuity & Context Preservation

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Close returns to the same place



- Keep the basketball task continuous.

Source: Chapters 10 and 13

Schematic • illustrative basketball data

Purpose and Design Rules

10.1 Purpose

DragonHub is designed around continuous basketball workflows.

Users should never feel like they are jumping between disconnected pages.

The platform should preserve

- context,
- navigation,
- filters,
- selections,
- scroll position,

throughout the entire session.

The goal is to keep users focused on basketball rather than navigation.

10.2 Philosophy

The user should never think

"Where was I?"

DragonHub should always remember.

Context is considered part of the user experience.

Losing context is considered a UX failure.

10.3 Context Preservation [Key principle]

DragonHub should preserve

Current Search → Current Filters → Current Scroll Position → Selected Player → Selected Team → Selected Competition → Current Tab → Current View

Nothing should reset unnecessarily.

10.4 Drawer Philosophy

Opening information should never destroy the current workspace.

Example

Player Database → Player Drawer → Close → Back to exactly the same player list.

Not

Top of the page.

Not

Page 1.

Exactly where the user left off.

10.5 Search Continuity

Search remains active.

Example

Search

2005 Guards

↓

Open Player → Close Player → Search still active.

Never reset automatically.

10.6 Filter Continuity

Filters remain persistent.

Example

Nationality → France

Position → Center

Competition → EuroCup

Open Player → Close

Filters remain identical.

10.7 Infinite Scroll Continuity

Infinite Lists should remember

Loaded Items → Scroll Position → Selected Row

Users should never reload

100 players

because they viewed one profile.

10.8 Workspace Continuity

Examples

Tournament Workspace → Player → Drawer → Back

Still inside Tournament.

Scouting Matchup → Player → Stats Drawer → Close

Still watching game.

Nothing interrupts the scouting session.

10.9 Navigation Memory

DragonHub should remember

Recent Players

Recent Clubs

Recent Reports

Recent Tournaments

Recent Games

This allows users to quickly continue previous work.

10.10 Multi-step Workflows

Every workflow should survive interruptions.

Example

Watchlist → Open Report → Edit Report → Close → Return to same Watchlist position.

Users should never restart.

10.11 Calendar Continuity

Calendar remembers

Selected View → Selected Week → Selected Month → Selected Filters

Changing modules should not reset planning.

10.12 Database Continuity

Database remembers

Sorting → Filters → Column Width → Density → Saved View

Every user returns to their preferred workspace.

10.13 Session Memory

DragonHub should remember

Recent Searches

Recent Modules

Favorite Views

Pinned Filters

Frequently Used Reports

Everything personalized.

10.14 Undo Philosophy

Where possible,

support

Undo.

Examples

[Archive Report](#) → [Undo](#)

[Remove Watchlist](#) → [Undo](#)

[Delete Note](#) → [Undo](#)

Users should feel safe exploring.

10.15 Confirmation Philosophy

Avoid confirmation dialogs

unless

the action is destructive.

Examples

Good

[Archive](#) → [Undo](#)

Bad

["Are you sure?"](#) → [Every action.](#)

Keep workflows flowing.

10.16 Navigation Speed

The user should rarely perform

More than two clicks

between

[Player](#) → [Observation](#) → [Report](#) → [Timeline](#) → [Back](#)

DragonHub should feel immediate.

10.17 Context Across Modules

Example

[Tournament Workspace](#) → [Player Profile](#) → [Reports](#) → [Timeline](#) → [Back](#)

The user should always return
to the original Tournament Workspace.

Not Dashboard.

Not Player Database.

Exactly where they started.

10.18 Must Never Change

Context is preserved.

Search is preserved.

Filters are preserved.

Scroll position is preserved.

Drawers preserve workflows.

Navigation never interrupts basketball thinking.

10.19 Success Criteria

A professional scout should be able to work inside
DragonHub for several hours without ever feeling
lost.

The software should quietly remember everything
necessary so that the user can remain focused
entirely on basketball.

End of Chapter 10

Approved Workflow Continuity Principles

- Context is never lost.
- Drawers preserve navigation.
- Search persists.
- Filters persist.

- Infinite scroll remembers position.
- Calendar remembers view.
- Databases remember layout.
- Undo replaces excessive confirmations.
- Workflows survive interruptions.
- Basketball focus is never broken.

Design Note

One of the biggest frustrations in professional software is **losing your place**.

You've experienced it yourself while scouting:

- searching through hundreds of players,
- opening one profile,
- closing it,
- and suddenly being back at the top of the list.

DragonHub should never behave that way.

Every module should preserve the user's mental context.

This is especially important because DragonHub is designed for **long working sessions** - often several hours during tournaments, scouting trips or recruitment periods.

The less users have to think about the software, the more they can think about basketball.

I actually think this chapter is one of the hidden reasons DragonHub will eventually feel like a premium desktop application rather than a traditional web application. It doesn't introduce flashy new features - it removes friction. And in professional software, removing friction is often more valuable than adding functionality.

Measurements

Up to two nested drawers (§13.7).

Do

Return to the exact search, filter, scroll and selection state.

Don't

Reset the page when a drawer closes.

Related Components

Context preservation

Related Chapters

[Chapter 4 - Interaction Design & User Experience](#)

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 12 - Navigation, Search & Workflow
Navigation](#)

[Chapter 13 - Drawers, Popups & Contextual
Workspaces](#)

QA Checklist

- ☐ Search restored?
- ☐ Scroll restored?
- ☐ Selected object restored?

Chapter 12 - Navigation, Search & Workflow Navigation

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Search comes first



- Keep the basketball task continuous.

Source: Chapter 12

Schematic • illustrative basketball data

Purpose and Design Rules

12.1 Purpose

Navigation should never become the user's primary task.

DragonHub exists to help basketball professionals work.

Not browse software.

The objective is:

Users should think about basketball, not about where information is located.

Navigation should quietly support every workflow.

12.2 Philosophy

Modern professional software is moving away from menu-driven navigation.

DragonHub should do the same.

Instead of asking

"Where is this page?"

the user should think

"I need this player."

[Search.](#) → [Player.](#)

Done.

Navigation becomes secondary.

12.3 Navigation Hierarchy

DragonHub supports four navigation methods.

Priority

[Search](#) → [Saved Views](#) → [Recent Objects](#) → [Sidebar](#)

The sidebar remains important.

It should not become the primary navigation tool.

12.4 Sidebar

The sidebar exists to change

workspaces.

Not

objects.

Examples

Dashboard

Calendar

Events

Reports

Player Database

Team List

Settings

The sidebar should never become overloaded.

Maximum

15-18 primary items.

Everything else grouped logically.

12.5 Global Search [Key principle]

Global Search becomes the fastest way to navigate DragonHub.

Shortcut

Ctrl + K

Searches

Players

Clubs

Competitions

Games

Reports

Events

Collections

Users

Timeline

Everything.

The user should gradually rely on Search more than the sidebar.

12.6 Recent Objects

DragonHub remembers

Recent Players

Recent Clubs

Recent Reports

Recent Tournaments

Recent Games

The user should immediately continue previous work.

12.7 Saved Views

Saved Views become the second navigation layer.

Examples

EuroCup Guards

Watchlist

Top Prospects

Spanish Teams

2026 Draft

One click restores an entire workspace.

12.8 Breadcrumbs

DragonHub intentionally minimizes breadcrumbs.

Instead

Context

is preserved through

Drawers

Workspace

Search

The user rarely loses location.

12.9 Navigation Depth

Maximum recommended navigation depth

Three levels.

Example

[Player Database](#) → [Player](#) → [Report](#)

Avoid deeper hierarchies.
Everything should remain accessible.

12.10 Context Navigation

Users should move through relationships.

Player → Club → Competition → Game → Tournament → Report → Back

Navigation follows basketball.
Not menus.

12.11 Drawer Navigation

Opening

Player → Drawer → Club → Nested Drawer → Close → Return

The original workspace remains.
Users never restart.

12.12 Cross Navigation

Every major object links naturally.

Player → Reports → Timeline → Club → Competition → Game → Tournament

No dead ends.
Everything connected.

12.13 Search First

Whenever users can either

Scroll

or

Search

DragonHub should encourage Search.

Examples

Tournament Team Import → Search Club

Not

500-team dropdown.

12.14 Keyboard Navigation

Keyboard shortcuts become navigation.

Examples

Ctrl + K

Search

Ctrl + →

Next Player

Ctrl + ←

Previous Player

Esc

Close Drawer

Ctrl + 1

Dashboard

Everything remains keyboard-friendly.

12.15 Mobile Navigation

Desktop

Persistent Sidebar.

iPad

Persistent Sidebar.

Phone

Collapsible Sidebar.

Search remains immediately accessible.

12.16 Navigation Speed

Users should reach

any object

within

three interactions.

Examples

Search → Player → Profile

Done.

Long navigation paths should be redesigned.

12.17 Navigation Memory

DragonHub remembers

Last Module

Last Search

Last Filters

Last Drawer

Last View

The user resumes exactly where they stopped.

12.18 Must Never Change

Search remains first-class.

Sidebar remains minimal.

Relationships guide navigation.

Drawers preserve context.

Saved Views remain reusable.

Recent Objects remain visible.

Navigation supports basketball workflows.

12.19 Success Criteria

A scout should almost never ask

"Where is this page?"

Instead

they simply search,

continue working,

and DragonHub remembers everything else.

End of Chapter 12

Approved Navigation Principles

- Search becomes primary navigation.
- Sidebar changes workspaces.
- Drawers preserve context.
- Saved Views restore workflows.
- Relationships replace deep menus.

- Keyboard navigation is first-class.
- Navigation depth remains shallow.
- Recent Objects reduce repetitive searching.
- Search replaces scrolling whenever possible.
- Users never lose their place.

Design Note

One of the biggest differences between **traditional sports software** and **modern professional software** is navigation.

Traditional applications expect users to remember where information lives.

DragonHub should do the opposite.

Over time, a scout should rely less on the sidebar and more on:

- Global Search,
- Saved Views,
- Recent Players,
- Contextual Drawers,
- Relationship Navigation.

Eventually, the application becomes less about opening pages and more about moving naturally through connected basketball objects.

That shift - from **page navigation** to **workflow navigation** - is one of the defining UX goals of DragonHub. It makes the software feel much more like a professional workspace than a traditional website, and it will become even more valuable as the platform grows to include more modules over the coming years.

Measurements

15-18 primary sidebar items maximum (§12.4).

Do

Search first; sidebar changes workspaces, not objects.

Don't

Overload menus or force users to scroll through large pickers.

Related Components

Search and navigation

Related Chapters

[Chapter 4 - Interaction Design & User Experience](#)

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 10 - Workflow Continuity & Context Preservation](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

QA Checklist

- ☐ Global search?
- ☐ Saved views?
- ☐ Recent objects?
- ☐ Keyboard?


Chapter 15 - Responsive Design & Device Experience

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

iPad is the reference platform




- Keep the basketball task continuous.

Source: Chapter 15

Schematic • illustrative basketball data

VISUAL EXAMPLES

Working before everything has loaded



- Keep the basketball task continuous.

Source: §15.17

Schematic • illustrative basketball data

Purpose and Design Rules

15.1 Purpose

DragonHub is designed for professional basketball staff working in different environments.

Scouts work:

- at live games,
- in arenas,
- on buses,
- in hotels,
- in offices.

The interface must adapt naturally to every device without changing the workflow.

Responsive design should preserve functionality rather than simply resize elements.

15.2 Philosophy

DragonHub is **iPad-first**.

This is a deliberate product decision.

The majority of live scouting is performed on:

- iPad
- Magic Keyboard

Desktop expands the experience.

Phone simplifies it.

The workflow itself never changes.

15.3 Device Priority

Approved priority

iPad → Desktop → Phone

Design decisions should always be validated on iPad before desktop.

15.4 Desktop

Desktop provides

Maximum workspace.

Examples

Three-column layouts

Large databases

Multiple drawers

Comparison tools

Everything visible simultaneously.

Desktop adds space.

Not new workflows.

15.5 iPad [Key principle]

The iPad is the reference platform.

Every feature must feel natural using

- touch,
- trackpad,
- Magic Keyboard.

The interface should resemble a professional desktop application while remaining touch-friendly.

15.6 Magic Keyboard

Keyboard shortcuts are a first-class feature.

Examples

Ctrl + K

Global Search

Ctrl + →

Next Player

Ctrl + ←

Previous Player

Ctrl + S

Save

Ctrl + Enter

New Observation

Never rely on Alt-based shortcuts.

The Magic Keyboard does not include every desktop key.

15.7 Landscape

Landscape is the primary orientation.

Approved layouts

Dashboard

Calendar

Scouting Matchup

Tournament Workspace

Reports

Player Database

Three-column workflows remain available.

15.8 Portrait

Portrait supports

Reading

Reports

Player Profiles

Guide

Documentation

Editing

Large workspaces may simplify, but never fundamentally change.

15.9 Phone

Phone supports

Review

Planning

Quick edits

Notifications

Calendar

Player lookup

The phone is **not** intended for full live scouting.

Complex workspaces should simplify rather than disappear.

15.10 Responsive Principles

Desktop → Expand

Tablet → Preserve

Phone → Simplify

Never redesign.

Only reduce secondary information.

15.11 Drawer Behaviour

Desktop

Right-side drawer.

iPad

Right-side drawer.

Phone

Full-screen sheet.

The interaction remains conceptually identical.

15.12 Navigation

Desktop

Persistent Sidebar.

iPad

Persistent Sidebar.

Phone

Collapsible Sidebar.

Global Search always remains accessible.

15.13 Tables

Desktop

Comfortable width.

iPad

Same layout.

Horizontal scrolling only if absolutely necessary.

Phone

Simplified rows.

Important basketball information always remains visible.

15.14 Scouting Matchup

Desktop

Three columns.

iPad

Three columns.

Phone

Not recommended.

Instead

[Player Notes](#) → [Player Selection](#) → [Quick Navigation](#)

The live scouting workflow remains optimized for iPad.

15.15 Tournament Workspace

Desktop

Three columns.

iPad

Three columns.

Phone

Player Workspace only.

Navigation becomes stacked.

15.16 Calendar

Desktop

Month grid.

iPad

Identical month grid.

Phone

Simplified month.

Agenda.

List.

The Calendar should always prioritize readability over fitting every feature onto a small screen.

15.17 Performance

Mobile devices often have slower connections.

Load order

[Structure](#) → [Names](#) → [Interaction](#) → [Photos](#) → [Statistics](#) → [Media](#)

Never block interaction.

15.18 Touch Targets

Minimum

44px

Every button.

Every chip.

Every row.

Touch accuracy is mandatory.

15.19 Must Never Change

iPad remains the reference platform.

Desktop expands.

Phone simplifies.

Keyboard remains first-class.

Magic Keyboard remains fully supported.

Workflows remain identical across devices.

15.20 Success Criteria

A scout should be able to

leave the office,

walk into a gym,

open DragonHub on an iPad,

and continue working immediately without relearning the interface.

The platform should feel native regardless of device.

Approved Responsive Principles

- iPad-first.
- Desktop expands.
- Phone simplifies.
- Workflows never change.
- Magic Keyboard fully supported.
- Drawers behave consistently.
- Three-column workspaces remain on iPad.
- Touch targets minimum 44px.
- Performance remains consistent.
- Basketball workflows determine responsive behaviour.

Design Note

I actually think this is one of DragonHub's strongest competitive advantages.

Most sports software is built for large desktop monitors and later adapted for tablets.

DragonHub intentionally reverses that process.

By designing first for the **iPad with Magic Keyboard**, the platform naturally supports the environment where professional scouts spend much of their time: courtside, traveling, and at tournaments.

Desktop users simply gain additional screen space - not a different product.

This philosophy ensures that every feature is practical in real basketball environments rather than only in an office. As DragonHub evolves, every new module should therefore be tested on the iPad before being considered complete. That decision should remain one of the defining characteristics of the platform's design philosophy.

Measurements

44 px touch targets; phone uses a full-screen sheet.

Do

Validate iPad first; desktop expands and phone simplifies.

Don't

Change the fundamental workflow between devices.

Related Components

Responsive layouts and keyboard

Related Chapters

[Chapter 4 - Interaction Design & User Experience](#)

[Chapter 9 - Screen Templates & Workspace Patterns](#)

[Chapter 10 - Workflow Continuity & Context Preservation](#)

[Chapter 13 - Drawers, Popups & Contextual Workspaces](#)

QA Checklist

- ☐ iPad?
- ☐ Magic Keyboard?
- ☐ Touch?
- ☐ Phone?
- ☐ Progressive loading?

Part V

Design Constitution and Basketball UX

Chapter 18 - Design Review, Quality Standards & UX Constitution

Chapter 19 - Basketball UX Patterns

Chapter 20 - DragonHub Design Constitution

Appendix A - DragonHub UI Checklist

Chapter 18 - Design Review, Quality Standards & UX Constitution

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Review the complete experience



- Keep the basketball task continuous.

Source: Chapter 18

Schematic • illustrative basketball data

Purpose and Design Rules

18.1 Purpose

This chapter defines the final quality standards for every DragonHub interface.

A screen is not considered complete because it looks good.

A screen is complete only when it improves basketball work.

Every future design should be evaluated against this chapter before implementation.

18.2 Philosophy

Design is not decoration.

Design is the organization of basketball information.

Every visual decision should answer one question:

Does this help a basketball professional make better decisions?

If the answer is no, the design should be reconsidered.

18.3 Design Review Process

Every new page follows the same review sequence.

[Purpose](#) → [Workflow](#) → [Layout](#) → [Components](#) → [Interaction](#) → [Responsive](#) → [Accessibility](#) → [Performance](#) → [Approval](#)

No screen skips this process.

18.4 UX Review Checklist [Key principle]

Before approving a design ask:

Purpose

Can the page purpose be explained in one sentence?

Primary Object

Does the page have exactly one primary object?

Primary Workspace

Is the largest area dedicated to the main task?

Navigation

Does navigation stay secondary?

Information Hierarchy

Does the page clearly communicate what matters first?

Components

Does it reuse DragonHub components?

Drawers

Should this really be a page?

Or should it be a drawer?

Search

Can users search instead of scrolling?

Context

Does the user lose context?

[If yes](#) → [Redesign](#).

18.5 Visual Review

Review

Typography

Spacing

Alignment

Buttons

Cards

Colors

Icons

Empty States

Loading States

Everything should match the Design System.

18.6 Basketball Review

Every page should answer

What basketball decision does this support?

Examples

[Player Database](#) → [Discovery](#).

[Scouting Matchup](#) → [Evaluation](#).

[Reports](#) → [Knowledge](#).

[Calendar](#) → [Planning](#).

If no answer exists, the page has no purpose.

18.7 Performance Review

Questions

Does the page load progressively?

Do skeletons appear?

Does scrolling remain smooth?

Does opening a drawer preserve context?

Does the page feel instant?

Performance becomes part of UX.

18.8 Responsive Review

[Desktop](#) → [Approved](#).

[iPad](#) → [Approved](#).

[Phone](#) → [Approved](#).

[Magic Keyboard](#) → [Approved](#).

No screen is complete until all platforms are reviewed.

18.9 Accessibility Review

Verify

Contrast

Keyboard

Touch Targets

Focus States

Screen Readers

DragonHub should remain usable by every member of the basketball department.

18.10 Design Drift

Every quarter,

review the entire interface.

Questions

Has another button style appeared?

Has spacing changed?

Are colors still consistent?

Has another card style been introduced?

The Design System should remain protected.

18.11 Product Drift

Review

Purpose

Workflow

Modules

Has this page started solving another module's problem?

If yes,

simplify.

18.12 Feature Review

Every new feature asks

Does this already exist?

Can an existing component solve it?

Can another module own it?

If yes,

reuse.

Never duplicate.

18.13 Anti-Patterns

Immediately reject

Oversized headers

Large hero sections

Decorative graphics

Multiple button styles

Inconsistent cards

Random colors

Page-specific components

Large dropdowns instead of search

Pagination instead of Infinite Scroll

Everything we've intentionally moved away from.

18.14 The DragonHub Test

Every screen should pass this test.

Can a scout understand this page within five seconds?

Can they perform the primary task within ten seconds?

Can they continue their workflow without interruption?

If not,

the design is incomplete.

18.15 Must Never Change

Basketball before interface.

One Design System.

One interaction language.

One component library.

One visual hierarchy.

One workflow philosophy.

Consistency always wins.

18.16 Success Criteria

Every new DragonHub screen should immediately feel

like DragonHub.

Not because of

logos,

colors,

or branding,

but because it follows the same

thinking,

structure,

and interaction philosophy.

End of Chapter 18

DragonHub UX Constitution

Every future design must respect the following principles:

1. Basketball before software.

2. One purpose per page.

3. One primary object.

4. One dominant workspace.

5. Search before scrolling.

6. Drawers before navigation.

7. Infinite Scroll before pagination.

8. Scout Summary before statistics.

9. Internal knowledge before public data.

10. Consistency before creativity.

11. Performance before decoration.

12. White space before visual clutter.

13. Relationships before duplication.

14. Workflow before features.

15. Professional software before trendy design.

Final Design Statement

DragonHub is not designed to impress users during the first five minutes.

It is designed to support basketball professionals for the next ten years.

The greatest compliment the Design System can receive is not:

"This looks beautiful."

It is:

"I stopped noticing the software and just focused on scouting."

That is the ultimate objective of DragonHub's design philosophy.

End of Book 3 - DragonHub Design System

Version: 1.0 (Working Draft)

Status: Foundation Complete

Measurements

Verify source dimensions from §14 and targets from §15.18.

Do

Review purpose, workflow, interaction and basketball usefulness.

Don't

Approve a screen only because it looks attractive.

Related Components

Design review

Related Chapters

[Chapter 1 - Design Philosophy](#)

[Chapter 15 - Responsive Design & Device Experience](#)

[Chapter 19 - Basketball UX Patterns](#)

[Chapter 20 - DragonHub Design Constitution](#)

QA Checklist

- ☐ Purpose?
- ☐ Visuals?
- ☐ Basketball?
- ☐ Performance?
- ☐ Accessibility?


Chapter 19 - Basketball UX Patterns

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Observe, evaluate, decide



- Keep the basketball task continuous.

Source: Chapter 19

Schematic • illustrative basketball data

Purpose and Design Rules

19.1 Purpose

Basketball UX defines interaction patterns that are unique to basketball scouting and basketball operations.

These patterns are considered core product behaviour.

Future modules should reuse these patterns rather than inventing new interactions.

19.2 Philosophy

Basketball professionals think in

Players

Games

Teams

Competitions

Reports

DragonHub should organize workflows exactly the same way.

The interface should follow basketball thinking.

Not software thinking.

19.3 Pattern 1 - Player First [Key principle]

Every basketball workflow eventually returns to a player.

Examples

Tournament → Player

Game → Player

Watchlist → Player

Reports → Player

Timeline → Player

Whenever there is uncertainty, make the player the primary object.

19.4 Pattern 2 - Observe → Evaluate → Decide

Every scouting workflow follows

Observe → Evaluate → Decide

Modules

Observe → Scouting Matchup

Tournament Workspace

Game Notebook

Evaluate → Reports

Player Profile

Watchlist

Review Queue

Decide → Shortlist

Recruitment

The interface should never mix these stages.

19.5 Pattern 3 - Write Once

Every observation is written once.

Everything else references it.

Example

Observation → Timeline → Player Profile → Reports → Knowledge → Watchlist

Never duplicate notes.

19.6 Pattern 4 - Team Before Player Import

Whenever importing

Competition → Teams → Roster → Players

Never import players individually if a roster already exists.

19.7 Pattern 5 - Summary Before Numbers

Professional scouts first want

Opinion.

Then

Evidence.

Player Profile → Scout Summary → Latest Observation → Reports → Statistics

Never reverse this order.

19.8 Pattern 6 - Current Before Historical

Display

Current Club → Current Season → Current Evaluation

before

Career → History → Old Reports

Professional decisions are made using today's information.

History supports today's decision.

19.9 Pattern 7 - Context Before Detail

Example

Tournament → Current Player → Observation → Statistics → History

Never begin with detailed information.

19.10 Pattern 8 - Basketball Relationships

Every basketball object should naturally expose

Player → Club → Competition → Game → Reports → Timeline

Users should never manually search for related information.

19.11 Pattern 9 - Continuous Workflow

Example

Watchlist → Open Player → Reports → Timeline → Close → Exactly same Watchlist

Nothing resets.

Basketball thinking continues uninterrupted.

19.12 Pattern 10 - Planning Before Action

Examples

Dashboard → Today

[Calendar](#) → [This Week](#)[Events](#) → [Upcoming Tournaments](#)

Planning always precedes execution.

19.13 Pattern 11 - Human Judgment

DragonHub suggests.

Basketball staff decide.

Examples

Suggested Report

Suggested Watchlist

Suggested Level

Suggested Merge

Nothing automatic.

19.14 Pattern 12 - Basketball Language

Use basketball terminology.

Examples

[Player](#) → [Not Resource](#)

[Club](#) → [Not Organization](#)

[Competition](#) → [Not Category](#)

[Game](#) → [Not Event Record](#)

Scouts should immediately understand the interface.

19.15 Pattern 13 - Minimal Administration

DragonHub should automate

[Imports](#) → [Relationships](#) → [Timelines](#) → [Signals](#) →
[Next Game](#) → [Notifications](#)

The scout focuses on basketball.

Not administration.

19.16 Pattern 14 - Knowledge Never Dies

Every observation remains valuable.

[Timeline](#) → [Reports](#) → [Player Profile](#) → [Knowledge](#) →
[Recruitment](#)

Nothing disappears.

19.17 Must Never Change

Player remains the primary basketball object.

Observe → Evaluate → Decide remains the core workflow.

Summary before statistics.

Write once.

Reuse everywhere.

Planning before action.

Automation supports people.

Knowledge belongs to the organization.

19.18 Success Criteria

A professional scout using DragonHub should feel that

the software understands basketball.

Not just databases.

Every workflow should feel like a natural extension of the way basketball departments already think and operate.

End of Chapter 19

Approved Basketball UX Principles

- Player-first design.
- Observe → Evaluate → Decide.
- Write once, reuse everywhere.
- Team before player imports.
- Summary before statistics.
- Current before historical.
- Context before detail.
- Relationships before searching.
- Continuous workflows.
- Planning before action.
- Human judgment always wins.
- Basketball terminology.

- Minimal administration.
- Knowledge is permanent.

Design Note

I actually think this chapter may be **the most unique chapter in all three books**.

Most Design Systems explain:

- buttons,
- colors,
- typography,
- spacing.

Very few explain **how professionals think**.

DragonHub should.

This chapter captures something we've repeated dozens of times over the last few months:

DragonHub should think like a basketball department.

Not like a database.

Not like a CRM.

Not like enterprise software.

Like a basketball department.

I honestly think this chapter is what makes DragonHub's Design System fundamentally different from generic UI guidelines. It defines a **basketball interaction language**, and that's something I haven't really seen formally documented in other sports software.

Measurements

Reuse shared components; no separate basketball-pattern dimensions.

Do

Observe → evaluate → decide; write once and reuse.

Don't

Make scouts repeat information or administration.

Related Components

Basketball UX

Related Chapters

[Chapter 5 - Information Hierarchy & Content Design](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 10 - Workflow Continuity & Context Preservation](#)

[Chapter 20 - DragonHub Design Constitution](#)

QA Checklist

- ☐ Player first?
- ☐ Summary before numbers?
- ☐ Human judgment retained?

Chapter 20 - DragonHub Design Constitution

DragonHub

DESIGN SYSTEM / 1.0

VISUAL EXAMPLES

Connected basketball objects



- Keep the basketball task continuous.

Source: §8.17

Schematic • illustrative basketball data

Purpose and Design Rules

20.1 Purpose

This chapter defines the permanent visual and UX principles of DragonHub.

Unlike previous chapters, these are not recommendations.

They are permanent product decisions.

Future redesigns should follow these principles.

The principles should not change to fit redesigns.

Principle 1

Basketball before interface.

The interface exists to support basketball.

Not the opposite.

Whenever design and basketball workflows conflict, basketball wins.

Principle 2

Every page has one purpose.

Examples

[Dashboard](#) → [Operations](#)

[Calendar](#) → [Planning](#)

[Events](#) → [Scouting Opportunities](#)

[Tournament Workspace](#) → [Tournament Observation](#)

[Scouting Matchup](#) → [Live Evaluation](#)

[Reports](#) → [Knowledge](#)

[Player Database](#) → [Discovery](#)

[Watchlist](#) → [Monitoring](#)

[Review Queue](#) → [Tasks](#)

[Shortlist](#) → [Recruitment](#)

Pages should never solve multiple unrelated problems.

Principle 3

Every page has one primary object.

[Dashboard](#) → [Today](#)

[Player Database](#) → [Player](#)

[Team List](#) → [Club](#)

[Calendar](#) → [Game](#)

[Reports](#) → [Report](#)

Everything else supports that object.

Principle 4

The primary workspace is sacred.

Never permanently reduce it.

Examples

[Scouting Matchup](#) → [Center Notes](#)

[Tournament Workspace](#) → [Player Workspace](#)

[Calendar](#) → [Calendar Grid](#)

[Reports](#) → [Document](#)

[Player Database](#) → [Player List](#)

Secondary information must never dominate.

Principle 5

Search before scrolling.

Whenever possible, users should search.

Not scroll.

Large dropdowns should gradually disappear.

Global Search becomes the primary navigation method.

Principle 6

Drawers before pages.

Whenever users inspect one object, open

Drawer.

Do not navigate away.

Context should never be lost.

Principle 7

Infinite Scroll before pagination.

Professional users stay in flow.

Page numbers interrupt flow.

Large databases use

Infinite Scroll.

Principle 8

Scout Summary before statistics.

Internal basketball knowledge always appears before public data.

Player Profile begins with

Scout Summary.

Not

Career.

Not

Statistics.

Principle 9

Internal knowledge before public information.

DragonHub's value comes from

Observations

Reports

Recommendations

Timeline

Everything public supports those.

Principle 10

Color communicates meaning.

[Green](#) → [Action](#)

[Blue](#) → [Projection](#)

[Purple](#) → [Signals](#)

[Orange → Attention](#)

[Red → Errors](#)

[Grey → Metadata](#)

Never invent new meanings.

Principle 11

Basketball objects before generic UI.

Users think

Player

Club

Game

Tournament

Competition

Report

Not

Card

Panel

Widget

The interface should reflect basketball thinking.

Principle 12

One component.

One implementation.

[Player Card → Everywhere.](#)

[Club Card → Everywhere.](#)

[Search → Everywhere.](#)

[Filters → Everywhere.](#)

Never duplicate components.

Principle 13

Context is never lost.

Search remains.

Filters remain.

Scroll position remains.

Selected player remains.

Current week remains.

Users should never restart their workflow.

Principle 14

White space is functional.

Whitespace creates hierarchy.

Never fill empty areas simply because space exists.

Principle 15

iPad is the reference device.

Desktop expands.

Phone simplifies.

The workflow remains identical.

Principle 16

Keyboard-first.

Professional scouts work quickly.

Keyboard shortcuts remain first-class.

Magic Keyboard support remains permanent.

Principle 17

Progressive disclosure.

Users first see

What matters.

History,

Timeline,

Statistics,

Media,

appear only when requested.

Principle 18

Progressive loading.

[Layout → Names → Interaction → Images → Statistics → History](#)

Never wait before users can work.

Principle 19

DragonHub should disappear.

The greatest compliment the interface can receive is

"I forgot I was using software."

Basketball should occupy the user's attention.

Not the interface.

Principle 20

Consistency always wins.

Never redesign because something looks newer.

Improve

[Workflow → Consistency → Speed → Clarity](#)

Protect the DragonHub identity.

Final Design Statement

DragonHub is designed for people who spend their lives watching basketball.

Every design decision should reduce friction.

Every interaction should preserve concentration.

Every screen should support basketball thinking.

The objective is not to build beautiful software.

The objective is to build software that disappears, allowing basketball professionals to think only about basketball.

End of Book 3

DragonHub Design System v1.0

DragonHub Design Constitution

The following principles are permanent.

- Basketball before software.
- One purpose per page.
- One primary object.
- One dominant workspace.

- Search before scrolling.
- Drawers before navigation.
- Infinite Scroll before pagination.
- Scout Summary before statistics.
- Internal knowledge before public data.
- Color has meaning.
- Basketball objects before generic UI.
- One component library.
- Preserve context.
- White space creates hierarchy.
- iPad-first.
- Keyboard-first.
- Progressive disclosure.
- Progressive loading.
- The interface should disappear.
- Consistency before creativity.

Final Design Note

I honestly think **this is the real ending of the DragonHub trilogy**.

Together, the three books define DragonHub from three complementary perspectives:

- **Book 1 - Product Specification** explains **why DragonHub exists**, what each module does, and how basketball workflows should function.
- **Book 2 - Architecture Specification** explains **how DragonHub is engineered**, how data moves, how systems communicate, and how the platform scales.
- **Book 3 - Design System** explains **how DragonHub looks, feels and behaves**, giving every future designer and frontend developer a single visual language to follow.

What I'd do next is **not write another book**.

I'd create a **fourth document**, but it wouldn't be prose.

It would be called:

DragonHub UI Pattern Library

It would be almost entirely visual.

Every page would include:

- Current design
- Approved design
- Measurements
- Spacing
- Component anatomy
- Do / Don't examples
- Responsive variants
- Interaction notes

Think of it as **Figma documentation in PDF form**.

That would become the day-to-day reference for Claude and frontend developers, while the three books remain the strategic foundation of the project. I actually think that combination would give DragonHub one of the most comprehensive documentation sets I've seen for a product at this stage.

Measurements

Constitution relies on the shared measurements in §14.

Do

Protect the stable design principles across every module.

Don't

Treat future features as permission to invent a new visual language.

Related Components

Design Constitution

Related Chapters

[Chapter 1 - Design Philosophy](#)

[Chapter 8 - Basketball Objects & Core UI Components](#)

[Chapter 15 - Responsive Design & Device Experience](#)

[Chapter 18 - Design Review, Quality Standards & UX Constitution](#)

QA Checklist


- ☐ Basketball first?
- ☐ Components reused?
- ☐ Context preserved?

Appendix A - DragonHub UI Checklist

DragonHub

VISUAL EXAMPLES

Reuse familiar components



- Keep the basketball task continuous.

Source: Chapters 3 and 8

Schematic • illustrative basketball data

Purpose and Design Rules

Purpose

Before any new screen is implemented, review this checklist.

If any answer is

"No" → The design is incomplete.

1. Purpose

Can the page purpose be explained in one sentence?

Example

Player Database → Discover Players.

Reports → Read Knowledge.

Calendar → Plan Club Activities.

If not,

the page is trying to do too much.

2. Primary Object

Does the page have one

primary object?

Examples

Player

Club

Competition

Game

Report

Everything else supports it.

3. Primary Workspace [Key principle]

Is the largest area of the page dedicated to the primary task?

Examples

Player Database → Player List

Tournament Workspace → Player Workspace

Scouting Matchup → Observation Editor

Calendar → Calendar Grid

If not, redesign.

4. Search

Can the user search?

Instead of scrolling?

Large dropdowns should almost never exist.

5. Filters

Do filters follow

Search → Filters → Saved Views → Content

If not, redesign.

6. Navigation

Can this become

Drawer

instead of

another page?

If yes,

use Drawer.

7. Components

Does every UI element already exist?

Buttons

Cards

Player Card

Club Card

Drawer

Search

Table

Filters

If not,

reuse.

Do not invent.

8. Colors

Does every color have meaning?

Green → Action

Blue → Projection

Purple → Signals

Orange → Attention

Red → Errors

Grey → Metadata

Nothing else.

9. Information Hierarchy

Does the page show

Scout Summary

before

Statistics?

Current

before

History?

Internal Knowledge

before

Public Information?

If not,

reorganize.

10. Context

If I close this Drawer,

do I return

to

exactly

the same place?

Search?

Filters?

Scroll?

Selection?

If not,
fix it.

11. Density

Is the page
Information Rich
but
Visually Calm?
If it feels busy,
remove
color,
borders,
icons,
before removing basketball information.

12. Keyboard

Can I perform the primary workflow
without touching the mouse?
If not,
improve shortcuts.

13. iPad

Does this page work naturally
on an iPad
with Magic Keyboard?
This is mandatory.

14. Performance

Does the page
progressively load?
Can the user begin working
before
statistics,
photos,
history

finish loading?

15. Relationships

Can the user naturally move to

[Player](#) → [Club](#) → [Competition](#) → [Reports](#) → [Timeline](#) → [Back](#)

No dead ends.

16. Empty States

If the page is empty,
does it explain
Why?
What next?
Never
"No data."

17. Workflow

Does this page naturally continue
the basketball workflow?
Or
does it interrupt it?
Every page should answer
"What happens next?"

18. Consistency

Would someone immediately recognize this page as
DragonHub?
Without the logo?
If not,
it needs more consistency.

19. Basketball Test [Key principle]

This is the final test.
Ask:

**Will this help a basketball professional make a
better decision?**

If

No → Do not implement it.

DragonHub Design Checklist

Every page should satisfy

- One purpose.
- One primary object.
- One dominant workspace.
- Search before scrolling.
- Drawers before pages.
- Infinite Scroll.
- Internal knowledge before statistics.
- Basketball objects.
- Preserve context.
- Progressive loading.
- Keyboard support.
- iPad support.
- Professional information density.
- One Design System.
- Basketball before software.

End of Appendix A

Measurements

Use §§14 and 15.18 for measurement checks.

Do

Run the checklist before implementing a new screen.

Don't

Skip the basketball test.

Related Components

UI checklist

Related Chapters

[Chapter 2 - Layout System & Page Structure](#)

Chapter 13 - Drawers, Popups & Contextual
Workspaces

Chapter 15 - Responsive Design & Device Experience

Chapter 18 - Design Review, Quality Standards & UX
Constitution

QA Checklist

- ☐ Every checklist answer yes?
- ☐ Primary task possible with keyboard?