

# American Standard

Style That Works Better



Water Efficient Products for the Responsible Bathroom

[americanstandard.com](http://americanstandard.com)

# Doing our Part to Create Responsible Bathrooms

Water is essential to life. Although nearly three quarters of the Earth's surface is covered by water, less than one percent of it is available for human use. While the demand for freshwater is ever increasing, our supply of usable water remains constant. Making the conscious choice to conserve water is a vital step in ensuring its availability now and in the future. For our part, American Standard is on a mission to save 18 billion gallons of water in 2010 — that is enough to fill over 27,000 Olympic size swimming pools! For your part, you can specify and buy water efficient products, like those found in American Standard's Total Bathroom portfolio. You will reduce your water consumption, water treatment costs and the overall strain on the environment. Together, we can make a world of difference.

## A 140-Year Legacy of Stylish, High-Performance Products

American Standard's portfolio of water efficient products offer style and performance without sacrifice. Our low consumption toilets, faucets, showerheads, flush valves and urinals provide specifiers, installers and owners the solutions they need for creating responsible bathrooms where we live, work and play. We employ state-of-the-art technology to reduce overall water usage in homes and buildings with products that help earn credits for LEED (Leadership in Energy and Environmental Design) certification, assist water utilities in their community retrofit programs, and enable homeowners and building occupants everywhere to enjoy a great shower, a clean flush and performance on tap, every time. All this, combined with the best warranties in the marketplace, make American Standard the responsible choice for water efficient plumbing products you can count on.

## Partnerships and Initiatives


In January 2010, American Standard Brands announced a two-year, \$1 million commitment to support The Nature Conservancy and its mission around global freshwater conservation. As a member of the Alliance for Water Efficiency, American Standard works diligently to promote the efficient and sustainable use of water with high-performing, aesthetically appealing products. As a founding member of GreenPlumbers USA, we understand the importance of training our nation's plumbers in the latest water and energy efficient technologies.



Protecting nature. Preserving life.™

## Extending our Reach Across the Web

Thanks to the power of social networking, American Standard enjoys daily interaction with customers. The recent launch of the new website, [www.ResponsibleBathroom.com](http://www.ResponsibleBathroom.com), is designed to promote water conservation. The site features games, redeemable points and even a chance to win an eco-friendly vacation! We invite you to visit the site and download the new Responsible Bathroom mobile application for your iPhone and mobile website for Smartphone. People everywhere can get tips on making their homes more water-friendly, learn practical ways to save more water, test their knowledge with the latest quiz, shop for water efficient products, find rebates, and enter a sweepstakes — all from the convenience of their mobile phone. Fans of our Facebook page can view exciting product and industry news and interact with like-minded consumers interested in exchanging tips and advice on plumbing and water conservation. End-users can follow us on Twitter for up-to-the-minute announcements, and see our products in action on our YouTube channel.



Low Lead



ADA approved



Green UPC listed



EPA WaterSense® listed products



EverClean® — a permanent exclusive antimicrobial glaze that inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface.

All product shown within can be used to earn credits for LEED certification.

WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency (EPA) to designate product and services that conserve water and perform as intended. WaterSense is a registered trade/service mark of the EPA.

# Luxury That Really Saves

When it comes to luxury, American Standard proves that high performance and water efficiency are not mutually exclusive. In fact, our Luxury Performance (LXP) toilet collection features a broad selection of inspired designs that succeed in bringing elegance to the bath, while still delivering the very best in water efficient performance.



## American Standard's Luxury Performance Toilets Feature:

- Powerful flushing performance thanks to the oversized 3" flush valve
- Exclusive PowerWash™ rim technology that scours the bowl clean with every flush
- MaP ratings of 1,000g\* — the highest level of flushing performance in the industry
- The EverClean® surface — a permanent exclusive antimicrobial glaze that inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface
- Elegant, concealed trapways for added beauty and easy cleaning
- Elongated bowls and Right Height™ bowl rim for increased comfort
- Innovative Slow-Close seats with tool-free, lift-off design that eliminates slamming and allows for easy cleaning
- 10-year limited worry-free warranty†



**Town Square® One-Piece**  
1.28 gpf  
**2847.128**



**Town Square Two-Piece**  
1.28 gpf  
**2817.128**



**Tropic® One-Piece**  
1.28 gpf  
**2786.128**



**Boulevard® One-Piece**  
1.28 gpf  
**2891.128**

\*MaP testing performed by IAPMO R&T Lab. MaP Report conducted by Veritec Consulting Inc and Koeller and Company

†Please visit our website for complete Warranty details.

# Go Green and Flush with Confidence

Toilets are the main source of water use in the home, accounting for nearly 30 percent of a family's average water consumption. By switching from a 3.5 gallons per flush (gpf) toilet to an EPA WaterSense® certified 1.28 gpf toilet from American Standard, a family of four can save up to 16,206 gallons of water annually, without sacrificing performance.



American Standard offers a full-range of water efficient toilets that are engineered to perform exceptionally well — which means, you can save water without sacrificing performance.

## American Standard Offers You:

- A stylish selection of high-efficiency toilet (HET) models that flush clean using 20% to over 30% less water than standard 1.6 gpf models
- Virtually no clogs, no double flushes
- Fully glazed trapways
- Help in achieving green building ratings in remodeling and new construction
- The largest number of independently-tested, 1,000 gram maximum flush performance toilet models versus all other manufacturers
- The EverClean® surface — a permanent exclusive antimicrobial glaze that inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface
- Two- to 10-year worry-free warranties\* — the best in the business



**Compact Cadet® 3 FloWise®**  
Elongated bowl fits in the same space as a round front toilet

**2403.128**



**Cadet 3 FloWise**  
1.28 gpf, 2-1/8" trapway, oversized 3" flush valve

**2835.128**



**H2Option™ Siphonic Dual Flush**  
The first truly siphonic dual flush, PowerWash™ rim, heavy flush 1.6 gpf, light flush 1.0 gpf (utilizing 25% less water)

**2887.216**





**Tropic® Cadet® 3 FloWise®**  
1.28 gpf, 2-1/8" trapway,  
oversized 3" flush valve  
**2459.128**



**FloWise**  
High efficiency, low consumption,  
largest flush valve in the industry,  
4" piston action Acelerator™  
flush valve  
**2073.014**



**Studio Cadet 3 FloWise**  
Contemporary styling, 1.28 gpf,  
2-1/8" trapway, oversized 3" flush  
valve  
**2589.101**



**FloWise Dual Flush**  
Concealed trapway dual flush  
toilet, full flush 1.6 gpf, partial  
flush 0.8 gpf (utilizing over 30%  
less water), includes seat  
**2459.101**



**Cadet FloWise PA**  
High efficiency, ultra low  
consumption 1.1 gpf,  
pressure-assisted, siphon  
jet flush action  
**2462.100**



**Yorkville™**  
High efficiency, ultra low  
consumption 1.1 gpf,  
pressure-assisted, siphon jet  
flush action, floor-mounted,  
back-outlet  
**2878.100**



**Evolution® 2 FloWise**  
Siphon action bowl with direct-  
fed jet and excellent rim wash,  
1.28 gpf  
**2427.012**



For additional model  
variations, please visit  
[www.americanstandard.com](http://www.americanstandard.com).

# FloWise® Showers Feel Great with Less Water

Distinguished by exclusive turbine technology that spins and accelerates the water into a satisfying spray that feels as invigorating as standard 2.5 gallons per minute (gpm) models, FloWise showerheads and hand showers by American Standard save up to 40% on water usage without sacrificing performance.




## Feel the Difference with American Standard

Bathrooms account for more than 75% of indoor water use. Replacing an older showerhead with a newer, more efficient model from American Standard is a simple and effective way to conserve water.

## FloWise Showerheads Provide:


- A drenching spray
- Up to 40% water savings
- Exclusive turbine technology
- A choice of models in Single Function and Three-Function style options
- Exclusive Auto-Return feature
- Lifetime Warranty\* on function and finish



Turbine technology spins and accelerates the water into a spray that feels as invigorating as a standard 2.5 gpm model while using less water.

# FloWise® Single Function Showerheads

FloWise single function showerheads create a drenching shower experience with only 1.5 gpm of water. Thanks to our exclusive turbine technology, users can enjoy a satisfying soak and peace of mind knowing they are saving water and money too. Showerhead angles are completely adjustable. Five popular styles make it easy to match just about any décor.



**Basic Single Function Showerhead**  
**1660.710**



**Modern Single Function Showerhead**  
**1660.611**



**Square Single Function Showerhead**  
**1660.811**



**Transitional Single Function Showerhead**  
**1660.715**



**Traditional Single Function Showerhead**  
**1660.111**



# FloWise Three-Function Showerheads

Our three-function showerheads offer the same invigorating shower of the Single Function showerheads, with options for more. Three distinct settings allow you to choose how much and what type of spray you want. Each option conserves water and energy up to 40% with no compromise in comfort or effectiveness. Our exclusive auto-return feature reverts back to the 1.5 gpm flow every time you turn the shower off. Showerhead angles are completely adjustable.



**Modern 3-Function Showerhead**  
**1660.613**



**Square 3-Function Showerhead**  
**1660.813**



**Transitional 3-Function Showerhead**  
**1660.717**




**Traditional 3-Function Showerhead**  
**1660.113**




## Spray Patterns




**1.5 gpm  
turbine  
spray**



**2.0 gpm  
full  
spray**



**2.0 gpm  
combo  
spray**



### Exclusive Auto-Return Feature

Reverts back to the 1.5 gpm flow every time you turn the shower off. So you'll always start with maximum water savings — 40% over industry standard 2.5 gpm.

# FloWise® Single Function Bath/Shower Trims

FloWise Bath/Shower trim kits offer the same invigorating, water-saving shower experience utilizing our exclusive turbine technology. Attractive model groupings designed to infuse your bath/shower with a coordinated look and feel mean a family of four can save up to 8,000 gallons of water a year in comfort and style.



## FloWise Single Function Hand Showers

FloWise single function hand showers offer the same great shower experience and water savings as the single function showerheads but with the added versatility of being a hand shower. FloWise hand showers come in the same great style options as the showerheads.



Hand shower sets can be easily created with any of these great hand showers and the addition of the following components: 8888.035 60" Metal Shower Hose, 8888.036 Fixed Wall Bracket, 8888.037 Wall Supply.

# FloWise® Three-Function Hand Showers

Our FloWise three-function hand showers provide the same great shower and functionality as our three-function FloWise showerheads, but with the versatility of a hand shower. Matching shower system kits offer a coordinated look throughout the shower models. Using less hot water saves energy and money. All showerheads and hand showers are covered by a lifetime warranty<sup>†</sup> on function and finish.



Modern 3-Function  
Hand Shower  
**1660.643**



Square 3-Function  
Hand Shower  
Adjustable angle up  
to 45°  
**1660.843**



Transitional 3-Function  
Hand Shower  
**1660.743**



Traditional 3-Function  
Hand Shower  
Adjustable angle up  
to 45°  
**1660.143**



## Water-Saving Soft Hand Shower



Water-Saving Soft  
Hand Shower  
**1660.502\***



Hand shower sets can be easily created with any of these great hand showers and the addition of the following components: 8888.035 60" Metal Shower Hose, 8888.036 Fixed Wall Bracket, 8888.037 Wall Supply.

# FloWise Three-Function Shower Kits



Modern 3-Function  
Shower System Kit  
**1662.643**



Square 3-Function  
Shower System Kit  
**1662.843**



Transitional 3-Function  
Shower System Kit  
**1662.743**



Traditional 3-Function  
Shower System Kit  
**1662.143**



## Water-Saving Soft Shower Kit



Water-Saving Soft  
Shower System Kit  
**1662.604\***



# FloWise Finishes



Polished  
Chrome  
**002**



Blackened  
Bronze (PVD)  
**068**



Polished Brass  
(PVD)  
**099**



Stainless Steel  
(PVD)  
**075**



Satin Nickel  
(PVD)  
**295**

Not all finishes available on every model.

\*WaterSense approval pending (August 2010)

<sup>†</sup>Please visit our website for complete Warranty details.

# Faucets — Engineered to be the Best

Faucets account for more than 15% of water use in the home — more than 1 trillion gallons across the U.S. each year. Replacing older faucets with low-flow models saves 32% on water bills and pressure-compensating aerators mean the only place you'll feel the difference is in your wallet.



American Standard faucets are engineered to perform exceptionally well and feature the very latest in design-savvy styles. With American Standard, it really is Style That Works Better.

- Washerless ceramic disc valving for drip-free performance
- Exclusive Speed Connect® drain
  - ▲ Pre-assembled for easy installation
  - ▲ Never needs adjusting
  - ▲ The lift rod comes set to correct height and never comes loose
  - ▲ Seals tight every time so water stays in the sink
- American Standard bathroom sink faucets are WaterSense® certified (by IAPMO), with a maximum flow rate of 1.5 gpm
- Pressure compensating technology means great performance at any pressure on 1.5 gpm models
- Innovative Physical Vapor Deposition (PVD) process means the lustrous finish is manufactured right into the faucet, not just an outside coating
- Faucets covered by our Limited Lifetime Warranty — tarnish, scratch and corrosion-resistant



Green Tea™



7010 series



Berwick™



7430 series

## Drip-Free\* Ceramic Disc Valves

- Maintenance-free, won't wear out
- Memory positioning for convenient recalling of desired temperature (on all one-handle versions)

## Solid Brass Construction

- Strong and durable

## Lead Free

- All faucets are certified Lead Free (by NSF) as defined under federal and state laws



\*Limited Lifetime Warranty<sup>†</sup> extended to the original consumer purchaser.

	American Standard Product	Conventional Product	Water Savings
Bathroom Sink Faucets	1.5 gpm	2.2 gpm	<b>32%</b>
FloWise® Hand Showers	1.5 - 2.0 gpm	2.5 gpm	<b>Up To 40%</b>
Shower System Kits	1.5 - 2.0 gpm	2.5 gpm	<b>Up To 40%</b>
FloWise Bath/Shower Trims	1.5 - 2.0 gpm	2.5 gpm	<b>Up To 40%</b>
FloWise Showerheads	1.5 - 2.0 gpm	2.5 gpm	<b>Up To 40%</b>

For additional model variations, please visit [www.americanstandard.com](http://www.americanstandard.com).

†Please visit our website for complete Warranty details.



Moments™



2506 series



Amarilis®



3841, 3801 and 8871 series



Serin™



2064 series



Town Square®



2555 series



Enfield™



2373 series



Copeland™



7005 series



Dazzle®



6028 series



Portsmouth™



7420 and 7415 series\*

\*WaterSense approval pending (August 2010)



Tropic®



7038 series



Hampton®



7871, 7881, 7471  
and 7411 series



Princeton®



4508 series



Colony Soft®



3875, 2275 and 2175 series



Ceramix®



2000 series



Seva™



1480 series



Reliant 3®



7385 series



Colony®



2175 series

# Commercial Innovation

When it comes to commercial plumbing chinaware, American Standard is the clear market leader — outperforming the competition with our unequaled product selection and best-in-category performance. Our commercial products leverage the latest innovations, delivering the broadest selection of LEED, EPA WaterSense®, ADA and NAFTA-compliant products.



Benefiting from exclusive, state-of-the-art toilet technology, American Standard's high efficiency institutional toilets deliver both generous water savings and maximum MaP performance ratings for bulk removal. Models are available in both floor and wall mount options.

- ATS Services Sponsor [www.atsspec.net](http://www.atsspec.net) 
- Fully functional REVIT families available
- High efficiency, low consumption (1.28 gpf) toilet
- Elongated and Right Height™ options available
- Features the EverClean® surface — a permanent exclusive antimicrobial glaze that inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface
- Wall-hung and floor mount options available
- Durable construction



**Priolo® FloWise®**  
*Floor mount rear outlet flushometer valve, HET low consumption, operates in the range of 1.1 gpf to 1.6 gpf, powerful direct-fed siphon jet action, 2-1/8" trapway*  
**3690 series**



**Madera™ FloWise**  
*Floor mount flushometer valve, HET low consumption, operates in the range of 1.1 gpf to 1.6 gpf, 2-1/8" trapway*  
**3451 and 3461 series**



**Afwall®**  
*Wall-mounted flushometer valve, HET low consumption, operates in the range of 1.1 gpf to 1.6 gpf, powerful direct-fed siphon jet action, 2-1/8" trapway*  
**3351 and 3555 series**



**Right Width™ FloWise**  
*Perfect for bariatric applications — wider design for added comfort and ease of use, high efficiency, low consumption (1.28 gpf), tested to weight failure of 2,000 lb, wider base for excellent retrofit installation, 2" trapway*  
**3641.001**



# Less is More

American Standard's commercial chinaware urinal systems provide superior performance while delivering optimal water savings. A selection of high efficiency and ultra high efficiency, high functioning urinals allows you to decide how much water you want to save.



## How We Spell Efficiency

- Low water consumption on both 0.5 and 0.125 gpf urinal types
- Ultra efficient system provides over 87% water savings compared to 1.0 gpf systems
- Extended sides for privacy
- Fail-safe mechanism — valve closes automatically on loss of power



**Washbrook™ FloWise®  
0.5 gpf Urinal**  
*Elongated 14" rim from finished wall, washout flush action, extended sides for privacy*  
**6590.005, 6515.005**



**Allbrook® FloWise 0.5 gpf  
Siphon Jet Urinal**  
*Flushing rim, siphon jet flush action, meets ANSI flush requirements at 0.5 gpf*  
**6550.005**



**Washbrook FloWise  
0.125 gpf Urinal**  
*Ultra high efficiency, elongated 14" rim from finished wall, washout flush action*  
**6515.125 and  
6590 series**



**Selectronic® Innsbrook® 0.5 gpf  
High-Efficiency Urinal**  
*New Selectronic technology, 1/2" supply line, integral flushing mechanism, washout flush action*  
**6520.001 series**

# Innovative Waterless Urinals

American Standard's FloWise® Flush-Free Waterless Urinals are water efficient, wall hung urinals with integral housing and drain inserts. Each uses an odor barrier liquid to prevent unwanted odors. They come in three sizes — small, medium and large.



## FloWise and Feature-Rich

- Water efficient
- Odor barrier liquid
- Insert key
- Drain insert
- Drain flange coupler
- Meets ANSI flush requirements



**FloWise Flush-Free Waterless Urinal — Small**

*Nominal Dimensions:  
13-1/4" x 19-1/2" x 13"*  
**6155.100**



**FloWise Flush-Free Waterless Urinal — Medium**

*Nominal Dimensions:  
16" x 24-3/4" x 15-1/2"*  
**6154.100**



**FloWise Flush-Free Waterless Urinal — Large**

*Nominal Dimensions:  
19-3/4" x 28" x 15-1/2"*  
**6150.100**



# Flush Valves in All Shades of Green

When it comes to commercial flush valves, American Standard offers unequaled product selection with best-in-category performance. Available in concealed or exposed installations and standard and FloWise® models, our complete line of high-performance flush valves is designed to meet any commercial application need... saving water, time and money.



## Manual and Selectronic® Flush Valves Set the Standard

- Self-cleaning piston valves that prevent clogging and reduce maintenance
- Piston valves deliver precise flush accuracy and repeatability
- Positive seal ensures leak-free performance
- Suitable for new construction or retrofit installations. Interchangeable with flush valves from all of the major manufacturers
- Piston valve that remains closed and does not need to be re-set after loss of water pressure
- ADA compliant

### Manual Flush Valve Features:

- Chemical Resistant EPDM seals — synthetic rubber seals that are unaffected by chloramines and ammonia
- Non hold-open handle — shuts off automatically after every flush complying with the latest Code Requirements
- No external volume adjustment

### Selectronic Flush Valve Features:

- Electronic flush valve with Selectronic proximity system for hygienic "hands-free" operation
- Fully independent mechanical override that allows valve to flush during a power failure
- Adjustable range — manually or by remote programmer



**Manual FloWise Toilet Flush Valve**

*Manual piston-type water closet flush valve, 1.28 gpf for up to 20% water savings over 1.6 gpf toilet flush valves*

**6047 series**



**Manual FloWise Urinal Flush Valve for 3/4" Top Spud Urinals**

*Manual piston-type urinal flush valve, 0.5 gpf for up to 50% water savings over 1.0 gpf urinal flush valves*

**6045.051**



**Selectronic FloWise Urinal Flush Valve**

*High efficiency 0.5 gpf flush valve, saves 50% in water usage over 1.0 gpf urinal flush valves, available for concealed and exposed installations, also available as 0.125 gpf version that saves 87% in water usage when matched with the Washbrook 0.125 gpf HEU*

**6063 series**



**Selectronic FloWise Toilet Flush Valve**

*High efficiency 1.28 gpf flush valve, saves 20% in water usage over 1.6 gpf toilet flush valves, available for concealed and exposed installations*

**6065 series**



# Advanced Selectronic® Technology

American Standard's patented Selectronic proximity faucets, flush valves and urinals feature state-of-the-art designs that combine water- and energy-saving technology with attractive styling. The universal Selectronic sensor is engineered to accommodate a range of our faucets, toilets and urinals.



- All Selectronic faucets, urinals and flush valves share a single universal sensor
- The single sensor makes Selectronic a cost-effective proximity line to install, maintain and inventory
- Hygienic, hands-free operation — ideal for applications that call for good hygiene, high performance and low maintenance
- Motion range and running time can be adjusted manually or by remote programmer
- Flexible and integrated system makes rest room facilities easier to plan and design, less costly to maintain and more convenient to use
- Available with 0.5 gpm spray for additional water savings
- Models available for DC, AC or multi-AC installations
- One power supply can feed up to 15 units
- Fail-safe design saves enough power to automatically close the valve during loss of power
- Ceratronic™ proximity faucets offer exclusive touch-free temperature control, enabling users to control water temperature, as well as on-off settings, without touching the faucet
- Safety Timer to help prevent vandalism by shutting off the valve if sensor is covered for more than 60 seconds



Optional Remote Programmer  
for the Service Professional



Ceratronic™  
6508 series



Selectronic Moments™  
2506 series



Selectronic with  
Cast Spout  
6055, 6056  
and 6057 series



Selectronic Gooseneck  
6055, 6056  
and 6057 series



Selectronic Innsbrook®  
6055, 6056  
and 6057 series



# Exceptionally Engineered Commercial Faucets

All American Standard Commercial Lavatory Faucets feature durable, solid brass construction and pressure-compensating aerators for exceptional performance while ensuring optimal water savings.



- Pressure compensating aerators provide a constant water flow throughout the pressure range
- Solid Brass Construction for enhanced durability in high-use applications
- Ceramic disc valve cartridge ensures a lifetime of drip-free performance
- All faucets are certified Lead Free (by NSF) as defined under federal and state laws
- Available with ADA compliant vandal-resistant lever or wrist blade handles
- All commercial faucets are available with Careguard® Laminar Flow Outlets:
  - ▲ Laminar devices do not draw air (or airborne bacteria) into the water stream and produce a crystal clear, splash free stream
  - ▲ Screenless construction (no wire mesh screens) prevents lime build-up

**LEAD  
FREE**

## Heritage®



4800 and 6802 series



5400 series



7400 series

## Monterrey®



6500 series



7500 series



6530 series

## Monterrey Faucets Available in the Following Versions:

- Field convertible rigid/swivel spout in 6540 model
- 0.5 gpm models — popular water-saving options now available as a standard model\*
- Laminar flow in base in 6540 and 7500 models — ideal for healthcare applications
- Limited swing in 6540 and 7500 models to prevent vandalism — ideal for school installations
- Third water inlet in 6530 model for use with pedal valves

\* Heritage Faucets are available with a 0.5 gpm spray as a modification

Careguard is a registered Trademark of Neoperl Inc.

# Eco-Friendly Metering Faucets

Our metering faucets are durable, built to withstand the rigors of high use commercial and institutional projects, while delivering optimal water conservation — saving water, energy and money. Metering faucets are great for public restrooms, with an automatic shut-off feature preventing sinks from unattended overflows, and costly excess water usage.



Metering



1340.105



1340.225



1340.855

- Factory set to 0.25 gallons of flow per activation
- Comes standard with 1.5 gpm aerator, can be modified with 0.5 gpm aerator
- Automatic shut-off stops water and energy waste
- Adjustable flow cycle
- Replaceable cartridge for easy maintenance
- All faucets are certified Lead Free (by NSF) as defined under federal and state laws
- Meets ADA standards with less than 5 lbs. of operating force required to initiate flow
- Vandal-resistant cast brass construction and aerator
- Water efficient — qualifies for LEED points

**LEAD  
FREE**



Conserving water now counts as a family activity.

The average family of four can save more than 33,000 gallons a year simply by installing our water efficient toilets, showers and faucets. We have over 130 products that have earned the EPA WaterSense® certification. It's time to create a bathroom that conserves without compromise. Welcome to **style that works better™ for you.**

## Water Savings Residential Calculators

Savings per replaced product (*Based on a family of 4*)

\$6.06

Water Cost per 1,000 gallons –  
National Average

### Our 1.28 gpf Toilet

Compared to 3.5 gpf  
at 20 flushes per day



\$98.21  
16,206 gals

**YOUR SAVINGS** per year

### Our 1.5 gpm Faucet

Compared to 2.2 gpm  
at 32.4 minutes per day



\$50.17  
8,278 gals

**YOUR SAVINGS** per year

### Our 1.5 gpm Shower

Compared to 2.5 gpm  
at 32.8 minutes per day



\$72.55  
11,972 gals

**YOUR SAVINGS** per year

Toilet  
and Faucet

Toilet, Faucet  
and Shower

\$148.38  
24,484 gals

\$220.93  
36,456 gals

**TOTAL SAVINGS**

## Water Savings Commercial Calculators

Savings based on quantities of ten products

\$6.06

Water Cost per 1,000 gallons –  
National Average

### Our 1.28 gpf Toilet

Compared to 3.5 gpf  
at 5 flushes per  
toilet per day



\$245.52  
40,515 gals

**YOUR SAVINGS** per year

### Our 0.5 gpm Faucet

Compared to 2.2 gpm  
at 8.1 minutes per  
faucet per day



\$304.58  
50,261 gals

**YOUR SAVINGS** per year

### Our 1.5 gpm Showerhead

Compared to 2.5 gpm  
at 8.2 minutes per  
showerhead per day



\$181.38  
29,930 gals

**YOUR SAVINGS** per year

### Our 0.125 gpf Urinal

Compared to 1.0 gpf  
at 5 flushes per  
urinal per day



\$96.77  
15,969 gals

**YOUR SAVINGS** per year

Toilet  
and Faucet

Toilet, Faucet  
and Shower

Toilet, Faucet  
and Urinal

\$550.10  
90,776 gals

\$731.28  
120,706 gals

\$646.87  
106,745 gals

**TOTAL SAVINGS**

For more information on American Standard Brands, please visit  
our website at [www.americanstandard.com](http://www.americanstandard.com) or call 1-800-442-1902.

©2010 AS America, Inc. SAC10A100

**American Standard**  
Style That Works Better