DAD3651

Automatic Dicing Saw

Print Manual Downloads

› FAQ


Ultra-compact Dual Spindle Dicing Saw Which Achieves Increased Processing Stability

Φ200 mm Facing dual spindle



Small footprint

The optimal design of the DAD3651 combines high functionality and ultra compactness for a dual-spindle automatic dicing saw giving it a footprint 2/3 the size of the widely used single-spindle DAD3350 dicer for ø8-inch wafers.



High throughput

By dicing with 2 spindles simultaneously in dual cut mode, high throughput of as much as twice that of a single-spindle dicer can be achieved.

High processability


DAD3651 achieves a small footprint while continuing to support the processing of workpieces up to Φ8 inches. This equipment also supports large square workpieces up to 250 mm with the addition of a user-specified specification. Also, by mounting a different blade on each spindle and using step cut to dice in 2 stages, it is possible to process workpieces requiring very high quality.

High-rigidity spindle


Includes a 1.8 kW spindle with high rigidity, which further improves the processing stability.

Enhanced ease of use

By adopting a 19-inch LCD touch panel, it is possible to operate the equipment and check the equipment and blade conditions at the same time. The operator’s labor load is reduced using the auto alignment function as a standard specification in addition to providing basic access for operation, replacement of workpieces and blades, etc. on the front side of the equipment.



Top menu



Stop Correction Screen

Specifications

Specification		Unit	
Max. workpiece size		-	Φ8 inch (250 mm × 250 mm, Φ300 mm user-specified specification)
X-axis	Cutting range	mm	260
	Cutting speed	mm/s	0.1 ~ 1,000
Y-axis	Cutting range	mm	260
	Index step	mm	0.0001
	Index positioning accuracy	mm	0.002/260 (Single error) 0.002/5
Z-axis	Max. stroke	mm	32.2
	Moving resolution	mm	0.0000002 (0.2 nm)
	Repeatability accuracy	mm	0.001
θ-axis	Max. rotating angle	deg	320
Spindle	Rated output	kW	1.8
	Rated torque	N・m	0.29
	Rotation speed range	min^{-1}	6,000 ~ 60,000
Equipment dimensions(W×D×H)		mm	790 × 790 × 1,800
Equipment weight		kg	Approx. 1,040

*Product appearance, features, specifications, and other details may change due to technical modifications.
*Please read the standard specification sheet thoroughly before use.

Product Lineup







	DAD324	DAD3221	DAD3231	DAD3241	DAD3350
Machine type	Automatic	Automatic	Automatic	Automatic	Automatic
Spindle	1	1	1	1	1
C/T	1	1	1	1	1
Machine dimentions (W × D × H)	490 × 870 × 1670	490 × 870 × 1670	650 × 950 × 1670	650 × 950 × 1670	900 × 1050 × 1800
Machine weight (kg)	420	420	550	550	1200

DAD3651

Automatic Dicing Saw

Print Manual Downloads

› FAQ

Contact

Please feel free to contact us with any questions or inquiries.

Contact form › Look up a sales office near you ›