Product Description

China high acurracy Laboratory Medical Hospital Laser Particle Size Analyzer/LPSA Price for Sale Winner2008B

Brief introduction:

Winner2008B Intelligent liquid dispersion laser particle size analyzer adopt MIE scattering principle, measure size is from 0.01 to 2000 micron, Which offer reliable and repeatable particle size analysis for a diverse range of applications.It use dual-beam& multiple spectral detection systems and side light scatter test technology to significantly improve precision and performance of test, on behalf of the domestic advanced level in the field.

Main Specifications:

Model Name		**Winner2008A**	**Winner2008B**
Standard		ISO13320:2009, GB/T19077-2016, Q/0100JWN001-2013	
Principle		MIE scattering theory	
Measuring Range		0.01-2000μm	0.01-1200μm
Channels Number		127	120
Accuracy error		<1% (Deviation of D50 on national standard sample)	
Repeatability error		<1% (Deviation of D50 on national standard sample)	
Light source		High performance He-Ne Laser (λ= 632.8nm, P>2MW) Lifetime>25000hours	
Dispersion Method	Ultrasonic	Frequency:40KHz Power:35W, Time: ≥1S	
	Stir	Revolutions Speed: 0-300RPM (Adjustable)	
	Circulate	Rated Flow:8L/min Rated Power:10W	
	Sample Pool	Volume:350mL	
	Micro-Sample Pool	Volume: 10mL (Available)	
Operation Mode		Full automatic/ manual control, freely choose	
Optical bench alignment system		Full automatic,precision is up to 0.1um	
Software function	Analysis mode	Free Distribution, R-R Distribution, Logarithm Normal Distribution, Mesh number classification etc.	

	Statistic Method	Volume Distribution, Quantity Distribution
	Statistic Comparison	Several Testing Results of samples Different batches of samples testing result, Samples before and after processing, Test result of samples in different time.
	User-defined Analysis	Figure out percentage according to the particle size Figure out particle size according to the percentage Figure out percentage according to the particle size range Meet demands of representation of particle test in different industries
	Test Report	Word, Excel,Photo(Bmp), Text etc
	Multiple-language Support	Multiple language Support
	Intelligent operation	Automatically control water inflow, dispersion,test and analysis.Better Repeatability after remove human-factor
Testing speed		<2min/time
Outer dimension		L10.4cm*W44cm*H54cm
Net weight		58Kg

Main Features:

1)Winner Patent -Optical path design
Converging light Fourier transform light patented technology, make scattering light not be restricted to lens aperture. Double spectrum design make its precision achieves from 0.01um to 2000μm,and Dual-laser orthogonal light make use of the semiconductor auxiliary laser extend the test angle from 45 degree to 135 degree, ensure receive all the angles of signals.

2) Expand Size Range
Winner2008A measurement range significantly expanded to 0.01um, particularly suitable for small samples of the user, the sub micron particle test results reached the international level

3)Full built-in dispersion system
The ultrasonic dispersion, mechanical stirring and circulation channel reasonable integrated in the interior of the instruments, ensure the uniform dispersion and distribution of particles in the testing process, effectively avoid uneven distribution, large particle deposition phenomenon caused by long pipe line of outside dispersion system , to ensure the accuracy of the test results.

4)Intelligent Operation mode
With intelligent automatic mode of operation, to achieve a key test, as long as according to the prompt addition of sample, click the "test", all processes including water-supply, dispersion, circulation, testing, cleaning, data record, data analysis, save and print are automatically completed, not only reduce the testing workload, but also eliminate the interference of human factors, to further improve the accuracy and authenticity of testing results.

5)Automatic Optical path alignment system

The precision of four hybrid stepping motor in the automatic system of optical components, micro precision of 0.1um, the instrument of light path is always at its best to eliminate manually on the light path and the troubles and difficulties but also enhance the accuracy and stability of test results.

6)Authoritative calibration method
In the entire test range using the national standard materials for calibration, only a year calibration once the instrument can. Calibration method is simple and quick.

7) Unconstrained free fitting technique

Winner original unconstrained free fitting technology, particle size analysis is not affected by any functional constraints, can be a true reflection of the distribution of particles.

Ralated products

Packaging & Shipping

Our Services

Quality Assurance For Laser Particle Size Analyzer

1. Strictly conforming to ISO9001-2000 quality management system,
2. Strict control from purchasing materials, process inspection to final particle size distribution test,
3. QC department to execute quality control regulations,
4.Only qualified components will be assembled and total laser particle size analyzer must be inspected completely before sale.
5, Laser particle size analyzer will be processed preventing -shake test before delivery.

After sale service

1. We will send our technician to install the laser particle size analyzer if customer need.(operation demo video CD will be offered also.)
2. Offer free-training service.
3. The quality assurance date is 1 year since finishing payment, Technology support in all a life. And after that, we will collect the cost if provide repair accessories.
4. Maintenance for equipment failure caused by improper handling (appropriate cost will be collected).
5. We offer the components with favorable price and perdurable maintenance.