Basic Info.

Model NO.	LSPEC SR550
Appliance	Biochemistry
Ray Type	532nm Visible Laser
Gaspath System	No Gas Path System
Detector	Te Cooled CMOS/CCD Array Detector
Energy Resolution	Other
Certification	CE
Spectrometer Detector	Raman Optical Detector
Stationary Phase	Not Applicable
Mobile Phase	Not Applicable
Chromatography Type	Not Applicable
Chromatographic Column Type	Not Applicable
Chromatographic Column Length	Not Applicable
Chromatographic Column Diameter	Not Applicable
Customized Support	OEM, ODM, Obm
Wavelength Range	532nm
Place of Originthenan, China Typetraman	532nm
Spectral Range	150-4000cm-1
High Resolution	up to 3cm-1@614nm
Optional Microscope	Satisfy The Raman Positioning Detection of Objects
Optional Functions	Microscopic Imaging, Electric Platform Mapping Fun
Whether to Customize	Customizable
Laser Lifetime	>5000h
Data Function	USB,WiFi,VGA,etc.
Laser Power	100MW(0-100% Continuously Adjustable)
Storage Temperature	

10℃-60℃

Transport Package

Wooden Box Packing

Specification

800*500*600mm

Trademark

Resound

Origin

China

HS Code

90278090

Production Capacity

50000pieces/Years

Packaging & Delivery

Package Size

80.00cm * 50.00cm * 60.00cm

Package Gross Weight

20.000kg

Product Description

The **Lspec Sr550 532nm High-Resolution Micro-Raman Spectrometer** is a cutting-edge analytical instrument designed for non-destructive, rapid molecular structure analysis. As a core tool for scientific research and industrial testing, this micro Raman spectrometer combines high spectral resolution, precise laser excitation, and optional microscopic imaging, making it ideal for laboratories, universities, research institutes, and industrial R&D centers worldwide.

Whether you need to analyze material composition, identify chemical bonds, or conduct micro-area positioning detection, the Sr550 raman spectrometer delivers accurate, reliable results with user-friendly operation, meeting the diverse needs of material science, chemistry, biology, geology, and more.

Product Description

Key Features

- **High-Resolution Spectral Performance**: Achieves up to 3cm-¹ resolution @614nm, ensuring precise detection of subtle molecular structure differences
- **Stable 532nm Excitation Wavelength**: Optimized for most common samples, providing clear, high-quality Raman spectra with minimal fluorescence interference

- **Wide Spectral Range**: Covers 150-4000cm-¹, supporting full-range analysis of organic, inorganic, and composite materials
- **Optional Microscope Module**: Enables visual positioning and micro-area Raman detection, perfect for small samples, thin films, and heterogeneous materials
- **Adjustable Laser Power**: 100mW output with 0-100% continuous adjustment, adaptable to different sample types and testing requirements
- **Long-Life Laser Source**: >5000h laser lifetime, ensuring long-term stable operation and low maintenance cost
- **Multiple Data Interfaces**: Supports USB, WIFI, VGA, etc., for easy data transmission, real-time monitoring, and external display connection
- **Customizable Solutions**: Tailored functions and configurations available to meet specific application needs
- **Electric Platform Mapping Function**: Optional automatic scanning and mapping for large-area sample analysis
- **Wide Storage Temperature Range**: 10ºC-60ºC, suitable for various laboratory environments

Specification

item	value
Place of Origin	China
	Henan
Type	Raman Spectrometer
Warranty	1 Year
Size	50
Weight	9kg
Customized support	OEM, ODM, OBM
Brand Name	Resound
Model Number	LSPEC SR550
Focal Length	
Wavelength Range	532nm
Material	
Excitation wavelength	532nm
Spectral range	150-4000cm-1

high resolution	Up to 3cm-1@614nm
Optional microscope	Satisfy the Raman positioning detection of objects
Optional functions	Microscopic imaging, electric platform mapping function
Whether to customize	Customizable
Laser lifetime	>5000h
Data function	USB,WIFI,VGA,etc.
Laser power	100mW(0-100% continuously adjustable)
Storage temperature	10ºC-60ºC