

psy.market — Refined Product Requirements Document

Changelog

v3.0 (February 9, 2026)

#	Change	Reason
16	Replaced Convex with Supabase PostgreSQL	Consolidated to single backend provider
17	Replaced Clerk with Supabase Auth	Consolidated to single backend provider
18	Replaced UploadThing with Supabase Storage	Consolidated to single backend provider
19	Added Supabase Realtime for messaging	Native real-time with Supabase
20	Replaced Convex cron with Supabase pg_cron	Runs in database, no external cost
21	Introduced Umbrella Model (User + Profile)	Future-proof for multi-profile in V2
22	All entities now reference 'profile_id' not 'user_id'	Umbrella model architecture
23	V1 scoped to one profile per user	Keep MVP simple, easy V2 upgrade
24	Added multi-profile, profile switcher to V2 scope	Deferred complexity
25	Updated estimated costs for Supabase free tier	New provider

v2.0 (February 6, 2026)

#	Change	Reason
1	Added rejection resubmit flow	Original PRD had no path after rejection
2	Defined edit-after-approval behavior (no re-review)	Undefined in v1.0
3	Added auto-approve after 24h SLA breach	SLA had no enforcement mechanism
4	Removed "popular" sort from V1	No meaningful data to rank by at launch
5	Defined featured listing UI (top carousel)	"Featured" had no visual specification
6	Added 'role' field to users schema	Missing from v1.0 schema despite admin requirements
7	Added content validation rules throughout	No character limits or file constraints existed
8	Added placeholder legal pages to V1 scope	EU launch requires Privacy Policy and ToS
9	Defined account deletion behavior (delete everything)	Undefined in v1.0
10	Specified messaging capabilities (text + images + links)	Message content rules were undefined
11	Clarified guest vs authenticated access	Implicit but never stated
12	Defined admin setup process (manual DB insert)	No admin bootstrapping process existed
13	Added '/admin' route specification	Admin UI location was undefined
14	Deferred reporting, stale listings to V2	Explicitly scoped out of V1
15	Added admin content guidelines	No approval/rejection criteria existed

1. Executive Summary

psy.market is a global marketplace for psytrance fashion and culture. Think Etsy + Vinted + Grailed, but specifically for the psytrance community.

V1 Goal: Launch a functional marketplace where users can list, browse, and contact sellers. No payments — validate demand first, monetize second.

V2 Goal: Add Stripe Connect payments, reviews, reporting, multi-profile support, and automated featured listings.

2. Product Goals

Goal	Priority	Success Metric
Launch MVP	P0	Site live with 50+ listings
Validate demand	P0	100+ registered users, 20+ active listings
Build community trust	P1	0 scam reports, positive user feedback
Generate revenue	P2	First featured listing sale

3. Target Audience

Primary:

- Psytrance festival goers (ages 20–40)
- Independent creators making festival clothing
- Vintage collectors selling rare pieces

Secondary:

- Festival organizers looking for vendors
- Boutique owners in the scene
- International buyers (global shipping)

Geography: Global launch, EU-focused initially.

4. Features

4.1 V1 Features (MVP)

4.1.1 Authentication & Access

- Email/password and Google social login via Supabase Auth
- Guest access: Anyone can browse listings and view listing details without an account
- Authenticated access required for: creating listings, messaging sellers, managing profile
- Profile completion flow after first sign-up (handle, display name, optional location)

4.1.2 User Architecture (Umbrella Model)

psy.market uses a two-level architecture separating private accounts from public profiles:

Level 1 — Master Account (User):

- Private. Handles login, security, and (V2) financial payouts.
- Stored in `auth.users` (Supabase Auth) + `public.users` (app-level data: role, email preferences).
- One per human/company.

Level 2 — Profile (Persona):

- Public-facing identity used to interact with the marketplace.
- Stored in `public.profiles` (handle, display name, avatar, bio, location, social links, etc.).
- All marketplace actions (listings, messages) are tied to a profile, not the user account.
- V1: One profile per user, auto-created on signup. Type defaults to personal.
- V2: Multiple profiles per user (personal, artist, label, festival) with a profile switcher.

4.1.3 Profile Fields

- Handle: Unique, 3-30 characters, alphanumeric + underscores only (used in URLs: `/seller/{handle}`)
- Display name: Required, 1-100 characters
- Bio: Optional, max 500 characters
- Avatar: Optional, uploaded to Supabase Storage (max 2MB, JPEG/PNG/WebP)
- Location: Optional, free text (city, country), max 100 characters
- Social links: Optional — Instagram URL, Facebook URL, website URL
- Creator flag: Self-identified creator (boolean)

4.1.4 Account Settings (on User level)

- Email notification preferences: On/off toggle (default: on)
- Account deletion: Self-service. Deletes all user data, profile(s), listings, and messages permanently.

4.1.5 Listings

Creation:

- Title: Required, 5-100 characters
- Description: Required, 20-2,000 characters
- Price: Required, in EUR cents. Displayed as EUR with 2 decimal places. Minimum: €0.50 (50 cents). Maximum: €50,000 (5,000,000 cents).
- Condition: Required, one of: `new`, `like_new`, `good`, `worn`, `vintage`
- Size: Required, free text, max 20 characters (e.g., "S", "M/L", "One Size", "42EU")
- Images: Required, 1-5 images. Max 5MB each. Accepted formats: JPEG, PNG, WebP. Uploaded to Supabase Storage.
- Category: Required, one of: `clothing`, `accessories`, `gear`, `art`, `other`
- Tags: Optional, max 10 tags, each tag max 30 characters, alphanumeric + hyphens
- Shipping location: Required, select one or more countries from the country list, or "Worldwide"

Status Flow:

...

draft → pending → active → sold

↘ rejected → (edit) → pending (resubmit)

...

- draft: Seller is still editing. Not visible to anyone except the seller.
- pending: Submitted for admin review. Not visible to public.
- active: Approved by admin (or auto-approved after 24h). Visible to everyone.
- sold: Marked as sold by the seller. Visible but clearly marked "Sold".
- rejected: Rejected by admin with notes. Seller can edit and resubmit (returns to pending).

Editing:

- Sellers can edit their own listings at any time.
- Editing an active listing does NOT trigger re-review. Changes go live immediately.
- Editing a rejected listing and resubmitting sends it back to pending.

Constraints:

- No limit on the number of active listings per profile.
- A profile cannot contact their own listing.

4.1.6 Discovery

- Browse page (/browse) with infinite scroll (24 listings per page load)
- Empty state: "No listings found. Try adjusting your filters." with a link to clear filters.
- Filters:
 - Category (multi-select)
 - Condition (multi-select)
 - Price range (min/max EUR input)
 - Size (text input)
 - Shipping location (country picker)
- Search: Keyword search across title, description, and tags (PostgreSQL full-text search)
- Sort options (V1): Newest first (default), Price low to high, Price high to low
- Featured carousel: Top of browse page, horizontal scrollable row of featured listings. Only shown if at least 1 featured listing exists.

4.1.7 Listing Detail Page

- Full image gallery (click to enlarge)
- Title, price, condition badge, size, category
- Full description
- Tags displayed as chips
- Shipping locations
- Seller info card (display name, avatar, handle, location, member since, link to seller profile)
- "Contact Seller" button (requires authentication, opens messaging thread for this listing)
- View count (incremented on each unique page view per session)

4.1.8 Messaging

- Per-listing threads: Each conversation is tied to a specific listing between buyer and seller profiles.
- Thread ID format: {listingId}_{buyerProfileId}_{sellerProfileId}
- Message content: Text + images + links. Max 2,000 characters per message. Images uploaded to Supabase Storage (max 5MB, JPEG/PNG/WebP). Links are auto-detected and rendered as clickable.
- Real-time: Messages appear instantly via Supabase Realtime subscriptions.
- Read receipts: Messages marked as read when the recipient opens the thread.
- Email notifications: Opt-in. When enabled, user receives an email via Resend when they get a new message.
- Message list page: Shows all conversations grouped by listing, sorted by most recent message.
- No message editing or deletion in V1.

4.1.9 Admin

Access: Admin dashboard at /admin route within the same Next.js app. Protected by role-based middleware — only users with role: "admin" or role: "super_admin" can access.

Roles:

Capability Super Admin Admin
----- :-----: :-----:
Approve/reject listings Yes Yes
Ban/suspend users Yes Yes
View analytics (listing count, user count, pending queue size) Yes Yes
Toggle featured flag on listings Yes Yes
Create/remove admin accounts Yes No

First super admin setup: Manually run a SQL update in the Supabase dashboard to set role = 'super_admin' on your user record in the public.users table after signing up.

Approval Workflow:

1. User submits listing → status: pending
2. Listing appears in admin approval queue, sorted by oldest first
3. Admin reviews and either:
 - Approves → status: active, listing visible to public
 - Rejects → status: rejected, admin writes rejection notes (required, min 10 characters), seller sees notes and can edit & resubmit
4. SLA: 24 hours. If no admin action within 24 hours of submission, listing is auto-approved via a Supabase pg_cron job that runs every hour.

Admin Content Guidelines (approval criteria):

- Listing must have at least 1 clear photo of the actual item
- Title and description must be in English (or clearly understandable)
- Item must be relevant to psytrance culture, festival fashion, or related categories
- No counterfeit or stolen goods
- No prohibited items (weapons, drugs, explicit content)
- Price must appear reasonable (not a placeholder like €0.01 or €99,999)

4.1.10 Legal Pages

- Privacy Policy (/privacy) — Placeholder page covering: data collected (name, email, location, messages), data storage (Supabase), cookies (Supabase Auth), GDPR rights (access, deletion, portability), contact information for data requests.
- Terms of Service (/terms) — Placeholder page covering: user responsibilities, prohibited items, no liability for off-platform transactions, content ownership, account termination policy.
- Both linked from the site footer.
- To be reviewed by a lawyer before public marketing launch.

4.1.11 SEO & Meta

- Dynamic <title> and <meta description> for all pages
- Open Graph tags for listing detail pages (image, title, price)
- Sitemap generation for active listings
- Semantic HTML throughout

4.2 V2 Features (Post-Launch)

- Multiple profiles per user + profile switcher (personal, artist, label, festival)
- Stripe Connect for payments (marketplace model, split payments, KYC on master account)
- Reviews and ratings (buyer reviews seller after transaction)
- Favorites/wishlist
- Follow sellers — follow button on profile pages, follower/following counts in stats bar, feed of new listings from followed sellers (retention flywheel — high priority for V2)
- Report listing / report user
- Automated featured listings (self-service, paid)
- Bump listings to top (paid)
- Profile header images
- Verified badge (blue check for notable artists/festivals)
- Team access (multiple users managing one profile)
- Multi-currency support
- Push notifications
- Stale listing policy (auto-expire after 90 days)
- "Popular" sort (based on real usage data)
- Mobile app
- Community posts — users can publish text + image posts on their profile (e.g. tutorials, how-to guides, process photos) separate from listings; shows up as a "Posts" tab on the profile page alongside their shop

4.3 Out of Scope (V1 and V2)

- Shipping label integration
- Escrow service
- Auction functionality
- Live streaming
- NFT integration
- Multi-language support

5. Tech Stack

Layer	Technology	Rationale
Frontend	Next.js 14+ (App Router)	Performance, SEO, Vercel native
Styling	Tailwind CSS + shadcn/ui	Fast development, consistent UI
Database	Supabase PostgreSQL	Managed Postgres, RLS, real-time, single provider
Auth	Supabase Auth	Email + Google OAuth, integrated with DB
File Storage	Supabase Storage	Image uploads, integrated with auth/RLS
Real-time	Supabase Realtime	Instant messaging, live updates
Cron	Supabase pg_cron	Auto-approve scheduled task, runs in DB
Payments (V2)	Stripe Connect	Marketplace model, split payments
Email	Resend (via Next.js API routes)	Reliable delivery, good free tier
Hosting	Vercel (Hobby plan)	Fast deploys, preview deployments

6. Data Models

6.1 Users (Master Account — Private)

Supabase Auth manages auth.users (email, password hash, OAuth providers). The public.users table extends it with app-specific data:

Column	Type	Description
'id'	UUID (PK, FK → auth.users)	Same as Supabase Auth user ID
'role'	ENUM ('user' (default), 'admin', 'super_admin')	
'email_notifications'	BOOLEAN	Default: true
'stripe_account_id'	TEXT	V2 — Stripe Connect ID
'created_at'	TIMESTAMPZ	Account creation time

6.2 Profiles (Public Persona)

Column	Type	Description
'id'	UUID (PK)	Profile ID — referenced by listings, messages
'user_id'	UUID (FK → users)	Owner of this profile

Column	Type	Description
'type'	ENUM	'personal' (V1 default). V2: 'artist', 'label', 'festival'
'handle'	TEXT (unique)	3–30 chars, alphanumeric + underscores. Used in URLs.
'display_name'	TEXT	1–100 chars. Public name.
'bio'	TEXT	Optional, max 500 chars
'avatar_url'	TEXT	Supabase Storage URL, max 2MB
'header_url'	TEXT	V2 – Profile banner image
'location'	TEXT	Optional, max 100 chars
'social_links'	JSONB	{ 'instagram?', 'facebook?', 'website?' } – full URLs
'is_creator'	BOOLEAN	Self-identified creator, default: false
'is_verified'	BOOLEAN	V2 – Manual blue check, default: false
'created_at'	TIMESTAMP TZ	Profile creation time
'updated_at'	TIMESTAMP TZ	Last update time

6.3 Listings

Column	Type	Description
'id'	UUID (PK)	Listing ID
'profile_id'	UUID (FK → profiles)	Seller's profile
'title'	TEXT	5–100 chars
'description'	TEXT	20–2,000 chars
'price'	INTEGER	EUR cents (min 50, max 5,000,000)
'condition'	ENUM	'new', 'like_new', 'good', 'worn', 'vintage'
'size'	TEXT	1–20 chars
'images'	TEXT[]	Supabase Storage URLs, 1–5 items
'category'	ENUM	'clothing', 'accessories', 'gear', 'art', 'other'
'tags'	TEXT[]	Max 10 tags, each max 30 chars
'ships_to'	TEXT[]	ISO country codes or ["WORLDWIDE"]
'status'	ENUM	'draft', 'pending', 'active', 'sold', 'rejected'
'admin_notes'	TEXT	Rejection reason, min 10 chars when rejecting
'is_featured'	BOOLEAN	Manual flag, default: false
'view_count'	INTEGER	Default: 0
'submitted_at'	TIMESTAMP TZ	When listing entered 'pending' (for 24h auto-approve)
'created_at'	TIMESTAMP TZ	Creation time
'updated_at'	TIMESTAMP TZ	Last update time

6.4 Messages

Column	Type	Description
'id'	UUID (PK)	Message ID
'listing_id'	UUID (FK → listings)	The listing this thread is about
'thread_id'	TEXT	Format: '{listingId}_{buyerProfileId}_{sellerProfileId}'
'sender_profile_id'	UUID (FK → profiles)	Sender's profile
'receiver_profile_id'	UUID (FK → profiles)	Receiver's profile
'content'	TEXT	Max 2,000 chars
'images'	TEXT[]	Supabase Storage URLs, max 3 per message
'read'	BOOLEAN	Default: false
'created_at'	TIMESTAMP TZ	Send time

6.5 Favorites (V2 Prep — schema only, no UI in V1)

Column	Type	Description
'id'	UUID (PK)	Favorite ID
'profile_id'	UUID (FK → profiles)	The profile who favorited
'listing_id'	UUID (FK → listings)	The favorited listing
'created_at'	TIMESTAMP TZ	When favorited

7. Page Map & Routing

7.1 Public Routes (no auth required)

Route	Page	Description
'/'	Landing page	Hero, category highlights, CTAs
'/browse'	Browse listings	Infinite scroll, filters, search, featured carousel
'/listing/{id}'	Listing detail	Full listing view, seller info, contact button
'/seller/{handle}'	Seller profile	Public profile, seller's active listings
'/privacy'	Privacy Policy	Placeholder legal page
'/terms'	Terms of Service	Placeholder legal page

7.2 Auth Routes

Route	Page	Description
'/login'	Login	Custom form with Supabase Auth
'/signup'	Sign up	Custom form with Supabase Auth
'/auth/callback'	Auth callback	Handles OAuth redirect from Google

7.3 Authenticated Routes (auth required)

Route	Page	Description
----- ----- -----		
<code>/onboarding</code>	Profile setup	Handle + display name (after first signup)
<code>/sell</code>	Create listing	Listing creation form
<code>/sell/[id]/edit</code>	Edit listing	Edit existing listing
<code>/dashboard</code>	User dashboard	My listings (with status), my messages
<code>/dashboard/listings</code>	My listings	All user's listings with status filters
<code>/dashboard/messages</code>	Messages	All conversations, grouped by listing
<code>/dashboard/messages/[threadId]</code>	Message thread	Single conversation
<code>/dashboard/profile</code>	Edit profile	Edit handle, display name, bio, avatar, location, socials
<code>/dashboard/settings</code>	Settings	Email notifications, account deletion

7.4 Admin Routes (admin/super_admin role required)

Route	Page	Description
----- ----- -----		
<code>/admin</code>	Admin dashboard	Overview stats (pending count, users, listings)
<code>/admin/listings</code>	Approval queue	Pending listings, approve/reject actions
<code>/admin/users</code>	User management	User list, ban/suspend actions
<code>/admin/featured</code>	Featured management	Toggle featured flag on listings

8. User Flows

8.1 New User Registration

1. Visitor arrives at landing page (/)
2. Clicks "Sell" or "Browse"
3. If clicking "Sell" or "Contact Seller" → redirect to /signup
4. Completes sign-up (email/password or Google OAuth via Supabase Auth)
5. Database trigger creates public.users record (role: user) + default public.profiles record (type: personal)
6. Middleware detects incomplete profile (no handle) → redirects to /onboarding
7. User sets handle and display name
8. User can now browse, create listings, and message sellers

8.2 Creating a Listing

1. Authenticated user clicks "Sell" button
2. Listing form page loads with all fields
3. User fills in: title, description, price, condition, size
4. User uploads 1-5 images (drag-and-drop or click to upload via Supabase Storage)
5. User selects category and optionally adds tags
6. User selects shipping locations (country picker + Worldwide option)
7. User can "Save as Draft" or "Submit for Review"
8. If submitted → status changes to pending, submitted_at timestamp recorded
9. User sees confirmation: "Your listing has been submitted for review. You'll be notified when it's approved."
10. Admin reviews (or auto-approved after 24h) → status changes to active
11. If rejected → user sees rejection notes, can edit and click "Resubmit"

8.3 Buying Flow (V1 — Contact Only)

1. Visitor browses listings at /browse
2. Clicks a listing to view detail page
3. Clicks "Contact Seller" (if not authenticated → redirect to /login → redirect back)
4. Message composer opens pre-filled with listing reference
5. Buyer sends message (text, optionally images/links)
6. Seller receives notification (in-app via Supabase Realtime + optional email via Resend)
7. Buyer and seller arrange payment and delivery off-platform
8. Seller marks listing as "Sold" from their dashboard

8.4 Handling a Rejected Listing

1. Admin rejects listing with notes (e.g., "Photo is too blurry, please upload a clearer image")
2. Seller receives email notification (if opted in)
3. Seller sees listing with status "Rejected" and admin notes in their dashboard
4. Seller clicks "Edit" to update the listing
5. Seller makes changes and clicks "Resubmit"
6. Listing returns to pending status with new submitted_at timestamp
7. Admin reviews again (same approval workflow)

8.5 Account Deletion

1. User navigates to /dashboard/settings
2. Clicks "Delete Account"
3. Confirmation dialog: "This will permanently delete your account, your profile, all your listings, and all your messages. This action cannot be undone."

4. User confirms
5. System deletes: profile (cascades to listings, messages, favorites), user record, Supabase Auth account
6. User is logged out and redirected to landing page

8.6 Admin Approval Flow

1. Admin navigates to /admin/listings
2. Sees queue of pending listings sorted by oldest first (FIFO)
3. Clicks a listing to review
4. Sees all listing details including images, description, seller info
5. Checks against content guidelines (see Section 4.1.9)
6. Clicks "Approve" → listing goes active, visible to public
7. Or clicks "Reject" → must enter rejection notes (min 10 characters) → listing goes rejected
8. Auto-approve: A Supabase pg_cron job runs every hour. Any listing with status pending and submitted_at older than 24 hours is automatically set to active.

9. Design System

9.1 Color Palette

Token	Value	Usage
[-----][-----][-----]		
Background	Slate 950 `#020617`	Page background
Surface	Slate 900/50	Cards, panels
Primary	Purple 600 `#9333ea`	Action buttons, links
Accent 1	Teal 400 `#2dd4bf`	Highlights, badges
Accent 2	Pink 500 `#ec4899`	Gradient end, accents
Text Primary	Slate 50 `#f8fafc`	Headings
Text Secondary	Slate 400 `#94a3b8`	Body text, labels
Border	Slate 800 `#1e293b`	Card borders, dividers
Error	Red 500 `#ef4444`	Error states, validation
Success	Green 500 `#22c55e`	Success states, approved badge
Warning	Amber 500 `#f59e0b`	Pending badge

9.2 Typography

- Headings: Geist Sans, bold
- Body: Geist Sans, regular
- Mono: Geist Mono (prices, codes)

9.3 Components

- Cards: Rounded 2xl, slate-900/50 background, subtle slate-800 border
- Buttons: Rounded xl, solid colors with hover states. Primary: purple-600. Secondary: slate-800.
- Forms: Rounded lg, slate-800 background, slate-700 border, focus ring purple-600
- Badges: Rounded full. Status colors: active=green, pending=amber, rejected=red, sold=slate, draft=slate-600
- Featured carousel: Horizontal scroll, cards with subtle purple glow/border to distinguish from regular listings

9.4 Logo

- TBD: Will be provided by stakeholder
- Placement: Navbar (left), favicon, Open Graph social sharing image

10. Business Model

10.1 V1 Revenue

- Free listings — no cost to list
- Manual featured listings — seller contacts admin (via in-app message or email). Admin sets featured flag. Custom pricing negotiated per listing.
- No transaction fees — users arrange payment off-platform

10.2 V2 Revenue

- Featured listings — €5–20/day (automated self-service)
- Bump to top — €2–5 per bump
- Transaction fee — 5–10% of sale price (via Stripe Connect)

10.3 Estimated Costs (V1 — Free Tiers)

Service	Free Tier Limit	Sufficient for V1?
[-----][-----][-----]		
Supabase (DB + Auth + Storage + Realtime)	500MB DB, 1GB storage, 50K MAU	Yes
Vercel	Hobby plan (free)	Yes
Resend	3,000 emails/month	Yes

11. Timeline

Phase	Deliverables
P0	Project setup, Supabase schema + RLS, Supabase Auth (email + Google), users + profiles tables, database triggers, Next.js middleware, onboarding
P1	Profile CRUD, create listing form, Supabase Storage image upload, listing detail page, seller profile page
P2	Admin dashboard ('/admin'), approval queue, approve/reject flow, pg_cron auto-approve job
P3	Browse page, filters (category, condition, price, size, location), PostgreSQL full-text search, sort (newest, price), featured carousel
P4	Messaging system (per-listing threads, Supabase Realtime, text + images + links, read receipts), email notifications via Resend
P5	User dashboard (my listings, my messages), settings page (email toggle, account deletion)
P6	Legal pages (privacy, terms), SEO (meta tags, OG, sitemap), mobile responsive polish
Total **V1 Live**	

12. Resolved Decisions

Decision	Answer	Rationale
Backend provider	Supabase for everything	Single provider, simpler ops, lower cost
User/Profile model	Umbrella (User + Profile)	Future-proof for V2 multi-profile
V1 profile limit	One per user	Keep MVP simple
Image storage	Supabase Storage	Single provider, integrated with auth/RLS
Real-time messaging	Supabase Realtime	Native integration, no extra service
Auto-approve mechanism	Supabase pg_cron	Free, runs in database
Email sending	Resend via Next.js API routes	Simple, all logic in one codebase
Rejected listing flow	Edit & resubmit	Less friction for sellers
Edit active listing	No re-review	Trust sellers, reduce admin load
24h SLA breach	Auto-approve	Prevent seller frustration
Popular sort in V1	Removed	No meaningful data at launch
Report mechanism	Deferred to V2	Reduces V1 scope
Featured listing UI	Top carousel on browse page	Clear visibility without complexity
Listing limit per user	No limit	Don't restrict early adopters
Legal pages	Placeholder in V1	Required for EU, lawyer review later
Account deletion	Delete everything (cascade)	Simplest, GDPR-friendly
Stale listing policy	Deferred to V2	Need real data first
Message content	Text + images + links	Rich enough for transaction negotiation
Guest access	Browse without account	Reduce friction for discovery
Admin setup	Manual SQL in Supabase dashboard	Simplest for V1, no admin invite flow needed
Admin UI	Same app, '/admin' route	Single deployment, simpler to maintain

13. Open Questions (Remaining)

- Logo: To be provided by stakeholder
- Sample listings: 5-10 demo listings needed for launch (who creates them?)
- Super admin email(s): Which user(s) get super_admin role?
- Domain DNS: psy.market is not yet pointed to Vercel
- Email sender domain: Which domain for Resend? (e.g., noreply@psy.market)
- Google OAuth: Needs to be enabled in Supabase dashboard with Google Cloud credentials

14. Appendix

14.1 Country List

All EU countries + Switzerland, Norway, UK, US, Canada, Australia, New Zealand, Israel, Japan, Brazil, Mexico, South Africa, India, Thailand, Indonesia, Argentina, Colombia, Chile + "Worldwide" option.

Full list with ISO codes and flag emojis defined in lib/countries.ts.

14.2 Condition Definitions

Condition	Label	Description
'new'	New	Never worn, tags attached
'like_new'	Like New	Worn once or twice, no signs of wear
'good'	Good	Gently used, minor signs of wear
'worn'	Worn	Visible wear but fully functional
'vintage'	Vintage	Older piece, may have character/aging

14.3 Validation Rules Summary

Field	Min	Max	Format
-------	-----	-----	--------


```
|-----|-----|-----|-----|
| Handle | 3 chars | 30 chars | Alphanumeric + underscores |
| Display name | 1 char | 100 chars | Free text |
| Bio | - | 500 chars | Free text |
| Avatar | - | 2MB | JPEG, PNG, WebP |
| Location | - | 100 chars | Free text |
| Listing title | 5 chars | 100 chars | Free text |
| Listing description | 20 chars | 2,000 chars | Free text |
| Listing price | €0.50 | €50,000 | EUR cents integer |
| Listing size | 1 char | 20 chars | Free text |
| Listing images | 1 | 5 | Max 5MB each, JPEG/PNG/WebP |
| Tags | 0 | 10 | Max 30 chars each, alphanumeric + hyphens |
| Message content | 1 char | 2,000 chars | Text, auto-linked URLs |
| Message images | 0 | 3 | Max 5MB each, JPEG/PNG/WebP |
| Admin rejection notes | 10 chars | 1,000 chars | Free text |
```

14.4 Admin Content Guidelines

Listings should be approved if:

- At least 1 clear photo of the actual item (not a stock photo)
- Title and description are understandable (English preferred)
- Item is relevant to psytrance culture, festival fashion, or related categories
- Price appears reasonable

Listings should be rejected if:

- No photos or only stock/placeholder images
- Counterfeit, stolen, or prohibited items (weapons, drugs, explicit content)
- Spam, duplicate, or off-topic content
- Placeholder or clearly fake pricing
- Misleading title or description

Document Owner: Turgay Yildiz

Refined By: Gonzo AI (Nettmedia)

Last Updated: February 9, 2026

Status: Refined — Ready for Implementation