

tus29603 / cis4296-starter

Q

Type to search

<> Code

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Rulesets

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Email notifications

Ruleset updated

Rulesets / master

Active

Ruleset Name

master

Enforcement status

Active

Bypass list

+ Add bypass

Exempt roles, teams, or apps from this ruleset by adding them to the bypass list.

Bypass list is empty

Targets

Which branches do you want to make a ruleset for?

Target branches

Branch targeting determines which branches will be protected by this ruleset. Use inclusion patterns to expand the list of branches under this ruleset. Use exclusion patterns to exclude branches.

Branch targeting criteria

Add target

+ Default

+ All branches

Applies to 0 targets.

Rules

Which rules should be applied?

Branch rules

☐ Restrict creations

Only allow users with bypass permission to create matching refs.

☐ Restrict updates

Only allow users with bypass permission to update matching refs.

☒ Restrict deletions

Only allow users with bypass permissions to delete matching refs.

Show additional settings

☐ Require linear history

Prevent merge commits from being pushed to matching refs.

☐ Require deployments to succeed

Choose which environments must be successfully deployed to before refs can be pushed into a ref that matches this rule.

☐ Require signed commits

Commits pushed to matching refs must have verified signatures.

☒ Require a pull request before merging

Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.

Show additional settings

☒ Require status checks to pass

Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.

Show additional settings

☒ Blank force pushes

☒ **Block force pushes**

Prevent users with push access from force pushing to refs.

☐ **Require code scanning results**

Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.

Save changes

Revert changes

