

SQL PIZZA SALES ANALYSIS

GITHUB PROJECT LINK - [HTTPS://SLINK.COM/2ZOE2TN](https://slink.com/2ZOE2TN)

PORT

BY TUSHAR BIDLLAN



FOLIO

PIZZA SALES ANALYSIS

Project Type
Retail Food Sales


Focus
SQL Analytics

Database
Pizza Sales

Tables
4


Queries
11

Coverage
2015



PROJECT OVERVIEW



NEXT




SCHEMA.

SCOPE

WORKFLOW



NEXT





TABLES USED

Orders, Order_Details, Pizzas, and Pizza_Types forming a relational structure.



JOIN LOGIC

Connects transactional, product, pricing, and category tables via SQL joins.



PORTFOLIO IMPACT

Demonstrates aggregation, CTEs, grouping, and business-driven SQL storytelling.



BUSINESS QUESTIONS SOLVED

Revenue, demand, top-selling items, order timing, product mix, category contribution, and monthly performance.



PRESENTATION PATTERN

Each query slide: business question, SQL query, then output screenshot.

PROJECT DETAILS

PIZZA SALES

- Worked with multiple related tables using SQL joins and aggregations.
- Answered 11 business questions related to revenue, orders, category contribution, and monthly performance.
- Published the project on GitHub with documented queries and output screenshots.



NEXT





QUERY SLIDES

Continue to the next slides to explore the
queries.



QUESTIONS & SQL QUERIES

Q1. WHAT IS THE TOTAL NUMBER OF ORDERS PLACED?

```
SELECT COUNT(ORDER_ID) AS TOTAL_ORDERS_PLACED FROM ORDERS;
```

Q2. WHAT IS THE TOTAL REVENUE GENERATED FROM OVERALL PIZZA SALES?

```
SELECT ROUND(SUM(P.PRICE * OD.QUANTITY), 0) AS TOTAL_REVENUE  
FROM PIZZAS P JOIN ORDER_DETAILS OD  
ON P.PIZZA_ID = OD.PIZZA_ID;
```

Q3. WHICH PIZZA HAS THE HIGHEST PRICE?

```
SELECT PT.NAME, P.PRICE AS PRICE FROM PIZZA_TYPES PT JOIN PIZZAS P  
ON PT.PIZZA_TYPE_ID = P.PIZZA_TYPE_ID  
ORDER BY PRICE DESC  
LIMIT 1;
```

QUESTIONS & SQL QUERIES

Q4. WHICH PIZZA SIZE IS ORDERED MOST FREQUENTLY?

```
SELECT P.SIZE, COUNT(OD.ORDER_ID) AS ORDER_COUNT FROM PIZZAS P JOIN ORDER_DETAILS OD  
ON OD.PIZZA_ID = P.PIZZA_ID  
GROUP BY P.SIZE ORDER BY ORDER_COUNT DESC;
```

Q5. WHICH ARE THE TOP 5 MOST ORDERED PIZZA NAMES BY QUANTITY?

```
SELECT PIZZA_TYPES.NAME, SUM(ORDER_DETAILS.QUANTITY) AS TOTAL_QUANTITY FROM PIZZA_TYPES  
JOIN PIZZAS ON PIZZA_TYPES.PIZZA_TYPE_ID = PIZZAS.PIZZA_TYPE_ID  
JOIN ORDER_DETAILS ON ORDER_DETAILS.PIZZA_ID = PIZZAS.PIZZA_ID  
GROUP BY PIZZA_TYPES.NAME  
ORDER BY TOTAL_QUANTITY DESC LIMIT 5;
```

Q6. HOW ARE ORDERS DISTRIBUTED BY HOUR OF THE DAY?

```
SELECT HOUR(TIME) AS HOUR, COUNT(ORDER_ID) AS ORDER_COUNT FROM ORDERS  
GROUP BY HOUR ORDER BY HOUR;
```


QUESTIONS & SQL QUERIES

Q7. WHICH 3 PIZZA NAMES GENERATED THE HIGHEST REVENUE?

```
SELECT PT.NAME, ROUND(SUM(OD.QUANTITY * P.PRICE), 0) AS TOTAL_REVENUE FROM PIZZA_TYPES PT
      JOIN PIZZAS P ON PT.PIZZA_TYPE_ID = P.PIZZA_TYPE_ID
      JOIN ORDER_DETAILS OD ON OD.PIZZA_ID = P.PIZZA_ID
GROUP BY PT.NAME ORDER BY TOTAL_REVENUE DESC LIMIT 3;
```

Q8. WHAT IS THE PERCENTAGE REVENUE CONTRIBUTION OF EACH PIZZA CATEGORY?

```
WITH TOTAL_REVENUE AS ( SELECT PT.CATEGORY, ROUND(SUM(OD.QUANTITY * P.PRICE), 0) AS CATEGORY_REVENUE
                        FROM PIZZA_TYPES PT JOIN PIZZAS P
                        ON PT.PIZZA_TYPE_ID = P.PIZZA_TYPE_ID
                        JOIN ORDER_DETAILS OD ON OD.PIZZA_ID = P.PIZZA_ID
                        GROUP BY PT.CATEGORY);
```

Q9. WHAT IS THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED?

```
SELECT PT.CATEGORY, COUNT(OD.QUANTITY) AS ORDER_COUNT FROM PIZZA_TYPES PT JOIN PIZZAS P
      ON PT.PIZZA_TYPE_ID = P.PIZZA_TYPE_ID
      JOIN ORDER_DETAILS OD ON P.PIZZA_ID = OD.PIZZA_ID
GROUP BY PT.CATEGORY ORDER BY ORDER_COUNT DESC;
```

QUESTIONS & SQL QUERIES

Q10. HOW MANY PIZZAS ARE PRESENT IN EACH CATEGORY?

```
SELECT CATEGORY, COUNT(NAME) AS PIZZA_COUNT  
FROM PIZZA_TYPES  
GROUP BY CATEGORY  
ORDER BY PIZZA_COUNT DESC;
```

Q11. WHAT IS THE TOTAL REVENUE MONTH-WISE?

```
SELECT MONTHNAME(ORDERS.DATE) AS MONTHS,  
ROUND(SUM(ORDER_DETAILS.QUANTITY * PIZZAS.PRICE), 2) AS TOTAL_REVENUE  
FROM ORDERS  
JOIN ORDER_DETAILS ON ORDERS.ORDER_ID = ORDER_DETAILS.ORDER_ID  
JOIN PIZZAS ON ORDER_DETAILS.PIZZA_ID = PIZZAS.PIZZA_ID  
GROUP BY MONTHS;
```

OUTPUT SCREENSHOTS

SCREENSHOTS

AND

OUTPUT



NEXT



OUTPUT SCREENSHOT 1

```
3 # 1. what is the number of total orders places?
4
5 • select count(order_id) as total_orders_placed from orders;
6
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	total_orders_placed
▶	21350



```
7 # 2. Calculate the total revenue generated from the overall pizza sales
8
9 • select round(sum(p.price * od.quantity),0) as total_revenue
10 from pizzas p join order_details od
11 on p.pizza_id = od.pizza_id;
12
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	total_revenue
▶	817860

OUTPUT SCREENSHOT

2

```
29 # 5. List the top 5 most ordered pizza names along with their quantity
30 # name | quantity
31
32 • select pizza_types.name, sum(order_details.quantity) as total_quantity
33 from pizza_types join pizzas
34 on pizza_types.pizza_type_id = pizzas.pizza_type_id
35 join order_details
36 on order_details.pizza_id = pizzas.pizza_id
37 group by pizza_types.name order by total_quantity desc limit 5;
```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content:  | Fetch rows: 

	name	total_quantity
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

```
7 # 2. Calculate the total revenue generated from the overall pizza sales
```

```
8
```

```
9 • select round(sum(p.price * od.quantity),0) as total_revenue
```

```
10 from pizzas p join order_details od
```

```
11 on p.pizza_id = od.pizza_id;
```

```
12
```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	total_revenue
▶	817860

OUTPUT SCREENSHOT 3



```
91
92 # 11. Find out total revenue month wise
93
94 • select monthname(orders.date) as months, round(sum(order_details.quantity * pizzas.price),2) as total_revenue
95 from orders join order_details
96 on orders.order_id = order_details.order_id
97 join pizzas on order_details.pizza_id = pizzas.pizza_id
98 group by months;
99
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	months	total_revenue
▶	January	69793.3
	February	65159.6
	March	70397.1
	April	68736.8
	May	71402.75
	June	68230.2
	July	72557.9
	August	68278.25
	September	64180.05
	October	64027.6
	November	70395.35
	December	64701.15

KEY TAKEAWAYS

What this project demonstrates



SQL FOR BUSINESS

Used SQL to answer real business questions from raw sales data.



TREND ANALYSIS

Identified product and revenue trends through grouping, sorting, and aggregation logic.



PORTFOLIO READY

Presented results in a portfolio-ready GitHub project with screenshots and documentation.



PROFILE

LET'S


WORK

CONTACT ME

Name: Tushar Bidllan

Email: tushar.bidllan.2001@gmail.com

Phone: +91 9971269967



RESOURCES & LINKS

Pizza Sales Dataset: <https://lnk.dev/8s03a2s>

Pizza Sales Database: <https://lnk.dev/ouqvxx1>

LinkedIn: www.linkedin.com/in/tusharbidllan01

Github Profile: <https://github.com/dashboard>

THIS PROJECT SHOWCASES SQL JOINS, AGGREGATIONS, GROUPING, RANKING LOGIC, CTE USAGE,
AND PRACTICAL BUSINESS ANALYTICS USING A PIZZA SALES DATABASE.

THANK YOU!