




Product Manual



IN PURSUIT OF EXCELLENCE

Zenmak was established with a philosophy of self-reliance and quality. Zenmak research and development activities are solely devoted for the development and production of high quality , safe and cost effective animal health care products.

An ISO 9001:2015 ,GMP & HACCP certified company BY UASL . Excelling in state of the art manufacturing unit with well equipped R&D.

We offer a comprehensive range of products that includes Organic acids, vitamins, Probiotics, enzymes, toxin binder, Growth promoters etc., These help to improve your overall farm health. Through our work we promote nutrition, health and hygiene to influence animal performance.





ENZYMES

- 05 - Makzyme- C (AMF)
- 05 - Makzyme-XPL

ACIDIFIERS

- 06 - SAL-OMAK plus
- 06 - SAL-O-MAK
- 07 - SAL-O-ZEN

PERFORMANCE ENHANCER

- 07 - Perform-X
- 08 - ZenAct-Pro

EMULSIFIERS

- 08 - Lipolyse - C
- 09 - Lipolyse - L

TOXIN BINDER

- 09 - Ditox- Regular
- 10 - Ditox-3 Plus
- 10 - Ditox-3 premium

PROBIOTICS

- 11 - ProZenBio - BSB
- 11 - ProZenBio-WS Plus

TRACE MINERALS

- 12 - Mak Min Premium
- 12 - Mak Min - Org
- 13 - Mak Min - Org Layer Pack

EGG SHELL QUALITY ENHANCER

- 13 - XSHELL-DS

ANTI-STRESS ACENT

- 14 - Probeta - NS
- 14 - Probeta - WS
- 15 - Electrol plus (Feed Supplement)
- 15 - Electrol plus (Water Soluble)

GROWTH PROMOTER

- 16 - GroMak Liquid
- 16 - GroMak Gold Liquid

LIVER TONIC

- 17 - LivoMak - Powder
- 17 - LivoMak - Liq

HERBAL

- 18 - Natumeric Plus Powder / Liq
- 18 - Allivisat Pouvdre / Liq
- 19 - Ovitone - 100
- 19 - Respogreen 100

HOUSE FLY CONTROL

- 20 - Att² Attract & Attack House Flies

ACPS

- 20 - Avilomak-10
- 21 - Zenbracin 4%
- 21 - Zee MD plus

ANTIBIOTICS

- 22 - CiproZen - 10%
- 22 - Tetra Mak - OTC (Feed Supplement)
- 23 - Tetra Mak - OTC (VWater Soluble)
- 23 - Tiamumak - 10%
- 24 - Tiamumak - 80%
- 24 - Tylomak - H
- 25 - DOXICON-N
- 25 - PRIMOSOL-S
- 26 - RespiFlox-BH

ANTI-PYRETIC

- 26 - Paracip-Oral Liquid

VITAMINS AND MINERALS

- 27 - ZenMix-AD3EC
- 27 - ZenVit-E plus

BIO - SECURITY

- 28 - Bio - Triple Care - 20
- 28 - Hygin - Tact - 20
- 29 - Saniquat - 20
- 29 - Triox - 3

INJECTABLES

- 30 - GentaZen
- 30 - TyloZen - 20
- 31 - AmikaZen
- 31 - Zenoxy-La
- 32 - Zenwta
- 32 - CEFTON-TAZO



MakZyme-C^{AMF}

ADVANCED MICRO CHIPPING TECHNOLOGY

COMPOSITION :

ENZYME	Minimum Activity Unit/kg
Cellulase	63,00,000
Xylanase	1,00,00,000
Beta-glucanase	7,50,000
Phytase	6,00,000
Alpha-amylase	8,00,000
Pectinase	80,000
Protease	30,00,000
Lipase	7,000

DOSAGE :

Broilers, Breeders and Layers:
350 g / tonne of feed for regular use.
For matrix value 500 g / tonne of feed
Or
As Advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Makzyme-C liberates NSP bound critical macro & micro nutrient hidden in feed ingredients.
- ▶ Microfine chipping technology for excellent flowability and comprehensive mixing with high surface area of action.
- ▶ Synergistic action of NSP enzymes helps to improve FCR and body weight gain
- ▶ Minimizes excretion and wastage of valuable nutrient.

MakZyme- XPL

Premium

COMPOSITION :

- ▶ Each Gram Contains
- ▶ 1,4 endo xylanase - 1,80,000 BXU/g
- ▶ Protease - 40,000 U/g
- ▶ Amylase - 2,000 U/g
- ▶ Carrier - Starch

DOSAGE AND ADMINISTRATION :

Broiler / Layers & Breeders: 100 g / tonne of feed
Or
As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Increases the nutritious value of a diet high in Arabinoxylan NSP, (Wheat, rice, Corn, Sorghum, Corn DDGS etc.,)
- ▶ Thermostable blend of enzymes that withstands high pelleting temperature .
- ▶ Improves energy availability and digestible protein especially in chicks lacking endogenous enzymes.
- ▶ Reduces gut viscosity and litter moisture.
- ▶ Optimizes intestinal motility & maximizes nutrient absorption and utilization.
- ▶ Improves Growth, performance and FCR.

ACIDIFIERS



SAL-O-MAK *Plus*

Potentiated Acidifier for Breeders

COMPOSITION :

Salts of Citric acid, Propionic acid, Formic acid, Acetic acid, Fumaric acid, Benzoic acid, Lactic acid, Coated Butyric acid and Essential oils.

DOSAGE AND ADMINISTRATION :

Breeder: 1 kg - 2 kg / tonne of feed
Broiler / Layer: 500 g / tonne of feed
(or) As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Act as a feed preservative and Reduces feed buffering capacity .
- ▶ Act as a potent antimicrobial agent and reduces gut pathogenic load.
- ▶ In breeder birds, greatly reduces the E.coli and Salmonella load in hind gut.
- ▶ Helps for clean egg production in breeders.
- ▶ Improves invivo pH optimization for enhanced protein digestion.
- ▶ Improves hatchability percentage and reduces First week mortality% in baby chicks.

ACIDIFIERS

SAL-O-MAK

Broad Spectrum Feed and Gut Acidifier

COMPOSITION :

Salts of Citric acid, Propionic acid, Esterified Coated butyric acid, Formic acid, Lactic acid, Acetic acid, Fumaric acid, Benzoic acid & Essential oils

DOSAGE :

- ▶ Broiler / Layers: 500 g - 1kg / tonne of feed
- ▶ Breeders: 1kg - 2kg / tonne of feed
(or)

As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Offers complete microbial protection for poultry feed and feed ingredients.
- ▶ Better villi development and aids in absorption of nutrient which leads to appreciable improvement in production parameters like FCR & Body weight.
- ▶ Pathogenic bacterial control.
- ▶ Both Gut and feed acidifier
- ▶ Stimulation and activation of digestive enzymes by lowering gut pH.

ACIDIFIERS

SAL-O-ZEN

A Unique Acidifier



COMPOSITION :

Salts of Citric acid, Propionic acid, Formic acid, Acetic acid, Fumaric acid, Benzoic acid, Lactic acid, Coated and Butyric acid

DOSAGE AND ADMINISTRATION :

Breeder / Broiler / Layer: 1 kg - 2 kg /
tonne of feed
or
As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Act as a feed preservative and reduces feed buffering capacity.
- ▶ Reduces orange droppings in broiler farm.
- ▶ Improves invivo pH optimization for enhanced protein digestion.
- ▶ Act as a potent anti-microbial agent and reduces gut pathogenic load.

PERFORMANCE ENHANCER

Perform-X
Unlock the potential

COMPOSITION :

Perform-X contains a precise blend of Marine algae, Yeast nucleotide concentrate and Micro and Macro nutrient blend tailored to meet the specific needs of laying hens.

DOSAGE AND ADMINISTRATION :

Layer / breeder: 500 g / tonne of feed.
Recovery Phase: 1 - 2 KG / tonne of feed.
or
As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Increase the growth of follicles and formation of eggs.
- ▶ Helps for the rapid cell division required during egg formation.
- ▶ Achieve Higher Hatchability Rates for Optimal Yield and Profitability.
- ▶ Revitalize the laying potential with potent antioxidants.



ZenAct-PRO

COMPOSITION :

This advanced formulation combines naturally derived gut-acting probiotic strains, an epithelial cell enhancer that fortifies the intestinal lining, SCFAs, MCFAs, Mannans, Catalytic proteins, NSPs digesting enzymes and Astringents.

Our innovative poultry supplement, ZenAct-Pro is specifically formulated to enhance gut health, improve intestinal integrity, and optimize overall poultry performance. By targeting key factors responsible for gut health, ZenAct-Pro effectively reduces loose droppings and minimizes the percentage of dirty eggs, ensuring improved hygiene, better productivity, and increased profitability at the farm level.

DOSAGE:

During severe loose droppings/Dirty eggs condition :

2 kg/tonne of feed for 10 days

For regular use: 1 kg/tonne of feed.

Or

As advised by the
Veterinarian/Nutritionist

PRESENTATION : 25 KG Bag

EMULSIFIERS

Lipolyse-C

The most potent Hydrophilic Emulsifier

COMPOSITION :

- ▶ GPGR (Glyceryl Poly Ethylene Glycol Ricinoleate)
- ▶ Lysophospholipid
- ▶ Phospholipids
- ▶ Soluble Caseinates
- ▶ Lipase
- ▶ Synthetic Bile Salt
- ▶ Natural Carriers

DOSAGE AND ADMINISTRATION :

Broiler / Layer : 500 g / tonne of feed.

or

As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Increases the metabolism of fat & oil in feed.
- ▶ Maximizes enzymatic digestion of feed.
- ▶ Formulated with high HLB value to liberate maximum energy
- ▶ Enhances the digestibility of long chain fattyacids, especially saturated fatty acids
- ▶ Facilitates low cost formulation.



Lipolyse-L

Effective Fat Mobiliser

COMPOSITION :

- ▶ Lysophosphatidylcholine,
- ▶ Soluble caseinates,
- ▶ Synthetic salts of enzymatic action,
- ▶ Glycerol polyethylene Glycol ricinoleate,
- ▶ Herbal Vit.C, Vit. B12, Liver tonic & Natural carriers.

BENEFITS :

- ▶ Increases the metabolism of fat and oil in feed.
- ▶ Minimizes abdominal fat accumulation.
- ▶ Maximizes enzymatic digestion
- ▶ Choline – Reduces the incidence of fatty liver syndrome in layer birds.
- ▶ Facilitate low cost formulation

DOSAGE AND ADMINISTRATION :

Layer / Breeder: 1 Kg / tonne of feed
 Replace 1 Kg of Choline Chloride with
 750 g of Lipolyse-L
 or
 As advised by the Veterinarian /
 Nutritionist

PRESENTATION : 25 KG bag

TOXIN BINDER

DiTox *Regular*

COMPOSITION :

Natural dipolar Phyllosilicates, Liver stimulants.

1. Binds and eliminate wide range of mycotoxins ensuring safer and quality feed for poultry.
2. Phyllosilicates adsorb toxins effectively due to their high surface area and layered structure, allowing them to trap and neutralize harmful substances within their interlayer spaces.
3. Liver stimulants in DiTox Regular improve liver function by enhancing detoxifying enzymes, and supporting nutrient metabolism, leading to better digestion and overall liver health.

DOSAGE:

Regular: 1 kg/tonne of feed
 High moisture and toxin suspected feed:
 2 kg/tonne of feed
 Or
 As advised by the Veterinarian.

PRESENTATION : 25 KG Bag



DiTox-3^{Plus}

BINDS & ELIMINATE TOXIN

COMPOSITION :

Natural dipolar phyllosilicates, Activated carbon, Mannan Oligosaccharides (MOS).

Liver and kidney rejuvenators, Neem powder.

1. Binds and neutralizes toxins, ensuring safer and higher-quality feed for poultry.
2. **Mannan oligosaccharides (MOS)** attracts and bind pathogens and their toxins in the gastrointestinal tract.
3. Phyllosilicates adsorb toxins effectively due to their high surface area and layered structure, allowing them to trap and neutralize harmful substances within their interlayer spaces.
4. Improves Liver and Kidney functions.

DOSAGE:

Regular: 1 kg/tonne of feed
 High moisture and toxin suspected feed:
 2 kg/tonne of feed
 Or
 As advised by the Veterinarian.

PRESENTATION : 25 KG Bag

DiTox-3^{Premium}

COMPOSITION :

Natural dipolar Phyllosilicates, Mannan Oligosaccharides (MOS)

Activated carbon, Liver and kidney rejuvenators, Beta-Glucans, Organic acids, Phyllanthus niruri.

1. Binds and eliminate wide range of mycotoxins, chemical toxins and bacterial toxins, ensuring safer and higher-quality feed for poultry.
2. Phyllosilicates adsorb toxins effectively due to their high surface area and layered structure, allowing them to trap and neutralize harmful substances within their interlayer spaces.
3. Organic acids in DiTox-3 premium can neutralize bacterial toxins by lowering pH in the gut, disrupting bacterial cell walls, and binding toxins directly.
4. Improves Liver and Kidney functions.

DOSAGE:

Regular: 1 kg/tonne of feed
 High moisture and toxin suspected feed:
 2 kg/tonne of feed

PRESENTATION : 25 KG Bag



ProZenBio-BSB

COMPOSITION :

▶ <i>Bacillus subtilis</i> 2057	2x 10 ⁹ cfu/g
▶ <i>Bacillus licheniformis</i> PBL01	2x 10 ⁹ cfu/g
▶ <i>Bacillus amyloliquefaciens</i> 10440	5x10 ⁸ cfu/g
▶ <i>Saccharomyces boulardii</i> 5375	5x10 ⁸ cfu/g

DOSAGE AND ADMINISTRATION :

Broiler / Layer / Breeder: 350-500 g /
tonne of feed (or) As advised by the
Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ Thermostable organisms with highest recovery in pellet feeds .
- ▶ Promotes the proliferation of potentially beneficial micro organisms in the gut of poultry.
- ▶ Enhances the production of anti-microbial peptides, thereby gives complete protection from *E.coli*, *Salmonella* & *Clostridial* organisms.
- ▶ Eubiotic combination of poultry specific microflora strains.
- ▶ Increases intestinal mucosal barrier function by secreting mucins and defensins.
- ▶ Consistent usage decreases incidence of wet litter in poultry farm.

PROBIOTICS

ProZenBio-WS *Plus*

ProZenBio-WS Plus is a highly specialized water-soluble probiotic formulation crafted with lyophilized probiotic organisms to support optimal gut health and performance in poultry. Formulated for easy application in drinking water, ProZenBio-WS plus combines advanced microbial science with convenience, ensuring the delivery of live, viable probiotics directly to the intestinal tract.

Composition:

- *Bacillus subtilis*
- *Bacillus licheniformis*
- *Bacillus coagulans*
- Encapsulated *Lactobacillus acidophilus*
- Digestive enzymes
- Water soluble Mannan oligosaccharides (MOS)

RECOMMENDED DOSAGE:

To control dysbacteriosis/loose dropping and for chicks – 5 to 10 gm per 100 birds for 5-7 days continuously in drinking water .

Or As recommended by the Veterinarian.

PRESENTATION: 500 g pack.



MAK-MIN

PREMIUM

COMPOSITION :

Each Kg of Mak-Min Contains	Levels (g)
Manganese	100
Zin	85
Copper	15
Iodine	1.8
Iron	90
Selenium	0.45
Organic Chromium	0.15

BENEFITS :

BROILERS

- Improves feed efficiency
- Improves live weight gain
- Maximizes immunity
- Improves livability
- Improves carcass quality

LAYERS

- Optimizes eggshell quality
- Maximizes egg production
- Improves shelf life of eggs
- Maximizes immunity and livability

DOSAGE AND ADMINISTRATION

Broiler and Layers: 1 to 1.5 Kg /
tonne of feed

Breeder: 2 Kg / tonne of feed
or

As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

Mak Min-OrgTM

More than just a Organic Trace Mineral

COMPOSITION :

NAME OF THE MINERAL	EACH KG CONTAINS (g)
Zinc	60.0
Iron	30.0
Copper	10.0
Selenium	0.60
Manganese	60.0
Chromium	1.0
Iodine	4.0

BENEFITS :

- Organic trace minerals overpowers inorganic trace minerals in terms of bioavailability.
- Its optimal proteinate technology, ensures nil mineral binding with toxin binders and better vitamin stability.
- Better absorption, Utilization and retention of minerals.
- Improves breeder performance
- Activates immune system and improves disease resistance.
- Supports and helps development of bones and feathers.

DOSAGE AND ADMINISTRATION :

Broiler : 500 - 650 g /
tonne of feed

Breeders : 1 - 1.2 Kg / tonne of feed
or

As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag



Mak Min-Org™

Layer Pack

COMPOSITION :

Optimized organic trace minerals:

Zinc, Manganese, Copper, Iodine, Iron, Selenium and Chromium and Vitamin D3 from plant origin to fulfill the nutrient requirement in layer birds.

DOSAGE AND ADMINISTRATION

500 - 750 g / tonne of feed

or

As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- Contribute to a robust flock with uniformity in terms of body size, contour and production.
- Maintains the strength, quality, and homogeneity of the eggshell, egg size, bone, and footpad.
- Enhances both internal (Albumen and yolk) and external (Shell) quality of eggs.
- Protect the flock from chondrodystrophy and perosis.

EGG SHELL QUALITY ENHANCER



COMPOSITION :

XShell-DS is the combination of SCFAs, MCFAs, Vitamin-D3 from plant origin and essential trace elements. This formulation offers a multifaceted approach to promote egg shell strength, vitality, bolstering immune function and enhancing overall quality of eggs.

DOSAGE AND ADMINISTRATION

500 - 1 kg / tonne of feed

or

As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- Facilitates the synthesis of matrix protein such as ovocleidin-17, which serves as a scaffold for calcium carbonate deposition.
- Serves as a cofactor for Carbonic anhydrase, involved in deposition of Calcium bicarbonate.
- Cross-links the collagen fibres essential in formation of egg shell membranes.
- Helps for the development of strong and resilient eggshells.
- Supports eggshell integrity by minimizing the risk of shell degradation.



PROBETA-NS

COMPOSITION :

Natural betaine, Natural benzophenones, Methyl donors, *Moringa oleifera*, *Anethum graveolens*, *Chrysopogon zizanioides*, *Trigonella foenum-graecum*, *Salvia hispanica* L.

DOSAGE :

Broiler / Layer / Breeder : 500 g /
tonne of feed.
Summer: 1 kg / tonne of feed.
or
As advised by the Veterinarian /
Nutritionist

PRESENTATION : 25 KG bag

BENEFITS :

- ▶ The most powerful Anti-stress agent.
- ▶ An excellent osmo-regulator.
- ▶ Powerful Combination of ingredients to promote methylation process.
- ▶ Aids to develop overall immunity
- ▶ Maintains optimum production during stressful conditions.

PROBETA-WS

— Feel Cool —

COMPOSITION :

Betaine Hcl, Electrolytes,
Vitamin-C, Organic Chromium,
Anti-stress & Heat regulating factors.

DOSAGE :

Broiler / Layer / Breeder : 10 - 20 ml / 100 birds
During heat stress &
other stressful conditions : 1 ml / L of water
or
As advised by the Veterinarian / Nutritionist

PRESENTATION : 1 Litre & 5 Litre

BENEFITS :

- ▶ Reduces electrolyte imbalance during heat stress.
- ▶ Enhances Immune response.
- ▶ Relieve stress due to Vaccination, Deworming, De-beaking, Weather changes, Changes in feed, Transportation etc...
- ▶ Helps animals to overcome the negative effects on performance caused by stress.



Electrol *Plus*

Water Soluble

COMPOSITION :

Each kg contains

Ingredients	Gms
Sodium Chloride.....	20
Sodium Gluconate.....	11
Vitamin C.....	50
Betaine HCL.....	11
Magnesium Sulphate.....	9
Potassium Chloride.....	30
Sodium Bicarbonate.....	10
Sodium Citrate.....	25
Probiotic.....	1
Dextrose Monohydrate.....	500
Bioactive Chromium.....	0.02
Mono Sodium Phosphate.....	20
Carriers.....	qs

BENEFITS :

- ▶ Osmo - Regulator.
- ▶ Balancing the electrolytes during stress condition and summer.
- ▶ Improves eggshell thickness in summer.
- ▶ Minimizing the weight loss in broilers.

DOSAGE :

In Water : 1 - 2 g / Lit of water

Or

As advised by the Veterinarian / Nutritionist

PRESENTATION : 1 KG Pouch

Electrol *Plus*

Feed Supplement

COMPOSITION :

Each kg contains

Ingredients	Gms
Sodium Chloride.....	20
Sodium Gluconate.....	11
Vitamin C.....	50
Betaine HCL.....	11
Magnesium Sulphate.....	9
Potassium Chloride.....	30
Sodium Bicarbonate.....	10
Sodium Citrate.....	25
Probiotic.....	1
Bioactive Chromium.....	0.02
Mono Sodium Phosphate.....	20
Carriers.....	qs

BENEFITS :

- ▶ Osmo - Regulator.
- ▶ Balancing the electrolytes during stress condition and summer.
- ▶ Improves eggshell thickness in summer.
- ▶ Minimizing the weight loss in broilers.

DOSAGE :

In Feed : 1 - 2 kg per tonne

Or

As advised by the Veterinarian / Nutritionist

PRESENTATION : 25 Kg Bag



GROMa_kLiquid

ENRICHED BOOSTER TONIC

COMPOSITION

Each 100 ml contains:

Methionine (Methionine Hydroxy Analog)...	23.2 g
Choline chloride.	11.52 g
Lysine hydrochloride.	11.52 g
Magnesium	84 mg
Sodium	64.32 mg
Manganese.	56.8 mg
Ferrous (Iron)	48.8 mg
Zinc	34.512 mg
Cobalt.	37.2 mg
Copper	30.848 mg
Phosphorus	24.4 mg
Protein concentrate (High quality concentrate protein derived from yeast)	Q.S

BENEFITS :

- ▶ The chelated compound boosts up the productivity by enhancing the performance of many system of the body
- ▶ Improves Egg Shell quality.
- ▶ Prevents production Fluctuation.
- ▶ Reduces mortality due to Deficiencies

DOSAGE :

Broiler : 10-20 ml / 100 birds
Layer : 20 ml / 100 birds
Breeder : 20-30 ml / 100 birds
Or As recommended by the Veterinarian/Nutritionist.

PRESENTATION : 5 Ltr. & 1 Ltr.

GROMa_kGOLD

ENRICHED BOOSTER TONIC Liquid

COMPOSITION

Each 500 ml contains:

Methionine (Methionine Hydroxy Analog ..	145.0 g
Choline chloride.	72.0 g
Lysine hydrochloride.	72.0 g
Sodium	402.0 mg
Ferrous (Iron)	305.0 mg
Cobalt.	232.5 mg
Copper	192.8 mg
Phosphorus	152.5 mg
Nano minerals	1095.7 mg
Protein concentrate (High quality concentrate protein derived from yeast)	Q.S

BENEFITS :

- ▶ The chelated compound boosts up the productivity by enhancing the performance of many system of the body
- ▶ Improves Egg Shell quality.
- ▶ Prevents production Fluctuation.
- ▶ Reduces mortality due to Deficiencies

Recommended dosage:

Broiler: 5-10 ml / 100 birds
Layer: 10-20 ml / 100 birds
Breeder: 20 ml / 100 birds
Or As recommended by the Veterinarian/ Nutritionist.

PRESENTATION:
5 LITRE



LivoMak Powder

STRENGTHENS & SUPPORTS LIVER FUNCTIONING

COMPOSITION :

Phyllanthus niruri, *Picrorhiza Kurroa*,
Neem powder, Choline chloride, Tricholine citrate,
Curcumin extract, Liver extract powder.

BENEFITS :

Prevents Fatty liver syndrome Minimized liver damage due to pathogens like Bacteria, virus , fungi and to overcome hypertrophy of liver Prevention of liver damage from mycotoxins and avoid perosis. Enhanced flock immunity, improved growth, FCR, fertility and hatchability

DOSAGE :

250 g - 500 g / tonne of feed

Or

As advised by the Veterinarian /
Nutritionist

PRESENTATION : 20 KG pack.

LivoMak Liquid

STRENGTHENS & SUPPORTS LIVER FUNCTIONING

COMPOSITION :

Tricholine citrate, *Eclipta alba*, Liver Extract,
Phyllanthus niruri, *Picrorhiza Kurroa*,
Clove oil, Ferrous gluconate, Silymarin,
Andrographis paniculata, *Ocimum sanctum*,
Protein hydrolysate

BENEFITS :

Prevents Fatty liver syndrome Minimized liver damage due to pathogens like Bacteria, virus , fungi and to overcome hypertrophy of liver Prevention of liver damage from mycotoxins and avoid perosis. Enhanced flock immunity, improved growth, FCR, fertility and hatchability

DOSAGE :

Chicks- 5 - 10 ml / 100 birds / day

Growers & layers - 15 - 20 ml / 100 birds
for 5 - 7 days

Or

As advised by the Veterinarian /
Nutritionist

PRESENTATION : 5 Ltr. & 1 Ltr.



NATUMERIC *Plus*

(Natural Growth Enhancer)

COMPOSITION :

Turmeric, Ginger, Pepper, Cinnamon

BENEFITS :

- ▶ Curcumin stimulates the synthesis of digestive enzymes like lipase, amylase & trypsin.
- ▶ Curcumin improves the antioxidant metabolites in poultry birds.
- ▶ Improves digestion and nutrient utilization.
- ▶ Enhancing efficiency of immune system.
- ▶ Prevents Viral & bacterial disease occurrence.
- ▶ Promotes hepatic health & aids in effective detoxification process.

DOSAGE :

IN POWDER:

Breeders: 1-3 kg / tonne of feed.
Layers and Broilers: 1 kg / tonne of feed.

IN LIQUID:

Breeders: 1-3 kg / tonne of feed.
Layers and Broilers: 1 kg / tonne of feed.
Water: 1 ml / L of water.
*As advised by the Veterinarian / Nutritionist.

PRESENTATION :

LIQUID: 3 KG | POWDER: 20 KG bag.

Allivisat Liq / Pow (Garlic Extract)

King of Medicinal Plants and Natural Feed Supplement

COMPOSITION : Garlic

BENEFITS :

- ▶ Most potent anti-viral agent.
- ▶ Allivisat boosts immune system and improves body weight gain.
- ▶ Anti-oxidant, Anti-bacterial, Anti-fungal & Anti-protozoal activities
- ▶ Acts as fly repellent & controls larvae population.
- ▶ Increases semen production & concentration in breeder males.
- ▶ Synergistic action with disinfectant like QAC, Phenols & Glutaraldehyde.

DOSAGE :

- ▶ For routine disinfection- 5 ml / 1 Ltr (along with QAC, phenols and glutaraldehyde), 10 ml / 1 Ltr water used separately
- ▶ For drinking water- 0.5ml / ltr water for 5 days
- ▶ In Feed: 250 g / tonne of Feed

Or

As advised by the Veterinarian / Nutritionist

PRESENTATION :

LIQUID : 1 LITRE
POWDER : 1 KG pack.



(Natural Multiovarian Inducer)

COMPOSITION :

Shatavari, Hibiscus, Kamboji, Jeevanti & micronutrients from natural source with curcumin base.

BENEFITS :

- ▶ As a nutritive tonic and Anti-stressor
- ▶ Promotes fertility.
- ▶ Plays vital role in ovulation and endometrial receptivity.
- ▶ Reduces stress related and immune mediated fertility issues.
- ▶ Increases egg laying capacity of hen

DOSAGE :

Programme -1

From 15th week to 25th week, 500 g / tonne of feed.

After 40 weeks 500 g / tonne of feed.

Programme -2

In reproduction problems 1 kg / tonne of feed continuously for 1 month.

Programme -3

For top feeding 5-10 g / bird continuously for 10 days.

Or

As advised by the Veterinarian / Nutritionist

PRESENTATION : 1 KG Pack

COMPOSITION:

Menthol Crystals, Extracts of Eucalyptus oil (Eucalyptol), Vasaka, Piper longum and Glycyrrhiza glabra.

BENEFITS:

- Reduces symptoms like rales, sneezing, and nasal discharge.
- Enhances airflow and oxygen uptake by clearing blocked airways.
- Prevents secondary infections with its antimicrobial properties.
- Improves feed intake and general health by alleviating respiratory distress.

DOSAGE:

In Drinking water: 0.2 ml/Litre of water, continuously for 4-5 days.

For Spraying: 50 ml/10 Litre of water.

Or As advised by the Veterinarian / Nutritionist

Presentation:

1 Litre

**Composition:**

Biosensory attractants, Phytochemicals and phytosterols having insecticidal properties, Tender coconut, Biopreservation using yeast metabolites.

DIRECTION TO USE:

Step.1: Pour Att2 into a clean, used gunny bags or trays or plates with maximum exposure area to attract flies.

Step.2: Place the gunny bags or trays or plates in highly fly populated areas like Litter, feed storage areas. (Make sure atleast there is 3 meters between two trays)

Step.3: After every 3-4 days of exposure, remove the media, clean them with hot water, and refill with Att2 before placing them again.

PRESENTATION:

1 Litre.

AGPs

AviloMak-10™

Unmatched AGP

COMPOSITION :

Avilamycin -10%

MIXING DIRECTIONS

Thoroughly mix 100g to 150g of AviloMak-10 premix per 1000 kg of feed to yield 10 to 15 ppm of Avilamycin. (Or) As advised by the Veterinarian / Nutritionist

IMPORTANT

Must be thoroughly mixed in broiler feed before use.

BENEFITS :

For the prevention of mortality caused by necrotic enteritis associated with *Clostridium perfringens* in broiler chickens.

PRESENTATION :

25 kg



ZENBRACIN 4%™

Bambermycin An Argotero AGP

COMPOSITION :

ACTIVE COMPONENTS : Bambermycin 4%

BENEFITS :

INDICATION:

For prevention and control of Necrotic Enteritis caused by *Clostridium spp.* For prevention of infection caused by *Streptococcus spp.*, *Staphylococcus spp.*, *Clostridium spp.*, *E.coli* organisms, *Pasturella spp.*, *Salmonella spp.*, etc.,

DOSAGE :

Broilers / Breeders / Layers :
125 - 150 g / tonne of feed.

Or

As advised by the Veterinarian
/ Nutritionist

PRESENTATION : 25 kg

Zee MD Plus

COMPOSITION :

Bacitracin Methylene Disalicylate..... 10%

RECOMMENDATIONS

For Prevention of Necrotic Enteritis :
500 g / tonne of feed

For Treatment of Necrotic Enteritis :
1 kg / tonne of feed

Or

As advised by the Veterinarian / Nutritionist

BENEFITS :

INDICATIONS FOR USE

- For Prevention and Control of Necrotic Enteritis caused by *Clostridium spp.*
- Controls dysbacteriosis

PRESENTATION : 25 kg



CIPRO ZEN - 10%

(Water Soluble)

Poultry Feed Supplement

COMPOSITION :

Ciprofloxacin Hydrochloride 10%

DOSAGE :

- 1 g / 1 Ltr water throughout for 3 to 5 days
 - 10 mg - 15 mg / kg Body weight
 - As advised by the Veterinarian
- Or
- As advised by the Veterinarian
/ Nutritionist

PRESENTATION : 500 g

BENEFITS :

INDICATIONS

Gastrointestinal, respiratory and urinary tract infections caused by ciprofloxacin sensitive microorganisms like *Campylobacter*, *E. coli* (Colisepticaemia), *Haemophilus* (Infectious coryza), *Mycoplasma* (CRD), *Pasteurella* (Fowl cholera) and *Salmonella* spp. (Fowl typhoid). It also has good activity against some gram-positive bacteria (Staphylococcus).

Tetra Mak - OTC

(Feed Supplement)

COMPOSITION :

Oxytetracycline 20%

BENEFITS :

INDICATIONS

For the treatment of *Mycoplasma*, *Chlamydia*, *Pasteurella*, *Clostridium* spp., *Spirochetes* and some Protozoal infections.

DOSAGE :

500 g / tonne of feed

Or

As advised by the Veterinarian
/ Nutritionist

PRESENTATION : 1Kg / pack



Tetra Mak - OTC

(Water Soluble)

COMPOSITION :

Oxytetracycline 10%

BENEFITS :**INDICATIONS**

For the treatment of *Mycoplasma*, *Chlamydia*, *Pasteurella*, *Clostridium spp.*, *Spirochetes* and some Protozoal infections.

DOSAGE :

1 g / 1 ltr Water

Or

As advised by the Veterinarian
/ Nutritionist

PRESENTATION : 250g / pack

ANTIBIOTICS

TIAMUMAK 10%

(In Micro Encapsulated Form)

COMPOSITION :

Each kg of free flowing TIAMUMAK 10%
Feed Premix contains:
Tiamulin Hydrogen Fumarate 100 g

USAGE:

Mix TIAMUMAK 10% feed premix
200 g / tonne of feed as growth promoter
500 g / tonne of feed as a regular dose
Or
As advised by the Veterinarian / Nutritionist

BENEFITS :

- ▶ At the recommended mixing rate in feed, TIAMUMAK 10% Feed Premix others
- ▶ Improved and steady egg production
- ▶ Improved feed conversion ration (FCR)

PRESENTATION : 1 Kg



TIAMUMAK 80%

COMPOSITION :

Tiamulin Hydrogen Fumarate..... 100 g

BENEFITS :

- ▶ At the recommended mixing rate in feed, TIAMUMAK 80% feed premix
- ▶ Improves and sustains egg production
- ▶ Improves Feed Conversion Ratio (FCR)
- ▶ Decrease the incidence of respiratory problems like CRD and CCRD by Mycoplasmal organisms.

DOSAGE :

15-30 mg / kg B.W

Or

*As advised by the Veterinarian / Nutritionist

PRESENTATION : 1 Kg

TYLOMAK-H

COMPOSITION :

Each kg of Tylomak-H Contains:
Tylosin Phosphate..... 10%

DOSAGE :

FEEDING DIRECTIONS

Mix 500 g - 1 kg per tonne of complete feed.

Or

As advised by the Veterinarian / Nutritionist

BENEFITS :

For prevention and treatment of infections caused by tylosin-sensitive pathogenic microorganisms:
Mycoplasmosis, Chronic Respiratory Disease, and Infectious Synovitis in chickens and turkeys;
Infectious Sinusitis in turkeys;
Spirochetosis (Borreliosis) in chickens.

PRESENTATION : 25 kg



Doxicon-N

Water Soluble Powder

Each gram contains,	
Doxycycline hydrochloride I.P	
Equivalent to Doxycycline	100 mg
Neomycin Sulphate I.P	
Equivalent to Neomycin	100 mg
Excipients	q.s

Doxicon-N is effective against mixed infections like complicated CRD, Non-specific diarrhoea, Fowl Cholera, Coli-septicemia, Pullorum disease, Infectious synovitis and Secondary bacterial infections caused by gram positive and gram negative bacteria. Prevents 1st week mortality in chicks.

DOSAGE:

For Prophylactic treatment :
1 g in 10 Lit of water (for 4 – 5 days) .
Severe infection:
1 g in 4 Lit of water (for 3 – 5 days).
Or As advised by the Veterinarian.
Presentation:
50 gm, 100 gm and 250 gm pack.

PRESENTATION : 25 KG Bag

ANTIBIOTICS

Primosol-S

Water Soluble Powder

Composition:

Sulphadiazine I.P	10% w/w
Trimethoprim I.P	2% w/w

Primosol-S is used as a combined antibiotic therapy to treat and prevent bacterial infections. This combination is effective against a wide range of gram-positive and gram-negative bacteria. It is primarily used to manage respiratory infections, gastrointestinal infections, and coccidiosis, enhancing overall flock health and productivity.

DOSAGE:

15-20 mg/kg Body weight
Or
As advised by the Veterinarian

PRESENTATION :

100 gm, 500 gm and 1 KG



RespiFlox-BH

Composition:

Each ml contains:

Levofloxacin Hemihydrate

IP 100 mg

Equivalent to Levofloxacin

Bromhexine hydrochloride

IP 7.5 mg

INDICATIONS:

- Effective against bacterial respiratory diseases like Chronic Respiratory Disease (CRD) caused by Mycoplasma spp. and secondary bacterial infections.
- Used to treat bacterial enteritis caused by Escherichia coli or Salmonella spp.
- Helps manage respiratory conditions associated with excessive mucus production, like CRD and infectious bronchitis.
- Bromhexine Enhances the efficacy of Levofloxacin in respiratory infections.
- Supports recovery from respiratory infections by clearing mucus and improving oxygenation.

DOSAGE: 10-15 mg/kg body weight for continuously 3-5 days.

PRESENTATION: 1 Litre.

ANTI-PYRETIC:



COMPOSITION:

Each 5 ml contains,

Paracetamol IP 250 mg

INDICATIONS:

- Used to lower fever caused by infections, including viral diseases like Newcastle disease and infectious bronchitis.
- Provides relief from mild to moderate pain due to injuries, diseases, or managerial stress.
- Helps alleviate symptoms associated with hyperthermia during extreme environmental heat.

DOSAGE:

15-20 mg/kg body weight. (3 times per day)

Or As recommended by the Veterinarian

PRESENTATION:

1 Litre



ZenMix-AD₃EC

COMPOSITION:

Each ml contains:

Vitamin A 50,000 IU

Vitamin D₃ 5,000 IU

Vitamin E 30 IU

Vitamin C 100 mg

INDICATIONS:

Heat stress, Debeaking stress, Production stress, Transportation stress, Handling stress, Vaccination stress, Deworming stress, Antibiotic therapy stress and Vitamin deficiency etc.,

DOSAGE:

Chicks, Broilers : 4 to 5 ml/100 chicks for 5 to 7 days.

Layer/Breeders: 10 ml/100 birds for 5 to 7 days.

Or as recommended by the Veterinarian/Nutritionist.

Presentation:

1 Litre

ZenVit-E *plus*

COMPOSITION:

Each gm contains,

Vitamin E 100 mg

Selenium 1 mg

1,3-1,6 Beta-Glucans q.s

INDICATIONS:

- Enhances feed efficiency, growth rate, and overall vitality in poultry.
- Supports hatchability and fertility by protecting reproductive cells from oxidative damage.
- Helps to withstand environmental and physiological stresses such as heat, infection, and vaccination.
- Boosts disease resistance and recovery by strengthening immune responses.

DOSAGE:

In Drinking water:

Chicks/Growers/Layers: 5 g /100 birds

Broilers/Breeders: 5 g /50 birds

In Feed:

Chicks/Growers/Layers: 100-150 g /ton of feed

Broilers/Breeders: 150-250 g /ton of feed

Or as recommended by the Veterinarian /Nutritionist.

PRESENTATION:

200 gm



BIO TRIPLE CARE-20

COMPOSITION :

Each 100g contains

Glutaraldehyde.....	12 g
1,6-Dihydroxy 2,5-dioxahexane.....	10.5 g
Polymethyl derivatives.....	4.6 g

DOSAGE :

APPLICATION RATE

Routine Disinfection : 5 ml / Ltr. water
Terminal Disinfection : 15 ml / Ltr. water

BENEFITS :

- Useful for disinfection at high risk area
- Kills gram +ve and gram -ve bacteria, fungi, viruses and bacterial spores
- For economical and effective disinfection of poultry farms
- Cattle shed, Horse stables
- Hatcheries, Hatchery equipment's, In incubators
- Egg-inventory room
- No irritation, Prolonged residue period

PRESENTATION : 5 Ltr. & 1 Lt

HYGIN-TACT- 20

COMPOSITION :

Total Quaternary Compounds.....	6% w/v
- Alkyl dimethyl ammonium chloride	
- Octyldecyl dimethyl ammonium chloride	
- Dioctyl dimethyl ammonium chloride	
- Didecyl dimethyl ammonium chloride	
Glutaraldehyde Solution.....	3.1% w/v
Pine oil.....	1.7% v/v
Terpineol B.P.....	1.7% v/v
Purified water.....	q.s.

DOSAGE :

APPLICATION RATE

Terminal disinfection : 10 ml per liter of Water
Routine disinfection : 5 ml per liter of Water
Dipping : 20 ml per liter of Water
For fish : 400-900 ml per acre with a depth 1-1.2 mtr.

BENEFITS :

- Broad spectrum activity against bacteria, bacterial spores
- Subsidiary virucidal and fungicidal activity
- Rapid acting, kills microorganism within 10 minutes of contact time
- Effective in presence of organic matter
- Residual activity lasts for 7 days

PRESENTATION :

5 Ltr. & 1 Ltr.



SANIQUAT-20

COMPOSITION :

N,N'-1,2-ethanediybis [N-(carboxymethyl)-, tetrasodium salt]..... 4%

Quaternary ammonium compounds..... 4%
di-C8-10-alkyldimethyl, chlorides

Quaternary ammonium compounds..... 2%
benzyl-C12-16-alkyldimethyl, chlorides

DOSAGE :

APPLICATION RATE

Disinfection : 4 ml in 1 litre of water

Water sanitation : 1 ml in 10 litre of water

Severe contamination : 10 ml / Ltr.

BENEFITS :

- ▶ Effective in presence of hard water, organic matter
- ▶ Effective at high pH
- ▶ Non corrosive, non toxic and user friendly
- ▶ Excellent antimicrobial and antibiofilm activity
- ▶ Suitable for all hatchery equipments
- ▶ Water treatment as well as hygiene and material protection applications

PRESENTATION :

5 Ltr. & 1 Ltr.

TRIOX-3

A Triple Salt Disinfectant

COMPOSITION :

Potassium Monopersulphate compound..... 49.8%
(Triple salt Potassium Monopersulphate,

Potassium Sulphate & Potassium

Hydrogen sulphate)

Sodium Chloride..... 1.5%

Excipien..... Q.S

DOSAGE :

Water sanitation : Regular: 1g / 10 Lit of water

Disease outbreak : 1g / Lit of water

Surface disinfection / Severe contamination : 5g / Lit of water

Aerial spray in presence of birds : 5g / Lit of water

Hatchery sanitation : 5g / Lit of water

Foot dip/vehicle dip: 5-10g / Lit of water

BENEFITS :

- ▶ Inactivates both enveloped and non enveloped viruses in poultry barn.
- ▶ Multifacet disinfectant - aerosol, surface, water and equipment disinfection.
- ▶ Highly stable and efficient in presence of organic matter

PRESENTATION :

500 g



GENTAZEN

COMPOSITION :

Each ml contains,
Gentamicin Sulphate.....40 mg

BENEFITS :

For treatment of diseases caused by
E.coli, *Salmonella pullorum*, *Salmonella typhimurium*, *Salmonella gallinarum*,
Pseudomonas aeruginosa.

DOSAGE :

2.5-5 mg / kg BW (S/C or I/M or I/ V)
Or
As advised by the Veterinarian /
Nutritionist

PRESENTATION :

100 ml vial

TYLOZEN – 20

COMPOSITION :

Each ml contains,
Tylosin Tartrate.....200 mg

BENEFITS :

For treatment of infections caused by Gram
(+) bacteria like *Clostridium sp*, *Staphylococcus*,
Streptococcus and Gram (-) bacteria like
Mycoplasma, *Chlamydophila* and *Pasteurella sp.*,

DOSAGE :

15 - 30 mg / kg BW (S/C or I/M)
Or
As advised by the Veterinarian /
Nutritionist

PRESENTATION :

100 ml vial



AMIKAZEN

COMPOSITION :

Each ml contains,
Amikacin Sulphate.....250 mg

DOSAGE :

10 - 20 mg / kg
BW (S/C or I/M or I/ V)
Or
As advised by the Veterinarian /
Nutritionist

PRESENTATION :

100 ml vial

BENEFITS :

For the treatment of infectious diseases caused by *Salmonella typhimurium*,
Salmonella gallinarum, *Pseudomonas aeruginosa*, *Escherichia coli*,
Mycobacterium avium, *Klebsiella sp.*, *Enterobacter sp.*, *Corynebacterium sp.*,

ZENOXY-LA

COMPOSITION :

Each ml contains
Oxytetracycline.....200 mg.

DOSAGE :

50 mg / kg BW (S/C or I/M)
Or
As advised by the Veterinarian /
Nutritionist

BENEFITS :

OTC is indicated for the treatment of infections
caused by a variety of G(+) and G(-) microorganisms
including *Mycoplasma sp.*, *Pasteurella sp.*, *E.coli*,
Haemophilus sp., and *Diplococcus sp.*, etc.,

PRESENTATION :

100 ml vial



ZENVITA

COMPOSITION :

Vitamin A	4000 IU
Vitamin D ₃	4000 IU
Vitamin E Acetate	8 mg
Niacinamide	20 mg
Thiamine Hcl	20 mg
Pyridoxine Hcl	10 mg
Riboflavin phosphate sodium	2 mg
D-Panthenol	2 mg
Vitamin B12	20 mcg
D-Biotin	20 mcg
Phenol	0.5% w / v

DOSAGE :

1 ml / kg BW (S/C or I/M)

Or

As advised by the Veterinarian / Nutritionist

BENEFITS :

- ▶ Acts as a quick stress reliever.
- ▶ Improves egg production and maintains good persistency, improves hatchability and increases egg shell thickness.
- ▶ Prevents Avitaminosis and Malnutrition in chicks
- ▶ Stimulates antibody production for better immunity.
- ▶ Has anti inflammatory and anti oxidant properties.
- ▶ Helps in metabolism of all essential nutrients and promotes the growth of the chicks in profitable manner.
- ▶ Broiler chicks becomes more active with improved FCR and weight gain.
- ▶ Used as a therapeutic dose in case of deficiency of particular vitamin.
- ▶ Helps in faster recovery after bacterial and viral infection, by improving tissue regeneration.

PRESENTATION :

100 ml vial

INJECTABLES

CEFTON-TAZO

Injection for I.M./I.V. Use

Composition:

Ceftriaxone Sodium	4000 mg
Tazobactam	500 mg

The combination of Ceftriaxone Sodium and Tazobactam is a broad-spectrum antibiotic used in poultry to treat bacterial infections. Helps in treating respiratory tract infections such as Chronic Respiratory Disease (CRD) caused by Mycoplasma or other pathogenic bacteria.

DOSAGE:

15-20 mg/kg Body Weight

Or


As advised by the Veterinarian.

PRESENTATION :

4.5 g Vial









(An ISO 9001:2015 Certified Company)



GMP & HACCP Certified

Manufactured and Marketed By:

ZENMAK NUTRIGENCIES AND HEALTH PVT. LTD.

Regd. Off: No. F2, Sand Stone Apartments,
14/5, Main Road Velacherry, Chennai - 600 042.

E-mail: info@zenmakglobal.com

+91 93449 31464 | www.zenmakglobal.com

