

MakZyme-C_{AMF}

(Advanced Microchipping Technology)



MakZyme-C_{AMF}

(Advanced Microchipping Technology)



Makzyme-C is a perfect blend of substrate specific Enzymes to enhance the availability of nutrients. Makzyme-C reduces the gut viscosity, improves nutrient digestibility & releases hidden nutrients in feed ingredients.

COMPOSITION

MAKZYME - C AMF Content	
ENZYME	Minimum Activity Unit / kg
Cellulase	63,00,000
Xylanase	1,00,00,000
Beta - glucanase	7,50,000
Phytase	6,00,000
Alpha-amylase	8,00,000
Pectinase	80,000
Protease	30,00,000
Lipase	7,000

ADVANTAGES

- Advanced microchipping form, this technology enables the large surface area of the enzyme while acting in the substrate.
- The stability of Makzyme-C AMF enzyme additives is much better Because enzymes with inherent high stability are selected. New carrier materials are employed & novel manufacturing techniques used.
- Makzyme-C AMF contains high level of carbohydrases complex especially enzyme XYLANASE at high unit's level @ 500 gm/ton, no need to add xylanase separately.
- It's high carbohydrases concentration is used to formulate low cost feed with 25-50 kcal energy replacement & 0.5% of crude protein - @ 500g/ton dosage based on substrate
- High level of thermo stability (even after pelletization 90-95% recovery)



BENEFITS


- Allows incorporating alternative feed ingredients & reducing feed cost. Degrading NSPs & improves FCR & production by reducing gut viscosity. This in turn contributes to greater nutrient absorption, better intestinal villus function & health
- **Reduces wet litter problems by neutralizing anti nutritional factors like arabinoxylans, beta-glucans, gossypol, phytate, saponin, tannins & trypsin inhibitors.**
- **Improves nutrient digestion & help to reduce litter problems & reduces ammonia excretion & thereby reduces disease incidences.**
- **Makzyme-C AMF reduces the water holding capacity of the gut contents thus increasing the dry matter content.**
- Improves Hen day & hen Housed Egg production by improving absorption.
- Improves Eggshell Quality due to Phytase Activity.
- Reduces feed cost per egg due to production increment.
- Reduces Dirty Eggs by reducing Gut Viscosity and Wet litter issue in high Fibre Diet.
- Sustains & Improve Production performance during Raw material Quality Fluctuations.

MODE OF ACTION

- **XYLANASE:** It breaks down NSPs, specifically arabinoxylans, which in turn, reduces digesta viscosity, releases trapped nutrients & improves feed passage rate. The released arabino-oligosaccharides may also have a prebiotic effect in the gut.
 - **PROTEASE:** Improves the digestibility of protein & reduces anti-nutritional factors, e.g. residual trypsin inhibitors in soybean meal.
 - **PHYTASE:** Is capable of breaking down phytate & release phytic acid efficiently, also release phosphorus & other nutrients from phytate.
 - **LIPASE:** Breakdowns the lipids from oils in poultry feed, which is more deficit in chick stage.
 - **Cellulase:** breakdowns cellulose in fibrous raw material.
 - **Beta-mannanase**-breakdowns mannans especially in soybean meal & eliminate the adverse effects.
 - A perfect blend of amylase, xylanase, & protease enzymes in Makzyme-C AMF working together synergistically each other and acts on poorly digestible portions of feed ingredients & increases the availability of nutrient for better growth & egg production.
- 

MakZyme-C^{AMF}

(Advanced Microchipping Technology)



Effect on Makzyme-C on Broiler Performance and Intestinal viscosity :

Groups	Body Weight (Gms) @ 34 Days	FCR	Intestinal Viscosity (Cp)
Control	2.094	1.68	1.87
Only Cocktail Enzyme-500gms/Ton	2.103	1.66	1.45
Makzyme - C AMF 350gms/Ton	2.115	1.62	1.32

COMMERCIAL LAYER PERFORMANCE AT 1 MILLION BIRDS META-ANALYSIS

Trail Age- 25 wks 60 wks			
Parameters	Control ~ without Enzyme	Competitor Enzyme at 500gms/ton	Makzyme @ 350gms /ton
Daily Production - Farm Average	88.3%	91.8%	93.8%
Avg. Feed intake in gms/Day	112	111.4	110
Issues	- Dirty Eggs - Loose Droppings - Pasty Vent - Production Fluctuations - Fly Issue - Up to 3% Broken	- Dirty Eggs - Mild Loose Droppings - Production Fluctuations	- Healthy Gut - Gut Scoring mostly 1 - Uniform Production

MATRIX VALUE

- ME: 25-50 Kcal/kg
- Protein: 0.5%
- Replaces: 0.75-1 kg DCP

USAGE

- Makzyme-C AMF is available in **Micro Chip Form**.
- Broilers, Breeders and Layers : 350 gm / ton for regular use.
or As advised by the Veterinarian / Nutritionist.
- For Matrix value 500 gm / ton of feed

PRESENTATION

25kg bag.

SHELF LIFE

24 Months from Date of Manufacture



(An ISO 9001 : 2015 Certified Company)



GMP & HACCP Certified

Marketed By :

ZENMAK NUTRIGENCIES AND HEALTH PVT. LTD.

Regd. Off: No. F2, Sand Stone Apartments,
14/5, Main Road, Velacherry, Chennai - 600 042.

E-mail : info@zenmakglobal.com

Contact : 93459 13689, 93449 31464

Web : www.zenmakglobal.com

