




Lipolyse-L

Effective Fat Mobiliser



Lipolyse-L

Effective Fat Mobiliser



Fat mobiliser are used in poultry nutrition especially in layers for improving fat metabolism, improves laying capability and enhances digestibility. The selection of natural & synthetic sources is based on their activity in fat mobilization process.

DESCRIPTION

In layers after the age of 40 weeks, the abdominal fat deposition increases. The increased abdominal fat leads to the risk of prolapse in layer birds, due to which egg production decreases. Hence balanced supplementation of nutrition along with Choline chloride, Vit.B12, Vit. C and other synthetic component which is responsible for hydrolysis of lipids & produces fatty acid which are water soluble help the hens metabolize fat more efficiently (Kathy S. Mormino;2014).

Choline is a beta-hydroxy ethyl trimethyl ammonium hydroxide. Choline is required for the formation of a phospholipid lecithin, a component of egg yolk.

Choline plays an essential role in fat metabolism in the liver. It prevents abnormal accumulation of fat (fatty livers) by promoting its transport as lecithin or by increasing the utilization of fatty acids in the liver itself (Xu et al., 2010). Choline is thus referred to as a “lipotropic” factor due to its function of acting on fat metabolism by hastening removal or decreasing deposition of fat in liver, as a constituent of phospholipids, i.e. it is essential in the building and maintenance of cell structure, as well as ensuring normal maturation of the cartilage matrix of bone.

- **High Bioavailability:**

Bioavailability is the most important parameter, which should be taken into account while selecting an ideal choline chloride.


Phosphatidylcholine, one of the active components of natural choline, acts as an agonist (promoter) of the PPAR α (Peroxisome Proliferator Activated Receptors Alpha), proteic nuclear receptors acting on transcription processes. The PPAR α regulate the expression of specific genes implicated in metabolic reactions, such as beta oxidation of fatty acids.

It has been demonstrated that PPAR α are present both in the intestine and in the liver, indicating that natural choline (phosphatidylcholine) begins to act in the enterocytes and, later, in the liver, optimizing the absorption of nutrients in the diets and improving feed conversion and other productive parameters.



Choline is building block of lecithin (phosphatidylcholine). Lecithin is one of the basic constituents of animal cell membranes. Choline is released from lecithin by hydrolysis in the intestinal lumen. Both pancreatic secretions and intestinal mucosal cells contain enzymes capable of hydrolyzing lecithin in the diet. The net result is that most ingested lecithin is absorbed as lysophosphatidylcholine.


In Lipolyse-L we used natural precursor lysophosphatidylcholine, for choline chloride, which having high bio-availability, work as fat mobiliser and prevents abnormal fat deposition in birds.



- **SOLUBLE CASEINATES:** Increases absorption of protein, increased weight gain, pancreatic lipase secretion, improved fat digestibility with no effects on egg quality.
- **LYSOPHOSPHATIDYLCHOLINE:** precursor of choline chloride, improved body weight, FCR, improve carcass quality.
- **SYNTHETIC SALTS OF ENZYMATIC ACTION :** Lipolyse-L having synthetic salts of enzymatic action. Synthetic salts of enzymatic action helps to digestion of fat molecules, activate lipase enzyme, increases metabolizable energy.
- **GLYCEROL POLYETHYLENE GLYCOL RICINOLEATE:** Enhance dietary fat availability, improved performance, body weight gain & relative organ weight.
- **HERBAL Vit.C:** Helps to improve shell quality, exhibits antioxidative effect, inhibits oxidative protein denaturation.
- **Vit B12:** Initiates nucleic acid & methyl synthesis, helps to lipid metabolism, improve egg weight & hatchability, maintain nervous system integrity.
- **LIVER Rejuvenators :** Improved liver function, increased production of bile for digestion of fat, deposits fat into tissues for further energy utilization.

Lipolyse-L

Effective Fat Mobiliser



COMPOSITION

Soluble caseinates, Lysophosphatidylcholine, Synthetic salts of enzymatic action,
Glycerol polyethylene Glycol ricinoleate,
Herbal vit.C, Vit. B12, Liver tonic & natural carriers.

BENEFITS

- Lipolyse-L contains precursor lysophosphatidylcholine so it easily replaces choline chloride
- Increase the metabolizability of fat in body
- Facilitate low cost formulation
- Minimizes abdominal fat
- Maximizes enzymatic digestion

INCLUSION LEVEL

Layer / Breeder : 1 Kg/ton of feed

Replace 1 Kg of Choline Chloride with 750g of Lipolyse-L

PRESENTATION

25kg bag.



(An ISO 9001 : 2015 Certified Company)



GMP & HACCP Certified

Manufactured and Marketed By :

ZENMAK NUTRIGENCIES AND HEALTH PVT. LTD.

Regd. Off: No. F2, Sand Stone Apartments,
14/5, Main Road, Velacherry, Chennai - 600 042.

E-mail : info@zenmakglobal.com

Contact : 93459 13689, 93449 31464

Web : www.zenmakglobal.com

