

Organic



Mak Min-OrgTM

More than just a Organic Trace Mineral





The supply of trace mineral in poultry feed is essential for bird health, immune status, allowance for expression of production potential, and improvement in egg shell quality.

Organic trace minerals are used in poultry diets because of their higher bioavailability.

Proteinate Complex

To get the most nutritional and economic value from a feed formulation, Nutritionists and Farmers need to pay special attention to what they are using, especially when it comes to “organic” trace mineral sources.

Choosing the Best Organic Trace mineral for Better ROI:

Peptides, having a greater number of donor atoms which enable their potential to form numerous chelate rings when bonding to a metal ion, would be expected to form more stable chelates than simple amino acids, such as glycine.


Simply increasing the number of amino acids in a ligand may not increase the stability of the metal complex nor the relative proportion of bound mineral. Ultimately, not only does the amino acid type influence stability but also the amino acid's position in a peptide.

ROLE OF TRACE MINERALS

Trace Minerals	Role of Trace Mineral	Deficiency Symptoms
Zinc	• Essential component of 200 Enzyme systems. • Major role in Immune system and certain reproductive hormones. • Essential for proper sexual maturity and reproductive capacity.	• Result in poor semen quality. • Retardation in growth, leg abnormality with long bones becoming shorter, thickened & crooked. • Hatched chicks are weak with skeletal deformities. • Delayed feathering.
Manganese	• Activator of enzyme system in the metabolism of carbohydrates, fats, proteins and nucleic acid. • Manganese involves in the formation of Chondroitin sulphate & Mucopoly saccharide- bone cartilage formation • Eggshell formation and the function of the immune system.	• Retarded growth • Characteristic crippling leg deformity called perosis. • Reduction in eggshell strength. • Reduction in hatchability.
Copper	• It is a necessary component of number of enzymes which function in increased structural strength, elasticity of connective tissues and blood vessels. • Helps in the maturation of erythrocytes.	• Anaemia, Enlarged heart and fragile bones, leg weakness.
Iron	• Constituent of haemoglobin and myoglobin for oxygen transport and cellular use. • Component of many enzymes such as Cytochrome C, peroxidase, catalase etc.	• Hypochromic microcytic anaemia • Depigmentation of feathers • Stunted growth • Heart hypertrophy
Selenium	• Functions as Antioxidant • Protection of unsaturated tissue lipids against peroxidation. • Plays an important role in fertility with Vitamin E	• Stunted growth, poor feather development and degeneration of pancreas • Exudative diathesis.
Iodine	• It is required for synthesis of thyroid hormone, thyroxin, which regulates the rate of metabolism. • Regulates rate of cellular oxidation. • Regulates neuromuscular functions.	• Increase in the size of thyroid gland called goitre. • Retention of yolk in the hatched chicks. • Lower hatchability.

DIFFERENT FROM OTHER OTM

MakMin-ORG's Production process ensures optimum protein hydrolysis for mineral chelation relies on carefully selecting the hydrolysis conditions, ensuring that the final hydrolysed peptide mix can guarantee constancy and optimal mineral binding stability under conditions of changing pH inside the Gut of Bird.



UNIQUENESS OF MAKMIN ORG

- No Phytase and Xylanase activity reduction like other minerals due to optimum Makmin-ORG stability.
- Due to its optimal proteinate technology, it ensures nil mineral binding with toxin binders and better vitamin stability.
- The key defining characteristic of Makmin-ORG is the ability to maximize its pH-dependent stability and optimize delivery to the intestine.

BENEFITS

In Breeders:

- Anti-oxidant status
- Fertility & Hatchability
- Egg Shell Quality
- Less culls percentage
- Better Chick quality and lameness issue

In Broilers:

- Better Day Gain
- Meat Quality- Low Drip lose
- Less incident of Wooden breast syndrome
- Better FCR and Immune status

In Layers:



- Shelf life of eggs
- Egg Freshness
- Eggshell quality improvement



ADDED ADVANTAGE

1. Better Gut Health
2. Pathogenic Load Reduction
3. Healthy Feet and Shiny Feather
4. Less Culls Percentage in each batch while lifting

TRIAL DATA



COMPOSITION

NAME OF THE MINERAL	EACH KG CONTAINS (in grams)
Zinc	60.0
Iron	30.0
Copper	10.0
Selenium	0.60
Manganese	60.0
Chromium	1.0
Iodine	4.0

DOSAGE

In Broilers : 500 - 650gms per ton of feed

In Breeders : 1 - 1.2 Kg per ton of feed

* As advised by Veterinarian or Nutritionist



(An ISO 9001:2015 Certified Company)



GMP & HACCP Certified

Marketed By:

ZENMAK NUTRIGENCIES AND HEALTH PVT. LTD.

Regd. Off: No. F2, Sand Stone Apartments,
14/5, Main Road Velacherry, Chennai - 600 042.

E-mail: info@zenmakglobal.com

+91 93449 31464 | www.zenmakglobal.com

