

Multiple Choice Questions, COPA - Semester-1

Dr.V.Nagaradjane

December 27, 2017

Contents

1 Semester 1	1
1.1 Basic hardware and software	1
1.1.1 History of computers	1
1.1.2 Types of computer	3
1.1.3 Advantages of computers	4
1.1.4 Application of computers	5
1.1.5 Concept of hardware and software	5
1.1.6 Computer hardware	5
1.1.7 Output devices	8
1.1.8 Central Processing Unit (CPU)	10
1.1.9 Computer software	16
1.2 Computer Administration	24
1.2.1 Booting error signals	25
1.2.2 BIOS settings	25
1.2.3 Installation of windows operating system	26
1.2.4 Common computer problems and solutions	26
1.3 MS DOS and Linux	28
1.3.1 MS DOS	28
1.3.2 Internal DOS commands	28
1.3.3 External DOS Commands	30
1.3.4 Output redirection in MS DOS	32
1.3.5 Wild cards in MS DOS	32
1.3.6 Open Source Software (OSS)	32
1.3.7 Linux shell commands	33
1.3.8 Special characters in Linux	37
1.4 MS Word	39
1.4.1 Introduction to various application in MS Office	39
1.4.2 Features of MS Word	39
1.4.3 Office button in MS Word	40
1.4.4 Menus and toolbars in MS Word	40
1.4.5 Creating & saving a document in MS Word	49
1.4.6 Inserting objects in MS Word	51
1.4.7 Inserting Macros in MS Word	51
1.4.8 Creating mail merge in MS Word	52
1.4.9 Creating templates in MS Word	53
1.4.10 Page setup & printing in MS Word	53
1.5 MS Excel	56
1.5.1 Data types in MS Excel	56
1.5.2 Cell referencing	57
1.5.3 Categories of functions in MS Excel	57
1.5.4 Sorting in MS Excel	64
1.5.5 Filtering in MS Excel	65

1.5.6	Validation in MS Excel	65
1.5.7	Charting in MS Excel	65
1.5.8	Data tables in MS Excel	66
1.5.9	Pivot table	66
1.5.10	Goal seek in MS Excel	67
1.5.11	Scenarios in MS Excel	67
1.6	Powerpoint	69
1.6.1	Introduction to PowerPoint	69
1.6.2	Advantages of Powerpoint	69
1.6.3	Creating Slide Shows	69
1.6.4	Fine tuning the presentation	70
1.6.5	Good presentation techniques	71
1.7	OpenOffice	73
1.7.1	Introduction to Open Office	73
1.7.2	Image properties	73
1.7.3	Image types	74
1.7.4	Editing of images	75
1.8	Database Management Systems	77
1.8.1	Data, Information and Database	77
1.8.2	Overview of popular databases systems	77
1.8.3	Rules for designing good tables	80
1.8.4	Integrity rules and constraints in a table	81
1.8.5	Relationships in tables	81
1.8.6	Introduction to various types of Queries and their uses	82
1.8.7	Designing Access Reports and Forms	83
1.8.8	Macros in MS Access	85
1.9	Networking	86
1.9.1	Computer Networks, Necessity and Advantages	86
1.9.2	Client Server and peer to Peer networking concepts	86
1.9.3	Concept of Proxy Server and proxy firewall server	87
1.9.4	Network topologies	87
1.9.5	Network components	88
1.9.6	Network Cables	89
1.9.7	Wireless networks	89
1.9.8	Bluetooth technology	90
1.9.9	OSI 7 Layer Model	90
1.9.10	Various Network protocols	91
1.9.11	Logical and Physical Addresses	94
1.9.12	Classes of Networks	94
1.9.13	Network Security & Firewall	94
1.9.14	DHCP Server	95
1.9.15	Internet	95
1.9.16	Introduction to the Internet	95
1.9.17	Introduction to WWW	96
1.9.18	Web Browsers	96
1.9.19	Internet servers	97
1.9.20	Search engines	97
1.9.21	Domain naming Systems	97
1.9.22	E-mail	98
1.9.23	Video chatting tools	99
1.9.24	VOIP	100
1.9.25	Social Media	100

1.9.26	Cloud storage	100
1.9.27	Internet Security	101
1.10	Web Design	104
1.10.1	Web server	104
1.10.2	Static and Dynamic Web pages	104
1.10.3	Introduction to HTML	105
1.10.4	Various tags in HTML	105
1.10.5	Creating Forms with controls using HTML	109
1.10.6	Concepts of CSS	111
1.10.7	Applying CSS to HTML	112
1.10.8	Open source CMS	112
1.10.9	Web authoring tools	113

Chapter 1

Semester 1

1.1 Basic hardware and software

1.1.1 History of computers

1. Logarithm was invented by _____.
 - (a) *John Napier*
 - (b) Edmund Gunter
 - (c) Blaise Pascal
 - (d) Charles Babbage
2. Mechanical calculator was invented by _____.
 - (a) John Napier
 - (b) Edmund Gunter
 - (c) *Blaise Pascal*
 - (d) Charles Babbage
3. Slide rule was invented by _____.
 - (a) John Napier
 - (b) *Edmund Gunter*
 - (c) Blaise Pascal
 - (d) Charles Babbage
4. First general purpose computer was invented by _____.
 - (a) John Napier
 - (b) Edmund Gunter
 - (c) Blaise Pascal
 - (d) *Charles Babbage*
5. The first computer was invented by Charles Babbage was called _____.
 - (a) slide rule
 - (b) *difference engine*
 - (c) ENIAC
 - (d) calculator
6. _____ is called father of modern computers.
 - (a) John Napier
 - (b) Edmund Gunter
 - (c) Blaise Pascal
 - (d) *Charles Babbage*
7. Difference engine used _____ for input.
 - (a) *punched card*
 - (b) DVD
 - (c) hard disk
 - (d) floppy disk
8. Difference engine provided its output through _____.
 - (a) printer
 - (b) curve plotter
 - (c) card punching machine/ bell
 - (d) *all of them*
9. The computer which worked on continuously changing quantities (like electricity, water flow, etc.) for input were called _____.
 - (a) ENIAC
 - (b) logarithm
 - (c) *analog computer*
 - (d) mainframe computer
10. Analog computer was invented by _____.
 - (a) John Napier
 - (b) *Sir William Thomson*
 - (c) Blaise Pascal
 - (d) Charles Babbage
11. Computers like Colossus, were used for _____ German military communication during World War II.
 - (a) *decrypting*
 - (b) scrambling
 - (c) randomizing
 - (d) encrypting
12. Theoretical definition of a general purpose computer was provided by _____.
 - (a) *Allen Turing*
 - (b) John Napier
 - (c) Blaise Pascal
 - (d) Edmund Gunter
13. The first general purpose computer, which fulfilled Turing's definition of a general purpose computing machine was _____.
 - (a) slide rule
 - (b) *ENIAC*
 - (c) logarithm
 - (d) Colossus
14. The first generation computer was called _____.

- (a) slide rule (b) *ENIAC*
 (c) logarithm (d) Colossus
- 15.** First generation computer (named ENIAC) was designed and fabricated by _____.
- (a) John Napier
 (b) Edmund Gunter
 (c) Blaise Pascal
 (d) *J.P. Eckert & J.W. Mauchly*
- 16.** First generation computer (named ENIAC) was designed and fabricated at _____.
- (a) *University of Pennsylvania, USA*
 (b) University College, London
 (c) University of California, Berkeley, USA
 (d) Cambridge University, UK
- 17.** First generation computer (named ENIAC) was created in the year _____.
- (a) *1945* (b) 1959
 (c) 1965 (d) 1971
- 18.** First generation computer (named ENIAC) used _____ technology for processing data.
- (a) transistor
 (b) Integrated Circuit (IC)
 (c) *vacuum tube*
 (d) Very Large Scale Integration (VLSI)
- 19.** First generation computer (named ENIAC) used more than _____ kW of electric power.
- (a) *200* (b) 1000
 (c) 2000 (d) 3000
- 20.** First generation computer (named ENIAC) used _____ for input.
- (a) punched card
 (b) paper tape
 (c) magnetic tape
 (d) *all of them*
- 21.** First generation computer (named ENIAC) used _____ for output.
- (a) punched card
 (b) paper tape
 (c) magnetic tape
 (d) *all of them*
- 22.** _____ language was used to program first generation computer (named ENIAC).
- (a) C
 (b) *machine language*
 (c) C++
 (d) Java
- 23.** Second generation computer was created in the year _____.
- (a) 1945 (b) *1959*
 (c) 1965 (d) 1971
- 24.** Second generation computer used _____ technology for processing data.
- (a) *transistor*
 (b) Integrated Circuit (IC)
 (c) vacuum tube
 (d) Very Large Scale Integration (VLSI)
- 25.** Second generation computer used _____ for main memory.
- (a) DVD
 (b) *magnetic core*
 (c) hard disk
 (d) CD
- 26.** Second generation computer used _____ for input.
- (a) magnetic disk
 (b) magnetic tape
 (c) *both a & b*
 (d) neither a nor b
- 27.** Second generation computer used _____ for output.
- (a) magnetic disk
 (b) magnetic tape
 (c) *both a & b*
 (d) neither a nor b
- 28.** _____ language was used to program second generation computer.
- (a) FORTRAN
 (b) COBOL
 (c) *both a & b*
 (d) neither a nor b
- 29.** Third generation computer was created in the year _____.
- (a) 1945 (b) 1959
 (c) *1965* (d) 1971
- 30.** Third generation computer used _____ technology for processing data.
- (a) transistor
 (b) *Integrated Circuit (IC)*
 (c) vacuum tube
 (d) Very Large Scale Integration (VLSI)
- 31.** Third generation computer used _____ for input.
- (a) magnetic disk
 (b) magnetic tape
 (c) keyboard
 (d) *all of them*

- 32.** Third generation computer used _____ for output.
 (a) magnetic disk
 (b) magnetic tape
 (c) monitor
 (d) *all of them*
- 33.** _____ language was used to program third generation computer.
 (a) FORTRAN-II to IV, COBOL
 (b) BASIC, PASCAL
 (c) PL/1, ALGOL-60
 (d) *all of them*
- 34.** Fourth generation computer was created in the year _____.
 (a) 1959 (b) 1965
 (c) 1971 (d) 1980
- 35.** Fourth generation computer used _____ technology for processing data.
 (a) Integrated Circuit (IC)
 (b) vacuum tube
 (c) *Very Large Scale Integration (VLSI)*
 (d) *Ultra Large Scale Integration (ULSI)*
- 36.** Fourth generation computer used _____ for input.
 (a) magnetic disk
 (b) magnetic tape
 (c) keyboard
 (d) *all of them*
- 37.** _____ language was created during the advent of fourth generation computers.
 (a) C
 (b) C++
 (c) *both a & b*
 (d) *neither a nor b*
- 38.** In fourth generation computers, _____ were used for secondary storage of data.
 (a) floppy disk (b) hard disk
 (c) tape drive (d) *all of them*
- 39.** _____ generation computers first earned the name of Personal Computer (PC).
 (a) first (b) second
 (c) third (d) *fourth*
- 40.** Productivity tools like Wordstar, Lotus, DBASE, FOXPRO, etc. flourished during the era of _____ generation computers.
 (a) first (b) second
 (c) third (d) *fourth*
- 41.** Internet was created during the era of _____ generation computers.
 (a) second (b) third
 (c) *fourth* (d) fifth
- 42.** Fifth generation computer was created in the year _____.
 (a) 1959 (b) 1965
 (c) 1971 (d) 1980
- 43.** Fifth generation computer used _____ technology for processing data.
 (a) Integrated Circuit (IC)
 (b) vacuum tube
 (c) Very Large Scale Integration (VLSI)
 (d) *Ultra Large Scale Integration (ULSI)*
- 44.** Fifth generation computer used _____ for input.
 (a) mouse
 (b) keyboard
 (c) scanner/light pen
 (d) *all of them*
- 45.** _____ language created during the advent of fifth generation computers.
 (a) Java
 (b) C#
 (c) *both a & b*
 (d) *neither a nor b*
- 46.** In fifth generation computers, _____ were used for secondary storage of data.
 (a) floppy disk
 (b) hard disk
 (c) CD/ DVD drive
 (d) *all of them*
- 47.** Several new forms of personal computer, viz., laptop, notebook, ultrabook, tablet PC, smartphones, Chromebook, Raspberry PI, were created during the era of _____.
 (a) second (b) third
 (c) fourth (d) *fifth*

1.1.2 Types of computer

- 48.** Personal computer is otherwise called _____.
 (a) micro-computer
 (b) desktop
 (c) *both a & b*
 (d) *neither a nor b*
- 49.** In a personal computer, multiple users _____
 (a) can login and work at different times

- (b) cannot login and work at the same time
 (c) although multiple users are supported, only one person can login at given time
 (d) *all of them*
- 50.** The computer having better graphics capacity, more main memory, more processing power and more storage compared to personal computer is called _____.
- (a) tablet PC
 (b) Raspberry PI
 (c) *workstation computer*
 (d) smartphone
- 51.** The computer used for professional works like CAD/CAM, animation, desktop publication, high power gaming, etc. is called _____.
- (a) tablet PC
 (b) Raspberry PI
 (c) *workstation computer*
 (d) smartphone
- 52.** A computer which supports concurrent login for 100 or 200 persons is called _____.
- (a) *mini-computer*
 (b) micro-computer
 (c) tablet PC
 (d) laptop
- 53.** A computer which supports concurrent login for thousands of users is called _____.
- (a) *mainframe computer*
 (b) micro-computer
 (c) tablet PC
 (d) laptop
- 54.** _____ computer has enormous processing power, memory and storage and supports thousands of concurrent logins.
- (a) *mainframe computer*
 (b) micro-computer
 (c) cloud computer
 (d) laptop
- 55.** A collection of computers used for on-line data storage through the Internet is called _____.
- (a) mainframe computer
 (b) micro-computer
 (c) *cloud computer*
 (d) laptop
- 56.** A computer having large processing power, used for scientific research, simulation of experiments, nuclear research, high power number crunching, etc. is called _____.
- (a) smartphone
 (b) micro-computer
 (c) workstation computer
 (d) *supercomputer*
- 57.** The most common type of computer used at homes and offices is called _____.
- (a) *Personal Computer (PC)*
 (b) super computer
 (c) main frame computer
 (d) mini computer
- 58.** In computers, PC is expanded as _____.
- (a) Process Computer
 (b) Progressive Computer
 (c) *Personal Computer*
 (d) Plus Computer
- 59.** Personal computer is otherwise called _____.
- (a) super computer
 (b) main frame computer
 (c) mini computer
 (d) *micro-computer*
- 60.** A micro-computer/PC permits working of _____ at the same time.
- (a) many users
 (b) *one user*
 (c) hundreds of users
 (d) thousands of users
- 61.** Laptops, tabs, mobile phones, raspberry PI, etc. are classified under _____.
- (a) super computer
 (b) main frame computer
 (c) mini computer
 (d) *micro-computer*
- ### 1.1.3 Advantages of computers
- 62.** The main advantage of computer is _____.
- (a) speed
 (b) large storage capacity
 (c) ease of creating programs for new jobs
 (d) *all of them*
- 63.** CAD stands for _____.
- (a) Computer Analog Design
 (b) Computer Aided Dialog
 (c) *Computer Aided Design*

(d) Computer Android Design

64. CAM stands for

- (a) Computer Analog Manufacture
- (b) Computer Aided Monitoring
- (c) Computer Aided Maintenance
- (d) *Computer Aided Manufacturing*

65. CAD/CAM help in reduction of required for manufacture while maintaining high quality and precision.

- (a) time
- (b) money
- (c) *both a & b*
- (d) neither a nor b

66. Mission critical operations (like rocket launching, control of space vehicles) are possible through computers.

- (a) *real time*
- (b) main frame
- (c) super
- (d) mini

67. Real time computers have lag in processing input signals.

- (a) *zero*
- (b) lengthy
- (c) lot of
- (d) heavy

1.1.4 Application of computers

68. Banks store and retrieve core banking transactions using

- (a) mobile phones
- (b) *centralized server computers*
- (c) tablet computers
- (d) micro-computers

69. Computer servers are used in applications.

- (a) online reservation of tickets
- (b) e-commerce
- (c) tracking of consignments
- (d) *all of them*

70. Computers help in creation of high quality multi-media content at

- (a) *high speed*
- (b) high quality
- (c) lower cost compared to manual creation
- (d) *all of them*

71. Computer networks in the form of LAN, WAN, MAN and the Internet help in

- (a) sharing of information
- (b) transactions of e-commerce
- (c) sharing of hardware (like printers)
- (d) *all of them*

1.1.5 Concept of hardware and software

72. All the physical components of a computer are collectively called

- (a) software
- (b) *hardware*
- (c) malware
- (d) junkware

73. The component which makes a computer to work through commands is called

- (a) *software*
- (b) hardware
- (c) malware
- (d) junkware

74. Software be touched.

- (a) *cannot*
- (b) can
- (c) may
- (d) would

75. Hardware be touched.

- (a) cannot
- (b) *can*
- (c) may
- (d) would

76. Hardware electric power for working.

- (a) *consumes*
- (b) does not consume
- (c) generates
- (d) creates

77. Hardware space.

- (a) does not occupy
- (b) *occupies*
- (c) does not require
- (d) does not need

78. Software

- (a) consumes power through hardware
- (b) is inferred through the working of hardware
- (c) controls the hardware
- (d) *all of them*

1.1.6 Computer hardware

79. A computer has

- (a) input unit
- (b) Central Processing Unit (CPU)
- (c) output unit
- (d) *all of them*

80. Keyboard, mouse, scanner, stylus, light pen, etc. are classified under unit.

- (a) *input*
- (b) central processing
- (c) output
- (d) none of them

81. Monitor (VDU), printer, plotter, etc. are classified under unit.

- (a) *input*

- (b) central processing
(c) *output*
(d) none of them
- 82.** All the processing work of computer takes place in _____.
- (a) input unit
(b) *Central Processing Unit (CPU)*
(c) output unit
(d) all of them
- 83.** _____ produces output/results after processing the input data.
- (a) input unit
(b) *Central Processing Unit (CPU)*
(c) output unit
(d) all of them
- 84.** _____ is called the 'Brain of Computer'.
- (a) input unit
(b) *Central Processing Unit (CPU)*
(c) output unit
(d) all of them
- 85.** Processor, main memory (RAM), hard disk, CD/DVD drive, CMOS, BIOS chip, etc. are housed inside _____.
- (a) input unit
(b) *Central Processing Unit (CPU)*
(c) output unit
(d) all of them
- 86.** _____ contains slots for fixing/ connecting processor, main memory (RAM), hard disk, CD/DVD drive, CMOS, BIOS chip, etc.
- (a) *Mother board* (b) bread board
(c) key board (d) dash board

Input units

- 87.** Common keyboards used in India have _____ layout of keys.
- (a) English US
(b) English UK
(c) *either a or b*
(d) neither a nor b
- 88.** The longest/largest button on keyboard is _____.
- (a) *space bar* (b) enter
(c) backspace (d) tab
- 89.** The _____ button removes a character to the left of cursor position.
- (a) space bar (b) enter
(c) *backspace* (d) tab

- 90.** The _____ button ends current line of input.
- (a) space bar (b) *enter*
(c) backspace (d) tab
- 91.** The _____ button moves the cursor to the next predetermined stop location.
- (a) space bar (b) enter
(c) backspace (d) *tab*
- 92.** The _____ button toggles capital letter for input.
- (a) *caps lock* (b) print screen
(c) scroll lock (d) pause/break
- 93.** The _____ button takes a screen shot and copies it to clipboard or saves it to a file.
- (a) caps lock (b) *print screen*
(c) scroll lock (d) pause/break
- 94.** The _____ button stops or resumes the boot process.
- (a) caps lock (b) print screen
(c) scroll lock (d) *pause/break*
- 95.** _____ button keeps the scroll mode on or off.
- (a) caps lock (b) print screen
(c) *scroll lock* (d) pause/break
- 96.** The group of number keys and basic arithmetic operators placed on the left side of a keyboard is called _____.
- (a) *number pad*
(b) note pad
(c) arrow keys
(d) cursor controls
- 97.** The _____ key toggles number pad on or off.
- (a) *num lock* (b) caps lock
(c) scroll lock (d) Esc
- 98.** The _____ keys can move the cursor up, down, left or right.
- (a) num lock (b) *arrow*
(c) scroll lock (d) Esc
- 99.** The _____ key moves out of current screen or terminates current operation.
- (a) num lock (b) arrow
(c) scroll lock (d) *Esc*
- 100.** The _____ key helps to access alternate character of each key (e.g. ! by pressing 1, @ by pressing 2, etc.).
- (a) num lock (b) arrow
(c) *shift* (d) Esc

101. The _____ keys are placed to the left and right of space bar.

- (a) Ctrl
- (b) Windows button
- (c) Alt
- (d) *all of them*

102. The _____ key opens context menu.

- (a) Ctrl
- (b) *Windows button*
- (c) Alt
- (d) function key

103. The series of keys named F1 ... F12 are called _____.

- (a) *function keys*
- (b) scroll keys
- (c) number keys
- (d) navigation keys

104. Function keys are placed at the _____ of keyboard.

- (a) bottom
- (b) right
- (c) *top*
- (d) left

105. The Insert, Delete, Home, End, Page Up and Page Down keys are placed above _____.

- (a) *arrow keys*
- (b) number lock
- (c) function keys
- (d) scroll lock

106. A second enter key is available in _____ area of keyboard.

- (a) arrow keys
- (b) *number lock*
- (c) function keys
- (d) scroll lock

107. Most of the shortcut keys are designed to use _____ key along with one or two characters.

- (a) Ctrl
- (b) Alt
- (c) *both a & b*
- (d) none of them

108. _____ opens the start menu.

- (a) *Windows key*
- (b) Ctrl
- (c) Alt
- (d) F1

109. _____ opens help.

- (a) Windows key
- (b) Ctrl
- (c) Alt
- (d) *F1*

110. The function keys are arranged in 3 groups of _____ keys in a group.

- (a) 2
- (b) 3
- (c) 4
- (d) 5

Mouse

111. The _____ helps to move the cursor on screen and point at specific icons.

- (a) scanner
- (b) *mouse*
- (c) keyboard
- (d) printer

112. Normally, pressing the _____ button of mouse once or twice on an icon opens the program associated with that icon.

- (a) *left*
- (b) right
- (c) centre
- (d) bottom

113. Normally, pressing the _____ button of mouse opens a context menu.

- (a) left
- (b) *right*
- (c) centre
- (d) bottom

114. Normally, _____ button of mouse doubles as a scroller.

- (a) left
- (b) right
- (c) *centre*
- (d) bottom

115. The computer can be configured to open a program on _____ the icon using mouse.

- (a) single clicking
- (b) double clicking
- (c) *both a & b*
- (d) neither a nor b

116. Mouse may have _____ for sensing movement.

- (a) ball
- (b) light sensor
- (c) *either a or b*
- (d) neither a nor b

Other input devices

117. A device which can process characters and drawings on paper and convert them to digital images (or editable objects) for computers is called _____.

- (a) *scanner*
- (b) digital tablet
- (c) light pen
- (d) printer

118. A device which converts handwriting to computer input is called _____.

- (a) scanner
- (b) *digital tablet*
- (c) light pen
- (d) printer

119. A stylus used to provide input through CRT monitor is called _____.

- (a) scanner

- (b) digital tablet
- (c) *light pen*
- (d) printer

1.1.7 Output devices

Monitor/ VDU

- 120.** _____ is the most common output device for a computer.
- (a) monitor
 - (b) printer
 - (c) *both a & b*
 - (d) neither a nor b
- 121.** VDU is expanded as _____.
- (a) *Visual Display Unit*
 - (b) Virtual Display Unit
 - (c) Visual Deception Unit
 - (d) Visual Display University
- 122.** In computer monitors, CRT stands for _____.
- (a) Cadmium Ray Tube
 - (b) *Cathode Ray Tube*
 - (c) Cathode Ray Twist
 - (d) Cathode Rim Tube
- 123.** Cathode Ray Tube (CRT) monitor supports _____ input.
- (a) LASER printer
 - (b) line printer
 - (c) *light pen*
 - (d) plotter
- 124.** Cathode Ray Tube (CRT) monitor has _____ level of power consumption amongst monitors.
- (a) *highest*
 - (b) lowest
 - (c) zero
 - (d) least
- 125.** LCD is expanded as _____.
- (a) Linear Crystal Display
 - (b) Liquid Crystal Dialog
 - (c) *Liquid Crystal Display*
 - (d) Liquid Canister Display
- 126.** LED is expanded as _____.
- (a) Linear Emitting Diode
 - (b) *Light Emitting Diode*
 - (c) Liquid Emitting Diode
 - (d) Light Emitting Display
- 127.** The display of LCD monitor is _____ than that of LED monitor.
- (a) lighter
 - (b) heavier
 - (c) brighter
 - (d) *duller*
- 128.** Plasma monitor is suitable for _____.

- (a) *large displays (> 32")*
- (b) small displays
- (c) display of mobile phone
- (d) display of watches

- 129.** TFT is expanded as _____.
- (a) Tiny Film Transistor
 - (b) *Thin Film Transistor*
 - (c) Thin Floppy Transistor
 - (d) Thin Film Transmission
- 130.** The density of pixels in a monitor surface is called _____.
- (a) revolution
 - (b) reaction
 - (c) *resolution*
 - (d) relation
- 131.** The number of pixels per inch of monitor length is called _____.
- (a) LPI (Lines Per Inch)
 - (b) DPI (Dots Per Inch)
 - (c) SPI Sides Per Inch
 - (d) *PPI (Pixels Per Inch)*
- 132.** Height to width ratio of a monitor screen is called _____.
- (a) *aspect ratio*
 - (b) length ratio
 - (c) width ratio
 - (d) diagonal ratio
- 133.** Generally, CRT monitors had aspect ratio of _____.
- (a) 16:9
 - (b) 4:3
 - (c) 16:10
 - (d) 1:1
- 134.** LCD, LED, TFT and Plasma monitors have aspect ratio of _____.
- (a) 16:9
 - (b) 16:10
 - (c) *both a & b*
 - (d) neither a nor b
- 135.** The monitor having pixel resolution of 1280×720 has aspect ratio of _____.
- (a) *16:9*
 - (b) 16:10
 - (c) 4:3
 - (d) 1:1
- 136.** The monitor having pixel resolution of 800×600 has aspect ratio of _____.
- (a) 16:9
 - (b) 16:10
 - (c) 4:3
 - (d) 1:1
- 137.** The monitor having pixel resolution of 1280×800 has aspect ratio of _____.
- (a) 16:9
 - (b) *16:10*
 - (c) 4:3
 - (d) 1:1
- 138.** The monitor having pixel resolution of 1920×1080 has aspect ratio of _____.

- (a) 16:9 (b) 16:10
(c) 4:3 (d) 1:1
- 139.** In monitors, HD stands for _____
(a) Hyper Density
(b) High Direct
(c) Hot Definition
(d) *High Definition*
- 140.** Display resolution of 1920×1080 pixels is called _____ display.
(a) 480p
(b) 576p
(c) 720p
(d) *Full High Definition (FHD)*
- 141.** Full High Definition (FHD) of displays corresponds to _____ (vertical pixel resolution).
(a) 480p (b) 576p
(c) 720p (d) *1080p*
- 142.** Display resolution of 1280×720 pixels is called _____.
(a) 480p
(b) 576p
(c) *720p*
(d) Full High Definition (FHD)
- 143.** Display resolution of 768×576 pixels is called _____.
(a) 480p
(b) *576p*
(c) 720p
(d) Full High Definition (FHD)
- 144.** Display resolution of 720×480 pixels is called _____.
(a) *480p*
(b) 576p
(c) 720p
(d) Full High Definition (FHD)
- 145.** The notation *HDi* for display resolution denotes _____.
(a) *1080p Interlaced*
(b) 720p Interlaced
(c) 576p Interlaced
(d) 480p Interlaced
- 146.** The method of displaying screen contents using even rows for half a second and odd rows for another half second is called _____ of video.
(a) progressive scanning
(b) *interlacing*
(c) deinterlacing
(d) reducing

- 147.** The method of displaying screen contents using even rows for half a second and odd rows for another half second is called _____ of video.
(a) progressive video
(b) *interlacing*
(c) deinterlacing
(d) reducing
- 148.** The *p* in display resolutions of *1080p*, *720p*, *576p* & *480p* stands for _____.
(a) *progressive video*
(b) interlacing
(c) deinterlacing
(d) reducing
- 149.** The method of painting each row of video frame from top to bottom is called _____.
(a) *progressive video*
(b) interlacing
(c) deinterlacing
(d) reducing
- 150.** The method of painting odd rows during the first pass and even rows during the second pass is called _____.
(a) progressive video
(b) *interlacing*
(c) deinterlacing
(d) reducing

Printer

- 151.** The device that produces hard copies on paper is called _____.
(a) monitor (b) scanner
(c) tablet (d) *printer*
- 152.** Paper copy of a document is called _____.
(a) light copy (b) *hard copy*
(c) soft copy (d) hot copy
- 153.** Digital copy of a document stored in secondary storage device (like hard disk, floppy disk, CD, DVD, pen drive, SD card, etc.) is called _____.
(a) light copy (b) hard copy
(c) *soft copy* (d) hot copy
- 154.** The type of printer which hits the paper to produce print is called _____.
(a) monitor
(b) scanner
(c) non-impact type printer
(d) *impact type printer*

155. The type of printer which does not hit the paper to produce print is called

- (a) _____
- (b) scanner
- (c) *non-impact type printer*
- (d) impact type printer

156. Dot matrix printer belongs to _____ category.

- (a) monitor
- (b) scanner
- (c) non-impact type printer
- (d) *impact type printer*

157. Dot matrix printer, line printer, chain printer, golf ball printer and daisy wheel printer belong to _____ category.

- (a) monitor
- (b) scanner
- (c) non-impact type printer
- (d) *impact type printer*

158. LASER printer, ink jet printer, thermal printer and plotter belong to _____ category.

- (a) monitor
- (b) scanner
- (c) *non-impact type printer*
- (d) impact type printer

159. In LASER printer, the LASER beam produces _____ charge on paper, which makes the toner powder to adhere to the charged area.

- (a) (-)ve (b) (+)ve
- (c) neutral (d) none of them

160. In ink jet printer, _____ colour cartridges are used to produce colour/black print.

- (a) Red, Blue & Green (RBG)
- (b) *Cyan, Magenta, Yellow & black (CMYK)*
- (c) Red, Green & Blue (RGB)
- (d) VIBGYOR

161. In ink jet printer, CMYK stands for

- (a) _____
- (b) Crimson, Magenta, Yellow & black
- (c) *Cyan, Magenta, Yellow & black*
- (d) Cyan, Mango, Yellow & black

162. The type of printer used for printing on large size papers (A0, A1, etc.) is called

- (a) _____
- (b) scanner
- (c) mouse
- (d) *plotter*

163. Thermal printer uses _____ coated paper, which turns black when heat is applied.

- (a) chromium (b) *BisPhenol A*
- (c) nickel (d) toner powder

1.1.8 Central Processing Unit (CPU)

Micro-processor

164. CPU is expanded as _____.

- (a) Central Power Unit
- (b) Critical Processing Unit
- (c) *Central Processing Unit*
- (d) Cerebral Processing Unit

165. The symbol μP denotes _____ of a computer.

- (a) mighty processor
- (b) micro presenter
- (c) million power
- (d) *micro-processor*

166. _____ is casually called the "Brain of Computer".

- (a) *CPU* (b) monitor
- (c) keyboard (d) mouse

167. The main components housed in CPU are _____.

- (a) micro-processor
- (b) Mother board, Random Access Memory (RAM)
- (c) Secondary storage devices (hard disk, CD/DVD drive, floppy disk drive, etc.)
- (d) *all of them*

168. In the CPU of a computer, _____ delivers power supply to all the components at appropriate voltages.

- (a) Hard Disk
- (b) Mother Board
- (c) *Switch Mode Power Supply (SMPS)*
- (d) DVD drive

169. The chip carrying out all processing works in a computer is called

- (a) _____
- (b) *micro-processor (μP)*
- (b) keyboard
- (c) BIOS chip
- (d) RAM

170. The part of micro-processor which performs number crunching and logical comparisons is called _____.

- (a) *Arithmetic and Logic Unit (ALU)*
- (b) Register

- (c) Cache
(d) timer
- 171.** ALU stands for
(a) Arithmetic and Logic University
(b) Arithmetic and Local Unit
(c) *Arithmetic and Logic Unit*
(d) Analysis and Logic Unit
- 172.** The part of micro-processor used for storing values needed for next cycle of processing is called
(a) Arithmetic and Logic Unit (ALU)
(b) *Register*
(c) clock
(d) timer
- 173.** The part of micro-processor holding data which is needed for forthcoming cycles of processing is called
(a) Arithmetic and Logic Unit (ALU)
(b) Register
(c) *Cache*
(d) timer
- 174.** The part of micro-processor which maintains a clock and induces each cycle of processing through a pulse is called
(a) Arithmetic and Logic Unit (ALU)
(b) Register
(c) Cache
(d) *timer*
- 175.** The number of floating point operations carried out by a micro-processor in one second is called
(a) *FLOPS* (b) timer
(c) clock (d) frequency
- 176.** The number of cycles of operations performed by a processor per second is called its
(a) bus speed
(b) connection speed
(c) *clock speed*
(d) baud rate
- 177.** Whereas clock speed is the gross number of operations performed by a processor per second, FLOPS represents of processor per second.
(a) wasted time
(b) *effective out turn*
(c) wasted cycles
(d) clock speed
- 178.** A floating point operation may require clock cycle to complete.
(a) just one
(b) less than one

- (c) zero
(d) *more than one*
- 179.** Intel Pentium processor was preceded by Intel processor.
(a) Core 2 duo (b) *80486/ 486*
(c) Core i3 (d) Core i5

Main memory (or) Primary Storage or Random Access Memory

- 180.** The storage which handles data required for the processor (by fetching data from or saving data to secondary storage) is called
(a) main memory
(b) primary storage/ volatile storage
(c) Random Access Memory (RAM)
(d) *all of them*
- 181.** Main memory data after power off.
(a) retains
(b) remembers
(c) *does not keep*
(d) keeps all
- 182.** Since main memory loses data after power off, it is called
(a) data storage
(b) *volatile storage*
(c) power storage
(d) secondary storage
- 183.** RAM is expanded as
(a) Right Access Memory
(b) Random Active Memory
(c) *Random Access Memory*
(d) Random Access Meter
- 184.** SRAM stands for
(a) *Static Random Access Memory*
(b) Stable Random Access Memory
(c) Static Read Access Memory
(d) Static Random Arithmetic Memory
- 185.** DRAM stands for
(a) Draft Random Access Memory
(b) Direct Random Access Memory
(c) Disk Random Access Memory
(d) *Dynamic Random Access Memory*
- 186.** FPM DRAM stands for
(a) First Page Mode Dynamic Random Access Memory
(b) *Fast Page Mode Dynamic Random Access Memory*
(c) Fill Page Mode Dynamic Random Access Memory

(d) Fast Package Mode Dynamic Random Access Memory **Mother board**

187. EDO DRAM stands for

- (a) Extended Disk Out Dynamic Random Access Memory
- (b) Expanded Data Out Dynamic Random Access Memory
- (c) *Extended Data Out Dynamic Random Access Memory*
- (d) Extended Data Onboard Dynamic Random Access Memory

188. SDRAM stands for _____.

- (a) *Synchronous Dynamic Random Access Memory*
- (b) Simple Dynamic Random Access Memory
- (c) Synchronous Double Random Access Memory
- (d) Syntax Dynamic Random Access Memory

189. DDR SDRAM stands for

- (a) *Double Data Rate Synchronous Dynamic Random Access Memory*
- (b) Double Data Rate Simple Dynamic Random Access Memory
- (c) Double Data Rate Synchronous Double Random Access Memory
- (d) Double Data Rate Syntax Dynamic Random Access Memory

190. RDRAM stands for _____.

- (a) Resultant Random Access Memory
- (b) Reactive Random Access Memory
- (c) Rational Random Access Memory
- (d) *Rambus Random Access Memory*

191. VRAM stands for _____.

- (a) Visual Random Access Memory
- (b) *Video Random Access Memory*
- (c) Virtual Random Access Memory
- (d) Vintage Random Access Memory

192. MPDRAM stands for _____.

- (a) Major Port Dynamic Random Access Memory
- (b) Multi-Point Dynamic Random Access Memory
- (c) *Multi-Port Dynamic Random Access Memory*
- (d) Multi-Port Data Random Access Memory

193. SGRAM stands for _____.

- (a) *Synchronous Graphics Random Access Memory*
- (b) Syntax Graphics Random Access Memory
- (c) Simple Graphics Random Access Memory
- (d) Synchronous Gross Random Access Memory

194. In a desktop computer, the board containing micro-processor, RAM and other components is called _____ board.

- (a) graphics
- (b) *mother*
- (c) white
- (d) black

195. CMOS in motherboard is expanded as

- (a) _____
- (b) Complementary Mineral Oxide Semiconductor
- (c) Complete Metal Oxide Semiconductor
- (d) *Complementary Metal Oxide Semiconductor*

196. CMOS is a type of RAM, which is constantly powered by _____.

- (a) UPS battery
- (b) *CMOS battery*
- (c) AC main
- (d) AA battery

197. In motherboard, BIOS is expanded as

- (a) _____
- (b) Bit Input Output System
- (c) *Basic Input Output System*
- (d) Basic Input Output Syntax

198. In motherboard, CNR stands for

- (a) _____
- (b) Contact & Network Riser
- (c) Communication & Network Ripper
- (d) Complementary & Networking Riser

199. In motherboard, AGP stands for

- (a) _____
- (b) Accelerated Graphics Point
- (c) Audio Graphics Port
- (d) *Accelerated Graphics Port*

200. In motherboard, PATA stands for

- (a) _____
- (b) Port Advanced Technology Attachment
- (c) *Parallel Advanced Technology Attachment*
- (d) Part Advanced Technology Attachment

201. In motherboard, SATA stands for

- (a) _____
- (b) Synchronous Advanced Technology Attachment
- (c) Synaptic Advanced Technology Attachment
- (d) Systematic Advanced Technology Attachment

202. In motherboard, _____ chipset takes care of data transfer to and from the processor.

- (a) Southbridge
- (b) Eastbridge
- (c) *Northbridge*
- (d) Westbridge

203. In motherboard, _____ chipset takes care of data transfer to and from the secondary storage devices (like hard disk, CD/DVD drive, etc.).

- (a) *Southbridge* (b) *Eastbridge*
- (c) *Northbridge* (d) *Westbridge*

Secondary storage units

204. Secondary storage is otherwise called _____.

- (a) auxiliary storage
- (b) permanent storage
- (c) *both a & b*
- (d) main memory

205. Data store in secondary storage is _____.

- (a) volatile
- (b) lost after power off
- (c) is deleted after every reboot
- (d) *permanent (available till deletion)*

206. Secondary storage devices are _____ in speed when compared to RAM.

- (a) *faster* (b) *slower*
- (c) equal (d) none of them

207. Hard disk uses _____ for data storage and retrieval.

- (a) LASER beam acting on light sensitive layer
- (b) *magnetic disk mounted in spindle*
- (c) flash memory
- (d) plastic magnetic plate

208. CD/DVD drive uses _____ for data storage and retrieval.

- (a) *LASER beam acting on light sensitive layer*
- (b) magnetic disk mounted in spindle
- (c) flash memory
- (d) plastic magnetic plate

209. SD card, mini SD card and micro SD card use _____ for data storage and retrieval.

- (a) LASER beam acting on light sensitive layer
- (b) magnetic disk mounted in spindle
- (c) *flash memory*
- (d) plastic magnetic plate

210. Floppy disk used _____ for data storage and retrieval.

- (a) LASER beam acting on light sensitive layer
- (b) magnetic disk mounted in spindle
- (c) flash memory
- (d) *plastic magnetic plate*

211. SD card is expanded as _____.

- (a) *Secure Digital Card*
- (b) *Mini Secure Digital Card*

(c) *Micro Secure Digital Card*

(d) *Major Secure Digital Card*

212. Mini SD card is expanded as _____.

- (a) *Secure Digital Card*
- (b) *Mini Secure Digital Card*
- (c) *Micro Secure Digital Card*
- (d) *Major Secure Digital Card*

213. Micro SD card is expanded as _____.

- (a) *Secure Digital Card*
- (b) *Mini Secure Digital Card*
- (c) *Micro Secure Digital Card*
- (d) *Major Secure Digital Card*

214. PCMCIA stands for _____.

- (a) Protected Computer Memory Card International Association
- (b) *Personal Computer Memory Card International Association*
- (c) Personal Complementary Memory Card International Association
- (d) Pen drive Computer Memory Card International Association

Storage capacities

215. The smallest storage unit permitting storage of 0 and 1 is called _____.

- (a) *bit* (b) *nibble*
- (c) *byte* (d) *kilo byte*

216. One bit can store _____ range of values.

- (a) *0 or 1* (b) 0 to 255
- (c) 0 to 512 (d) 0 to 1024

217. 4 bits of memory is called _____.

- (a) *bit* (b) *nibble*
- (c) *byte* (d) *kilo byte*

218. Nibble is a storage unit consisting of _____ bits.

- (a) 8 (b) 16
- (c) 4 (d) 64

219. 8 bits of memory is called _____.

- (a) *bit* (b) *nibble*
- (c) *byte* (d) *kilo byte*

220. Byte is a storage unit consisting of _____ bits.

- (a) 8 (b) 16
- (c) 4 (d) 64

221. 1024 bits of storage is called _____.

- (a) *bit* (b) *nibble*
- (c) *byte* (d) *kilo byte*

222. Kilo Byte (KB) is a storage unit consisting of _____ bits.

- (a) 1024 (2^{10})
- (b) 1048576 (2^{20})
- (c) 1073741824 (2^{30})
- (d) 1099511627776 (2^{40})

223. 2^{20} (1048576) bits of storage is called

- (a) byte
- (b) Kilo Byte (KB)
- (c) Mega Byte (MB)
- (d) Tera Byte (TB)

224. 1024 KB of storage is called

- (a) byte
- (b) Kilo Byte (KB)
- (c) Mega Byte (MB)
- (d) Tera Byte (TB)

225. 1 MB = _____ KB.

- (a) 1024 (2^{10})
- (b) 1048576 (2^{20})
- (c) 1073741824 (2^{30})
- (d) 1099511627776 (2^{40})

226. 1 MB = _____ bits.

- (a) 1024 (2^{10})
- (b) 1048576 (2^{20})
- (c) 1073741824 (2^{30})
- (d) 1099511627776 (2^{40})

227. 1024 MB of storage is called

- (a) byte
- (b) Kilo Byte (KB)
- (c) Mega Byte (MB)
- (d) Tera Byte (TB)

228. 1 TB = _____ MB.

- (a) 256
- (b) 512
- (c) 1024
- (d) 2048

229. 1024 TB = 1 _____.

- (a) Mega Byte (MB)
- (b) Tera Byte (TB)
- (c) Peta Byte (PB)
- (d) Exa Byte (EB)

230. 1 PB = 1024 _____.

- (a) Mega Byte (MB)
- (b) Tera Byte (TB)
- (c) Peta Byte (PB)
- (d) Exa Byte (EB)

231. 1024 PB = 1 _____.

- (a) Mega Byte (MB)
- (b) Tera Byte (TB)
- (c) Peta Byte (PB)
- (d) Exa Byte (EB)

232. 1 EB (Exa Byte) = 1024 _____.

- (a) Mega Byte (MB)

- (b) Tera Byte (TB)
- (c) Peta Byte (PB)
- (d) Exa Byte (EB)

Storage capacities of devices

233. The storage capacity of a Compact Disk (CD) is _____.

- (a) 800MB
- (b) 4.7GB
- (c) 512MB
- (d) 1TB

234. The storage capacity of a Digital Versatile Disk (DVD) is _____.

- (a) 800MB
- (b) 4.7GB
- (c) 512MB
- (d) 1TB

235. The storage capacity of a common hard disk is _____.

- (a) 256MB
- (b) 512GB
- (c) 1TB
- (d) any one of a, b or c

236. The storage capacity of a Secure Digital (SD) card/ Mini SD card/ Micro SD card or pen drive can be in the range of

- (a) 1 bit to 8 bits
- (b) 4 bits to 8 bits
- (c) 2GB to 128GB
- (d) 1 MB to 1024MB

Switch Mode Power Supply (SMPS)

237. The unit which splits power supply to various voltages required for the units of a computer is called _____.

- (a) transformer
- (b) Switch Mode Power Supply (SMPS)
- (c) transistor
- (d) transducer

238. Full form for SMPS in computer is

- (a) Sync Mode Power Supply
- (b) Switch Mode Power Supply
- (c) Stake Mode Power Supply
- (d) Switch Mode Power Socket

239. In a desktop computer, _____ produces radio frequency interference.

- (a) SMPS
- (b) Micro-Processor (μP)
- (c) RAM
- (d) Mouse

CPU Ports

- 240.** The opening provided in the front panel or rear panel of a CPU for connecting peripherals is called _____.
 (a) socket (b) pin
 (c) port (d) part
- 241.** External devices/ peripherals like keyboard and mouse can be connected to a computer using _____ ports.
 (a) PS/2
 (b) USB
 (c) both a & b
 (d) neither a nor b
- 242.** External dialup MODEM can be connected to a computer using _____ port.
 (a) RS232/ serial
 (b) PS/2
 (c) VGA
 (d) LPT
- 243.** Monitor is connected to a computer using _____ port.
 (a) RS232/ serial
 (b) PS/2
 (c) VGA
 (d) LPT
- 244.** Old style (SIMPLEX) printer (like dot matrix printer) may be connected to a computer using _____ port.
 (a) RS232/ serial
 (b) PS/2
 (c) VGA
 (d) LPT
- 245.** Modern (DUPLEX) printer (like LASER jet, inkjet printers) may be connected to a computer using _____ port.
 (a) RS232/ serial
 (b) USB
 (c) PS/2
 (d) VGA
- 246.** Broadband connection may be connected through _____ port.
 (a) RJ45/ Ethernet
 (b) USB
 (c) PS/2
 (d) VGA
- 247.** Printer, fax machine, scanner, web camera, external DVD writer, external hard disk, etc. can be connected to computer using _____ port.
 (a) RJ45 (b) USB
 (c) PS/2 (d) VGA
- 248.** Audio input, microphone and speaker output can be connected to computer using _____.
 (a) 3.5mm jack (b) RJ11
 (c) RJ45 (d) LPT
- 249.** Joystick can be connected to computer using _____ port.
 (a) 3.5mm jack (b) RJ11
 (c) RJ45 (d) Game
- 250.** PS/2 stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Personal System 2
 (d) Recommended Standard 232
- 251.** RJ11 stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Personal System 2
 (d) Recommended Standard 232
- 252.** RJ45 stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Personal System 2
 (d) Recommended Standard 232
- 253.** RS232 stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Personal System 2
 (d) Recommended Standard 232
- 254.** RJ45 port is otherwise called _____.
 (a) Ethernet (b) LPT
 (c) USB (d) VGA
- 255.** IEEE 1392 port is otherwise called _____.
 (a) Ethernet (b) LPT
 (c) USB (d) Firewire
- 256.** LPT stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Line Printer Terminal
 (d) Recommended Standard 232
- 257.** USB stands for _____.
 (a) Registered Jack 11
 (b) Registered Jack 45
 (c) Line Printer Terminal
 (d) Universal Serial Bus
- 258.** High definition graphics output may be taken from _____ port of a PC.
 (a) 3.5mm jack (b) HDMI
 (c) RJ45 (d) LPT
- 259.** HDMI stands for _____.

- (a) Registered Jack 11
- (b) *High Definition Multimedia Interface*
- (c) Line Printer Terminal
- (d) Universal Serial Bus

1.1.9 Computer software

- 260.** The component of computer which is not physically accessible, but can be realized through its working is called _____.
- (a) hardware (b) *software*
 - (c) RAM (d) port
- 261.** _____ decides how hardware should work.
- (a) hardware (b) *software*
 - (c) RAM (d) port
- 262.** _____ helps to hardware to produce output based on given input.
- (a) Game port (b) *software*
 - (c) IEEE 1392 (d) SMPS
- 263.** The operating system & driver software are categorized under _____ software.
- (a) *system* (b) application
 - (c) malware (d) junkware
- 264.** The software tools required for various types of productive works like preparation of documents, spreadsheets, playing audio/video, browsing Internet, etc. are categorized under _____ software.
- (a) system (b) *application*
 - (c) malware (d) junkware
- 265.** Operating system identifies and controls hardware in coordination with _____.
- (a) power cable (b) mouse
 - (c) SMPS (d) *BIOS*
- 266.** Operating system uses a special software called _____ to initialize, operate and control hardware.
- (a) conductor
 - (b) Ethernet controller
 - (c) *driver*
 - (d) SMPS
- 267.** _____ schedules processor time in such a way as to allow the user to feel that many programs are running at the same time.
- (a) application software
 - (b) *operating system*
 - (c) virus
 - (d) malware
- 268.** _____ schedules processor time and handles concurrency and parallel processing using multiple processor cores.
- (a) application software
 - (b) virus
 - (c) malware
 - (d) *operating system*
- 269.** _____ allots memory for each program and frees memory when it is no longer needed for a program.
- (a) application software
 - (b) virus
 - (c) malware
 - (d) *operating system*
- 270.** The core of the operating system which controls all hardware and application software, but does not directly interact with the users is called _____.
- (a) *kernel* (b) shell
 - (c) sap (d) heart
- 271.** A layer of application software available for the user to interact with operating system kernel is called _____.
- (a) kernel (b) *shell*
 - (c) sap (d) heart
- 272.** _____ is an operating system.
- (a) Mac OS X
 - (b) Microsoft Windows
 - (c) Unix/ Linux/ Free BSD/ Solaris, BeOS
 - (d) *all of them*

Windows

- 273.** MS DOS stands for _____.
- (a) *MicroSoft Disk Operating System*
 - (b) MiniSoft Disk Operating System
 - (c) MicroSoft Disk Operating Standard
 - (d) MicroSoft Dirty Operating System
- 274.** MS DOS was first released in the year _____.
- (a) 1970 (b) 1981
 - (c) 1985 (d) 2000
- 275.** Development of MS DOS was stopped in the year _____.
- (a) 1970 (b) 1981
 - (c) 1985 (d) 2000
- 276.** Windows 1.0 was released in the year _____.
- (a) 1970 (b) 1981
 - (c) 1985 (d) 2000

- 277.** Windows 1.0, Windows 3.1, Windows 95, Windows 98 and Windows Me were based on _____ kernel.
- (a) LINUX
 - (b) UNIX
 - (c) NT (New Technology)
 - (d) MS DOS
- 278.** Windows NT, Windows 2000, Windows XP, Windows 2003, Windows Vista, Windows 7, Windows 8 and Windows 10 were based on _____ kernel.
- (a) LINUX
 - (b) UNIX
 - (c) NT (New Technology)
 - (d) MS DOS
- 279.** The New Technology (NT) kernel based Windows NT was released in _____.
- (a) 1981
 - (b) 1993
 - (c) 2000
 - (d) 2010

Mac OS X

- 280.** First version of Mac OS was released in the year _____.
- (a) 1981
 - (b) 1984
 - (c) 1993
 - (d) 2000
- 281.** _____ was the first commercial operating system to support Graphical User Interface (GUI).
- (a) Windows
 - (b) UNIX
 - (c) Linux
 - (d) Mac OS
- 282.** The latest version of Mac OS X is based on free UNIX kernel called _____.
- (a) Darwin
 - (b) Cygwin
 - (c) Solaris
 - (d) Berkeley Software Distribution
- 283.** The mobile version of Mac OS X, used in iPhone, iPad, iWatch, iPod, etc., is called _____.
- (a) Android
 - (b) Firefox OS
 - (c) iOS
 - (d) Blackberry OS

Linux

- 284.** Linux kernel was developed by _____.
- (a) Richard Stallman
 - (b) Linus Torvalds
 - (c) Bill Gates
 - (d) Steve Jobs

- 285.** First release of Linux kernel took place in the year _____.
- (a) 1981
 - (b) 1984
 - (c) 1991
 - (d) 1993
- 286.** Linux is distributed under an open source license called _____.
- (a) GNU GPL (GNU Not Unix General Public License)
 - (b) Apache license
 - (c) Berkeley Software Distribution (BSD) license
 - (d) Microsoft End User License Agreement (EULA)
- 287.** Linux operating system was inspired by _____ operating system.
- (a) Windows
 - (b) Unix
 - (c) Mac OS
 - (d) iOS
- 288.** Linux kernel supports _____ for Graphical User Interface (GUI) based desktop.
- (a) GNOME
 - (b) KDE
 - (c) Enlightenment
 - (d) all of them
- 289.** _____ is a version of Linux kernel modified to run on mobile phones/ tablets/ other devices.
- (a) Android
 - (b) Firefox OS
 - (c) Tizen
 - (d) all of them
- 290.** _____ are the shell environments commonly supported by Linux.
- (a) Bourne Again Shell (bash)
 - (b) Korn Shell (ksh)
 - (c) C Shell (csh)
 - (d) all of them

UNIX

- 291.** UNIX was one of the first operating systems to support _____.
- (a) multi-tasking
 - (b) Internet
 - (c) email
 - (d) all of them
- 292.** UNIX operating system was developed at _____.
- (a) AT&T Bell Labs
 - (b) Carnegie Milan University
 - (c) CERN
 - (d) NASA
- 293.** UNIX was developed in the year _____.
- (a) 1970
 - (b) 1984
 - (c) 1985
 - (d) 1993

- 294.** _____ was a member of the team that developed UNIX operating system.
- Ken Thompson
 - Dennis Ritchie
 - M.D. McIlly, J.F. Ossanna
 - all of them*
- 295.** POSIX stands for _____.
- Power Operating System Interface
 - Portable Operating System Interface*
 - Portable Operating System Internet
 - Portable Overall System Interface
- 296.** SUS stands for _____.
- Simple UNIX Standard
 - Single Universal Standard
 - Single UNIX Standard*
 - Single UNIX Supplement
- 297.** _____ shell is supported by UNIX kernel.
- Bourne
 - Korn
 - C
 - all of them*
- 298.** Early versions of UNIX supported a graphical user environment called _____.
- KDE
 - CDE
 - GNOME*
 - none of them
- 299.** CDE stood for _____.
- Common Desktop Environment*
 - Command Desktop Environment
 - Common Desktop Entry
 - Common Directory Environment

Overview of operating systems

- 300.** _____ operating system has the largest number of installations for desktop computers.
- Windows*
 - Android
 - Mac OS X
 - UNIX
- 301.** Considering mobile phones as small computers, _____ is the most dominant operating system.
- Windows mobile
 - iOS
 - Android*
 - Blackberry OS
- 302.** Linux is repackaged for specific user requirements by _____.
- Fedora/ Red Hat
 - SUSE
 - Debian/ Ubuntu
 - all of them*

Features of Windows operating system

- 303.** The graphical work environment provided by Windows is called _____.
- Desktop*
 - Laptop
 - My Documents
 - Downloads
- 304.** The Shortcuts visible on the Desktop of Windows are called _____.
- clipboard
 - desktop icons*
 - download icons
 - document icons
- 305.** The thin strip (usually placed at bottom) of Windows desktop, containing several important icons, is called _____.
- menu bar
 - title bar
 - status bar
 - task bar*
- 306.** The special button at the left edge of task bar, used to open many programs and settings, is called _____.
- stop menu
 - popup menu
 - start menu*
 - file menu
- 307.** Task bar in Windows desktop contains _____.
- start menu
 - quick launch icons, system tray
 - list of running programs
 - all of them*
- 308.** The collection of icons placed on the right side of task bar (representing background tasks and their statuses, date, time, volume control, network status icon, etc.) is called _____.
- system tray*
 - start menu
 - quick launch icon
 - file menu
- 309.** The list of programs currently running in the desktop environment is displayed in the _____.
- menu bar
 - title bar
 - status bar
 - task bar*

Directory structure of Windows operating system

- 310.** The installation drive (usually C:) contains a folder named _____ to store user specific data.
- temp
 - Program Files
 - users*

(d) Windows

311. The *c : \user* folder contains a _____ bearing the name of each user to save user specific data.

- (a) *sub-folder* (b) file
(c) movie (d) music

312. For a user named *krish*, the folder *C : \users\krish* is called _____.

- (a) movies folder
(b) *home folder*
(c) documents folder
(d) Windows folder

313. For a user named *buwan*, typical home directory would be _____.

- (a) *C : \ProgramFiles*
(b) *C : \Windows*
(c) *C : \users\buwan*
(d) *C : \Windows\Temp*

314. The _____ folder inside a user's home directory contains desktop icons.

- (a) *Desktop*
(b) My Documents/ Documents
(c) Pictures
(d) Music

315. _____ is the default folder for saving document files created by a user.

- (a) Desktop
(b) *My Documents/ Documents*
(c) Pictures
(d) Music

316. _____ is the default folder for music related to a user.

- (a) Desktop
(b) My Documents/ Documents
(c) Pictures
(d) *Music*

317. _____ is the default folder for image and drawing files related to a user.

- (a) Desktop
(b) My Documents/ Documents
(c) *Pictures*
(d) Music

318. _____ is the default folder to save content downloaded from the Internet.

- (a) *Downloads*
(b) My Documents/ Documents
(c) Pictures
(d) Music

319. _____ is the default folder for videos related to a user.

- (a) Downloads (b) *Videos*
(c) Pictures (d) Music

Features of Windows Explorer

320. The shortcut for opening Windows Explorer is _____.

- (a) *Windows+E* (b) Windows+R
(c) Windows+F (d) Windows+L

321. In Windows Explorer, a file may be renamed by right clicking and selecting rename or by pressing _____ key.

- (a) *F2* (b) F3
(c) F1 (d) F4

322. In Windows Explorer, _____ is the shortcut to copy a file.

- (a) Ctrl+X (b) *Ctrl+C*
(c) Ctrl+V (d) Ctrl+A

323. In Windows Explorer, _____ is the shortcut to cut a file.

- (a) *Ctrl+X* (b) Ctrl+C
(c) Ctrl+V (d) Ctrl+A

324. In Windows Explorer, _____ is the shortcut to paste a file, which has already been cut or copied.

- (a) Ctrl+X (b) Ctrl+C
(c) *Ctrl+V* (d) Ctrl+A

325. In Windows Explorer, _____ is the shortcut to select all files and folders in the current directory.

- (a) Ctrl+X (b) Ctrl+C
(c) Ctrl+V (d) *Ctrl+A*

326. To create Desktop shortcut for a file or program, right click on the file and choose _____ menu in Windows Explorer.

- (a) *Send To— >Desktop*
(b) Send To— >Drive name
(c) Send To— >Compressed/Zipped archive
(d) Send To— >Bluetooth Device

327. To compress a file, right click on the file and choose _____ menu in Windows Explorer.

- (a) Send To— >Desktop
(b) Send To— >Drive name
(c) *Send To— >Compressed/Zipped archive*
(d) Send To— >Bluetooth Device

328. To write a file or folder in an empty CD or DVD, right click on the file and choose _____ menu in Windows Explorer.

- (a) Send To— >Desktop
(b) *Send To— >Drive name*
(c) Send To— >Compressed/Zipped archive
(d) Send To— >Bluetooth Device

329. To share a file from a bluetooth enabled computer to a bluetooth enabled device, right click on the file and choose _____ menu in Windows Explorer.

- (a) Send To— >Desktop
- (b) Send To— >Drive name
- (c) Send To— >Compressed/Zipped archive
- (d) *Send To— >Bluetooth Device*

330. To delete a file, right click on the file and choose _____ menu in Windows Explorer.

- (a) *Delete*
- (b) Rename
- (c) Properties
- (d) Decompress/ Unzip

331. To view details of a file, right click on the file and choose _____ menu in Windows Explorer.

- (a) Delete
- (b) Rename
- (c) *Properties*
- (d) Decompress/ Unzip

332. To uncompress a zip file, right click on the file and choose _____ menu in Windows Explorer.

- (a) Delete
- (b) Rename
- (c) Properties
- (d) *Decompress/ Unzip*

333. In Windows, deleted file goes to _____

- (a) *Control Panel*
- (b) Music
- (c) *Recycle Bin*
- (d) Documents

334. Pressing _____ keys in Windows Explorer will permanently delete a file (bypassing Recycle Bin).

- (a) *Shift+Delete* (b) Alt+Delete
- (c) Ctrl+Delete (d) Enter+Delete

Shortcut keys in Windows

335. To get Windows help, press _____ key.

- (a) F2 (b) F3
- (c) F5 (d) *F1*

336. To rename a file in Windows Explorer, press _____ key.

- (a) *F2* (b) F3
- (c) F5 (d) F1

337. To search and find a file, press _____ key.

- (a) F2 (b) *F3*
- (c) F5 (d) F1

338. To refresh the display, press _____ key.

- (a) F2 (b) F3
- (c) *F5* (d) F1

339. To move through various panes in Windows Explorer, press _____ key.

- (a) *F6* (b) F3
- (c) F5 (d) F1

340. To lock computer display, press _____

- (a) *Windows+R*
- (b) Windows+M/ Windows+D
- (c) Windows+P
- (d) *Windows+L*

341. To run a command, press _____ keys.

- (a) *Windows+R*
- (b) Windows+M/ Windows+D
- (c) Windows+P
- (d) Windows+L

342. To minimize all windows and show the desktop, press _____ keys.

- (a) Windows+R
- (b) *Windows+M/ Windows+D*
- (c) Windows+P
- (d) Windows+L

343. To start print manager, press _____ keys.

- (a) Windows+R
- (b) Windows+M/ Windows+D
- (c) *Windows+P*
- (d) Windows+L

344. To open control panel, press _____ keys.

- (a) *Windows+C*
- (b) Windows+M/ Windows+D
- (c) Windows+P
- (d) Windows+L

345. To open accessibility features in Windows, press _____ keys.

- (a) Windows+K (b) Windows+V
- (c) Windows+I (d) *Windows+A*

346. To open keyboard settings, press _____ keys.

- (a) *Windows+K* (b) Windows+V
- (c) Windows+I (d) Windows+A

347. To open mouse settings, press _____ keys.

- (a) Windows+K (b) Windows+V
- (c) *Windows+I* (d) Windows+A

348. To start clipboard settings, press _____ keys.

- (a) Windows+K (b) *Windows+V*
- (c) Windows+I (d) Windows+A

349. To toggle caps lock on or off, press _____ keys.

- (a) *Windows+S* (b) Windows+F
- (c) Windows+E (d) Windows+A

350. To start open Windows/File Explorer, press _____ keys.

- (a) Windows+K (b) Windows+V
- (c) *Windows+E* (d) Windows+A

351. To close current program, press _____ keys.

- (a) *Alt+F4*
- (b) Alt+Tab
- (c) Alt+Down arrow
- (d) Alt+Space

352. To open the menu for shutdown, restart, hibernate Windows, etc., press _____ keys on Desktop.

- (a) *Alt+F4*
- (b) Alt+Tab
- (c) Alt+Down arrow
- (d) Alt+Space

353. To move from one program window to another, press _____ keys.

- (a) Alt+F4
- (b) *Alt+Tab*
- (c) Alt+Down arrow
- (d) Alt+Space

354. To open pop down menu list, press _____ keys.

- (a) Alt+F4
- (b) Alt+Tab
- (c) *Alt+Down arrow*
- (d) Alt+Space

355. To access system menu for a window, press _____ keys.

- (a) Alt+F4
- (b) Alt+Tab
- (c) Alt+Down arrow
- (d) *Alt+Space*

356. To access system menu for a child window, press _____ keys.

- (a) Alt+F4 (b) Alt+Tab
- (c) *Alt+-* (d) Alt+Space

357. To view properties of selected window, press _____ keys.

- (a) *Alt+Enter*
- (b) Alt+Left Arrow
- (c) Shift+Delete

(d) Shift+F10

358. To move back to previous folder in Windows/File Explorer, press _____ keys.

- (a) Alt+Enter
- (b) *Alt+Left Arrow*
- (c) Shift+Delete
- (d) Shift+F10

359. To permanently delete a file, press _____ keys.

- (a) Alt+Enter
- (b) Alt+Left Arrow
- (c) *Shift+Delete*
- (d) Shift+F10

360. To open context menu (similar to right clicking using mouse), press _____ keys.

- (a) Alt+Enter
- (b) Alt+Left Arrow
- (c) Shift+Delete
- (d) *Shift+F10*

361. To disable Autorun for newly inserted media, keep pressing _____ key while inserting the media.

- (a) Alt (b) Ctrl
- (c) *Shift* (d) Space

362. To move from one child window to another, press _____ keys.

- (a) *Ctrl+Tab*
- (b) Ctrl+F4
- (c) Ctrl+Esc
- (d) Ctrl+Shift+Esc

363. To close a child window, press _____ keys.

- (a) Ctrl+Tab
- (b) *Ctrl+F4*
- (c) Ctrl+Esc
- (d) Ctrl+Shift+Esc

364. To display start menu, press _____ keys.

- (a) Ctrl+Tab
- (b) Ctrl+F4
- (c) *Ctrl+Esc*
- (d) Ctrl+Shift+Esc

365. To open task manager, press _____ keys.

- (a) Ctrl+Tab
- (b) Ctrl+F4
- (c) Ctrl+Esc
- (d) *Ctrl+Shift+Esc*

Using scanner, printer and webcam

366. To run a peripheral unit like scanner, printer or webcam, appropriate

- _____ needs to be installed first.
 (a) *driver* (b) connector
 (c) conductor (d) resistor

367. On connecting a device with pre-installed driver, Windows _____

- (a) rejects the device
 (b) displays unknown hardware message
 (c) *initializes the device and makes it ready to work*
 (d) does not care about the new device

368. Scanned images may be acquired using _____ software.

- (a) scanner specific
 (b) MS Paint
 (c) Photoshop
 (d) *all of them*

369. Printer settings permit selection of appropriate _____ of paper.

- (a) size
 (b) orientation (portrait or landscape)
 (c) thickness (in GSM)
 (d) *all of them*

370. A web camera is normally suitable for

- (a) low resolution images
 (b) streaming videos during video conferencing
 (c) *both a & b*
 (d) none of them

371. Web camera is normally _____ for high resolution photography.

- (a) recommended (b) *not suitable*
 (c) used (d) suitable

372. Voice Over Internet Protocol (VOIP) programs like _____ make use of web camera.

- (a) Skype
 (b) Hangouts/ Yahoo messenger
 (c) WhatsApp/ Viber
 (d) *all of them*

- | | | | |
|----------|----------|----------|----------|
| 29. (c) | 30. (b) | 31. (d) | 32. (d) |
| 33. (d) | 34. (c) | 35. (c) | 36. (d) |
| 37. (c) | 38. (d) | 39. (d) | 40. (d) |
| 41. (c) | 42. (d) | 43. (d) | 44. (d) |
| 45. (c) | 46. (d) | 47. (d) | 48. (c) |
| 49. (d) | 50. (c) | 51. (c) | 52. (a) |
| 53. (a) | 54. (a) | 55. (c) | 56. (d) |
| 57. (a) | 58. (c) | 59. (d) | 60. (b) |
| 61. (d) | 62. (d) | 63. (c) | 64. (d) |
| 65. (c) | 66. (a) | 67. (a) | 68. (b) |
| 69. (d) | 70. (d) | 71. (d) | 72. (b) |
| 73. (a) | 74. (a) | 75. (b) | 76. (a) |
| 77. (b) | 78. (d) | 79. (d) | 80. (a) |
| 81. (c) | 82. (b) | 83. (b) | 84. (b) |
| 85. (b) | 86. (a) | 87. (c) | 88. (a) |
| 89. (c) | 90. (b) | 91. (d) | 92. (a) |
| 93. (b) | 94. (d) | 95. (c) | 96. (a) |
| 97. (a) | 98. (b) | 99. (d) | 100. (c) |
| 101. (d) | 102. (b) | 103. (a) | 104. (c) |
| 105. (a) | 106. (b) | 107. (c) | 108. (a) |
| 109. (d) | 110. (c) | 111. (b) | 112. (a) |
| 113. (b) | 114. (c) | 115. (c) | 116. (c) |
| 117. (a) | 118. (b) | 119. (c) | 120. (c) |
| 121. (a) | 122. (b) | 123. (c) | 124. (a) |
| 125. (c) | 126. (b) | 127. (d) | 128. (a) |
| 129. (b) | 130. (c) | 131. (d) | 132. (a) |
| 133. (b) | 134. (c) | 135. (a) | 136. (c) |
| 137. (b) | 138. (a) | 139. (d) | 140. (d) |
| 141. (d) | 142. (c) | 143. (b) | 144. (a) |
| 145. (a) | 146. (b) | 147. (b) | 148. (a) |
| 149. (a) | 150. (b) | 151. (d) | 152. (b) |
| 153. (c) | 154. (d) | 155. (c) | 156. (d) |
| 157. (d) | 158. (c) | 159. (a) | 160. (b) |
| 161. (c) | 162. (d) | 163. (b) | 164. (c) |
| 165. (d) | 166. (a) | 167. (d) | 168. (c) |
| 169. (a) | 170. (a) | 171. (c) | 172. (b) |
| 173. (c) | 174. (d) | 175. (a) | 176. (c) |
| 177. (b) | 178. (d) | 179. (b) | 180. (d) |
| 181. (c) | 182. (b) | 183. (c) | 184. (a) |
| 185. (d) | 186. (b) | 187. (c) | 188. (a) |
| 189. (a) | 190. (d) | 191. (b) | 192. (c) |
| 193. (a) | 194. (b) | 195. (d) | 196. (b) |
| 197. (c) | 198. (a) | 199. (d) | 200. (c) |
| 201. (a) | 202. (c) | 203. (a) | 204. (c) |
| 205. (d) | 206. (a) | 207. (b) | 208. (a) |
| 209. (c) | 210. (d) | 211. (a) | 212. (b) |
| 213. (c) | 214. (b) | 215. (a) | 216. (a) |
| 217. (b) | 218. (c) | 219. (c) | 220. (a) |
| 221. (d) | 222. (a) | 223. (c) | 224. (c) |
| 225. (a) | 226. (b) | 227. (d) | 228. (c) |
| 229. (c) | 230. (b) | 231. (d) | 232. (c) |
| 233. (a) | 234. (b) | 235. (d) | 236. (c) |

Answers (1 - 372)

- | | | | |
|---------|---------|---------|---------|
| 1. (a) | 2. (c) | 3. (b) | 4. (d) |
| 5. (b) | 6. (d) | 7. (a) | 8. (d) |
| 9. (c) | 10. (b) | 11. (a) | 12. (a) |
| 13. (b) | 14. (b) | 15. (d) | 16. (a) |
| 17. (a) | 18. (c) | 19. (a) | 20. (d) |
| 21. (d) | 22. (b) | 23. (b) | 24. (a) |
| 25. (b) | 26. (c) | 27. (c) | 28. (c) |

237. (b)	238. (b)	239. (a)	240. (c)	305. (d)	306. (c)	307. (d)	308. (a)
241. (c)	242. (a)	243. (c)	244. (d)	309. (d)	310. (c)	311. (a)	312. (b)
245. (b)	246. (a)	247. (b)	248. (a)	313. (c)	314. (a)	315. (b)	316. (d)
249. (d)	250. (c)	251. (a)	252. (b)	317. (c)	318. (a)	319. (b)	320. (a)
253. (d)	254. (a)	255. (d)	256. (c)	321. (a)	322. (b)	323. (a)	324. (c)
257. (d)	258. (b)	259. (b)	260. (b)	325. (d)	326. (a)	327. (c)	328. (b)
261. (b)	262. (b)	263. (a)	264. (b)	329. (d)	330. (a)	331. (c)	332. (d)
265. (d)	266. (c)	267. (b)	268. (d)	333. (c)	334. (a)	335. (d)	336. (a)
269. (d)	270. (a)	271. (b)	272. (d)	337. (b)	338. (c)	339. (a)	340. (d)
273. (a)	274. (b)	275. (d)	276. (c)	341. (a)	342. (b)	343. (c)	344. (a)
277. (d)	278. (c)	279. (b)	280. (b)	345. (d)	346. (a)	347. (c)	348. (b)
281. (d)	282. (a)	283. (c)	284. (b)	349. (a)	350. (c)	351. (a)	352. (a)
285. (c)	286. (a)	287. (b)	288. (d)	353. (b)	354. (c)	355. (d)	356. (c)
289. (d)	290. (d)	291. (d)	292. (a)	357. (a)	358. (b)	359. (c)	360. (d)
293. (a)	294. (d)	295. (b)	296. (c)	361. (c)	362. (a)	363. (b)	364. (c)
297. (d)	298. (c)	299. (a)	300. (a)	365. (d)	366. (a)	367. (c)	368. (d)
301. (c)	302. (d)	303. (a)	304. (b)	369. (d)	370. (c)	371. (b)	372. (d)

1.2 Computer Administration

1. The power on process of a computer is called _____.
 - (a) waking up
 - (b) *boot strapping*
 - (c) formatting
 - (d) installing
2. The test performed by computer to identify the hardware peripherals and units attached to it is called _____.
 - (a) *Power On Self Test*
 - (b) Disk Defragmenting
 - (c) formatting
 - (d) scandisk
3. In booting of computer, POST is expanded as _____.
 - (a) *Power On Self Test*
 - (b) Disk Defragmenting
 - (c) formatting
 - (d) scandisk
4. Primary boot process is otherwise called _____.
 - (a) *POST*
 - (b) loading of operating system
 - (c) installation
 - (d) formatting
5. Full form of BIOS is _____.
 - (a) Bare Input Output System
 - (b) Basic Intermediate Operating System
 - (c) Banned Input Output System
 - (d) *Basic Input Output System*
6. Essential settings like date, time, boot order, etc. needed for BIOS at boot time are stored in _____.
 - (a) POST
 - (b) *CMOS*
 - (c) Hard Disk
 - (d) DVD
7. In computer mother board, CMOS stands for _____.
 - (a) Corroded Metal Oxide Semiconductor
 - (b) Contact Metal Oxide Semiconductor
 - (c) *Complementary Metal Oxide Semiconductor*
 - (d) Complementary Metal Oxide Syntax
8. CMOS is a _____.
 - (a) *RAM*
 - (b) ROM
 - (c) EPROM
 - (d) EEPROM
9. Memory which can be written only once is called _____.
 - (a) *RAM*
 - (b) ROM
 - (c) EPROM
 - (d) EEPROM
10. Memory which can be erased and reprogrammed is called _____.
 - (a) *RAM*
 - (b) ROM
 - (c) EPROM
 - (d) EEPROM
11. Memory which can be erased using electric current and reprogrammed is called _____.
 - (a) *RAM*
 - (b) ROM
 - (c) EPROM
 - (d) *EEPROM*
12. ROM stands for _____.
 - (a) Random Ordinary Memory
 - (b) *Read Only Memory*
 - (c) Read Ordinary Memory
 - (d) Read Only Mail
13. EPROM stands for _____.
 - (a) Erasable Partition Read Only Memory
 - (b) Erasable Pointer Read Only Memory
 - (c) Extended Programmable Read Only Memory
 - (d) *Erasable Programmable Read Only Memory*
14. EEPROM stands for _____.
 - (a) *Electrically Erasable Programmable Read Only Memory*
 - (b) Extremely Erasable Programmable Read Only Memory
 - (c) Effectively Erasable Programmable Read Only Memory
 - (d) Extended Erasable Programmable Read Only Memory
15. _____ keeps CMOS is in power on condition.
 - (a) Hard disk
 - (b) RAM
 - (c) SMPS
 - (d) *CMOS Battery (CR2032)*
16. After booting process, BIOS helps in _____.
 - (a) *data transfer*
 - (b) processing
 - (c) graphics
 - (d) cloud storage
17. First part of boot loader accessed from BIOS chip is called _____.
 - (a) intermediate boot loader
 - (b) tertiary boot loader
 - (c) secondary boot loader
 - (d) *primary boot loader*
18. On completion of POST, the computer emits _____.
 - (a) foul odour
 - (b) music
 - (c) *beep*
 - (d) water
19. The second part of boot loader responsible for booting the operating system is called _____.
 - (a) intermediate boot loader
 - (b) tertiary boot loader
 - (c) *secondary boot loader*

- (d) primary boot loader
- 20.** GRUB stands for _____.
- (a) *GRand Unified Boot Loader*
 (b) Generic Unified Boot Loader
 (c) Grand United Boot Loader
 (d) Great Unified Boot Loader
- 21.** In booting a computer, MBR stands for _____.
- (a) Master Boot Reader
 (b) Multi Boot Record
 (c) Meta Boot Record
 (d) *Master Boot Record*
- 22.** In booting a computer, BOOTMGR stands for _____.
- (a) Best Master (b) Boot Man
 (c) *Boot Manager* (d) Boot Mirage
- 23.** In booting a computer, NTLDR stands for _____.
- (a) Next Technology LoaDeR
 (b) *New Technology LoaDeR*
 (c) New Terminal LoaDeR
 (d) New Talent LoaDeR
- 24.** In booting a computer, UEFI stands for _____.
- (a) *Unified Extensible Firmware Interface*
 (b) United Extensible Firmware Interface
 (c) Universal Extensible Firmware Interface
 (d) Uniform Extensible Firmware Interface
- 25.** In booting a computer, ESP stands for _____.
- (a) EFI System Package
 (b) EFI Sorted Partition
 (c) *EFI System Partition*
 (d) EFI Self Partition
- (c) power problem
 (d) *mother board problem*
- 29.** 2 short beeps during POST denotes _____ of computer.
- (a) normal boot
 (b) *error code displayed on screen*
 (c) power problem
 (d) mother board problem
- 30.** Continuous beep or repeated short beeps during POST denotes _____ of computer.
- (a) normal boot
 (b) error code displayed on screen
 (c) *power problem*
 (d) mother board problem
- 31.** 1 long and 2 short beeps during POST denotes _____ of computer.
- (a) *video card (VGA) problem*
 (b) keyboard error
 (c) power problem
 (d) mother board problem
- 32.** 1 long and 3 short beeps during POST denotes _____ of computer.
- (a) *video card (EGA) problem*
 (b) keyboard error
 (c) power problem
 (d) mother board problem
- 33.** 3 long beeps during POST denotes _____ of computer.
- (a) video card (EGA) problem
 (b) *keyboard error*
 (c) power problem
 (d) mother board problem

1.2.1 Booting error signals

- 26.** The type of error signal depends upon _____ of the computer.
- (a) power switch
 (b) *manufacturer of the BIOS chip*
 (c) type of monitor
 (d) type of keyboard
- 27.** 1 short beep during POST denotes _____ of computer.
- (a) *normal boot*
 (b) error code displayed on screen
 (c) power problem
 (d) mother board problem
- 28.** 1 short and 1 long beeps during POST denotes _____ of computer.
- (a) normal boot
 (b) error code displayed on screen

1.2.2 BIOS settings

- 34.** CMOS is a type of _____.
- (a) ROM (b) DVD
 (c) CD (d) *RAM*
- 35.** CMOS is kept powered on using _____.
- (a) AA battery
 (b) AAA battery
 (c) *CMOS battery (CR2032)*
 (d) wet cell battery
- 36.** When CMOS battery fails, all BIOS settings are _____.
- (a) remembered (b) *lost*
 (c) maintained (d) kept stored
- 37.** BIOS settings may be accessed by pressing _____ key immediately after switching power supply on.

- (a) DEL
(b) F2
(c) ESC
(d) *any one of them*
- 38.** Usually, date, time, drive options, memory details, etc. are accessible under _____ menu of BIOS settings.
(a) Advanced (b) *Main*
(c) Power (d) Boot
- 39.** Usually, processor configuration, on board settings of motherboard, USB configuration, etc. are accessible under _____ menu of BIOS settings.
(a) *Advanced* (b) Main
(c) Power (d) Boot
- 40.** Usually, power options are accessible under _____ menu of BIOS settings.
(a) Advanced (b) Main
(c) *Power* (d) Boot
- 41.** Usually, UEFI settings, order of boot media, etc. are accessible under _____ menu of BIOS settings.
(a) Advanced (b) Main
(c) Power (d) *Boot*
- 42.** Passwords for user and administrator of BIOS may be accessed using _____ menu of BIOS settings.
(a) Advanced (b) *Security*
(c) Power (d) Boot
- 43.** Options for saving or discarding changes and exiting BIOS settings is accessible from _____ menu of BIOS settings.
(a) Advanced (b) Security
(c) Power (d) *Exit*
- 46.** When the menu for managing hard disk partitions is displayed, _____ options help to create, delete and format partitions.
(a) New (b) Delete
(c) Format (d) *all of them*
- 47.** After choosing a suitable partition for installation of Windows, _____
(a) delete that partition
(b) *select that partition and press Next button*
(c) press Ctrl+Alt+Delete
(d) Switch off power supply
- 48.** During installation of Windows, the computer _____ after copying files, installing features.
(a) *reboots*
(b) keeps on processing
(c) keeps on beeping
(d) plays music
- 49.** During installation of Windows, user names and passwords are entered _____ the operating system gets fully ready.
(a) *before*
(b) after
(c) only after
(d) subsequent to
- 50.** After completing installation of Windows, _____ are to be installed for making the computer safe and productive.
(a) anti-virus
(b) Office package
(c) Adobe Reader and other application software packages
(d) *all of them*

1.2.3 Installation of windows operating system

- 44.** After inserting the Windows installation media (like CD, DVD or pen drive), _____ message is displayed.
(a) *Press any key to boot from CD/ DVD ...*
(b) Press Ctrl+Alt+Delete
(c) Press left button of mouse
(d) Press centre button of mouse
- 45.** When Windows loads during installation, _____ are to be chosen first.
(a) keyboard layout
(b) language selection for installation
(c) *both a & b*
(d) neither a nor b

1.2.4 Common computer problems and solutions

- 51.** For many problems, _____ the computer solves the troubles.
(a) *rebooting* (b) selling off
(c) condemning (d) cursing
- 52.** If the computer is very slow, _____
(a) unplug Internet connection
(b) open task manager (Ctrl+Shift+ESC or Ctrl+Alt+Delete)
(c) right click and end runaway programs
(d) *try any one or all the techniques*
- 53.** When the computer exhibits unpredictable behaviour, _____.

- (a) remove all peripherals except keyboard, mouse and monitor and reboot
 (b) identify the erring peripheral by connecting each peripheral one by one
 (c) try system restore to a previous date
 (d) *all of them*
- 54.** When the PC does not boot, try _____.
 (a) verify power cables
 (b) check whether green LED on mother board glows
 (c) switch on SMPS power switch, if any, and verify whether the SMPS fan runs
 (d) *all of them*
- 55.** If a computer emits beeps and halts, do _____ to make the computer work again.
 (a) remove RAM, clean and refix
 (b) remove VGA cable and reconnect
 (c) remove CMOS battery (CR2032) and replace it with new one
 (d) *all or any one of them*
- 56.** If computer displays the error message "Insert boot media", do _____.
 (a) modify BIOS settings to boot from hard disk
 (b) configure the BIOS to boot from alternate installation media like CD/DVD
 (c) reboot to try whether secondary boot process starts
 (d) *all of them*
- 57.** When boot is halted due to wrong BIOS settings, _____.
 (a) press DEL, F2 or ESC key to enter BIOS settings
 (b) set correct date and time
 (c) set correct boot order
 (d) *all of them*
- 58.** If a computer does not switch on, do _____.
 (a) check power cables
 (b) check whether SMPS is running
 (c) switch on SMPS, if it has any switch
 (d) *all of them*
- 59.** If a computer loses BIOS settings after each power off, do _____.
 (a) *replace CMOS battery (CR2032)*
 (b) sell off the computer
 (c) switch off the computer
 (d) clean the computer
- 60.** If printer does not work in a computer, do _____.
 (a) check PC to printer connection
 (b) check whether appropriate driver has been installed for the printer
 (c) start print spooler service from control panel
 (d) *all of them*
- 61.** If a PC displays access violation error and reboots in the middle of working, _____.
 (a) check the RAM chip
 (b) replace the RAM chip and try whether the problem continues
 (c) *both a & b*
 (d) neither a nor b
- 62.** If the Internet connection is very slow, do _____.
 (a) disable automatic software updates
 (b) stop cloud storage services like drop box, one drive, iCloud, etc. from syncing on slow connection
 (c) stop messenger services which have opened at boot time
 (d) *all of them*
- 63.** If a program does not install or closes just after install screen opens, do _____.
 (a) check whether the program is compatible to the operating system (64 bit or 32 bit)
 (b) right click on setup program and choose Run as Administrator
 (c) try to run the program in compatibility mode
 (d) *all of them*
- 64.** When there is a paper jam in printer, do _____.
 (a) switch off printer
 (b) open the lid
 (c) gently remove the jammed paper
 (d) *all of them*

Answers (373 - 436)

- | | | | |
|---------|---------|---------|---------|
| 1. (b) | 2. (a) | 3. (a) | 4. (a) |
| 5. (d) | 6. (b) | 7. (c) | 8. (a) |
| 9. (b) | 10. (c) | 11. (d) | 12. (b) |
| 13. (d) | 14. (a) | 15. (d) | 16. (a) |
| 17. (d) | 18. (c) | 19. (c) | 20. (a) |
| 21. (d) | 22. (c) | 23. (b) | 24. (a) |
| 25. (c) | 26. (b) | 27. (a) | 28. (d) |
| 29. (b) | 30. (c) | 31. (a) | 32. (a) |
| 33. (b) | 34. (d) | 35. (c) | 36. (b) |
| 37. (d) | 38. (b) | 39. (a) | 40. (c) |
| 41. (d) | 42. (b) | 43. (d) | 44. (a) |
| 45. (c) | 46. (d) | 47. (b) | 48. (a) |
| 49. (a) | 50. (d) | 51. (a) | 52. (d) |
| 53. (d) | 54. (d) | 55. (d) | 56. (d) |
| 57. (d) | 58. (d) | 59. (a) | 60. (d) |
| 61. (c) | 62. (d) | 63. (d) | 64. (d) |

1.3 MS DOS and Linux

1.3.1 MS DOS

1. MS DOS stands for _____.
 - (a) *MicroSoft Disk Operating System*
 - (b) MicroSecond Disk Operating System
 - (c) MicroSoft Dirty Operating System
 - (d) Microsoft Disk Opening System
2. MS DOS was first released in the year _____.
 - (a) 1969
 - (b) 1972
 - (c) 1981
 - (d) 2000
3. All development activities on MS DOS ceased in the year _____.
 - (a) 1969
 - (b) 1972
 - (c) 1981
 - (d) 2000
4. The last version of MS DOS was _____.
 - (a) 7.0
 - (b) 8.0
 - (c) 9.0
 - (d) 10.0
5. MS DOS executable files normally have _____ extension.
 - (a) .EXE
 - (b) .COM
 - (c) .BAT
 - (d) *all of them*
6. The commands loaded to main memory along with MS DOS operating system are called _____ DOS commands.
 - (a) *internal*
 - (b) external
 - (c) useless
 - (d) unwanted
7. The commands stored in a disk and loaded to main memory only when first invoked are called _____ DOS commands.
 - (a) internal
 - (b) *external*
 - (c) useless
 - (d) unwanted
8. If a file has .BAT extension and contains a list of commands to be executed, the file is called a _____ file.
 - (a) database
 - (b) temporary
 - (c) *batch*
 - (d) shell script

1.3.2 Internal DOS commands

9. Typical first line in a DOS batch file is _____.
 - (a) *@ECHO OFF*
 - (b) DIR
 - (c) MD
 - (d) RD
10. The list of directories in which external DOS commands will be searched is called _____.
 - (a) WINDIR
 - (b) *PATH*
 - (c) HOME
 - (d) VER

11. Of the following alternatives, _____ command displays current value of path variable.
 - (a) CLS %PATH%
 - (b) PROMPT %PATH%
 - (c) PAUSE %PATH%
 - (d) *ECHO %PATH%*
12. A new folder (e.g., *C : \USERS\COPA\BIN*) may be appended to PATH variable using the command _____.
 - (a) *SET PATH=%PATH%;C : \USERS\COPA\BIN*
 - (b) export PATH=\$PATH;C : \USERS\COPA\BIN
 - (c) CLS %PATH%;C : \USERS\COPA\BIN
 - (d) PAUSE %PATH%;C : \USERS\COPA\BIN
13. To clear screen contents, _____ command is used.
 - (a) VER
 - (b) DIR
 - (c) *CLS*
 - (d) VOL
14. _____ command displays version number of MS DOS.
 - (a) *VER*
 - (b) DIR
 - (c) CLS
 - (d) VOL
15. _____ command displays the list of files and directories.
 - (a) VER
 - (b) *DIR*
 - (c) CLS
 - (d) VOL
16. _____ command displays volume label of given drive.
 - (a) VER
 - (b) DIR
 - (c) CLS
 - (d) *VOL*
17. _____ command displays current date and gets new date for resetting.
 - (a) *DATE*
 - (b) TIME
 - (c) COPY
 - (d) COPY CON < *file.txt* >
18. DATE command should be run as _____ to set new date.
 - (a) unknown user
 - (b) guest user
 - (c) ordinary user
 - (d) *Administrator*
19. Recommended format for entering new date using DATE command (in Indian locale) is _____.
 - (a) yyy-ddd-mmm
 - (b) yy-dd-mm
 - (c) *dd-mm-yy*
 - (d) yyy-mm-dd
20. _____ command displays current date and gets new date for resetting.

- (a) *DATE*
 (b) *TIME*
 (c) *COPY*
 (d) *COPY CON < file.txt >*
- 21.** _____ command displays current time and gets new time for resetting.
 (a) *DATE*
 (b) *TIME*
 (c) *COPY*
 (d) *COPY CON < file.txt >*
- 22.** *TIME* command should be run as _____ to set new time.
 (a) unknown user
 (b) guest user
 (c) ordinary user
 (d) *Administrator*
- 23.** Recommended format for entering new date using *TIME* command (in Indian locale) is _____.
 (a) *hh:mm:ss* (b) *mm:ss:hh*
 (c) *ss:mm:hh* (d) *mm:hh:ss*
- 24.** _____ command creates a text file (named *file.txt*) and saves keyboard input to that file.
 (a) *DATE*
 (b) *TIME*
 (c) *COPY*
 (d) *COPY CON < file.txt >*
- 25.** To end the input to the command *COPY CON < file.txt >* and to save text to that file, enter _____.
 (a) *Ctrl+Z Ctrl+C Enter*
 (b) *Ctrl+X Ctrl+C Enter*
 (c) *Ctrl+Z Ctrl+C Shift*
 (d) *Ctrl+Z Ctrl+X Enter*
- 26.** To display the contents of a file (e.g., *FILE.TXT*) on the screen, issue the command _____.
 (a) *MKDIR FILE.TXT*
 (b) *DEL FILE.TXT*
 (c) *TYPE FILE.TXT*
 (d) *MOVE FILE.TXT ..*
- 27.** To create copy of an existing file (*F1.TXT*) in a new name (*F2.TXT*), issue the command _____.
 (a) *COPY F1.TXT F2.TXT*
 (b) *DEL F1.TXT F2.TXT*
 (c) *REN F1.TXT F2.TXT*
 (d) *ATTRIB +H F1.TXT F2.TXT*
- 28.** To create a copy of one file in a new name, _____ command is used.
 (a) *MOVE* (b) *REN*
 (c) *COPY* (d) *MKDIR*
- 29.** To delete a file, _____ DOS command is used.
 (a) *MOVE* (b) *DEL*
 (c) *COPY* (d) *MKDIR*
- 30.** Issuing the DOS command *DEL *.** deletes _____.
 (a) last file in the current directory
 (b) parent directory
 (c) current directory
 (d) *all files in current directory*
- 31.** To change from one directory to another, _____ DOS command is used.
 (a) *CD* (b) *MD*
 (c) *RD* (d) *ATTRIB*
- 32.** _____ command may also be used in place of the DOS command *CD*.
 (a) *CHDIR* (b) *MKDIR*
 (c) *RMDIR* (d) *ERASE*
- 33.** _____ command may also be used in place of the DOS command *MD*.
 (a) *CHDIR* (b) *MKDIR*
 (c) *RMDIR* (d) *ERASE*
- 34.** _____ command may also be used in place of the DOS command *RD*.
 (a) *CHDIR* (b) *MKDIR*
 (c) *RMDIR* (d) *ERASE*
- 35.** _____ command may also be used in place of the DOS command *DEL*.
 (a) *CHDIR* (b) *MKDIR*
 (c) *RMDIR* (d) *ERASE*
- 36.** To create a directory, _____ DOS command may be used.
 (a) *CD/ CHDIR* (b) *MD/ MKDIR*
 (c) *RD/ RMDIR* (d) *DEL/ ERASE*
- 37.** To remove a directory, _____ DOS command may be used.
 (a) *CD/ CHDIR* (b) *MD/ MKDIR*
 (c) *RD/ RMDIR* (d) *DEL/ ERASE*
- 38.** Issuing _____ command causes commands in a batch file to be hidden.
 (a) *ECHO OFF* (b) *ECHO ON*
 (c) *PAUSE* (d) *PROMPT*
- 39.** Issuing _____ command causes commands in a batch file to be visible.
 (a) *ECHO OFF* (b) *ECHO ON*
 (c) *PAUSE* (d) *PROMPT*
- 40.** To display the value of *PATH* environment variable, _____ of the following commands is useful.
 (a) *SET %PATH%*
 (b) *PAUSE %PATH%*

- (c) DEL %PATH%
(d) ECHO %PATH%
41. The _____ environment variable in DOS contains the list of folders in which commands would be searched.
(a) PATH (b) CLASSPATH
(c) WINDIR (d) HOME
42. The _____ environment variable in DOS contains the name of home directory for current user.
(a) PATH (b) CLASSPATH
(c) WINDIR (d) HOME
43. To rename a file (X.TXT) to a new name (Y.TXT), which of the following commands would be suitable?
(a) COPY X.TXT Y.TXT
(b) REN X.TXT Y.TXT
(c) MKDIR X.TXT
(d) DEL X.TXT Y.TXT
44. To hold the processing of commands till any key is pressed, _____ DOS command is used.
(a) SLEEP (b) PROMPT
(c) PAUSE (d) SET
45. To change the command prompt in MS DOS, _____ command is used.
(a) SLEEP (b) PROMPT
(c) PAUSE (d) SET
46. To set value for an environment variable in MS DOS, _____ command is used.
(a) SLEEP (b) PROMPT
(c) PAUSE (d) SET
47. To create a remarks line (which is ignored during processing) in MS DOS, _____ command is used.
(a) REM (b) PROMPT
(c) PAUSE (d) SET
48. _____ command closes the MS DOS session.
(a) CLS (b) PAUSE
(c) EXIT (d) REM

1.3.3 External DOS Commands

49. The _____ command (removed in the latest version of MS DOS) adds given string to the end of PATH environment variable.
(a) SORT (b) APPEND
(c) MOVE (d) ASSIGN
50. The _____ command changes given drive to a new name.
(a) SORT (b) APPEND

- (c) MOVE (d) ASSIGN
51. The _____ command changes file attributes like archive, hidden or read-only.
(a) ATTRIB (b) APPEND
(c) MOVE (d) ASSIGN
52. To hide a file (say FILE.TXT), _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB -H FILE.TXT
(d) ATTRIB +H FILE.TXT
53. To unhide a file (say FILE.TXT), _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB -H FILE.TXT
(d) ATTRIB +H FILE.TXT
54. To set archive attribute to file (say FILE.TXT), _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB -H FILE.TXT
(d) ATTRIB +H FILE.TXT
55. To remove archive attribute from file (say FILE.TXT), _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB -H FILE.TXT
(d) ATTRIB +H FILE.TXT
56. To set a file (say FILE.TXT) to read-only mode, _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB +R FILE.TXT
(d) ATTRIB -R FILE.TXT
57. To set a file (say FILE.TXT) to read write (i.e., to remove read-only attribute) mode, _____ DOS command is used.
(a) ATTRIB -A FILE.TXT
(b) ATTRIB +A FILE.TXT
(c) ATTRIB +R FILE.TXT
(d) ATTRIB -R FILE.TXT
58. _____ MS DOS command (removed from latest version of MS DOS) creates a backup of all files having archive attribute.
(a) CHKDSK (b) BACKUP
(c) COMMAND.COM (d) COMP

- 59.** _____ MS DOS command verifies file system in given drive and repairs the file system if necessary.
 (a) *CHKDSK* (b) *BACKUP*
 (c) *COMMAND.COM* (d) *COMP*
- 60.** _____ MS DOS command is the DOS shell.
 (a) *CHKDSK* (b) *BACKUP*
 (c) *COMMAND.COM* (d) *COMP*
- 61.** _____ MS DOS command compares two files and reports any differences.
 (a) *CHKDSK* (b) *BACKUP*
 (c) *COMMAND.COM* (d) *COMP*
- 62.** _____ MS DOS command helps to debug a program and inspect values stored in variables.
 (a) *DEBUG* (b) *DISKCOMP*
 (c) *DISKCOPY* (d) *DOSKEY*
- 63.** _____ MS DOS command keeps history of previous DOS commands and permits navigation on pressing UP or DOWN arrows.
 (a) *DEBUG* (b) *DISKCOMP*
 (c) *DISKCOPY* (d) *DOSKEY*
- 64.** _____ MS DOS command compares the contents of 2 disks and reports the differences, if any.
 (a) *DEBUG* (b) *DISKCOMP*
 (c) *DISKCOPY* (d) *DOSKEY*
- 65.** _____ MS DOS command copies the contents of one disk to another.
 (a) *DEBUG* (b) *DISKCOMP*
 (c) *DISKCOPY* (d) *DOSKEY*
- 66.** _____ MS DOS command displays a visual window for accessing files and folders.
 (a) *DOSSHEL* (b) *DISKCOMP*
 (c) *DISKCOPY* (d) *DOSKEY*
- 67.** _____ MS DOS command opens a full screen editor.
 (a) *FC* (b) *EDIT*
 (c) *EDLIN* (d) *EXPAND*
- 68.** _____ MS DOS command edits text data line by line.
 (a) *FC* (b) *EDIT*
 (c) *EDLIN* (d) *EXPAND*
- 69.** _____ MS DOS command expands a compressed file.
 (a) *FC* (b) *EDIT*
 (c) *EDLIN* (d) *EXPAND*
- 70.** _____ MS DOS command compares 2 files with text or binary content.
 (a) *FC* (b) *EDIT*
 (c) *EDLIN* (d) *EXPAND*
- 71.** _____ MS DOS command compares 2 files.
 (a) *FC* (b) *EDIT*
 (c) *EDLIN* (d) *EXPAND*
- 72.** _____ MS DOS command helps to create and manage partitions in hard disk.
 (a) *FDISK* (b) *FORMAT*
 (c) *EDLIN* (d) *EXPAND*
- 73.** _____ MS DOS command formats (creates new file system on) given partition.
 (a) *FDISK* (b) *FORMAT*
 (c) *EDLIN* (d) *EXPAND*
- 74.** _____ MS DOS command displays help information about given command.
 (a) *FDISK* (b) *FORMAT*
 (c) *HELP* (d) *LABEL*
- 75.** _____ MS DOS command displays disk label.
 (a) *FDISK* (b) *FORMAT*
 (c) *HELP* (d) *LABEL*
- 76.** _____ MS DOS command displays volume details.
 (a) *VOL* (b) *FORMAT*
 (c) *HELP* (d) *LABEL*
- 77.** _____ MS DOS command displays memory usage details.
 (a) *MOVE* (b) *MEM*
 (c) *MIRROR* (d) *MORE*
- 78.** _____ MS DOS command creates a backup file for restoration of data at a later date.
 (a) *MOVE* (b) *MEM*
 (c) *MIRROR* (d) *MORE*
- 79.** _____ MS DOS command creates a new copy of the file and deletes the source file.
 (a) *MOVE* (b) *MEM*
 (c) *MIRROR* (d) *MORE*
- 80.** _____ MS DOS command displays screen output in readable chunks/pages.
 (a) *MOVE* (b) *MEM*
 (c) *MIRROR* (d) *MORE*
- 81.** _____ MS DOS command prints a file to the default printer.
 (a) *SCANDISK* (b) *SORT*

- (c) *PRINT* (d) *SYS*
82. _____ MS DOS command (removed in the latest version of MS DOS) checks and repairs files in given drive.
- (a) *SCANDISK* (b) *SORT*
(c) *PRINT* (d) *SYS*
83. _____ MS DOS command sorts the contents of file in alphabetic or numerical order.
- (a) *SCANDISK* (b) *SORT*
(c) *PRINT* (d) *SYS*
84. _____ MS DOS command copy system files and make a disk bootable.
- (a) *SCANDISK* (b) *SORT*
(c) *PRINT* (d) *SYS*
85. _____ MS DOS command displays files and folders in a tree structure.
- (a) *TREE* (b) *UNDELETE*
(c) *XCOPY* (d) *MOVE*
86. _____ MS DOS command restores the latest file deleted from MS DOS file system.
- (a) *TREE* (b) *UNDELETE*
(c) *XCOPY* (d) *MOVE*
87. _____ MS DOS command copies files, directories and subdirectories.
- (a) *TREE* (b) *UNDELETE*
(c) *XCOPY* (d) *MOVE*

1.3.4 Output redirection in MS DOS

88. _____ redirector writes output of a program to a new file, deleting the old contents, if any.
- (a) *>* (b) *>>*
(c) *|* (d) none of them
89. _____ redirector appends output of a program to an existing file, creating the file if it does not exist.
- (a) *>* (b) *>>*
(c) *|* (d) none of them
90. _____ redirector sends output of a program to another program as input.
- (a) *>* (b) *>>*
(c) *|* (d) none of them

1.3.5 Wild cards in MS DOS

91. The *, ? characters in MS DOS are called _____.

- (a) green cards (b) white cards
(c) SIM cards (d) *wild cards*
92. _____ wild card matches any number of characters in the name.
- (a) * (b) ?
(c) & (d) \$
93. _____ wild card matches a single character.
- (a) * (b) ?
(c) & (d) \$

1.3.6 Open Source Software (OSS)

94. Any software (paid or free), for which source code is available is called _____.
- (a) *open source software*
(b) free software
(c) virus software
(d) hacked software
95. _____ helps capable users to improve and bug fix the software.
- (a) *open source software*
(b) closed source software
(c) virus software
(d) hacked software
96. _____ model of software helps developers across the world to cooperate in development of software.
- (a) *open source software*
(b) closed source software
(c) virus software
(d) hacked software
97. An example of the most popular open source software is _____.
- (a) Mozilla Firefox browser, GIMP image editor, QCAD drafting tool, Blender 3D modelling software
(b) Linux operating system
(c) Open office, Libre Office, KOffice, gnumeric, AbiWord, Scribus
(d) *all of them*
98. _____ are some of the open source licensing models.
- (a) GNU GPL/ GNU LGPL
(b) Apache lincense
(c) BSD/ MIT/ Eclipse/ Mozilla license
(d) *all of them*
99. GNU GPL stands for _____.
- (a) *GNU General Public License*
(b) GNU Lesser General Public License
(c) GNU Not Unix
(d) GNU Image Manipulation Programme

- 100.** GNU LGPL stands for _____ and it permits embedding open source libraries in closed source projects.
 (a) GNU General Public License
 (b) *GNU Lesser General Public License*
 (c) GNU Not Unix
 (d) GNU Image Manipulation Programme
- 101.** GNU stands for _____.
 (a) GNU General Public License
 (b) GNU Lesser General Public License
 (c) *GNU Not Unix*
 (d) GNU Image Manipulation Programme
- 102.** GIMP stands for _____.
 (a) GNU General Public License
 (b) GNU Lesser General Public License
 (c) GNU Not Unix
 (d) *GNU Image Manipulation Programme*
- 103.** _____ founded the GNU project to create an alternative to UNIX operating system from scratch.
 (a) *Richard Stallman*
 (b) Linus Torvalds
 (c) Dennis Ritchie
 (d) Brian Kernighan
- 104.** _____ created and released Linux operating system.
 (a) Richard Stallman
 (b) *Linus Torvalds*
 (c) Dennis Ritchie
 (d) Brian Kernighan
- 105.** Linux operating system was released in the year _____.
 (a) 1969 (b) 1972
 (c) 1981 (d) 1991
- 106.** The core of the Linux operating system, which manages files, peripherals and other resources, is called _____.
 (a) *kernel*
 (b) shell
 (c) neither a nor b
 (d) both a and b
- 107.** The software which helps the user to communicate with the kernel of Linux operating system is called _____.
 (a) kernel
 (b) *shell*
 (c) neither a nor b
 (d) both a and b
- 108.** Bash in Linux shell stands for _____.
 (a) *Bourne Again SHell*
 (b) C-Shell

- (c) Korn-shell
 (d) none of them
- 109.** The Linux shell having features similar to the C-Programming language is called _____.
 (a) Bourne Again SHell
 (b) *C-Shell*
 (c) Korn-shell
 (d) none of them
- 110.** _____ shell was released by AT&T as an improvement to the Bourne shell.
 (a) Bourne Again SHell
 (b) C-Shell
 (c) *Korn-shell*
 (d) none of them
- 111.** The command *csH* in Linux opens _____ shell.
 (a) Bourne Again SHell
 (b) *C-Shell*
 (c) Korn-shell
 (d) none of them
- 112.** The command *ksh* in Linux opens _____ shell.
 (a) Bourne Again SHell
 (b) C-Shell
 (c) *Korn-shell*
 (d) none of them
- 113.** Any shell script begins with the line _____ to denote the name of the shell to be used for interpretation.
 (a) *#!/bin/sh*
 (b) *#!/bin/csh*
 (c) *#!/bin/ksh*
 (d) *any one of them*

1.3.7 Linux shell commands

- 114.** To display the list of files and directories, _____ Linux command is used.
 (a) *ls* (b) *chmod*
 (c) *mkdir* (d) *rmdir*
- 115.** _____ Linux command creates a new directory.
 (a) *ls* (b) *chmod*
 (c) *mkdir* (d) *rmdir*
- 116.** _____ Linux command removes given directory.
 (a) *ls* (b) *chmod*
 (c) *mkdir* (d) *rmdir*
- 117.** _____ Linux command changes the access mode of a file.
 (a) *pwd* (b) *chmod*
 (c) *mkdir* (d) *rmdir*

118. The numeric value of read permission is _____.

- (a) 4 (b) 2
(c) 1 (d) 0

119. The numeric value of write permission is _____.

- (a) 4 (b) 2
(c) 1 (d) 0

120. In Linux, the numeric value of execute permission is _____.

- (a) 4 (b) 2
(c) 1 (d) 0

121. In Linux, a file having read and write permissions would have a numeric value of _____ as argument to chmod.

- (a) 6 (b) 7
(c) 4 (d) 5

122. In Linux, a file having read only permissions would have a numeric value of _____ as argument to chmod.

- (a) 6 (b) 7
(c) 4 (d) 5

123. In Linux, a file having read, write and execute permissions would have a numeric value of _____ as argument to chmod.

- (a) 6 (b) 7
(c) 4 (d) 5

124. In Linux, a file having read and execute permissions would have a numeric value of _____ as argument to chmod.

- (a) 6 (b) 7
(c) 4 (d) 5

125. In Linux, access permission meant for _____.

- (a) user (b) group
(c) world (d) *all of them*

126. In Linux, first value of permission provided to chmod command is meant for _____.

- (a) *user* (b) group
(c) world (d) all of them

127. In Linux, second value of permission provided to chmod command is meant for _____.

- (a) user (b) *group*
(c) world (d) all of them

128. In Linux, third value of permission provided to chmod command is meant for _____.

- (a) user (b) group
(c) *world* (d) all of them

129. Any person unrelated to the current user or the group of the current user is treated with _____ permissions.

- (a) user (b) group
(c) *world* (d) all of them

130. _____ Linux command creates a copy of given file in new name.

- (a) *cp* (b) *ln*
(c) *mv* (d) *cd*

131. _____ Linux command creates a link to the current file (not a full copy of the file).

- (a) *cp* (b) *ln*
(c) *mv* (d) *cd*

132. _____ Linux command deletes the source file and creates copy of the source file in a new name.

- (a) *cp* (b) *ln*
(c) *mv* (d) *cd*

133. _____ Linux command helps user to change current working directory.

- (a) *cp* (b) *ln*
(c) *mv* (d) *cd*

134. _____ Linux command displays full path of the current directory.

- (a) *cp* (b) *pwd*
(c) *mv* (d) *cd*

135. In Linux, the character *.* denotes _____ directory.

- (a) *current* (b) *parent*
(c) *home* (d) *root*

136. In Linux, the characters *..* denote _____ directory.

- (a) *current* (b) *parent*
(c) *home* (d) *root*

137. In Linux, the character *~* denotes _____ directory.

- (a) *current* (b) *parent*
(c) *home* (d) *root*

138. In Linux, the character */* denotes _____ directory.

- (a) *current* (b) *parent*
(c) *home* (d) *root*

139. In Linux, _____ command is used to mount a new file system.

- (a) *eject* (b) *mount*
(c) *umount* (d) *shutdown*

140. In Linux, _____ command is used to unmount a new file system.

- (a) *eject* (b) *mount*
(c) *umount* (d) *shutdown*

- 141.** In Linux, _____ command ejects removable media drive like CD/DVD drive.
 (a) *eject* (b) *mount*
 (c) *umount* (d) *shutdown*
- 142.** In Linux, _____ command should be run as root user to shutdown the computer.
 (a) *eject* (b) *mount*
 (c) *umount* (d) *shutdown*
- 143.** The command *shutdown -r now* _____ the computer immediately.
 (a) *reboots* (b) *halts*
 (c) *sleep* (d) *sort*
- 144.** The command *shutdown -h now* or *shutdown -P now* or *shutdown -H now* _____ the computer immediately.
 (a) *reboots* (b) *halts*
 (c) *sleep* (d) *sort*
- 145.** The Linux command *shutdown -c* _____ the computer.
 (a) *reboots*
 (b) *halts*
 (c) *sleep*
 (d) *cancels reboot or power-off of*
- 146.** _____ Linux command sorts the input.
 (a) *reboots* (b) *halts*
 (c) *sleep* (d) *sort*
- 147.** _____ Linux command makes the shell to stop processing for specified duration.
 (a) *reboots* (b) *halts*
 (c) *sleep* (d) *sort*
- 148.** _____ Linux command creates a single archive from specified files and directories.
 (a) *tar* (b) *zip*
 (c) *gzip* (d) *ls -l*
- 149.** _____ Linux command creates zip file using given source file.
 (a) *tar* (b) *zip*
 (c) *gzip* (d) *ls -l*
- 150.** _____ Linux command creates gzip file using given source file.
 (a) *tar* (b) *zip*
 (c) *gzip* (d) *ls -l*
- 151.** _____ Linux command displays full information about files and directories.
 (a) *tar* (b) *zip*
- (c) *gzip* (d) *ls -l*
- 152.** _____ Linux command unzips a zip file.
 (a) *tar* (b) *unzip*
 (c) *gunzip* (d) *ls -l*
- 153.** _____ Linux command unpacks a gzip file.
 (a) *tar* (b) *unzip*
 (c) *gunzip* (d) *ls -l*
- 154.** _____ Linux command displays the output of program in readable chunks.
 (a) *more*
 (b) *less*
 (c) *both a & b*
 (d) *neither a nor b*
- 155.** _____ Linux command searches for a given file and optionally executes given command on that file.
 (a) *banner* (b) *find*
 (c) *rm* (d) *cat*
- 156.** _____ Linux command removes given file.
 (a) *banner* (b) *find*
 (c) *rm* (d) *cat*
- 157.** _____ Linux command creates a large banner out of given text.
 (a) *banner* (b) *find*
 (c) *rm* (d) *cat*
- 158.** _____ Linux command displays contents of text file on screen.
 (a) *banner* (b) *find*
 (c) *rm* (d) *cat*
- 159.** The command *cat - > fl.txt* stores keyboard input to a new file named _____.
 (a) *-* (b) *fl.txt*
 (c) *cat* (d) *none of them*
- 160.** The command *cat - >> fl.txt* appends keyboard input to a new file named _____.
 (a) *-* (b) *fl.txt*
 (c) *cat* (d) *none of them*
- 161.** In Linux, *-* symbol denotes the _____.
 (a) *standard input (keyboard)*
 (b) *mouse*
 (c) *standard output*
 (d) *monitor*
- 162.** In Linux, _____ command displays the current date and time.
 (a) *time* (b) *date*
 (c) *cat* (d) *man*

- 163.** In Linux, _____ command displays help about given command (manual page).
 (a) time (b) date
 (c) cat (d) *man*
- 164.** In Linux, _____ command displays time taken by a process to complete.
 (a) *time* (b) date
 (c) cat (d) *man*
- 165.** In Linux, _____ command invokes text editors.
 (a) vi/vim (b) emacs
 (c) gedit/nedit (d) *all of them*
- 166.** In Linux, _____ command compiles a C-language file to binary output.
 (a) cc (b) useradd
 (c) userdel (d) passwd
- 167.** In Linux, _____ command adds a new user.
 (a) cc (b) *useradd*
 (c) userdel (d) passwd
- 168.** In Linux, _____ command deletes a new user.
 (a) cc (b) useradd
 (c) *userdel* (d) passwd
- 169.** In Linux, _____ command changes password for given user.
 (a) cc (b) useradd
 (c) userdel (d) *passwd*
- 170.** In Linux, _____ command takes normal user to super user mode.
 (a) *su* (b) cal
 (c) bc (d) cron
- 171.** In Linux, _____ command helps a normal user to execute given command with root privileges.
 (a) *sudo* (b) cal
 (c) bc (d) cron
- 172.** In Linux, _____ command displays calendar.
 (a) sudo (b) *cal*
 (c) bc (d) cron
- 173.** In Linux, _____ command displays binary calculator in the terminal.
 (a) sudo (b) cal
 (c) *bc* (d) cron
- 174.** In Linux, _____ command executes jobs at scheduled timing.
 (a) sudo (b) cal
 (c) bc (d) *cron*
- 175.** In Linux, _____ is a text filter.
 (a) sed (b) awk
 (c) perl (d) *all of them*
- 176.** In Linux, _____ command searches the path and displays location of a given file.
 (a) *which* (b) file
 (c) tr (d) chown
- 177.** In Linux, _____ command displays the type of given file.
 (a) which (b) *file*
 (c) tr (d) chown
- 178.** In Linux, _____ command translates given input characters to specified equivalent characters.
 (a) which (b) file
 (c) *tr* (d) chown
- 179.** In Linux, _____ command changes ownership of a file to specified owner and group.
 (a) which (b) file
 (c) tr (d) *chown*
- 180.** In Linux, _____ command changes ownership of a file to specified owner and group.
 (a) which (b) file
 (c) tr (d) *chown*
- 181.** In Linux, _____ command creates group having specified name.
 (a) *groupadd* (b) groupdel
 (c) grep (d) test
- 182.** In Linux, _____ command deletes specified group.
 (a) groupadd (b) *groupdel*
 (c) grep (d) test
- 183.** In Linux, _____ command catches given string from the input lines or specified files.
 (a) groupadd (b) groupdel
 (c) *grep* (d) test
- 184.** In Linux, _____ command tests whether given condition is true or false.
 (a) groupadd (b) groupdel
 (c) grep (d) *test*
- 185.** In Linux, _____ command helps to make decisions.
 (a) if ; then ... fi
 (b) if ; then... elif .. fi
 (c) *both a & b*
 (d) neither a nor b
- 186.** In Linux, _____ command helps create looping.
 (a) for
 (b) while
 (c) *both a & b*

(d) neither a nor b

187. In Linux, _____ command displays tree structure of all files and directories.

- (a) *tree* (b) *c++*
(c) *export* (d) *clear*

188. In Linux, _____ command clears the display.

- (a) *tree* (b) *c++*
(c) *export* (d) *clear*

189. In Linux, _____ command compiles C++ source file to binary executable file.

- (a) *tree* (b) *c++*
(c) *export* (d) *clear*

190. In Linux, _____ command exports given value to the shell environment.

- (a) *tree* (b) *c++*
(c) *export* (d) *clear*

191. In Linux, _____ command exports displays the list of currently running processes.

- (a) *tree* (b) *ps*
(c) *kill* (d) *clear*

192. In Linux, _____ command terminates a process with given process id.

- (a) *tree* (b) *ps*
(c) *kill* (d) *clear*

1.3.8 Special characters in Linux

193. Any # character in Linux _____.

- (a) *starts a comment, ignored by shell script*
(b) *matches all characters*
(c) *matches any single character*
(d) *sends output to a new file*

194. The * character in Linux _____.

- (a) *starts a comment, ignored by shell script*
(b) *matches all characters*
(c) *matches any single character*
(d) *sends output to a new file*

195. The ? character in Linux _____.

- (a) *starts a comment, ignored by shell script*
(b) *matches all characters*
(c) *matches any single character*
(d) *sends output to a new file*

196. The > character in Linux _____.

- (a) *starts a comment, ignored by shell script*
(b) *matches all characters*
(c) *matches any single character*
(d) *sends output to a new file*

197. The >> character in Linux _____.

- (a) *starts a comment, ignored by shell script*

(b) *matches all characters*

(c) *matches any single character*

(d) *appends output to a file*

198. The | character in Linux _____.

(a) *sends output of left side program to the input of right side program*

(b) *matches all characters*

(c) *matches any single character*

(d) *appends output to a file*

199. The \$? character in Linux _____.

(a) *stores exit status of previous command*

(b) *matches all characters*

(c) *matches any single character*

(d) *appends output to a file*

200. The & character placed at the end of command line in Linux _____.

(a) *stores exit status of previous command*

(b) *matches all characters*

(c) *sends to process to the background*

(d) *appends output to a file*

201. The – character in Linux _____.

(a) *stores exit status of previous command*

(b) *denotes standard input*

(c) *sends to process to the background*

(d) *appends output to a file*

202. The ~ character in Linux _____.

(a) *denotes home directory*

(b) *denotes standard input*

(c) *sends to process to the background*

(d) *appends output to a file*

203. The [[...]] sequence in Linux _____.

(a) *tests the enclosed condition*

(b) *denotes standard input*

(c) *sends to process to the background*

(d) *appends output to a file*

204. The ! sequence in Linux _____.

(a) *tests the enclosed condition*

(b) *denotes standard input*

(c) *negates given condition*

(d) *appends output to a file*

205. The && sequence in Linux _____.

(a) *tests the enclosed condition*

(b) *denotes standard input*

(c) *runs the right side process only if the left side process fails*

(d) *runs the right side process only if the left side process succeeds*

206. The || sequence in Linux _____.

(a) *tests the enclosed condition*

(b) *denotes standard input*

(c) *runs the right side process only if the left side process fails*

- (d) runs the right side process only if the left side process succeeds

Answers (437 - 642)

- | | | | | | | | |
|---------|---------|---------|---------|----------|----------|----------|----------|
| 1. (a) | 2. (c) | 3. (d) | 4. (b) | 93. (b) | 94. (a) | 95. (a) | 96. (a) |
| 5. (d) | 6. (a) | 7. (b) | 8. (c) | 97. (d) | 98. (d) | 99. (a) | 100. (b) |
| 9. (a) | 10. (b) | 11. (d) | 12. (a) | 101. (c) | 102. (d) | 103. (a) | 104. (b) |
| 13. (c) | 14. (a) | 15. (b) | 16. (d) | 105. (d) | 106. (a) | 107. (b) | 108. (a) |
| 17. (a) | 18. (d) | 19. (c) | 20. (a) | 109. (b) | 110. (c) | 111. (b) | 112. (c) |
| 21. (b) | 22. (d) | 23. (a) | 24. (d) | 113. (d) | 114. (a) | 115. (c) | 116. (d) |
| 25. (a) | 26. (c) | 27. (a) | 28. (c) | 117. (b) | 118. (a) | 119. (b) | 120. (c) |
| 29. (b) | 30. (d) | 31. (a) | 32. (a) | 121. (a) | 122. (c) | 123. (b) | 124. (d) |
| 33. (b) | 34. (c) | 35. (d) | 36. (b) | 125. (d) | 126. (a) | 127. (b) | 128. (c) |
| 37. (c) | 38. (a) | 39. (b) | 40. (d) | 129. (c) | 130. (a) | 131. (b) | 132. (c) |
| 41. (a) | 42. (d) | 43. (b) | 44. (c) | 133. (d) | 134. (b) | 135. (a) | 136. (b) |
| 45. (b) | 46. (d) | 47. (a) | 48. (c) | 137. (c) | 138. (d) | 139. (b) | 140. (c) |
| 49. (b) | 50. (d) | 51. (a) | 52. (d) | 141. (a) | 142. (d) | 143. (a) | 144. (b) |
| 53. (c) | 54. (b) | 55. (a) | 56. (c) | 145. (d) | 146. (d) | 147. (c) | 148. (a) |
| 57. (d) | 58. (b) | 59. (a) | 60. (c) | 149. (b) | 150. (c) | 151. (d) | 152. (b) |
| 61. (d) | 62. (a) | 63. (d) | 64. (b) | 153. (c) | 154. (c) | 155. (b) | 156. (c) |
| 65. (c) | 66. (a) | 67. (b) | 68. (c) | 157. (a) | 158. (d) | 159. (b) | 160. (b) |
| 69. (d) | 70. (a) | 71. (a) | 72. (a) | 161. (a) | 162. (b) | 163. (d) | 164. (a) |
| 73. (b) | 74. (c) | 75. (d) | 76. (a) | 165. (d) | 166. (a) | 167. (b) | 168. (c) |
| 77. (b) | 78. (c) | 79. (a) | 80. (d) | 169. (d) | 170. (a) | 171. (a) | 172. (b) |
| 81. (c) | 82. (a) | 83. (b) | 84. (d) | 173. (c) | 174. (d) | 175. (d) | 176. (a) |
| 85. (a) | 86. (b) | 87. (c) | 88. (a) | 177. (b) | 178. (c) | 179. (d) | 180. (d) |
| 89. (b) | 90. (c) | 91. (d) | 92. (a) | 181. (a) | 182. (b) | 183. (c) | 184. (d) |
| | | | | 185. (c) | 186. (c) | 187. (a) | 188. (d) |
| | | | | 189. (b) | 190. (c) | 191. (b) | 192. (c) |
| | | | | 193. (a) | 194. (b) | 195. (c) | 196. (d) |
| | | | | 197. (d) | 198. (a) | 199. (a) | 200. (c) |
| | | | | 201. (b) | 202. (a) | 203. (a) | 204. (c) |
| | | | | 205. (d) | 206. (c) | | |

1.4 MS Word

1.4.1 Introduction to various application in MS Office

1. The collection of Microsoft tools for preparation of documents, spreadsheets, presentations, database management, time scheduling and mailing is called
 - (a) *MS Office*
 - (b) OpenOffice.org
 - (c) StarOffice
 - (d) LibreOffice
2. In MS Office, _____ is the software for preparation of documents.
 - (a) MS Access
 - (b) *MS Word*
 - (c) MS Excel
 - (d) MS Powerpoint
3. In MS Office, _____ is the software for preparation of spreadsheets.
 - (a) MS Access
 - (b) MS Word
 - (c) *MS Excel*
 - (d) MS Powerpoint
4. In MS Office, _____ is the software for preparation of presentations.
 - (a) MS Access
 - (b) MS Word
 - (c) MS Excel
 - (d) *MS Powerpoint*
5. In MS Office, _____ is the software for preparation of databases.
 - (a) *MS Access*
 - (b) MS Word
 - (c) MS Excel
 - (d) MS Powerpoint
6. In MS Office, _____ is the software for managing emails.
 - (a) MS Access
 - (b) MS Publisher
 - (c) *MS Outlook*
 - (d) MS Onenote
7. In MS Office, _____ is the software for preparation of banners, ID cards, brochures and page based professional publications.
 - (a) MS Access
 - (b) *MS Publisher*
 - (c) MS Outlook
 - (d) MS Onenote
8. In MS Office, _____ is the software for preparation and sharing of notes.
 - (a) MS Access
 - (b) MS Publisher
 - (c) MS Outlook
 - (d) *MS Onenote*

1.4.2 Features of MS Word

9. The default extension for an MS Word document is _____.
 - (a) .docx
 - (b) .doc
 - (c) *both a & b*
 - (d) neither a nor b
10. MS Word can be used for the preparation of _____.
 - (a) letters
 - (b) books/ reports/theses
 - (c) brochures/ visiting cards
 - (d) *all of them*
11. In Graphical User Interface (GUI) based programs, WYSWYG stands for _____.
 - (a) *Whatever You See, Wherever You Get*
 - (b) *What You See, What You Get*
 - (c) *Whichever You See, What You Get*
 - (d) *Wherever You See, What You Get*
12. The paradigm of WYSWYG signifies that _____.
 - (a) *the printed document resembles exactly what you see on screen*
 - (b) printed document is different from that on screen
 - (c) screen document is better than printed one
 - (d) printed one is better than screen document
13. _____ in MS Word serves as a standard typeset document for creating professional looking documents.
 - (a) Macro
 - (b) XML
 - (c) *Template*
 - (d) HTML
14. The collection of artworks/images available in MS Office is called _____.
 - (a) drawing
 - (b) images
 - (c) *cliparts*
 - (d) tables
15. To create mail merged results, MS Word can take address input from _____.
 - (a) MS Excel
 - (b) MS Access
 - (c) text files
 - (d) *all of them*
16. In MS Word, spelling mistakes are highlighted by _____.
 - (a) bold text
 - (b) green underline
 - (c) *red underline*
 - (d) italic text
17. In MS Word, grammatic errors are highlighted by _____.
 - (a) bold text
 - (b) *green underline*

- (c) red underline
(d) italic text
18. MS Word can handle _____ to enrich a document.
(a) lists (b) images
(c) tables (d) *all of them*
19. The text or image which appears faintly in the background of a page is called _____.
(a) *water mark* (b) trade mark
(c) copy right (d) embossing

1.4.3 Office button in MS Word

20. MS Office button is located on the _____ of MS Word window.
(a) top right (b) *top left*
(c) bottom left (d) bottom right
21. _____ is the shortcut to open Office menu of MS Word.
(a) *Alt + H* (b) *Alt + N*
(c) *Alt + P* (d) *Alt + F*
22. The save button in MS Office menu can be accessed through _____.
(a) *Alt + F + S*
(b) *Ctrl + S*
(c) *both Alt + F + S & Ctrl + S*
(d) none of them
23. To access Save As item in Office menu of MS Word, use _____ shortcut.
(a) *Alt + F + A* (b) *Ctrl + O*
(c) *Ctrl + N* (d) *Ctrl + P*
24. To select Open item in Office menu of MS Word, use _____ shortcut.
(a) *Ctrl + O*
(b) *Alt + F + O*
(c) *both Ctrl + O & Alt + F + O*
(d) *Ctrl + S*
25. For Close item in MS Office menu, use _____ shortcut.
(a) *Alt + F + A* (b) *Ctrl + O*
(c) *Ctrl + N* (d) *Alt + F + C*
26. To select Info item in MS Office menu, use _____ shortcut.
(a) *Alt + F + A* (b) *Ctrl + O*
(c) *Alt + F + I* (d) *Alt + F + C*
27. To view recently opened files, use _____ shortcut in Office menu of MS Word.
(a) *Alt + F + R* (b) *Ctrl + O*
(c) *Ctrl + F + I* (d) *Ctrl + F + C*
28. To select New item in Office menu of MS Word, use _____ shortcut.
(a) *Ctrl + S*

- (b) *Ctrl + N*
(c) *Alt + F + N*
(d) *both Ctrl + N & Alt + F + N*
29. To select Print item in MS Office menu, use _____ shortcut.
(a) *Ctrl + P*
(b) *Alt + F + P*
(c) *both Ctrl + P & Alt + F + P*
(d) *Ctrl + S*
30. To select Save & Send item in MS Office menu, use _____ shortcut.
(a) *Ctrl + P*
(b) *Alt + F + D*
(c) *Alt + F + H or F1*
(d) *Ctrl + S*
31. To select Help item in MS Office menu, use _____ shortcut.
(a) *Ctrl + P*
(b) *Alt + F + D*
(c) *Alt + F + H or F1*
(d) *Ctrl + S*
32. To select Options item in MS Office menu, use _____ shortcut.
(a) *Alt + F + X*
(b) *Alt + F + D*
(c) *Alt + F + H or F1*
(d) *Alt + F + T*
33. To select Exit item in MS Office menu, use _____ shortcut.
(a) *Alt + F + X*
(b) *Alt + F + D*
(c) *Alt + F + H or F1*
(d) *Alt + F + T*

1.4.4 Menus and toolbars in MS Word

34. The first menu, containing most common tools required for preparation of document in MS Word, is called _____.
(a) *Home* (b) Insert
(c) Page Layout (d) References
35. The tools for Clipboard, Font Style, Paragraph Formatting, Styles & Search are contained in _____ menu.
(a) *Home* (b) Insert
(c) Page Layout (d) References
36. _____ is the shortcut for Home menu in MS Word.
(a) *Alt+H* (b) *Alt+N*
(c) *Alt+P* (d) *Alt+S*

37. _____ menu permits insertion of tables, images, drawing objects and hyperlinks, headers and footers in MS Word.
- (a) Home (b) *Insert*
(c) Page Layout (d) References
38. _____ is the shortcut for Insert menu in MS Word.
- (a) Alt+H (b) *Alt+N*
(c) Alt+P (d) Alt+S
39. _____ menu contains tools to control theme, page setup, page background, paragraph & text wrap.
- (a) Home (b) Insert
(c) *Page Layout* (d) References
40. _____ is the shortcut for Page Layout menu in MS Word.
- (a) Alt+H (b) Alt+N
(c) *Alt+P* (d) Alt+S
41. _____ menu contains tools related to table of contents, foot notes, citation, bibliography, caption, index & table of authorities.
- (a) Home (b) Insert
(c) Page Layout (d) *References*
42. _____ is the shortcut for References menu in MS Word.
- (a) Alt+H (b) Alt+N
(c) Alt+P (d) *Alt+S*
43. _____ menu contains tools for creating mailings, merging mails, inserting merge fields, preview of mail merged results, printing mail merged pages or saving the mail merge results in a new file.
- (a) Home (b) *Mailings*
(c) Review (d) References
44. _____ is the shortcut for Mailings menu in MS Word.
- (a) Alt+H (b) *Alt+M*
(c) Alt+R (d) Alt+S
45. _____ menu contains tools for proofing, languages, comments, tracking, changes, compare & protect.
- (a) Home (b) Mailings
(c) *Review* (d) References
46. _____ is the shortcut for Review menu in MS Word.
- (a) Alt+H (b) Alt+M
(c) *Alt+R* (d) Alt+S
47. _____ menu contains tools for document views, showing/hiding ruler, zoom, managing windows & macros.
- (a) *View* (b) Mailings

- (c) Review (d) References
48. _____ is the shortcut for View menu in MS Word.
- (a) *Alt+W* (b) Alt+M
(c) Alt+R (d) Alt+S

Home menu in MS Word

49. Clipboard menu can be accessed using the shortcut _____.
- (a) *Alt+H+FO*
(b) Ctrl+X/ Alt+H+X
(c) Ctrl+C/ Alt+H+C
(d) Ctrl+V/ Alt+H+V
50. In MS Word, selected content can be cut using the shortcut _____.
- (a) Alt+H+FO
(b) *Ctrl+X/ Alt+H+X*
(c) Ctrl+C/ Alt+H+C
(d) Ctrl+V/ Alt+H+V
51. In MS Word, selected content can be copied to clipboard using the shortcut _____.
- (a) *Alt+H+FO*
(b) Ctrl+X/ Alt+H+X
(c) *Ctrl+C/ Alt+H+C*
(d) Ctrl+V/ Alt+H+V
52. In MS Word, contents of clipboard may be pasted to the document using the shortcut _____.
- (a) Alt+H+FO
(b) Ctrl+X/ Alt+H+X
(c) Ctrl+C/ Alt+H+C
(d) *Ctrl+V/ Alt+H+V*
53. In MS Word, format painter may be accessed using the shortcut _____.
- (a) *Alt+H+FP*
(b) Ctrl+X/ Alt+H+X
(c) Ctrl+C/ Alt+H+C
(d) Ctrl+V/ Alt+H+V
54. In MS Word, font style may be accessed using the shortcut _____.
- (a) *Alt+H+FN*
(b) Ctrl+B/ Alt+H+1
(c) Ctrl+I/ Alt+H+2
(d) Ctrl+U/ Alt+H+3
55. In MS Word, bold font style may be accessed using the shortcut _____.
- (a) Alt+H+FN
(b) *Ctrl+B/ Alt+H+1*
(c) Ctrl+I/ Alt+H+2
(d) Ctrl+U/ Alt+H+3

- 56.** In MS Word, italic font style may be accessed using the shortcut -----.
- Alt+H+FN
 - Ctrl+B/ Alt+H+1
 - Ctrl+I/ Alt+H+2*
 - Ctrl+U/ Alt+H+3
- 57.** In MS Word, underline font style may be accessed using the shortcut -----.
- Alt+H+FN
 - Ctrl+B/ Alt+H+1
 - Ctrl+I/ Alt+H+2
 - Ctrl+U/ Alt+H+3*
- 58.** In MS Word, subscript font style may be accessed using the shortcut -----.
- Alt+H+4
 - Ctrl+Plus/ Alt+H+5*
 - Ctrl+Shift+Plus/ Alt+H+6
 - Alt+H+FF
- 59.** In MS Word, superscript font style may be accessed using the shortcut -----.
- Alt+H+4
 - Ctrl+Plus/ Alt+H+5
 - Ctrl+Shift+Plus/ Alt+H+6*
 - Alt+H+FF
- 60.** In MS Word, font name may be accessed using the shortcut -----.
- Alt+H+4
 - Ctrl+Plus/ Alt+H+5
 - Ctrl+Shift+Plus/ Alt+H+6
 - Alt+H+FF*
- 61.** In MS Word, strike through font style may be accessed using the shortcut -----.
- Alt+H+4*
 - Ctrl+Plus/ Alt+H+5
 - Ctrl+Shift+Plus/ Alt+H+6
 - Alt+H+FF
- 62.** In MS Word, font size may be accessed using the shortcut -----.
- Alt+H+FC
 - Ctrl+Plus/ Alt+H+5
 - Ctrl+Shift+Plus/ Alt+H+6
 - Alt+H+FS*
- 63.** In MS Word, fill color may be accessed using the shortcut -----.
- Alt+H+FC*
 - Ctrl+Plus/ Alt+H+5
 - Ctrl+Shift+Plus/ Alt+H+6
 - Alt+H+FS
- 64.** In MS Word, paragraph formatting may be accessed using the shortcut -----.
- Alt+H+U
 - Alt+H+N
 - Alt+H+M
 - Alt+H+PG*
- 65.** In MS Word, bullets may be accessed using the shortcut -----.
- Alt+H+U*
 - Alt+H+N
 - Alt+H+M
 - Alt+H+PG
- 66.** In MS Word, numbering may be accessed using the shortcut -----.
- Alt+H+U
 - Alt+H+N*
 - Alt+H+M
 - Alt+H+PG
- 67.** In MS Word, multi-level list may be accessed using the shortcut -----.
- Alt+H+U
 - Alt+H+N
 - Alt+H+M*
 - Alt+H+PG
- 68.** In MS Word, left alignment of paragraph may be accessed using the shortcut -----.
- Ctrl+L/ Alt+H+AL*
 - Ctrl+J/ Alt+H+AJ
 - Ctrl+E/ Alt+H+AC
 - Ctrl+R/ Alt+H+AR
- 69.** In MS Word, right alignment of paragraph may be accessed using the shortcut -----.
- Ctrl+L/ Alt+H+AL
 - Ctrl+J/ Alt+H+AJ
 - Ctrl+E/ Alt+H+AC
 - Ctrl+R/ Alt+H+AR*
- 70.** In MS Word, centre alignment of paragraph may be accessed using the shortcut -----.
- Ctrl+L/ Alt+H+AL
 - Ctrl+J/ Alt+H+AJ
 - Ctrl+E/ Alt+H+AC*
 - Ctrl+R/ Alt+H+AR
- 71.** In MS Word, justified alignment of paragraph may be accessed using the shortcut -----.
- Ctrl+L/ Alt+H+AL
 - Ctrl+J/ Alt+H+AJ*
 - Ctrl+E/ Alt+H+AC
 - Ctrl+R/ Alt+H+AR
- 72.** In MS Word, line spacing of paragraph may be accessed using the shortcut -----.
- Alt+H+K*
 - Alt+H+B
 - Alt+H+H
 - Alt+H+AO
- 73.** In MS Word, borders may be accessed using the shortcut -----.
- Alt+H+K
 - Alt+H+B*
 - Alt+H+H
 - Alt+H+AO
- 74.** In MS Word, fill colour may be accessed using the shortcut -----.

- (a) Alt+H+K (b) Alt+H+B
(c) Alt+H+H (d) Alt+H+AO
- 75.** In MS Word, indent may be decreased using the shortcut _____.
(a) Alt+H+AI (b) Alt+H+B
(c) Alt+H+H (d) Alt+H+AO
- 76.** In MS Word, indent may be increased using the shortcut _____.
(a) Alt+H+AI (b) Alt+H+B
(c) Alt+H+H (d) Alt+H+AO
- 77.** In MS Word, styles dialog may be changed using the shortcut _____.
(a) Alt+H+FY
(b) Alt+H+L
(c) Alt+H+G
(d) Ctrl+F/ Alt+H+FD
- 78.** In MS Word, styles may be changed using the shortcut _____.
(a) Alt+H+FY
(b) Alt+H+L
(c) Alt+H+G
(d) Ctrl+F/ Alt+H+FD
- 79.** In MS Word, normal style may be set using the shortcut _____.
(a) Alt+H+FY
(b) Alt+H+L
(c) Alt+H+G
(d) Ctrl+F/ Alt+H+FD
- 80.** In MS Word, search and find may be accessed using the shortcut _____.
(a) Ctrl+H/ Alt+H+R
(b) Alt+H+SL
(c) Ctrl+A/ Alt+H+SL+A
(d) Ctrl+F/ Alt+H+FD
- 81.** In MS Word, search and replace may be accessed using the shortcut _____.
(a) Ctrl+H/ Alt+H+R
(b) Alt+H+SL
(c) Ctrl+A/ Alt+H+SL+A
(d) Ctrl+F/ Alt+H+FD
- 82.** In MS Word, text selection may be accessed using the shortcut _____.
(a) Ctrl+H/ Alt+H+R
(b) Alt+H+SL
(c) Ctrl+A/ Alt+H+SL+A
(d) Ctrl+F/ Alt+H+FD
- 83.** In MS Word, select all may be accessed using the shortcut _____.
(a) Ctrl+H/ Alt+H+R
(b) Alt+H+SL
(c) Ctrl+A/ Alt+H+SL+A
(d) Ctrl+F/ Alt+H+FD

Insert menu in MS Word

- 84.** In MS Word, cover page may be inserted using the shortcut _____.
(a) Alt+N+NP (b) Alt+N+V
(c) Alt+N+B (d) Alt+N+T
- 85.** In MS Word, blank page may be inserted using the shortcut _____.
(a) Alt+N+NP (b) Alt+N+V
(c) Alt+N+B (d) Alt+N+T
- 86.** In MS Word, page break may be inserted using the shortcut _____.
(a) Alt+N+NP (b) Alt+N+V
(c) Alt+N+B (d) Alt+N+T
- 87.** In MS Word, table may be inserted using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+V (d) Alt+N+T
- 88.** In MS Word, text with column separation by TAB and row separation by NEWLINE may be converted to table using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+V (d) Alt+N+T
- 89.** In MS Word, table may be created by drawing on screen using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+V (d) Alt+N+T
- 90.** In MS Word, table may be created by choosing rows and columns using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+V (d) Alt+N+T
- 91.** In MS Word, Excel spreadsheet may be inserted as table using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+X (d) Alt+N+T+T
- 92.** In MS Word, quick table from ready made templates may be inserted using the shortcut _____.
(a) Alt+N+T+I (b) Alt+N+D
(c) Alt+N+T+X (d) Alt+N+T+T
- 93.** In MS Word, pictures may be inserted using the shortcut _____.
(a) Alt+N+P (b) Alt+N+F
(c) Alt+N+SH (d) Alt+N+C
- 94.** In MS Word, clip arts may be inserted using the shortcut _____.
(a) Alt+N+P (b) Alt+N+F
(c) Alt+N+SH (d) Alt+N+C

- 95.** In MS Word, shapes like line, rectangle, circle, text box, etc. may be inserted using the shortcut _____.
- (a) *Alt+N+P* (b) *Alt+N+F*
(c) *Alt+N+SH* (d) *Alt+N+C*
- 96.** In MS Word, chart may be inserted using the shortcut _____.
- (a) *Alt+N+P* (b) *Alt+N+F*
(c) *Alt+N+SH* (d) *Alt+N+C*
- 97.** In MS Word, smart art may be inserted using the shortcut _____.
- (a) *Alt+N+P* (b) *Alt+N+M*
(c) *Alt+N+SC* (d) *Alt+N+C*
- 98.** In MS Word, screen shot may be inserted using the shortcut _____.
- (a) *Alt+N+P* (b) *Alt+N+M*
(c) *Alt+N+SC* (d) *Alt+N+C*
- 99.** In MS Word, hyper link may be inserted using the shortcut _____.
- (a) *Alt+N+I* (b) *Alt+N+K*
(c) *Alt+N+RF* (d) *Alt+N+H*
- 100.** In MS Word, bookmark may be inserted using the shortcut _____.
- (a) *Alt+N+I* (b) *Alt+N+K*
(c) *Alt+N+RF* (d) *Alt+N+H*
- 101.** In MS Word, cross references may be inserted using the shortcut _____.
- (a) *Alt+N+I* (b) *Alt+N+K*
(c) *Alt+N+RF* (d) *Alt+N+H*
- 102.** In MS Word, header may be inserted using the shortcut _____.
- (a) *Alt+N+NU* (b) *Alt+N+X*
(c) *Alt+N+O* (d) *Alt+N+H*
- 103.** In MS Word, footer may be inserted using the shortcut _____.
- (a) *Alt+N+NU* (b) *Alt+N+X*
(c) *Alt+N+O* (d) *Alt+N+H*
- 104.** In MS Word, page number may be inserted using the shortcut _____.
- (a) *Alt+N+NU* (b) *Alt+N+X*
(c) *Alt+N+O* (d) *Alt+N+H*
- 105.** In MS Word, text box may be inserted using the shortcut _____.
- (a) *Alt+N+NU* (b) *Alt+N+X*
(c) *Alt+N+O* (d) *Alt+N+H*
- 106.** In MS Word, word art may be inserted using the shortcut _____.
- (a) *Alt+N+Q* (b) *Alt+N+X*
(c) *Alt+N+I* (d) *Alt+N+RC*
- 107.** In MS Word, quick parts may be inserted using the shortcut _____.
- (a) *Alt+N+Q* (b) *Alt+N+X*
(c) *Alt+N+I* (d) *Alt+N+RC*

- 108.** In MS Word, drop cap may be inserted using the shortcut _____.
- (a) *Alt+N+Q* (b) *Alt+N+X*
(c) *Alt+N+I* (d) *Alt+N+RC*
- 109.** In MS Word, signature may be inserted using the shortcut _____.
- (a) *Alt+N+G* (b) *Alt+N+D*
(c) *Alt+N+J* (d) *Alt+N+RC*
- 110.** In MS Word, date & time may be inserted using the shortcut _____.
- (a) *Alt+N+G* (b) *Alt+N+D*
(c) *Alt+N+J* (d) *Alt+N+RC*
- 111.** In MS Word, object may be inserted using the shortcut _____.
- (a) *Alt+N+G* (b) *Alt+N+D*
(c) *Alt+N+J* (d) *Alt+N+RC*
- 112.** In MS Word, equations may be inserted using the shortcut _____.
- (a) *Alt+N+U/ Alt+N+U+M*
(b) *Alt+N+D*
(c) *Alt+N+J*
(d) *Alt+N+E/ Alt+N+E+I*
- 113.** In MS Word, symbols and special characters may be inserted using the shortcut _____.
- (a) *Alt+N+U/ Alt+N+U+M*
(b) *Alt+N+D*
(c) *Alt+N+J*
(d) *Alt+N+E/ Alt+N+E+I*

Page Layout menu in MS Word

- 114.** In MS Word, document theme may be accessed using the shortcut _____.
- (a) *Alt+P+TH* (b) *Alt+P+TC*
(c) *Alt+P+TF* (d) *Alt+P+TE*
- 115.** In MS Word, document colors may be accessed using the shortcut _____.
- (a) *Alt+P+TH* (b) *Alt+P+TC*
(c) *Alt+P+TF* (d) *Alt+P+TE*
- 116.** In MS Word, document fonts may be accessed using the shortcut _____.
- (a) *Alt+P+TH* (b) *Alt+P+TC*
(c) *Alt+P+TF* (d) *Alt+P+TE*
- 117.** In MS Word, document effects may be accessed using the shortcut _____.
- (a) *Alt+P+TH* (b) *Alt+P+TC*
(c) *Alt+P+TF* (d) *Alt+P+TE*
- 118.** In MS Word, page setup may be accessed using the shortcut _____.
- (a) *Alt+P+SP* (b) *Alt+P+M*
(c) *Alt+P+O* (d) *Alt+P+SZ*

- 119.** In MS Word, margins of page may be modified using the shortcut -----
 (a) Alt+P+SP (b) Alt+P+M
 (c) Alt+P+O (d) Alt+P+SZ
- 120.** In MS Word, orientation of page may be modified using the shortcut -----
 (a) Alt+P+SP (b) Alt+P+M
 (c) Alt+P+O (d) Alt+P+SZ
- 121.** In MS Word, size of page may be modified using the shortcut -----
 (a) Alt+P+SP (b) Alt+P+M
 (c) Alt+P+O (d) Alt+P+SZ
- 122.** In MS Word, columns in page may be modified using the shortcut -----
 (a) Alt+P+J/ Alt+P+J+C
 (b) Alt+P+B
 (c) Alt+P+LN
 (d) Alt+P+H
- 123.** In MS Word, page breaks may be modified using the shortcut -----
 (a) Alt+P+J/ Alt+P+J+C
 (b) Alt+P+B
 (c) Alt+P+LN
 (d) Alt+P+H
- 124.** In MS Word, line number may be inserted or removed using the shortcut -----
 (a) Alt+P+J/ Alt+P+J+C
 (b) Alt+P+B
 (c) Alt+P+LN
 (d) Alt+P+H
- 125.** In MS Word, hyphenation may be inserted or removed using the shortcut -----
 (a) Alt+P+J/ Alt+P+J+C
 (b) Alt+P+B
 (c) Alt+P+LN
 (d) Alt+P+H
- 126.** In MS Word, paragraph layout may be accessed using the shortcut -----
 (a) Alt+P+PG (b) Alt+P+IL
 (c) Alt+P+IR (d) Alt+P+SB
- 127.** In MS Word, left indent may be accessed using the shortcut -----
 (a) Alt+P+SA (b) Alt+P+IL
 (c) Alt+P+IR (d) Alt+P+SB
- 128.** In MS Word, right indent may be accessed using the shortcut -----
 (a) Alt+P+SA (b) Alt+P+IL
 (c) Alt+P+IR (d) Alt+P+SB
- 129.** In MS Word, spacing before paragraph may be accessed using the shortcut -----
 (a) Alt+P+SA (b) Alt+P+IL

- (c) Alt+P+IR (d) Alt+P+SB
- 130.** In MS Word, spacing after paragraph may be accessed using the shortcut -----
 (a) Alt+P+SA (b) Alt+P+IL
 (c) Alt+P+IR (d) Alt+P+SB
- 131.** In MS Word, objects may be arranged in position using the shortcut -----
 (a) Alt+P+PO (b) Alt+P+TW
 (c) Alt+P+AF (d) Alt+P+AE
- 132.** In MS Word, text wrapping may be accessed using the shortcut -----
 (a) Alt+P+PO (b) Alt+P+TW
 (c) Alt+P+AF (d) Alt+P+AE
- 133.** In MS Word, bring forward may be accessed using the shortcut -----
 (a) Alt+P+PO (b) Alt+P+TW
 (c) Alt+P+AF (d) Alt+P+AE
- 134.** In MS Word, selection pane may be accessed using the shortcut -----
 (a) Alt+P+AP (b) Alt+P+TW
 (c) Alt+P+AF (d) Alt+P+AE
- 135.** In MS Word, paragraph selection may be accessed using the shortcut -----
 (a) Alt+P+AP (b) Alt+P+AA
 (c) Alt+P+G (d) Alt+P+AY
- 136.** In MS Word, alignment of page may be accessed using the shortcut -----
 (a) Alt+P+AP (b) Alt+P+AA
 (c) Alt+P+G (d) Alt+P+AY
- 137.** In MS Word, grouping of objects may be accessed using the shortcut -----
 (a) Alt+P+AP (b) Alt+P+AA
 (c) Alt+P+G (d) Alt+P+AY
- 138.** In MS Word, object rotation may be accessed using the shortcut -----
 (a) Alt+P+AP (b) Alt+P+AA
 (c) Alt+P+G (d) Alt+P+AY

References menu in MS Word

- 139.** In MS Word, table of contents may be inserted using the shortcut -----
 (a) Alt+S+A (b) Alt+S+T
 (c) Alt+S+U (d) Alt+S+Q
- 140.** In MS Word, add text may be accessed using the shortcut -----
 (a) Alt+S+A (b) Alt+S+T
 (c) Alt+S+U (d) Alt+S+Q
- 141.** In MS Word, table of contents may be updated using the shortcut -----
 (a) Alt+S+A (b) Alt+S+T

- (c) *Alt+S+U* (d) *Alt+S+Q*
- 142.** In MS Word, foot notes dialog may be accessed using the shortcut -----.
- (a) *Alt+S+A* (b) *Alt+S+T*
(c) *Alt+S+U* (d) *Alt+S+Q*
- 143.** In MS Word, foot notes may be inserted using the shortcut -----.
- (a) *Alt+S+F* (b) *Alt+S+E*
(c) *Alt+S+O* (d) *Alt+S+H*
- 144.** In MS Word, end notes may be inserted using the shortcut -----.
- (a) *Alt+S+F* (b) *Alt+S+E*
(c) *Alt+S+O* (d) *Alt+S+H*
- 145.** In MS Word, next foot notes may be inserted using the shortcut -----.
- (a) *Alt+S+F* (b) *Alt+S+E*
(c) *Alt+S+O* (d) *Alt+S+H*
- 146.** In MS Word, show notes (to view all foot/end notes) may be accessed using the shortcut -----.
- (a) *Alt+S+F* (b) *Alt+S+E*
(c) *Alt+S+O* (d) *Alt+S+H*
- 147.** In MS Word, citation may be inserted using the shortcut -----.
- (a) *Alt+S+C* (b) *Alt+S+M*
(c) *Alt+S+L* (d) *Alt+S+B*
- 148.** In MS Word, manage citation sources dialog may be accessed using the shortcut -----.
- (a) *Alt+S+C* (b) *Alt+S+M*
(c) *Alt+S+L* (d) *Alt+S+B*
- 149.** In MS Word, bibliography may be accessed using the shortcut -----.
- (a) *Alt+S+C* (b) *Alt+S+M*
(c) *Alt+S+L* (d) *Alt+S+B*
- 150.** In MS Word, citation style be accessed using the shortcut -----.
- (a) *Alt+S+C* (b) *Alt+S+M*
(c) *Alt+S+L* (d) *Alt+S+B*
- 151.** In MS Word, insert caption may be accessed using the shortcut -----.
- (a) *Alt+S+P* (b) *Alt+S+G*
(c) *Alt+S+V* (d) *Alt+S+RF*
- 152.** In MS Word, table of figures may be inserted using the shortcut -----.
- (a) *Alt+S+P* (b) *Alt+S+G*
(c) *Alt+S+V* (d) *Alt+S+RF*
- 153.** In MS Word, table of figures may be updated using the shortcut -----.
- (a) *Alt+S+P* (b) *Alt+S+G*
(c) *Alt+S+V* (d) *Alt+S+RF*
- 154.** In MS Word, cross references may be inserted using the shortcut -----.

- (a) *Alt+S+P* (b) *Alt+S+G*
(c) *Alt+S+V* (d) *Alt+S+RF*
- 155.** In MS Word, mark entry under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+N* (b) *Alt+S+X*
(c) *Alt+S+D* (d) *Alt+S+I*
- 156.** In MS Word, insert index under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+N* (b) *Alt+S+X*
(c) *Alt+S+D* (d) *Alt+S+I*
- 157.** In MS Word, update index under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+N* (b) *Alt+S+X*
(c) *Alt+S+D* (d) *Alt+S+I*
- 158.** In MS Word, mark citation under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+N* (b) *Alt+S+X*
(c) *Alt+S+D* (d) *Alt+S+I*
- 159.** In MS Word, insert table of authorities under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+RT* (b) *Alt+S+RU*
(c) *Alt+S+D* (d) *Alt+S+I*
- 160.** In MS Word, update table of authorities under references menu may be accessed using the shortcut -----.
- (a) *Alt+S+RT* (b) *Alt+S+RU*
(c) *Alt+S+D* (d) *Alt+S+I*

Mailings menu in MS Word

- 161.** ----- menu contains items required for mail merge functionality in MS Word.
- (a) Home (b) Insert
(c) Mailings (d) Reference
- 162.** ----- is the shortcut to create envelopes using Mailings menu in MS Word.
- (a) *Alt+M+E* (b) *Alt+M+L*
(c) *Alt+M+S* (d) *Alt+M+R*
- 163.** ----- is the shortcut to create labels using Mailings menu in MS Word.
- (a) *Alt+M+E* (b) *Alt+M+L*
(c) *Alt+M+S* (d) *Alt+M+R*
- 164.** ----- is the shortcut to start mail merge in MS Word.
- (a) *Alt+M+E* (b) *Alt+M+L*
(c) *Alt+M+S* (d) *Alt+M+R*

- 165.** _____ is the shortcut to select the list of recipients for mailings in MS Word.
 (a) Alt+M+E (b) Alt+M+L
 (c) Alt+M+S (d) Alt+M+R
- 166.** _____ is the shortcut to type new list of recipients for Mailings in MS Word.
 (a) Alt+M+R+E (b) Alt+M+R+N
 (c) Alt+M+R+O (d) Alt+M+D
- 167.** _____ is the shortcut to use existing list of recipients for Mailings in MS Word.
 (a) Alt+M+R+E (b) Alt+M+R+N
 (c) Alt+M+R+O (d) Alt+M+D
- 168.** _____ is the shortcut to use contacts from Outlook Express for Mailings in MS Word.
 (a) Alt+M+R+E (b) Alt+M+R+N
 (c) Alt+M+R+O (d) Alt+M+D
- 169.** _____ is the shortcut to edit the list of recipients for Mailings in MS Word.
 (a) Alt+M+R+E (b) Alt+M+R+N
 (c) Alt+M+R+O (d) Alt+M+D
- 170.** _____ is the shortcut to highlight merge fields of Mailings in MS Word.
 (a) Alt+M+H (b) Alt+M+A
 (c) Alt+M+G (d) Alt+M+I
- 171.** _____ is the shortcut to open address book for Mailings in MS Word.
 (a) Alt+M+H (b) Alt+M+A
 (c) Alt+M+G (d) Alt+M+I
- 172.** _____ is the shortcut to open greeting line for Mailings in MS Word.
 (a) Alt+M+H (b) Alt+M+A
 (c) Alt+M+G (d) Alt+M+I
- 173.** _____ is the shortcut to insert merge field for Mailings in MS Word.
 (a) Alt+M+H (b) Alt+M+A
 (c) Alt+M+G (d) Alt+M+I
- 174.** _____ is the shortcut to rules for Mailings in MS Word.
 (a) Alt+M+U (b) Alt+M+A
 (c) Alt+M+B (d) Alt+M+T
- 175.** _____ is the shortcut to match fields for Mailings in MS Word.
 (a) Alt+M+U (b) Alt+M+A
 (c) Alt+M+B (d) Alt+M+T
- 176.** _____ is the shortcut to update labels for Mailings in MS Word.
 (a) Alt+M+U (b) Alt+M+A
 (c) Alt+M+B (d) Alt+M+T

- 177.** _____ is the shortcut to preview results for Mailings in MS Word.
 (a) Alt+M+W (b) Alt+M+P
 (c) Alt+M+Q (d) Alt+M+M
- 178.** _____ is the shortcut to preview results of the first record for Mailings in MS Word.
 (a) Alt+M+W (b) Alt+M+P
 (c) Alt+M+Q (d) Alt+M+M
- 179.** _____ is the shortcut to preview mail merge results of the last record for Mailings in MS Word.
 (a) Alt+M+W (b) Alt+M+X
 (c) Alt+M+V (d) Alt+M+M
- 180.** _____ is the shortcut to preview results of previous record for Mailings in MS Word.
 (a) Alt+M+W (b) Alt+M+P
 (c) Alt+M+Q (d) Alt+M+M
- 181.** _____ is the shortcut to set the record number to preview results for Mailings in MS Word.
 (a) Alt+M+W (b) Alt+M+P
 (c) Alt+M+Q (d) Alt+M+M
- 182.** _____ is the shortcut to preview mail merge results of the next record for Mailings in MS Word.
 (a) Alt+M+F (b) Alt+M+X
 (c) Alt+M+V (d) Alt+M+M
- 183.** _____ is the shortcut to finish and merge for Mailings in MS Word.
 (a) Alt+M+F (b) Alt+M+X
 (c) Alt+M+V (d) Alt+M+M

Review menu in MS Word

- 184.** _____ is the shortcut for spelling and grammar corrections under review menu in MS Word.
 (a) Alt+R+R (b) Alt+R+E
 (c) Alt+R+S (d) Alt+R+W
- 185.** _____ is the shortcut for research under review menu in MS Word.
 (a) Alt+R+R (b) Alt+R+E
 (c) Alt+R+S (d) Alt+R+W
- 186.** _____ is the shortcut for word count under review menu in MS Word.
 (a) Alt+R+R (b) Alt+R+E
 (c) Alt+R+S (d) Alt+R+W
- 187.** _____ is the shortcut for thesaurus under review menu in MS Word.
 (a) Alt+R+R (b) Alt+R+E
 (c) Alt+R+S (d) Alt+R+W

- 188.** _____ is the shortcut for languages under review menu in MS Word.
 (a) Alt+R+R (b) Alt+R+T
 (c) Alt+R+S (d) *Alt+R+U*
- 189.** _____ is the shortcut for translate under review menu in MS Word.
 (a) Alt+R+R (b) *Alt+R+T*
 (c) Alt+R+S (d) Alt+R+U
- 190.** _____ is the shortcut for new comment under review menu in MS Word.
 (a) *Alt+R+C* (b) Alt+R+D
 (c) Alt+R+V (d) Alt+R+N
- 191.** _____ is the shortcut for delete comment under review menu in MS Word.
 (a) Alt+R+C (b) *Alt+R+D*
 (c) Alt+R+V (d) Alt+R+N
- 192.** _____ is the shortcut for next record of comment under review menu in MS Word.
 (a) Alt+R+C (b) Alt+R+D
 (c) Alt+R+V (d) *Alt+R+N*
- 193.** _____ is the shortcut for previous record of comment under review menu in MS Word.
 (a) Alt+R+C (b) Alt+R+D
 (c) *Alt+R+V* (d) Alt+R+N
- 194.** _____ is the shortcut to track changes under review menu in MS Word.
 (a) *Alt+R+G* (b) Alt+R+TD
 (c) Alt+R+TM (d) Alt+R+TP
- 195.** _____ is the shortcut to show markup under review menu in MS Word.
 (a) Alt+R+G (b) Alt+R+TD
 (c) *Alt+R+TM* (d) Alt+R+TP
- 196.** _____ is the shortcut to show final markup under review menu in MS Word.
 (a) Alt+R+G (b) *Alt+R+TD*
 (c) Alt+R+TM (d) Alt+R+TP
- 197.** _____ is the shortcut to show reviewing pane under review menu in MS Word.
 (a) Alt+R+G (b) Alt+R+TD
 (c) Alt+R+TM (d) *Alt+R+TP*
- 198.** _____ is the shortcut to accept changes under review menu in MS Word.
 (a) *Alt+R+A* (b) Alt+R+J
 (c) Alt+R+F (d) Alt+R+H
- 199.** _____ is the shortcut to reject changes under review menu in MS Word.
 (a) Alt+R+A (b) *Alt+R+J*
 (c) Alt+R+F (d) Alt+R+H

- 200.** _____ is the shortcut to navigate to previous change under review menu in MS Word.
 (a) Alt+R+A (b) Alt+R+J
 (c) Alt+R+F (d) *Alt+R+H*
- 201.** _____ is the shortcut to navigate to next change under review menu in MS Word.
 (a) Alt+R+A (b) Alt+R+J
 (c) *Alt+R+F* (d) Alt+R+H
- 202.** _____ is the shortcut to compare documents under review menu in MS Word.
 (a) *Alt+R+M* (b) Alt+R+PB
 (c) Alt+R+PE (d) Alt+R+H
- 203.** _____ is the shortcut to block authors under review menu in MS Word.
 (a) Alt+R+M (b) *Alt+R+PB*
 (c) Alt+R+PE (d) Alt+R+H
- 204.** _____ is the shortcut to restrict editing under review menu in MS Word.
 (a) Alt+R+M (b) Alt+R+PB
 (c) *Alt+R+PE* (d) Alt+R+H

Review menu in MS Word

- 205.** Document view may be changed to Page Layout using _____ shortcut in View menu of MS Word.
 (a) *Alt+W+P* (b) Alt+W+F
 (c) Alt+W+L (d) Alt+W+U
- 206.** Document view may be changed to full screen reading using _____ shortcut in View menu of MS Word.
 (a) Alt+W+P (b) *Alt+W+F*
 (c) Alt+W+L (d) Alt+W+U
- 207.** Document view may be changed to web layout using _____ shortcut in View menu of MS Word.
 (a) Alt+W+P (b) Alt+W+F
 (c) *Alt+W+L* (d) Alt+W+U
- 208.** Document view may be changed to outline layout using _____ shortcut in View menu of MS Word.
 (a) Alt+W+P (b) Alt+W+F
 (c) Alt+W+L (d) *Alt+W+U*
- 209.** Document view may be changed to draft layout using _____ shortcut in View menu of MS Word.
 (a) Alt+W+P (b) Alt+W+F
 (c) *Alt+W+E* (d) Alt+W+U
- 210.** Ruler may be set visible or invisible using _____ shortcut in MS Word.
 (a) *Alt+W+R* (b) Alt+W+G

- (c) Alt+W+K (d) Alt+W+Q
- 211.** Grid lines may be set visible or invisible using _____ shortcut in MS Word.
- (a) Alt+W+R (b) Alt+W+G
(c) Alt+W+K (d) Alt+W+Q
- 212.** Navigation pane may be set visible or invisible using _____ shortcut in MS Word.
- (a) Alt+W+R (b) Alt+W+G
(c) Alt+W+K (d) Alt+W+Q
- 213.** Zoom options dialog may be opened using _____ shortcut in MS Word.
- (a) Alt+W+R (b) Alt+W+G
(c) Alt+W+K (d) Alt+W+Q
- 214.** Zoom level may be set to 100% using _____ shortcut in MS Word.
- (a) Alt+W+J (b) Alt+W+I
(c) Alt+W+2 (d) Alt+W+I
- 215.** Zoom level may be adjusted to width of single page using _____ shortcut in MS Word.
- (a) Alt+W+J (b) Alt+W+I
(c) Alt+W+2 (d) Alt+W+I
- 216.** Zoom level may be adjusted to width of two pages using _____ shortcut in MS Word.
- (a) Alt+W+J (b) Alt+W+I
(c) Alt+W+2 (d) Alt+W+I
- 217.** Zoom level may be adjusted to full page width using _____ shortcut in MS Word.
- (a) Alt+W+J (b) Alt+W+I
(c) Alt+W+2 (d) Alt+W+I
- 218.** New MS Word window may be opened using _____ shortcut in MS Word.
- (a) Alt+W+N (b) Alt+W+A
(c) Alt+W+S (d) Alt+W+B
- 219.** All open windows may be arranged side-by-side using _____ shortcut in MS Word.
- (a) Alt+W+N (b) Alt+W+A
(c) Alt+W+S (d) Alt+W+B
- 220.** Current window may be split to 2 parts to enable viewing of different sections of the document at the same time using _____ shortcut in MS Word.
- (a) Alt+W+N (b) Alt+W+A
(c) Alt+W+S (d) Alt+W+B
- 221.** 2 documents may be opened side by side using _____ shortcut in MS Word.
- (a) Alt+W+N (b) Alt+W+A

- (c) Alt+W+S (d) Alt+W+B
- 222.** Scrolling on 2 documents opened side by side may be synchronized using _____ shortcut in MS Word.
- (a) Alt+W+YS (b) Alt+W+T
(c) Alt+W+S (d) Alt+W+W
- 223.** Window positions of 2 side by side documents may be reset to equal proportion using _____ shortcut in MS Word.
- (a) Alt+W+YS (b) Alt+W+T
(c) Alt+W+S (d) Alt+W+W
- 224.** Cursor focus may be switched from one window to another window using _____ shortcut in MS Word.
- (a) Alt+W+YS (b) Alt+W+T
(c) Alt+W+S (d) Alt+W+W
- 225.** Macros may be recorded using _____ shortcut in MS Word.
- (a) Alt+W+YS (b) Alt+W+T
(c) Alt+W+M (d) Alt+W+W
- 226.** A set of VBA instructions to assist in carrying out recurring activities is called _____.
- (a) mail merge (b) macro
(c) thesaurus (d) spell check
- 227.** Macro may be assigned a _____ for convenient invocation.
- (a) keyboard shortcut
(b) a button on office menu
(c) either keyboard shortcut or a button in office menu
(d) neither keyboard shortcut nor a button in office menu
- 228.** Macro may be assigned a _____ for convenient invocation.
- (a) keyboard shortcut
(b) a button on office menu
(c) either keyboard shortcut or a button in office menu
(d) neither keyboard shortcut nor a button in office menu

1.4.5 Creating & saving a document in MS Word

- 229.** On opening MS Word (without clicking on a target document), it displays _____ document.
- (a) previous (b) formatted
(c) completed (d) blank/ new
- 230.** MS Word provides _____ to function as the starting point special new documents like report, visiting card, brochure, etc.

- (a) *template* (b) *macro*
 (c) *image* (d) *table*
- 231.** After opening a new document in MS Word, one should _____ to create a comfortable experience.
 (a) set paper size
 (b) set font size
 (c) set paragraph spacing, line spacing
 (d) *all of them*
- 232.** Page setup in MS Word may be accessed using _____ menu.
 (a) *PageLayout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Paragraph* (*Alt + H + PG*) or *PageLayout* - > *Paragraph* (*Alt + P + PG*)
 (c) *Home* - > *FontFace* (*Alt + H + FF*)
 (d) *Home* - > *FontSize* (*Alt + H + FS*)
- 233.** Paragraph settings in MS Word may be accessed using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Paragraph* (*Alt + H + PG*) or *Page Layout* - > *Paragraph* (*Alt + P + PG*)
 (c) *Home* - > *Font Face* (*Alt + H + FF*)
 (d) *Home* - > *Font Size* (*Alt + H + FS*)
- 234.** Font face may be changed in MS Word using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Paragraph* (*Alt + H + PG*) or *Page Layout* - > *Paragraph* (*Alt + P + PG*)
 (c) *Home* - > *Font Face* (*Alt + H + FF*)
 (d) *Home* - > *Font Size* (*Alt + H + FS*)
- 235.** Font size may be changed in MS Word using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Paragraph* (*Alt + H + PG*) or *Page Layout* - > *Paragraph* (*Alt + P + PG*)
 (c) *Home* - > *Font Face* (*Alt + H + FF*)
 (d) *Home* - > *Font Size* (*Alt + H + FS*)
- 236.** In MS Word, font colour may be changed using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Font Color* (*Alt + H + FC*)
 (c) *Home* - > *Font Face* (*Alt + H + I*)
 (d) *Home* - > *Font Size* (*Alt + H + FS*)
- 237.** In MS Word, background colour may be changed using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
- (b) *Home* - > *Font Color* (*Alt + H + FC*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *Home* - > *Font Size* (*Alt + H + FS*)
- 238.** In MS Word, tables, figures and equations may be assigned numbers using _____ menu.
 (a) *Page Layout* - > *Page Setup* (*Alt + P + SP*)
 (b) *Home* - > *Font Color* (*Alt + H + FC*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *References* - > *Insert Caption* (*Alt + S + P*)
- 239.** In MS Word, book title, chapter title, heading1, heading2, normal text, etc. may be inserted using _____ menu.
 (a) *Home* - > *Styles* (*Alt + H + L*)
 (b) *Home* - > *Font Color* (*Alt + H + FC*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *References* - > *Insert Caption* (*Alt + S + P*)
- 240.** In MS Word, citation to references may be inserted using _____ menu.
 (a) *References* - > *Insert Citation* (*Alt + S + C*)
 (b) *References* - > *Mark Entry* (*Alt + S + N*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *References* - > *Insert Caption* (*Alt + S + P*)
- 241.** In MS Word, words to be indexed at the end of book may be marked using _____ menu.
 (a) *References* - > *Insert Citation* (*Alt + S + C*)
 (b) *References* - > *Mark Entry* (*Alt + S + N*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *References* - > *InsertCaption* (*Alt + S + P*)
- 242.** In MS Word, table, picture, shapes, flow charts, headers, footers, page numbers, word art, drop cap, equations or symbols may be inserted using _____ menu.
 (a) *References* - > *Insert Citation* (*Alt + S + C*)
 (b) *References* - > *Mark Entry* (*Alt + S + N*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *Insert*
- 243.** In MS Word, _____ menu helps to save the document in a new name.
 (a) *Home* - > *Save As* (*Alt + F + A*)
 (b) *References* - > *Mark Entry* (*Alt + S + N*)
 (c) *Home* - > *Background* (*Alt + H + I*)
 (d) *Insert*

1.4.6 Inserting objects in MS Word

244. _____ are the most important objects used in MS Word documents.

- (a) tables & pictures
- (b) shapes, flow charts & clip arts
- (c) equations, lists, bullets & numbering
- (d) *all of them*

245. In MS Word, table can be inserted using _____ menu.

- (a) *Insert- > Table (Alt + N + T)*
- (b) *Insert- > Picture (Alt + N + P)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

246. In MS Word, picture can be inserted using _____ menu.

- (a) *Insert- > Table (Alt + N + T)*
- (b) *Insert- > Picture (Alt + N + P)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

247. In MS Word, caption for table, image or equation number can be inserted using _____ menu.

- (a) *Insert- > Table (Alt + N + T)*
- (b) *Insert- > Picture (Alt + N + P)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

248. In MS Word, equation can be inserted using _____ menu.

- (a) *Insert- > Table (Alt + N + T)*
- (b) *Insert- > Picture (Alt + N + P)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

249. In MS Word, clip art can be inserted using _____ menu.

- (a) *Insert- > Clip Art (Alt + N + F)*
- (b) *Insert- > Picture (Alt + N + P)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

250. In MS Word, special artistic design text may be inserted using _____ menu.

- (a) *Insert- > Clip Art (Alt + N + F)*
- (b) *Insert- > Word Art (Alt + N + RC)*
- (c) *References- > Insert Caption (Alt + S + N)*
- (d) *Insert- > Equation (Alt + N + E)*

251. In MS Word, drop cap may be inserted using _____ menu.

- (a) *Insert- > Clip Art (Alt + N + F)*
- (b) *Insert- > Word Art (Alt + N + W)*
- (c) *Insert- > Drop Cap (Alt + N + RC)*
- (d) *Insert- > Equation (Alt + N + E)*

252. In MS Word, special symbols may be inserted using _____ menu.

- (a) *Insert- > Clip Art (Alt + N + F)*
- (b) *Insert- > Symbols (Alt + N + U)*
- (c) *Insert- > Drop Cap (Alt + N + RC)*
- (d) *Insert- > Equation (Alt + N + E)*

253. In MS Word, objects from other applications may be inserted using _____ menu.

- (a) *Insert- > Text from File (Alt + N + J + F)*
- (b) *Insert- > Symbols (Alt + N + U)*
- (c) *Insert- > Objects- > Objects (Alt + N + J + J)*
- (d) *Insert- > Equation (Alt + N + E)*

254. In MS Word, text from other applications may be inserted using _____ menu.

- (a) *Insert- > Text from File (Alt + N + J + F)*
- (b) *Insert- > Symbols (Alt + N + U)*
- (c) *Insert- > Objects- > Objects (Alt + N + J + J)*
- (d) *Insert- > Equation (Alt + N + E)*

1.4.7 Inserting Macros in MS Word

255. MS Word has the ability to automate repeated tasks using _____.

- (a) tables
- (b) pictures
- (c) equations
- (d) *macros*

256. In MS Word, a Macro may be assigned _____ to invoke its functionality.

- (a) keyboard shortcut
- (b) a button
- (c) *either keyboard shortcut or button*
- (d) neither keyboard shortcut nor button

257. To make the *Macros* tab visible, one needs to open the options dialog using _____.

- (a) *File- > Options (Alt + F + T)*
- (b) *Review- > Options*
- (c) *Insert- > Options*
- (d) *Home- > Options*

258. In MS Word, one may display the *Developer* tab in the menu bar through the options dialog by choosing _____.

- (a) *Customize Ribbon- > ToolTabs- > Design*

- (b) *CustomizeRibbon*— > *MainTabs*— > *Developer*
- (c) *CustomizeRibbon*— > *MainTabs*— > *Outlining*
- (d) *CustomizeRibbon*— > *MainTabs*— > *Insert*
- 259.** In MS Word, Macro security settings may be accessed through -----.
- (a) *Macros*— > *Macro Security* (*Alt+L+AS*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Pause Recording* (*Alt+L+S*)
- (d) *Macros*— > *Macros* (*Alt + L + PM*)
- 260.** In MS Word, New macro may be recorded through -----.
- (a) *Macros*— > *Macro Security* (*Alt+L+AS*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Pause Recording* (*Alt+L+S*)
- (d) *Macros*— > *Macros* (*Alt + L + PM*)
- 261.** In MS Word, the default macro security setting is -----.
- (a) Enable all macros
- (b) *Disable all macros*
- (c) Trust VBA Code
- (d) Do not trust VBA code
- 262.** In MS Word, it is better change macro security setting to ----- before starting record or use macros.
- (a) *Enable all macros*
- (b) Disable all macros
- (c) Trust VBA Code
- (d) Do not trust VBA code
- 263.** In MS Word, recording of macros may be paused and certain actions which need not be recorded in the macro may be performed through -----.
- (a) *Macros*— > *Macro Security* (*Alt+L+AS*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Pause Recording* (*Alt+L+S*)
- (d) *Macros*— > *Macros Resume Recorder* (*Alt + L + S*)
- 264.** In MS Word, paused macro recording may be resumed through -----.
- (a) *Macros*— > *Macro Security* (*Alt+L+AS*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Pause Recording* (*Alt+L+S*)
- (d) *Macros*— > *Macros Resume Recorder* (*Alt + L + S*)
- 265.** In MS Word, recorded macros may be edited or deleted through -----.
- (a) *Macros*— > *Macros* (*Alt + L + PM*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Pause Recording* (*Alt+L+S*)
- (d) *Macros*— > *Macros Resume Recorder* (*Alt + L + S*)
- 266.** In MS Word, coding in Visual Basic for Applications (VBA) may be carried out to customize the available features or add new features using -----.
- (a) *Macros*— > *Macros* (*Alt + L + PM*)
- (b) *Macros*— > *Record Macro* (*Alt + L + R*)
- (c) *Macros*— > *Visual Basic* (*Alt + L + V*)
- (d) *Macros*— > *Macros Resume Recorder* (*Alt + L + S*)
- 267.** While creating a macro, its availability may be -----.
- (a) granted to all documents
- (b) restricted to the current document
- (c) *both a & b*
- (d) neither a nor b
- ### 1.4.8 Creating mail merge in MS Word
- 268.** The feature in MS Word which helps to create customized correspondence targeting different recipients is called -----.
- (a) *mail merge*
- (b) charting
- (c) clip art
- (d) equations
- 269.** A mail merge document requires a ----- to fill the blank spaces.
- (a) picture
- (b) *record source*
- (c) chart
- (d) equation
- 270.** To create mail merge using existing list of recipients, choose -----.
- (a) *Mailings*— > *Select Recipients*— > *Use Existing List*
- (b) *Mailings*— > *Select Recipients*— > *Type New List*
- (c) *Mailings*— > *Select Recipients*— > *Select from Outlook Contacts*
- (d) *Mailings*— > *Insert Merge Field*
- 271.** To create mail merge using new list, choose -----.
- (a) *Mailings*— > *Select Recipients*— > *Use Existing List*
- (b) *Mailings*— > *Select Recipients*— > *Type New List*
- (c) *Mailings*— > *Select Recipients*— > *Select from Outlook Contacts*
- (d) *Mailings*— > *Insert Merge Field*
- 272.** To create mail merge using Outlook contacts list, choose -----.
- (a) *Mailings*— > *Select Recipients*— > *Use Existing List*

- (b) Mailings— >Select Recipients— >Type New List
- (c) Mailings— >Select Recipients— >Select from Outlook Contacts
- (d) Mailings— >Insert Merge Field

273. In MS Word, to insert a mail merge field in document, choose _____.

- (a) Mailings— >Select Recipients— >Use Existing List
- (b) Mailings— >Select Recipients— >Type New List
- (c) Mailings— >Select Recipients— >Select from Outlook Contacts
- (d) Mailings— >Insert Merge Field

274. In MS Word, data sources for mail merge may be prepared using _____.

- (a) MS Excel
- (b) MS Access
- (c) Plain text file with tab for field separation & newline for record separation
- (d) all of them

275. Mail merge results may be previewed using _____ menu.

- (a) Mailings— >Edit Individual Documents
- (b) Mailings— >Preview Results (Alt+M+P)
- (c) Mailings— >Print Documents
- (d) Mailings— >Send E-Mail Messages

276. In MS Word, individual documents resulting from mail merge may be edited using _____ menu.

- (a) Mailings— >Edit Individual Documents
- (b) Mailings— >Preview Results (Alt+M+P)
- (c) Mailings— >Print Documents
- (d) Mailings— >Send E-Mail Messages

277. In MS Word, mail merge results may be printed using _____ menu.

- (a) Mailings— >Edit Individual Documents
- (b) Mailings— >Preview Results (Alt+M+P)
- (c) Mailings— >Print Documents
- (d) Mailings— >Send E-Mail Messages

278. In MS Word, mail merge results may be sent through email using _____ menu.

- (a) Mailings— >Edit Individual Documents
- (b) Mailings— >Preview Results (Alt+M+P)
- (c) Mailings— >Print Documents
- (d) Mailings— >Send E-Mail Messages

1.4.9 Creating templates in MS Word

279. A standard standard document with proper formatting and layout may be saved as a _____, which may be used as the base for new documents.

- (a) template
- (b) pdf file
- (c) plain text file
- (d) HTML file

280. A document may be saved as a template using File— >Save As from the menu and choosing _____ as the document type.

- (a) Excel Template
- (b) HTML file
- (c) Word Template
- (d) Open Document Format (ODF)

281. Default extension for word template is _____.

- (a) .docx
- (b) .dotx
- (c) .xlsx
- (d) .pptx

282. Content created using template document _____.

- (a) should be saved as Excel file
- (b) should be saved as new word document
- (c) should be saved as new power point document
- (d) none of them

283. Magazines, journals and proceedings may publish _____ for the help of authors in following the right styles for publication.

- (a) picture
- (b) screenshot
- (c) template document
- (d) Excel spreadsheets

1.4.10 Page setup & printing in MS Word

284. In MS Word, Selecting page size, margins and paper orientation is possible through _____.

- (a) Page Layout— >Columns
- (b) Page Layout— >Page Setup (Alt+P+SP)
- (c) Page Layout— >Water Mark
- (d) Page Layout— >Page Color

285. In MS Word, choosing number of columns per page is possible through _____.

- (a) Page Layout— >Columns
- (b) Page Layout— >Page Setup (Alt+P+SP)
- (c) Page Layout— >Water Mark
- (d) Page Layout— >Page Color

286. In MS Word, water mark can be inserted or removed through _____.

- (a) Page Layout— >Columns

- (b) Page Layout— >Page Setup (Alt+P+SP)
- (c) *Page Layout*— >*Water Mark*
- (d) Page Layout— >Page Color

287. In MS Word, page background colour may be selected through

- (a) Page Layout— >Columns
- (b) Page Layout— >Page Setup (Alt+P+SP)
- (c) Page Layout— >Water Mark
- (d) *Page Layout*— >*Page Color*

288. In MS Word, page border may be selected through

- (a) *Page Layout*— >*Page Border*
- (b) Page Layout— >Page Setup (Alt+P+SP)
- (c) Page Layout— >Water Mark
- (d) Page Layout— >Page Color

289. When the width of paper is smaller and height of paper is larger, the orientation is called

- (a) landscape
- (b) *portrait*
- (c) both a & b
- (d) neither a nor b

290. When the width of paper is larger and height of paper is smaller, the orientation is called

- (a) *landscape*
- (b) portrait
- (c) both a & b
- (d) neither a nor b

291. Commonly used paper sizes for MS Word documents are

- (a) A4
- (b) letter
- (c) legal
- (d) *all of them*

292. In MS Word, a document may be printed using

- (a) *File*— >*Print (Ctrl+P)*
- (b) Home— >Copy (Ctrl+C)
- (c) Home— >Cut (Ctrl+X)
- (d) Home— >Paste (Ctrl+V)

293. MS Word document typeset on specific paper size may be printed on a different paper size using option available in print dialog.

- (a) collate
- (b) *scale*
- (c) printer properties— >Finishing-*Print on both sides*
- (d) Properties— >Paper/Quality

294. Multiple copies of a document may be printed in complete sets (divide by set) using option available in print dialog.

- (a) *collate*

- (b) scale
- (c) printer properties— >Finishing-*Print on both sides*
- (d) Properties— >Paper/Quality

295. A document may be printed on both sides of paper using option available in print dialog.

- (a) collate
- (b) scale
- (c) *printer properties*— >*Finishing-Print on both sides*
- (d) Properties— >Paper/Quality

296. The print resolution (quality) and colour preferences may be set using option available in print dialog.

- (a) collate
- (b) scale
- (c) printer properties— >Finishing-*Print on both sides*
- (d) *Properties*— >*Paper/Quality*

Answers (643 - 938)

- | | | | |
|----------|----------|----------|----------|
| 1. (a) | 2. (b) | 3. (c) | 4. (d) |
| 5. (a) | 6. (c) | 7. (b) | 8. (d) |
| 9. (c) | 10. (d) | 11. (b) | 12. (a) |
| 13. (c) | 14. (c) | 15. (d) | 16. (c) |
| 17. (b) | 18. (d) | 19. (a) | 20. (b) |
| 21. (d) | 22. (c) | 23. (a) | 24. (c) |
| 25. (d) | 26. (c) | 27. (a) | 28. (d) |
| 29. (c) | 30. (b) | 31. (c) | 32. (d) |
| 33. (a) | 34. (a) | 35. (a) | 36. (a) |
| 37. (b) | 38. (b) | 39. (c) | 40. (c) |
| 41. (d) | 42. (d) | 43. (b) | 44. (b) |
| 45. (c) | 46. (c) | 47. (a) | 48. (a) |
| 49. (a) | 50. (b) | 51. (c) | 52. (d) |
| 53. (a) | 54. (a) | 55. (b) | 56. (c) |
| 57. (d) | 58. (b) | 59. (c) | 60. (d) |
| 61. (a) | 62. (d) | 63. (a) | 64. (d) |
| 65. (a) | 66. (b) | 67. (c) | 68. (a) |
| 69. (d) | 70. (c) | 71. (b) | 72. (a) |
| 73. (b) | 74. (c) | 75. (d) | 76. (a) |
| 77. (a) | 78. (c) | 79. (b) | 80. (d) |
| 81. (a) | 82. (b) | 83. (c) | 84. (b) |
| 85. (a) | 86. (c) | 87. (d) | 88. (c) |
| 89. (b) | 90. (a) | 91. (c) | 92. (d) |
| 93. (a) | 94. (b) | 95. (c) | 96. (d) |
| 97. (b) | 98. (c) | 99. (a) | 100. (b) |
| 101. (c) | 102. (d) | 103. (c) | 104. (a) |
| 105. (b) | 106. (c) | 107. (a) | 108. (d) |
| 109. (a) | 110. (b) | 111. (c) | 112. (d) |
| 113. (a) | 114. (a) | 115. (b) | 116. (c) |

117. (d)	118. (a)	119. (b)	120. (c)	209. (c)	210. (a)	211. (b)	212. (c)
121. (d)	122. (a)	123. (b)	124. (c)	213. (d)	214. (a)	215. (b)	216. (c)
125. (d)	126. (a)	127. (b)	128. (c)	217. (d)	218. (a)	219. (b)	220. (c)
129. (d)	130. (a)	131. (a)	132. (b)	221. (d)	222. (a)	223. (b)	224. (d)
133. (c)	134. (d)	135. (a)	136. (b)	225. (c)	226. (b)	227. (c)	228. (c)
137. (c)	138. (d)	139. (b)	140. (a)	229. (d)	230. (a)	231. (d)	232. (a)
141. (c)	142. (d)	143. (a)	144. (b)	233. (b)	234. (c)	235. (d)	236. (b)
145. (c)	146. (d)	147. (a)	148. (b)	237. (c)	238. (d)	239. (d)	240. (a)
149. (d)	150. (c)	151. (a)	152. (b)	241. (b)	242. (d)	243. (a)	244. (d)
153. (c)	154. (d)	155. (a)	156. (b)	245. (a)	246. (b)	247. (c)	248. (d)
157. (c)	158. (d)	159. (a)	160. (b)	249. (a)	250. (b)	251. (c)	252. (b)
161. (c)	162. (a)	163. (b)	164. (c)	253. (c)	254. (a)	255. (d)	256. (c)
165. (d)	166. (b)	167. (a)	168. (c)	257. (a)	258. (b)	259. (a)	260. (b)
169. (d)	170. (a)	171. (b)	172. (c)	261. (b)	262. (a)	263. (c)	264. (d)
173. (d)	174. (a)	175. (d)	176. (c)	265. (a)	266. (b)	267. (c)	268. (a)
177. (b)	178. (c)	179. (c)	180. (d)	269. (b)	270. (a)	271. (b)	272. (c)
181. (a)	182. (b)	183. (a)	184. (c)	273. (d)	274. (d)	275. (b)	276. (a)
185. (a)	186. (d)	187. (b)	188. (d)	277. (c)	278. (d)	279. (a)	280. (c)
189. (b)	190. (a)	191. (b)	192. (d)	281. (b)	282. (b)	283. (c)	284. (b)
193. (c)	194. (a)	195. (c)	196. (b)	285. (a)	286. (c)	287. (d)	288. (a)
197. (d)	198. (a)	199. (b)	200. (d)	289. (b)	290. (a)	291. (d)	292. (a)
201. (c)	202. (a)	203. (b)	204. (c)	293. (b)	294. (a)	295. (c)	296. (d)
205. (a)	206. (b)	207. (c)	208. (d)				

1.5 MS Excel

1. Columns in MS Excel are named in the form of _____.
 - (a) alphabets (A, B, C, D,...)
 - (b) numbers (1,2,3,4,...)
 - (c) roman numerals (I,II, III, IV,...)
 - (d) none of them
2. Rows in MS Excel are named in the form of _____.
 - (a) alphabets (A, B, C, D,...)
 - (b) numbers (1,2,3,4,...)
 - (c) roman numerals (I,II, III, IV,...)
 - (d) none of them
3. The intersection of a row and column in MS Excel is called _____.
 - (a) spreadsheet
 - (b) workbook
 - (c) document
 - (d) cell
4. The cell having and column number 3 and row number 6 is denoted by the name _____.
 - (a) F3
 - (b) C6
 - (c) C3
 - (d) F6
5. In MS Excel, a function is entered by typing _____ symbol first.
 - (a) @
 - (b) \$
 - (c) #
 - (d) =
6. MS Excel can _____ given data.
 - (a) sort
 - (b) statistically analyze
 - (c) draw graphs for
 - (d) all of them
7. The latest version of MS Excel can have _____ rows.
 - (a) 10,48,576
 - (b) 16,384
 - (c) 1024
 - (d) 512
8. The latest version of MS Excel can have _____ columns.
 - (a) 10,48,576
 - (b) 16,384
 - (c) 1024
 - (d) 512
9. Excel supports recording of repeated actions with the help of _____.
 - (a) graph
 - (b) chart
 - (c) macro
 - (d) other applications
10. MS Excel macros can be invoked using _____.
 - (a) button
 - (b) keystroke
 - (c) both a & b
 - (d) neither a nor b
11. MS Excel supports a version of Visual Basic called _____ for programming.

- (a) Javascript
 - (b) Visual Basic for Applications (VBA)
 - (c) ASP.NET
 - (d) C#.NET
12. Each file in MS Excel is called a _____.
 - (a) workbook
 - (b) worksheet
 - (c) notesheet
 - (d) notebook
 13. Each sheet in MS Excel file is called a _____.
 - (a) workbook
 - (b) worksheet
 - (c) notesheet
 - (d) notebook
 14. By default, Excel worksheets are named _____.
 - (a) book1, book2, book3, ...
 - (b) sheet1, sheet2, sheet3, ...
 - (c) page1, page2, page3, ...
 - (d) note1, note2, note3, ...
 15. Excel file without any macros has the default extension of _____.
 - (a) .xlsx
 - (b) .xls
 - (c) .xlm
 - (d) .xlst
 16. Excel file containing macros has the default extension of _____.
 - (a) .xlsx
 - (b) .xls
 - (c) .xlm
 - (d) .xlst
 17. MS Excel can reference data in _____.
 - (a) the same sheet
 - (b) different sheet in the same workbook
 - (c) different sheet in a different workbook
 - (d) all of them

1.5.1 Data types in MS Excel

18. In MS Excel, the common type of data applicable to any cell is called _____ data type.
 - (a) General
 - (b) Number
 - (c) Currency
 - (d) Text
19. In MS Excel, the data type suitable for handling numbers is called _____ data type.
 - (a) General
 - (b) Number
 - (c) Currency
 - (d) Text
20. In MS Excel, number data type can control the _____.
 - (a) digit grouping
 - (b) number of decimal places
 - (c) both a & b
 - (d) neither a nor b

21. In MS Excel, numbers can be grouped and prefixed with a currency symbol using _____ data type.
- Accounting
 - Currency
 - both a & b
 - neither a nor b
22. In MS Excel, _____ data type is suitable for handling dates.
- Date
 - Time
 - Percentage
 - Fraction
23. In MS Excel, _____ data type is suitable for handling time values.
- Date
 - Time
 - Percentage
 - Fraction
24. In MS Excel, _____ data type takes values between 0 and 1 and displays them in percentage format.
- Date
 - Time
 - Percentage
 - Fraction
25. In MS Excel, _____ data type displays decimal fractions as vulgar or mixed fractions.
- Date
 - Time
 - Percentage
 - Fraction
26. In MS Excel, _____ data type displays numbers in scientific notation.
- Scientific
 - Text
 - Custom
 - Date
27. In MS Excel, _____ data type is suitable for names and other character sequences.
- Scientific
 - Text
 - Custom
 - Date
28. In MS Excel, _____ data type supports formatting of numbers with suitable customization.
- Scientific
 - Text
 - Custom
 - Date
29. In MS Excel, for the number 45453453 to be displayed as 4,54,53,453.0, the custom format could be _____.
- ###,###,###,##0.0
 - ###,###,##0.0
 - #####0.0
 - ###,###,###,###.#
30. In custom formatting of numbers, an optional digit is denoted by _____ symbol.
- 0
 - #
 - \$
 - ^
31. In custom formatting of numbers, a compulsory/ mandatory digit is denoted by _____ symbol.

- 0
- #
- \$
- ^

1.5.2 Cell referencing

32. When copying and pasting an excel formula, the method which permits formula to progressively update cell references is called _____ referecing system.
- static
 - semi-relative
 - relative
 - none of them
33. When copying and pasting an excel formula, the method which permits formula to progressively update either column reference or row reference (but not both column and row references) is called _____ referecing system.
- static
 - semi-relative
 - relative
 - none of them
34. When copying and pasting an excel formula, the method which keeps references to a particular cell address is called _____ referecing system.
- static
 - semi-relative
 - relative
 - none of them
35. The formula = A5 * 5 is written in _____ system.
- static
 - semi-relative
 - relative
 - none of them
36. The formula = A5 * 5, when copied to the next row of the same column, will become _____ system.
- = A4 * 5
 - = B5 * 5
 - = A7 * 5
 - = A6 * 5

1.5.3 Categories of functions in MS Excel

37. In MS Excel, _____ functions help to access databases stored in spreadsheets.
- Cube/ Database
 - Date/ Time

- (c) Engineering
(d) Financial
38. _____ functions help to access date and time functions in MS Excel.
(a) Cube/ Database
(b) *Date/ Time*
(c) Engineering
(d) Financial
39. _____ functions help to access base conversion, logarithmic and other Engineering features in MS Excel.
(a) Cube/ Database
(b) Date/ Time
(c) *Engineering*
(d) Financial
40. In MS Excel, _____ functions help to access interest calculation, accounting and currency related calculations.
(a) Cube/ Database
(b) Date/ Time
(c) Engineering
(d) *Financial*
41. In MS Excel, _____ functions help to check the status of cells, as to whether the cell is blank, contains a number, text, type of data, etc.
(a) *Information*
(b) Logical
(c) Lookup & reference
(d) Math & Trigonometric
42. In MS Excel, _____ functions help to make logical functions like AND, OR, NOT, etc.
(a) Information
(b) *Logical*
(c) Lookup & reference
(d) Math & Trigonometric
43. In MS Excel, _____ functions help to make lookup in other sheets and references.
(a) Information
(b) Logical
(c) *Lookup & reference*
(d) Math & Trigonometric
44. In MS Excel, mathematical functions like round, absolute, ceiling, floor, etc. and trigonometric functions like sin, cos, tan, asin, acos, atan, etc are containing the category of _____.
(a) Information
(b) Logical
(c) Lookup & reference

- (d) *Math & Trigonometric*
45. In MS Excel, statistical functions like average, standard deviation, median, mode, etc. can be accessed under the category _____.
(a) Logical
(b) Lookup & reference
(c) Math & Trigonometric
(d) *Statistical*
46. In MS Excel, functions for length of text, text search, text concatenation, upper, lower and proper, etc. can be accessed under the category _____.
(a) *Text*
(b) Logical
(c) Lookup & reference
(d) Math & Trigonometric

Date functions

47. _____ function in MS Excel takes year, month and date values and displays given date.
(a) *DATE* (b) DATEDIF
(c) DATEVALUE (d) DAY
48. _____ function in MS Excel takes a date value and returns the day of month.
(a) DATE (b) DATEDIF
(c) DATEVALUE (d) *DAY*
49. _____ function in MS Excel takes 2 date values and calculates the difference between the dates in years ("Y"), months ("M") or days ("D").
(a) DATE (b) *DATEDIF*
(c) DATEVALUE (d) DAY
50. _____ function in MS Excel takes a date string and returns parsed date value.
(a) DATE (b) DATEDIF
(c) *DATEVALUE* (d) DAY
51. _____ function in MS Excel returns number of days between given dates.
(a) *DAYS/ DAYS360*
(b) EDATE
(c) EOMONTH
(d) HOUR
52. _____ function in MS Excel takes a date, number of months to offset from that date and returns new date.
(a) *DAYS/ DAYS360*
(b) *EDATE*
(c) EOMONTH
(d) HOUR

53. _____ function in MS Excel returns last date of the month represented by given date.
 (a) DAYS/ DAYS360
 (b) EDATE
 (c) EOMONTH
 (d) HOUR
54. _____ function in MS Excel returns the hour represented by the given time.
 (a) DAYS/ DAYS360
 (b) EDATE
 (c) EOMONTH
 (d) HOUR
55. _____ function in MS Excel returns minutes from a time value.
 (a) MINUTES (b) SECOND
 (c) EOMONTH (d) HOUR
56. _____ function in MS Excel returns seconds from a time value.
 (a) MINUTES (b) SECOND
 (c) EOMONTH (d) HOUR
57. _____ function in MS Excel returns current time.
 (a) MINUTES (b) SECOND
 (c) NOW (d) HOUR
58. _____ function in MS Excel returns current date.
 (a) MINUTES (b) SECOND
 (c) NOW (d) TODAY
59. _____ function in MS Excel returns day of week for given date.
 (a) WEEKDAY (b) WORKDAY
 (c) YEAR (d) YEARFRAC
60. _____ function in MS Excel returns the date after given number of working days.
 (a) WEEKDAY (b) WORKDAY
 (c) YEAR (d) YEARFRAC
61. _____ function in MS Excel returns the year part of given date.
 (a) WEEKDAY (b) WORKDAY
 (c) YEAR (d) YEARFRAC
62. _____ function in MS Excel returns fractional year between given dates.
 (a) WEEKDAY (b) WORKDAY
 (c) YEAR (d) YEARFRAC

Engineering functions

63. In MS Excel, _____ function converts a binary number to decimal number.
 (a) BIN2DEC (b) BIN2HEX
 (c) BIN2OCT (d) BITAND
64. In MS Excel, _____ function converts a binary number to hexadecimal number.
 (a) BIN2DEC (b) BIN2HEX
 (c) BIN2OCT (d) BITAND
65. In MS Excel, _____ function converts a binary number to octal number.
 (a) BIN2DEC (b) BIN2HEX
 (c) BIN2OCT (d) BITAND
66. In MS Excel, _____ function performs bitwise AND operation.
 (a) BIN2DEC (b) BIN2HEX
 (c) BIN2OCT (d) BITAND
67. In MS Excel, _____ function performs bitwise OR operation.
 (a) BITOR (b) BITSHIFT
 (c) BITXOR (d) BITAND
68. In MS Excel, _____ function performs bitwise right shift operation.
 (a) BITOR (b) BITSHIFT
 (c) BITXOR (d) BITAND
69. In MS Excel, _____ function performs bitwise XOR operation.
 (a) BITOR (b) BITSHIFT
 (c) BITXOR (d) BITAND
70. In MS Excel, _____ function converts given value from one unit to another (for example, "m" to "ft").
 (a) COVNERT (b) DEC2BIN
 (c) DEC2HEX (d) DEC2OCT
71. In MS Excel, _____ function converts decimal number to binary number.
 (a) COVNERT (b) DEC2BIN
 (c) DEC2HEX (d) DEC2OCT
72. In MS Excel, _____ function converts decimal number to hexadecimal number.
 (a) COVNERT (b) DEC2BIN
 (c) DEC2HEX (d) DEC2OCT
73. In MS Excel, _____ function converts decimal number to octal number.
 (a) COVNERT (b) DEC2BIN
 (c) DEC2HEX (d) DEC2OCT
74. In MS Excel, _____ function returns 1 if given values are equal.
 (a) DELTA (b) DEC2BIN
 (c) DEC2HEX (d) DEC2OCT
75. In MS Excel, _____ function converts hexadecimal number to binary number.
 (a) DELTA (b) HEX2BIN
 (c) HEX2DEC (d) HEX2OCT

76. In MS Excel, _____ function converts hexadecimal number to decimal number.
 (a) DELTA (b) HEX2BIN
 (c) HEX2DEC (d) HEX2OCT
77. In MS Excel, _____ function converts hexadecimal number to octal number.
 (a) DELTA (b) HEX2BIN
 (c) HEX2DEC (d) HEX2OCT

Cell information functions

78. In MS Excel, _____ function returns true if a cell is blank.
 (a) ISBLANK (b) ISERR
 (c) ISEVEN (d) ISODD
79. In MS Excel, _____ function returns true if there is an error in the formula contained in given cell.
 (a) ISBLANK (b) ISERR
 (c) ISEVEN (d) ISODD
80. In MS Excel, _____ function returns true if the given cell contains an even number.
 (a) ISBLANK (b) ISERR
 (c) ISEVEN (d) ISODD
81. In MS Excel, _____ function returns true if the given cell contains an odd number.
 (a) ISBLANK (b) ISERR
 (c) ISEVEN (d) ISODD
82. In MS Excel, _____ function returns true if the given cell contains a formula.
 (a) ISFORMULA (b) ISERR
 (c) ISEVEN (d) ISODD
83. In MS Excel, _____ function returns true if the given cell a logical value (TRUE or FALSE).
 (a) ISNUMBER (b) ISNONTEXT
 (c) ISNA (d) ISLOGICAL
84. In MS Excel, _____ function returns true if the given cell contains a number.
 (a) ISNUMBER (b) ISNONTEXT
 (c) ISNA (d) ISLOGICAL
85. In MS Excel, _____ function returns true if the given cell contains Logical value (TRUE or FALSE).
 (a) ISNUMBER (b) ISNONTEXT
 (c) ISNA (d) ISLOGICAL
86. In MS Excel, _____ function returns true if the given cell contains a value other than text (number, logical, etc.).

- (a) ISNUMBER (b) ISNONTEXT
 (c) ISNA (d) ISLOGICAL
87. In MS Excel, _____ function returns true if #NA error has occurred.
 (a) ISNUMBER (b) ISNONTEXT
 (c) ISNA (d) ISLOGICAL
88. In MS Excel, _____ function returns number equivalent of text value.
 (a) N (b) NA
 (c) TYPE (d) AND
89. In MS Excel, _____ function returns #NA error number.
 (a) N (b) NA
 (c) TYPE (d) AND
90. In MS Excel, _____ function returns a number corresponding to the data type of the cell.
 (a) N (b) NA
 (c) TYPE (d) AND

Logical functions

91. In MS Excel, _____ function returns true only if all the given conditions are true.
 (a) OR (b) FALSE
 (c) TRUE (d) AND
92. In MS Excel, _____ function returns true even if just one of the given conditions is true.
 (a) OR (b) FALSE
 (c) TRUE (d) AND
93. In MS Excel, _____ function tests the condition given in the first part, executes second part if the condition is true or executes third part if the condition is false.
 (a) OR (b) IF
 (c) TRUE (d) AND

Math functions

94. In MS Excel, _____ function returns positive value irrespective of whether the input is positive or negative.
 (a) ABS (b) ASIN
 (c) ACOS (d) ATAN
95. In MS Excel, _____ function returns $\sin^{-1}$ value.
 (a) ABS (b) ASIN
 (c) ACOS (d) ATAN

96. In MS Excel, _____ function returns $\cos^{-1}$ value.

- (a) ABS (b) ASIN
(c) ACOS (d) ATAN

97. In MS Excel, _____ function returns $\tan^{-1}$ value.

- (a) ABS (b) ASIN
(c) ACOS (d) ATAN

98. In MS Excel, _____ function returns $\cot^{-1}$ value.

- (a) ACOT (b) ASIN
(c) ACOS (d) ATAN

99. In MS Excel, _____ function returns aggregate value like count, sum, average, etc.

- (a) ARABIC (b) ASINH
(c) ATANH (d) AGGREGATE

100. In MS Excel, _____ function returns hyperbolic sin value.

- (a) ACOSH (b) ASINH
(c) ATANH (d) AGGREGATE

101. In MS Excel, _____ function returns hyperbolic cosine value.

- (a) ACOSH (b) ASINH
(c) ATANH (d) AGGREGATE

102. In MS Excel, _____ function returns hyperbolic tan value.

- (a) ACOSH (b) ASINH
(c) ATANH (d) AGGREGATE

103. In MS Excel, _____ function returns the integer just above a fractional number.

- (a) CEILING (b) FLOOR
(c) ROUND (d) ROUNDDOWN

104. In MS Excel, _____ function returns the integer just below a fractional number.

- (a) CEILING (b) FLOOR
(c) ROUND (d) ROUNDDOWN

105. In MS Excel, _____ function returns the number rounded to the given digits.

- (a) CEILING (b) FLOOR
(c) ROUND (d) ROUNDDOWN

106. In MS Excel, _____ function returns the number rounded DOWN to the given digits, simply discarding the trailing value even if it is greater than or equal to 5.

- (a) CEILING (b) FLOOR
(c) ROUND (d) ROUNDDOWN

107. In MS Excel, _____ function returns the number rounded UP to the given digits, simply discarding the trailing value even if it is greater than or equal to 5.

- (a) ROUNDUP (b) FLOOR
(c) ROUND (d) ROUNDDOWN

108. In MS Excel, _____ function returns the number of statistical combinations $({}^nC_r)$ possible.

- (a) ROUNDUP (b) FLOOR
(c) COMBIN (d) PERMUT

109. In MS Excel, _____ function returns the number of statistical permutations $({}^nP_r)$ possible.

- (a) ROUNDUP (b) FLOOR
(c) COMBIN (d) PERMUT

110. In MS Excel, _____ function converts given angle from radian to degrees.

- (a) DEGREES (b) RADIANS
(c) EVEN (d) ODD

111. In MS Excel, _____ function converts given angle from degrees to radians.

- (a) DEGREES (b) RADIANS
(c) EVEN (d) ODD

112. In MS Excel, _____ function returns the nearest even number.

- (a) DEGREES (b) RADIANS
(c) EVEN (d) ODD

113. In MS Excel, _____ function returns the nearest odd number.

- (a) DEGREES (b) RADIANS
(c) EVEN (d) ODD

114. In MS Excel, _____ function returns the exponential value for given number.

- (a) EXP (b) LN
(c) LOG/ LOG10 (d) FACT

115. In MS Excel, _____ function returns the natural logarithm for given number.

- (a) EXP (b) LN
(c) LOG/ LOG10 (d) FACT

116. In MS Excel, _____ function returns the common logarithm (to the base 10) for given number.

- (a) EXP (b) LN
(c) LOG/ LOG10 (d) FACT

117. In MS Excel, _____ function returns the factorial of given number in integer format.

- (a) FACTDOUBLE (b) LN
(c) LOG/ LOG10 (d) FACT

118. In MS Excel, _____ function returns the factorial of given number in double number format.

- (a) FACTDOUBLE (b) LN

- (c) LOG/ LOG10 (d) FACT
- 119.** In MS Excel, _____ function returns the greatest common divisor for given numbers.
 (a) FACTDOUBLE (b) GCD
 (c) LCM (d) INT
- 120.** In MS Excel, _____ function returns the least common multiple for given numbers.
 (a) FACTDOUBLE (b) GCD
 (c) LCM (d) INT
- 121.** In MS Excel, _____ function returns the integer equivalent of given number, after discarding fractional parts.
 (a) FACTDOUBLE (b) GCD
 (c) LCM (d) INT
- 122.** In MS Excel, _____ function returns the determinant of given matrix.
 (a) MTERM (b) MINVERSE
 (c) MMUL (d) MOD
- 123.** In MS Excel, _____ function returns the inverse of given matrix.
 (a) MTERM (b) MINVERSE
 (c) MMUL (d) MOD
- 124.** In MS Excel, _____ function returns the multiplication result of given matrix.
 (a) MTERM (b) MINVERSE
 (c) MMUL (d) MOD
- 125.** In MS Excel, _____ function returns the modulo remainder for given number and divisor.
 (a) QUOTIENT (b) MINVERSE
 (c) MMUL (d) MOD
- 126.** In MS Excel, _____ function returns the quotient for given number and divisor.
 (a) QUOTIENT (b) MINVERSE
 (c) MMUL (d) MOD
- 127.** In MS Excel, _____ function returns the number rounded to the nearest multiple of the second argument.
 (a) PI (b) POWER
 (c) MROUND (d) RAND
- 128.** In MS Excel, _____ function returns the value of π .
 (a) PI (b) POWER
 (c) MROUND (d) RAND
- 129.** In MS Excel, _____ function returns the power of given number raised by second argument.
 (a) PI (b) POWER
- (c) MROUND (d) RAND
- 130.** In MS Excel, _____ function returns a random number.
 (a) PI (b) POWER
 (c) MROUND (d) RAND
- 131.** In MS Excel, _____ function returns a random number between given lower limit and upper limit.
 (a) PI (b) POWER
 (c) MROUND (d) RANDBETWEEN
- 132.** In MS Excel, _____ function converts a number from Roman numeral to Arabic numeral.
 (a) ROMAN (b) ARABIC
 (c) SIGN (d) SQRT
- 133.** In MS Excel, _____ function converts a number from Arabic numeral to Roman numeral.
 (a) ROMAN (b) ARABIC
 (c) SIGN (d) SQRT
- 134.** In MS Excel, _____ function returns -1 if given number is negative and 1 if is positive.
 (a) ROMAN (b) ARABIC
 (c) SIGN (d) SQRT
- 135.** In MS Excel, _____ function returns the square root of the given number.
 (a) ROMAN (b) ARABIC
 (c) SIGN (d) SQRT
- 136.** In MS Excel, _____ function returns the subtotal of given numbers.
 (a) SUBTOTAL (b) SUM
 (c) SUMIF (d) SUMSQ
- 137.** In MS Excel, _____ function returns the sum of given numbers.
 (a) SUBTOTAL (b) SUM
 (c) SUMIF (d) SUMSQ
- 138.** In MS Excel, _____ function returns the sum of squares of given numbers.
 (a) SUBTOTAL (b) SUM
 (c) SUMIF (d) SUMSQ
- 139.** In MS Excel, _____ function returns the sum of those numbers that fulfill given condition.
 (a) SUBTOTAL (b) SUM
 (c) SUMIF (d) SUMSQ
- 140.** In MS Excel, _____ function truncates decimal digits of given real number to produce an integer value.
 (a) TRUNC (b) SUM
 (c) SUMIF (d) SUMSQ

Statistical functions in MS Excel

- 141.** In MS Excel, _____ function calculates the average absolute (unsigned) deviation.
 (a) AVERAGE (b) AVEDEV
 (c) AVERAGEIFS (d) CORREL
- 142.** In MS Excel, _____ function calculates the average of given numbers.
 (a) AVERAGE (b) AVEDEV
 (c) AVERAGEIFS (d) CORREL
- 143.** In MS Excel, _____ function calculates the average of given numbers which fulfill the given conditions.
 (a) AVERAGE (b) AVEDEV
 (c) AVERAGEIFS (d) CORREL
- 144.** In MS Excel, _____ function calculates the coefficient of correlation.
 (a) AVERAGE (b) AVEDEV
 (c) AVERAGEIFS (d) CORREL
- 145.** In MS Excel, _____ function counts the number of objects.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTBLANK
- 146.** In MS Excel, _____ function counts the number of blank cells.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTBLANK
- 147.** In MS Excel, _____ function returns the sum of squares of deviations.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTBLANK
- 148.** In MS Excel, _____ function counts the items based on given condition.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTIF
- 149.** In MS Excel, _____ function counts the items based on given conditions.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTIFS
- 150.** In MS Excel, _____ function provides a linear estimate of the result expected for given input.
 (a) COUNT (b) DEVSQ
 (c) FORECAST (d) COUNTIFS
- 151.** In MS Excel, _____ function provides an exponential estimate of the result expected for given input.
 (a) GROWTH (b) GEOMEAN
 (c) LARGE (d) MEDIAN
- 152.** In MS Excel, _____ function returns the median value of a list.
 (a) GROWTH (b) GEOMEAN

- (c) LARGE (d) MEDIAN

- 153.** In MS Excel, _____ function returns a n^{th} lastest value, where n is the second argument for the function.
 (a) GROWTH (b) GEOMEAN
 (c) LARGE (d) MEDIAN
- 154.** In MS Excel, _____ function returns geometric mean.
 (a) GROWTH (b) GEOMEAN
 (c) LARGE (d) MEDIAN
- 155.** In MS Excel, _____ function returns the largest value from a list.
 (a) MAX (b) MIN
 (c) PERMUT (d) RANK
- 156.** In MS Excel, _____ function returns the smallest value from a list.
 (a) MAX (b) MIN
 (c) PERMUT (d) RANK
- 157.** In MS Excel, _____ function returns result of permutations.
 (a) MAX (b) MIN
 (c) PERMUT (d) RANK
- 158.** In MS Excel, _____ function returns the rank of given number when compared to a list of numbers.
 (a) MAX (b) MIN
 (c) PERMUT (d) RANK
- 159.** In MS Excel, _____ function returns the n^{th} smallest value from a sorted list.
 (a) MAX (b) SMALL
 (c) PERMUT (d) RANK
- 160.** In MS Excel, _____ function returns the standard deviation of given numbers.
 (a) MAX (b) SMALL
 (c) PERMUT (d) STDEV

Text functions

- 161.** In MS Excel, _____ function returns the character equivalent of numeric ASCII value.
 (a) CHAR (b) CODE
 (c) DOLLAR (d) CONCATENATE
- 162.** In MS Excel, _____ function returns the ASCII code for given character value.
 (a) CHAR (b) CODE
 (c) DOLLAR (d) CONCATENATE
- 163.** ASCII stands for _____.
 (a) American Standard Code for Information Interface
 (b) African Standard Code for Information Interchange

- (c) *American Standard Code for Information Interchange*
 (d) American Standard Character for Information Interchange
- 164.** In MS Excel, _____ function formats a number as currency and prefixes the currency symbol of the locale.
 (a) CHAR (b) CODE
 (c) DOLLAR (d) CONCATENATE
- 165.** In MS Excel, _____ function appends several strings one after the other.
 (a) CHAR (b) CODE
 (c) DOLLAR (d) CONCATENATE
- 166.** In MS Excel, _____ function compares two text values.
 (a) FORMAT (b) LEFT
 (c) EXACT (d) FIND
- 167.** In MS Excel, _____ function returns the location of the first string occurring within the second, larger string.
 (a) FORMAT (b) LEFT
 (c) EXACT (d) FIND
- 168.** In MS Excel, _____ function formats given number based on rules provided using # and 0 characters.
 (a) FORMAT (b) LEFT
 (c) EXACT (d) FIND
- 169.** In MS Excel, _____ function returns the leftmost character of a string.
 (a) FORMAT (b) LEFT
 (c) EXACT (d) RIGHT
- 170.** In MS Excel, _____ function returns the rightmost character of a string.
 (a) FORMAT (b) LEFT
 (c) EXACT (d) RIGHT
- 171.** In MS Excel, _____ function returns the length of given string.
 (a) LOWER (b) UPPER
 (c) PROPER (d) LEN
- 172.** In MS Excel, _____ function returns the lower case version of given string.
 (a) LOWER (b) UPPER
 (c) PROPER (d) LEN
- 173.** In MS Excel, _____ function returns the upper case version of given string.
 (a) LOWER (b) UPPER
 (c) PROPER (d) LEN
- 174.** In MS Excel, _____ function returns the first letter capitalized version of given string.
 (a) LOWER (b) UPPER
- (c) PROPER (d) LEN
- 175.** In MS Excel, _____ function returns a string after replacing given characters of first string using the last string.
 (a) SEARCH (b) REPLACE
 (c) REPT (d) LOWER
- 176.** In MS Excel, _____ function repeats a string for given number of times.
 (a) SEARCH (b) REPLACE
 (c) REPT (d) LOWER
- 177.** In MS Excel, _____ function returns the location of the first string occurring inside the second string.
 (a) SEARCH (b) REPLACE
 (c) REPT (d) LOWER
- 178.** In MS Excel, _____ function returns a string only when the given input is a string, returning blank value otherwise.
 (a) TEXT (b) SUBSTITUTE
 (c) TRIM (d) T
- 179.** In MS Excel, _____ function returns formatted version of given number.
 (a) T (b) TEXT
 (c) SUBSTITUTE (d) TRIM
- 180.** In MS Excel, _____ function substitutes new text in place of given old text.
 (a) T (b) TEXT
 (c) SUBSTITTE (d) TRIM
- 181.** In MS Excel, _____ function removes space at the beginning or end of a string.
 (a) T (b) TEXT
 (c) SUBSTITTE (d) TRIM
- 182.** In MS Excel, _____ function converts given text to number.
 (a) T (b) VALUE
 (c) SUBSTITTE (d) TRIM

1.5.4 Sorting in MS Excel

- 183.** Data can be sorted using _____ menu in MS Excel.
 (a) Data— >Filter
 (b) Data— >Sort
 (c) Data— >What if analysis— >Data table
 (d) Data— >What if analysis— >Pivot table
- 184.** To sort data in MS Excel, _____ containing data for sorting should be selected.
 (a) all the cells

- (b) just the column
- (c) just one row
- (d) only one cell

185. The sort dialog in MS Excel contains a tick box named _____ to select whether the data contains a header row or not.

- (a) My data contains footers
- (b) My data contains errors
- (c) My data contains pictures
- (d) *My data contains headers*

186. The sorting dialog in MS Excel contains _____ boxes to choose sorting criteria.

- (a) column name to be used for sorting
- (b) whether to sort by value, color or icon
- (c) whether to sort ascending or descending
- (d) *all of them*

187. In MS Excel, if the sorting requires several levels of criteria, the same can be added using _____ button in sorting dialog.

- (a) *Add level*
- (b) add row
- (c) add column
- (d) add filter

1.5.5 Filtering in MS Excel

188. Data can be filtered using _____ menu in MS Excel.

- (a) *Data – >Filter*
- (b) Data – >Sort
- (c) Data – >What if analysis – >Data table
- (d) Data – >What if analysis – >Pivot table

189. For applying filtering, the data should contain _____.

- (a) no header row
- (b) *header row*
- (c) footer row
- (d) pivot table

190. After selecting data and invoking Data – >Filter from the menu, a _____ appears in each column of the first row to enable filtering.

- (a) circle
- (b) square
- (c) *triangular button*
- (d) red dot

191. The triangular filter button at header row of data helps sorting of data using _____.

- (a) ascending/descending order
- (b) color
- (c) search specific values or applying filter conditions for numbers

- (d) *all of them*

1.5.6 Validation in MS Excel

192. After selecting the cells to be subjected to data validation, choose _____ from the menu to validate data in MS Excel.

- (a) Data – >Filter
- (b) Data – >Sort
- (c) *Data – >Validation*
- (d) Data – >What if analysis – >Pivot table

193. In MS Excel, permitting data values in specific range for entry in a cell is called _____ of data.

- (a) *validation*
- (b) sorting
- (c) filtering
- (d) chart

194. The data validation dialog shows, allow criterion with _____ conditions.

- (a) between/ not between
- (b) equal to/ not equal to
- (c) $>$, $<$, $\geq$, $\leq$
- (d) *all of them*

195. In MS Excel, data violating the validation rule may be _____ using Data – >Validation – >Circle invalid data.

- (a) *encircled*
- (b) deleted
- (c) sorted
- (d) coloured

196. In MS Excel, to display a specific error message for invalid data entry, _____ tab in validation dialog can be opened to set a custom message.

- (a) *Error display*
- (b) Input message
- (c) Output message
- (d) Result message

1.5.7 Charting in MS Excel

197. MS Excel supports _____ type chart.

- (a) column/ bar
- (b) pie/ area/ stock/ surface/ doughnut/ bubble/ radar
- (c) scatter/ line
- (d) *all of them*

198. The data used for charting should have _____ to decide the graph parameters like axis name.

- (a) *header row*
- (b) footer row
- (c) blank row
- (d) blank column

199. In MS Excel, pie chart may be inserted using _____ menu.

- (a) *Insert*— > *Pie*
- (b) *Insert*— > *Column*
- (c) *Insert*— > *Bar*
- (d) *Insert*— > *line*

200. In MS Excel, bar chart may be inserted using _____ menu.

- (a) *Insert*— > *Pie*
- (b) *Insert*— > *Column*
- (c) *Insert*— > *Bar*
- (d) *Insert*— > *line*

201. In MS Excel, column chart may be inserted using _____ menu.

- (a) *Insert*— > *Pie*
- (b) *Insert*— > *Column*
- (c) *Insert*— > *Bar*
- (d) *Insert*— > *line*

202. In MS Excel, line chart may be inserted using _____ menu.

- (a) *Insert*— > *Pie*
- (b) *Insert*— > *Column*
- (c) *Insert*— > *Bar*
- (d) *Insert*— > *line*

203. In MS Excel, scatter chart may be inserted using _____ menu.

- (a) *Insert*— > *Pie*
- (b) *Insert*— > *Column*
- (c) *Insert*— > *Bar*
- (d) *Insert*— > *X-Y scatter*

204. In MS Excel, charts may be customized by _____ on appropriate element of the graph.

- (a) selecting
- (b) right clicking
- (c) *both a & b*
- (d) none of them

1.5.8 Data tables in MS Excel

205. Results for several input values can be calculated based on one sample result using _____ menu in MS Excel.

- (a) *Data*— > *Filter*
- (b) *Data*— > *Sort*
- (c) *Data*— > *What if analysis*— > *Pivot table*
- (d) *Data*— > *What if analysis*— > *Data table*

206. In MS Excel, for a row wise data table, fill input values in top row, calculate result for first column in the second row and choose _____ in the Data table dialog.

- (a) *Row Input and Result*
- (b) *Column Input and Result*
- (c) both row input and column input along with result
- (d) none of them

207. In MS Excel, for a column wise data table, fill input values in left column, calculate result for first row in the right side column and choose _____ in the Data table dialog.

- (a) *Row Input and Result*
- (b) *Column Input and Result*
- (c) both row input and column input along with result
- (d) none of them

208. In MS Excel, to calculate results based on two input values (like a matrix), choose _____ from the Data table dialog.

- (a) *Row Input and Result*
- (b) *Column Input and Result*
- (c) *both row input and column input along with result*
- (d) none of them

1.5.9 Pivot table

209. In MS Excel, summary of data in a table may be created using _____.

- (a) data table
- (b) pivot table
- (c) chart
- (d) validation

210. In MS Excel, data meant for pivot table may be converted to a table using _____ first.

- (a) *Insert*— > *Table*
- (b) *Insert*— > *Pie*
- (c) *Insert*— > *Column*
- (d) *Insert*— > *Scatter*

211. In MS Excel, pivot table may be inserted using _____ first.

- (a) *Insert*— > *Table*
- (b) *Insert*— > *Pivot*— > *Pivot table*
- (c) *Insert*— > *Pivot*— > *Pivot chart*
- (d) *Insert*— > *Scatter*

212. In MS Excel, pivot chart may be inserted using _____ first.

- (a) *Insert*— > *Table*
- (b) *Insert*— > *Pivot*— > *Pivot table*
- (c) *Insert*— > *Pivot*— > *Pivot chart*
- (d) *Insert*— > *Scatter*

1.5.10 Goal seek in MS Excel

- 213.** After selecting the cells to be subjected to data validation, choose _____ from the menu to apply goal seek in MS Excel.
- (a) Data— >Filter
 (b) Data— >What if analysis— >Data table
 (c) Data— >What if analysis— >Goal seek
 (d) Data— >What if analysis— >Pivot table
- 214.** In MS Excel, adjusting an input value to get specific result is called _____.
- (a) goal seek (b) charting
 (c) sorting (d) validation
- 215.** In MS Excel, after choosing Data— >What if analysis— >Goal seek from the menu, a dialog appears to take _____ values.
- (a) desired result
 (b) input cell in which values are to be changed
 (c) both a & b
 (d) none of them

1.5.11 Scenarios in MS Excel

- 216.** After selecting the cells to be subjected to data validation, choose _____ from the menu to apply scenario in MS Excel.
- (a) Data— >Filter
 (b) Data— >What if analysis— >Data table
 (c) Data— >What if analysis— >Goal seek
 (d) Data— >What if analysis— >Scenario
- 217.** In MS Excel, creating resulting conditions based on several uncertain future conditions is called _____.
- (a) validation (b) scenario
 (c) goal seek (d) charting
- 218.** Each scenario created using MS Excel may contain _____.
- (a) a title
 (b) a selection of cells which are affected by that scenario
 (c) both a & b
 (d) none of them
- 219.** After creating several scenario representing future conditions, resulting conditions may be displayed by choosing _____.
- (a) appropriate scenario from the scenarios box
 (b) charting
 (c) validation
 (d) sorting

Answers (939 - 1157)

- | | | | |
|----------|----------|----------|----------|
| 1. (a) | 2. (b) | 3. (d) | 4. (b) |
| 5. (d) | 6. (d) | 7. (a) | 8. (b) |
| 9. (c) | 10. (c) | 11. (b) | 12. (a) |
| 13. (b) | 14. (b) | 15. (a) | 16. (c) |
| 17. (d) | 18. (a) | 19. (b) | 20. (c) |
| 21. (c) | 22. (a) | 23. (b) | 24. (c) |
| 25. (d) | 26. (a) | 27. (b) | 28. (c) |
| 29. (a) | 30. (b) | 31. (a) | 32. (c) |
| 33. (b) | 34. (a) | 35. (c) | 36. (d) |
| 37. (a) | 38. (b) | 39. (c) | 40. (d) |
| 41. (a) | 42. (b) | 43. (c) | 44. (d) |
| 45. (d) | 46. (a) | 47. (a) | 48. (d) |
| 49. (b) | 50. (c) | 51. (a) | 52. (b) |
| 53. (c) | 54. (d) | 55. (a) | 56. (b) |
| 57. (c) | 58. (d) | 59. (a) | 60. (b) |
| 61. (c) | 62. (d) | 63. (a) | 64. (b) |
| 65. (c) | 66. (d) | 67. (a) | 68. (b) |
| 69. (c) | 70. (a) | 71. (b) | 72. (c) |
| 73. (d) | 74. (a) | 75. (b) | 76. (c) |
| 77. (d) | 78. (a) | 79. (b) | 80. (c) |
| 81. (d) | 82. (a) | 83. (d) | 84. (a) |
| 85. (d) | 86. (b) | 87. (c) | 88. (a) |
| 89. (b) | 90. (c) | 91. (d) | 92. (a) |
| 93. (b) | 94. (a) | 95. (b) | 96. (c) |
| 97. (d) | 98. (a) | 99. (d) | 100. (b) |
| 101. (a) | 102. (c) | 103. (a) | 104. (b) |
| 105. (c) | 106. (d) | 107. (a) | 108. (c) |
| 109. (d) | 110. (a) | 111. (b) | 112. (c) |
| 113. (d) | 114. (a) | 115. (b) | 116. (c) |
| 117. (d) | 118. (a) | 119. (b) | 120. (c) |
| 121. (d) | 122. (a) | 123. (b) | 124. (c) |
| 125. (d) | 126. (a) | 127. (c) | 128. (a) |
| 129. (b) | 130. (d) | 131. (d) | 132. (b) |
| 133. (a) | 134. (c) | 135. (d) | 136. (a) |
| 137. (b) | 138. (d) | 139. (c) | 140. (a) |
| 141. (b) | 142. (a) | 143. (c) | 144. (d) |
| 145. (a) | 146. (d) | 147. (b) | 148. (d) |
| 149. (d) | 150. (c) | 151. (a) | 152. (d) |
| 153. (c) | 154. (b) | 155. (a) | 156. (b) |
| 157. (c) | 158. (d) | 159. (b) | 160. (d) |
| 161. (a) | 162. (b) | 163. (c) | 164. (c) |
| 165. (d) | 166. (c) | 167. (d) | 168. (a) |
| 169. (b) | 170. (d) | 171. (d) | 172. (a) |
| 173. (b) | 174. (c) | 175. (b) | 176. (c) |
| 177. (a) | 178. (d) | 179. (b) | 180. (c) |
| 181. (d) | 182. (b) | 183. (b) | 184. (a) |
| 185. (d) | 186. (d) | 187. (a) | 188. (a) |
| 189. (b) | 190. (c) | 191. (d) | 192. (c) |
| 193. (a) | 194. (d) | 195. (a) | 196. (a) |
| 197. (d) | 198. (a) | 199. (a) | 200. (c) |
| 201. (b) | 202. (d) | 203. (d) | 204. (c) |

205. (d)	206. (a)	207. (b)	208. (c)	213. (c)	214. (a)	215. (c)	216. (d)
209. (c)	210. (a)	211. (b)	212. (c)	217. (b)	218. (c)	219. (a)	

1.6 Powerpoint

1.6.1 Introduction to PowerPoint

1. The MS office tool used for preparation of presentations is called _____.
 - (a) MS Word
 - (b) MS Excel
 - (c) MS Access
 - (d) *MS Powerpoint*
2. The command to invoke power point from command line is _____.
 - (a) *powerpnt*
 - (b) *power*
 - (c) *point*
 - (d) *mssppt*
3. The default extension for a presentation prepared in powerpoint contained in MS Office version 2007 or later is _____.
 - (a) *.accdb*
 - (b) *.pptx*
 - (c) *.xlsx*
 - (d) *.docx*
4. The default extension for a presentation prepared in powerpoint contained in MS Office version 2003 or earlier is _____.
 - (a) *.doc*
 - (b) *.xls*
 - (c) *.ppt*
 - (d) *.mdb*
5. Powerpoint is suitable for creating _____ presentations.
 - (a) business
 - (b) educational
 - (c) strategic (military)
 - (d) *all of them*
6. Powerpoint may be started using _____.
 - (a) Start— >All Apps— >Microsoft Office— >Microsoft Powerpoint
 - (b) Pressing Windows+R, typing "powerpnt" and pressing enter
 - (c) *both a & b*
 - (d) none of them

1.6.2 Advantages of Powerpoint

7. Delivering an information through Powerpoint helps _____.
 - (a) to keep the attention of audience
 - (b) to create a collaborative environment
 - (c) permits the speaker to maintain the flow of information
 - (d) *all of them*
8. Creating a presentation in Powerpoint helps to share the information with those who _____ the direct session.
 - (a) who could not attend

- (b) who could not attend
- (c) who become interested to know the information after completion of
- (d) *all of them*
9. Powerpoint helps to create a mix of _____ to make the presentation lively and interesting.
 - (a) audio/video
 - (b) text/ table/ lists
 - (c) images/ graphs
 - (d) *all of them*
10. Powerpoint presentation may be exported to _____.
 - (a) Portable Document Format (PDF)
 - (b) Video file (through File— >Save & send)
 - (c) *both a & b*
 - (d) none of them
11. Powerpoint can help to deliver content over _____.
 - (a) web
 - (b) email
 - (c) social media
 - (d) *all of them*

1.6.3 Creating Slide Shows

12. New presentation in power point can be created using _____.
 - (a) File— >New
 - (b) *Ctrl + N*
 - (c) *both a & b*
 - (d) none of them
13. On choosing File— >New, _____ can be chosen to start the presentation.
 - (a) Blank Presentation
 - (b) Themes
 - (c) *either a or b*
 - (d) none of them
14. In Powerpoint, slide styles may be chosen from _____ menu.
 - (a) *Design— >Themes*
 - (b) Home— >Font
 - (c) Home— >Slides
 - (d) Home— >Paragraph
15. In Powerpoint, font for presentation may be chosen from _____ menu.
 - (a) Design— >Themes
 - (b) *Home— >Font*
 - (c) Home— >Slides
 - (d) Home— >Paragraph
16. In Powerpoint, new slide, slide layout, slide reset and slide sectioning may be chosen from _____ menu.
 - (a) Design— >Themes
 - (b) Home— >Font
 - (c) *Home— >Slides*
 - (d) Home— >Paragraph

17. In Powerpoint, paragraph style for presentation may be chosen from _____ menu.
- Home— >Drawing
 - Home— >Font
 - Home— >Slides
 - Home— >Paragraph
18. In Powerpoint, drawing for use in the presentation may be created using _____ menu.
- Home— >Drawing
 - Home— >Font
 - Home— >Slides
 - Home— >Paragraph
19. In Powerpoint, drawing for use in the presentation may be created using _____ menu.
- Home— >Drawing
 - Home— >Font
 - Home— >Slides
 - Home— >Paragraph
20. In Powerpoint, table can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Images
 - Insert— >Illustrations
 - Insert— >Links
21. In Powerpoint, images like picture from file, clipart and photo albums can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Images
 - Insert— >Illustrations
 - Insert— >Links
22. In Powerpoint, geometric shapes, hyperlink and action link can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Images
 - Insert— >Illustrations
 - Insert— >Links
23. In Powerpoint, geometric shapes, smart art and chart can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Images
 - Insert— >Illustrations
 - Insert— >Links
24. In Powerpoint, textbox, header & footer, word art, date & time, slide number and text objects from other applications can be inserted using _____ menu.
- Insert— >Tables

- Insert— >Text
 - Insert— >Symbol
 - Insert— >Media
25. In Powerpoint, equations and mathematical symbols can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Text
 - Insert— >Symbol
 - Insert— >Media
26. In Powerpoint, media objects like video and audio can be inserted using _____ menu.
- Insert— >Tables
 - Insert— >Text
 - Insert— >Symbol
 - Insert— >Media

1.6.4 Fine tuning the presentation

27. In Powerpoint, page setup and slide orientation may be controlled using _____ menu.
- Design— >Page Setup
 - Design— >Themes
 - Insert— >Colors
 - Insert— >Fonts
28. In Powerpoint, slide transition effects may be controlled using _____ menu.
- Design— >Effects
 - Design— >Themes
 - Insert— >Colors
 - Insert— >Fonts
29. In Powerpoint, slide theme can be controlled using _____ menu.
- Design— >Background
 - Design— >Themes
 - Insert— >Colors
 - Insert— >Fonts
30. In Powerpoint, color themes (background, foreground, title color, etc.) can be controlled using _____ menu.
- Design— >Background
 - Design— >Themes
 - Insert— >Colors
 - Insert— >Fonts
31. In Powerpoint, fonts can be chosen using _____ menu.
- Design— >Background
 - Design— >Themes
 - Insert— >Colors

- (d) *Insert*— > *Fonts*
32. In Powerpoint, background fill colour, hide background graphics using _____ menu.
- (a) *Design*— > *Background*
 (b) *Design*— > *Themes*
 (c) *Insert*— > *Colors*
 (d) *Insert*— > *Fonts*
33. In Powerpoint, presentation preview can be started using using _____ menu.
- (a) *Transition*— > *Preview*
 (b) *Transition*— > *Transition to this slide*
 (c) *Timing*
 (d) none of them
34. In Powerpoint, slide transition effects can be applied using using _____ menu.
- (a) *Transition*— > *Preview*
 (b) *Transition*— > *Transition to this slide*
 (c) *Timing*
 (d) none of them
35. In Powerpoint, sound effects for slide transition, automatic-transition time, etc. can be applied using _____ menu.
- (a) *Transition*— > *Preview*
 (b) *Transition*— > *Transition to this slide*
 (c) *Timing*
 (d) none of them
36. In Powerpoint, animated flow of text and images in presentation can be applied using _____ menu.
- (a) *Animations*— > *Advanced Animation*
 (b) *Animations*— > *Preview*
 (c) *Animation*— > *Timing*
 (d) none of them
37. In Powerpoint, slide animation preview can be opened using _____ menu.
- (a) *Animations*— > *Advanced Animation*
 (b) *Animations*— > *Preview*
 (c) *Animation*— > *Timing*
 (d) none of them
38. In Powerpoint, animation timings can be controlled using _____ menu.
- (a) *Animations*— > *Advanced Animation*
 (b) *Animations*— > *Preview*
 (c) *Animation*— > *Timing*
 (d) none of them
39. In Powerpoint, slide shows from beginning, slide show from current slide and custom slide show can be started using _____ menu.
- (a) *Slide show*— > *Start slide show*
 (b) *Slide show*— > *Set up*
 (c) *Slide show*— > *Monitors*
 (d) none of them
40. In Powerpoint, slide shows can be setup, slide can be hidden, timing can be rehearsed and slide transition times can be recorded using _____ menu.
- (a) *Slide show*— > *Start slide show*
 (b) *Slide show*— > *Set up*
 (c) *Slide show*— > *Monitors*
 (d) none of them
41. In Powerpoint, proofing, language, comments and comparison of 2 slide shows can be accomplished using _____ menu.
- (a) *Review* (b) *View*
 (c) *Slide show* (d) *Animations*
42. In Powerpoint, presentation views, master views, ruler, grilines, guides, zoom, fit to window, color, grayscale, black and white, new window, arrange all, cascade, move split, swich windows and macros can be accessed using _____ menu.
- (a) *Review* (b) *View*
 (c) *Slide show* (d) *Animations*

1.6.5 Good presentation techniques

43. To make effective presentation, minimize text and maximize _____.
- (a) images (b) graphs
 (c) videos (d) *all of them*
44. To make an effective impact, a presentation should be _____.
- (a) very long, running to 2 or 3 hours
 (b) *short and sweet*
 (c) unorganized, mixing head and tail at one place
 (d) blank from first to last slide
45. To make an effective impact, a presentation should be _____.
- (a) very long, running to 2 or 3 hours
 (b) *short and sweet*
 (c) unorganized, mixing head and tail at one place
 (d) blank from first to last slide
46. Optimum duration for making a presentation is _____.
- (a) 7 hours
 (b) 3 to 4 hours
 (c) 1 minute
 (d) *22 to 35 minutes*
47. In presentation, the rule of 3 means, _____.
- (a) people forget the first 3 items

- (b) people forget the last 3 items
 (c) *people remember the best 3 items*
 (d) people remember the worst 3 items
- 48.** After preparing a presentation, it should _____ to make it effective.
 (a) be kept in a pen drive or CD till delivery
 (b) never be opened till delivery
 (c) be opened just for delivery
 (d) *be rehearsed many times*
- 49.** To make an effective presentation, one should _____ the text typed in the slides.
 (a) simply keep reading
 (b) *add spice to the text through stories and fables*
 (c) keep reading (whether the audience listens or not)
 (d) none of them
- 50.** One should record the presentation in _____ and watch it again to find the mistakes done during delivery.
 (a) paper (b) *video*
 (c) text (d) transcript
- 51.** To make an effective presentation, one should _____.
 (a) forget what is on the current slide
 (b) forget what is on the next slide
 (c) *remember offer a lead to the next slide*
 (d) never care for the order of slides
- 52.** One should have _____ to cater to the unexpected situations of projector failure, power failure, computer failure, disk error, etc.
- (a) *a backup plan for alternate delivery (like through paper handouts)*
 (b) a style to say sorry
 (c) a practice to weep in front of the audience over the failure
 (d) guts to say good bye without making the presentation
- 53.** Before making a presentation, the presenter should _____.
 (a) arrive at the room early
 (b) verify the presentation loaded on the projector
 (c) choose the best place to stand during the presentation
 (d) *all of them*

Answers (1158 - 1210)

- | | | | |
|---------|---------|---------|---------|
| 1. (d) | 2. (a) | 3. (b) | 4. (c) |
| 5. (d) | 6. (c) | 7. (d) | 8. (d) |
| 9. (d) | 10. (c) | 11. (d) | 12. (c) |
| 13. (c) | 14. (a) | 15. (b) | 16. (c) |
| 17. (d) | 18. (a) | 19. (a) | 20. (a) |
| 21. (b) | 22. (d) | 23. (c) | 24. (b) |
| 25. (c) | 26. (d) | 27. (a) | 28. (a) |
| 29. (b) | 30. (c) | 31. (d) | 32. (a) |
| 33. (a) | 34. (b) | 35. (c) | 36. (a) |
| 37. (b) | 38. (c) | 39. (a) | 40. (b) |
| 41. (a) | 42. (b) | 43. (d) | 44. (b) |
| 45. (b) | 46. (d) | 47. (c) | 48. (d) |
| 49. (b) | 50. (b) | 51. (c) | 52. (a) |
| 53. (d) | | | |

1.7 OpenOffice

1.7.1 Introduction to Open Office

1. The suit of free software offered by Apache foundation for document preparation, spreadsheet, presentation, drawing and database management is called
 - (a) *OpenOffice.org*
 - (b) Microsoft Office
 - (c) Star Office
 - (d) KOffice
2. OpenOffice.org text document file has extension of _____
 - (a) *.odt*
 - (b) *.ods*
 - (c) *.odg*
 - (d) *.odp*
3. OpenOffice.org text spreadsheet file has extension of _____
 - (a) *.odt*
 - (b) *.ods*
 - (c) *.odg*
 - (d) *.odp*
4. OpenOffice.org drawing file has extension of _____
 - (a) *.odt*
 - (b) *.ods*
 - (c) *.odg*
 - (d) *.odp*
5. OpenOffice.org presentation file has extension of _____
 - (a) *.odt*
 - (b) *.ods*
 - (c) *.odg*
 - (d) *.odp*
6. OpenOffice.org presentation file has extension of _____
 - (a) *.odt*
 - (b) *.ods*
 - (c) *.odg*
 - (d) *.odp*
7. In OpenOffice.org, text document can be prepared using _____
 - (a) *writer*
 - (b) *calc*
 - (c) *draw*
 - (d) *impress*
8. In OpenOffice.org, spreadsheet can be prepared using _____ application.
 - (a) *writer*
 - (b) *calc*
 - (c) *draw*
 - (d) *impress*
9. In OpenOffice.org, spreadsheet can be prepared using _____ application.
 - (a) *writer*
 - (b) *calc*
 - (c) *draw*
 - (d) *impress*
10. In OpenOffice.org, drawing can be prepared using _____ application.
 - (a) *writer*
 - (b) *calc*
 - (c) *draw*
 - (d) *impress*

11. In OpenOffice.org, presentation can be prepared using _____ application.
 - (a) *writer*
 - (b) *calc*
 - (c) *draw*
 - (d) *impress*

1.7.2 Image properties

12. _____ are the important properties of images.
 - (a) *Colour*
 - (b) *Width*
 - (c) *Height*
 - (d) *all of them*
13. An image is made of small dots called _____
 - (a) *pixel*
 - (b) *dot*
 - (c) *point*
 - (d) *line*
14. Each pixel possess the properties of _____
 - (a) *Colour*
 - (b) *Transparency (alpha)*
 - (c) *both a & b*
 - (d) *none of them*
15. Normally, color coding in images is represented in _____ system.
 - (a) *Red Green Blue Alpha (RGBA)*
 - (b) *Cyan Magenta Yellow black (CMYK)*
 - (c) *both a & b*
 - (d) *neither a nor b*
16. Any visible colour can be created using appropriate combination of _____.
 - (a) *Red*
 - (b) *Green*
 - (c) *Blue*
 - (d) *all of them*
17. Alpha value of 0 represents _____ colour.
 - (a) *opaque*
 - (b) *transparent*
 - (c) *semitransparent*
 - (d) *none of them*
18. Maximum alpha value represents _____ colour.
 - (a) *opaque*
 - (b) *transparent*
 - (c) *semitransparent*
 - (d) *none of them*
19. Alpha value between 0 and maxim represents _____ colour.
 - (a) *opaque*
 - (b) *transparent*
 - (c) *semitransparent*
 - (d) *none of them*

1.7.3 Image types

20. BMP in image format stands for

- (a) Binary Magnified Photo
- (b) Binary Machine Picture
- (c) Binary Machine Photo
- (d) *BitMaP*

21. JPG or JPEG in image format stands for

- (a) *Joint Photographic Experts Group*
- (b) Joint Picture Experts Group
- (c) Joint Photographic Experts Graph
- (d) Joint Photographic Experts General

22. JPEG is a _____ compression format.

- (a) *lossy*
- (b) lossless
- (c) both a & b
- (d) neither a nor b

23. JPEG format is widely adopted for

- (a) digital photography
- (b) printing
- (c) image editing
- (d) *all of them*

24. JPEG 2000 is a new version of JPEG adopted in _____.

- (a) *video frame compression*
- (b) audio compression
- (c) grayscale image compression
- (d) none of them

25. JPEG 2000 is a _____ compression format.

- (a) lossy
- (b) lossless
- (c) *both a & b*
- (d) neither a nor b

26. In digital imaging, GIF stands for

- (a) Graphics Interchange Frame
- (b) *Graphics Interchange Format*
- (c) Graphics Interlaced Format
- (d) Graphics Intersection Format

27. _____ file format supports simple animations in an image.

- (a) *GIF*
- (b) JPG
- (c) BMP
- (d) TIF

28. In digital imaging, TIFF stands for

- (a) Tagged Initial File Format
- (b) Tagged Image File Frame
- (c) Triggered Image File Format

(d) *Tagged Image File Format*

29. In digital imaging, TIFF stands for

- (a) Tagged Initial File Format
- (b) Tagged Image File Frame
- (c) Triggered Image File Format
- (d) *Tagged Image File Format*

30. TIFF is more suitable for _____ than for digital photography.

- (a) *digital printing*
- (b) digital drawing
- (c) digital video
- (d) digital audio

31. PNG in digital imaging stands for ..

- (a) Palate Network Graphics
- (b) *Portable Network Graphics*
- (c) Portable Number Graphics
- (d) Portable Network Grayscale

32. PNG supports _____ compression.

- (a) lossy
- (b) *lossless*
- (c) both a & b
- (d) neither a nor b

33. Google WebP is an image format which supports _____ compression.

- (a) lossy
- (b) lossless
- (c) *both a & b*
- (d) neither a nor b

34. Google WebP aims to supersede _____ as a file format for digital cameras.

- (a) *JPG*
- (b) PNG
- (c) GIF
- (d) TIFF

35. ICO is an image format containing one or more icons of _____ type.

- (a) BMP
- (b) PNG
- (c) *both a & b*
- (d) neither a nor b

36. CPT file extension stands for

- (a) Corel Picture Paint
- (b) *Corel Photo Paint*
- (c) Creative Photo Paint
- (d) Corel Photo Print

37. PSD file extension stands for

- (a) Photo Shop Drawing
- (b) Picture Shop Document
- (c) Photo Scan Document
- (d) *Photo Shop Document*

38. PSP file extension stands for

- (a) *Paint Shop Pro*
- (b) Paint Shop Photo
- (c) Paint Shop Picture
- (d) Paint Shop Print

39. XCF file extension stands for

- (a) eXtreme Computing Facility
- (b) eXtended Computing Facility
- (c) *eXperimental Computing Facility*
- (d) eXperimental Counting Facility

40. SVG in image format stands for

- (a) Scanned Vector Graphics
- (b) *Scalable Vector Graphics*
- (c) Scalable Vector Grayscale
- (d) Scalable Vintage Graphics

1.7.4 Editing of images

41. The process of enhancing image quality by rotation, extraction, colour transformation, partial relocation, morphing and conversion from/ to colour image to grayscale, etc. are categorized as

- (a) image capture
- (b) image viewing
- (c) *image editing*
- (d) none of them

42. Adobe Photoshop, Corel Paint Shop Pro, GIMP, etc. belong to the category of _____ software.

- (a) image capture
- (b) image viewing
- (c) *image editing*
- (d) none of them

43. _____ is a free and open source software for image editing.

- (a) Adobe Photoshop
- (b) Corel Paint Shop Pro
- (c) *GIMP*
- (d) none of them

44. GIMP toolbox can be opened using

- (a) Windows— > Toolbox menu
- (b) Ctrl+B shortcut
- (c) *both a & b*
- (d) none of them

45. GIMP toolbox contains rectangle, ellipse, freehand, fuzzy tool, colour select, scissor selection tool, foreground select and path tools for _____.

- (a) *selecting portions of images*
- (b) deleting images
- (c) creating images
- (d) drawing on images

46. In GIMP, color in one part of image may be picked for painting another part using _____ tool.

- (a) *color picker*
- (b) zoom
- (c) measure
- (d) move

47. In GIMP, image size may be enlarged or reduced using _____ tool.

- (a) color picker
- (b) *zoom*
- (c) measure
- (d) move

48. In GIMP, distances and angles can be measured using _____ tool.

- (a) color picker
- (b) zoom
- (c) *measure*
- (d) move

49. In GIMP, selected portions can be moved using _____ tool.

- (a) color picker
- (b) zoom
- (c) measure
- (d) *move*

50. In GIMP, selected portions can be moved using _____ tool.

- (a) color picker
- (b) zoom
- (c) measure
- (d) *move*

51. Edges of images can be removed using _____ tool in GIMP.

- (a) *crop tool*
- (b) alignment tool
- (c) rotate tool
- (d) scale tool

52. Layers may be aligned using _____ tool in GIMP.

- (a) crop tool
- (b) *alignment tool*
- (c) rotate tool
- (d) scale tool

53. Selected portions or layers may be rotated using _____ tool in GIMP.

- (a) crop tool
- (b) alignment tool
- (c) *rotate tool*
- (d) scale tool

54. Selected portions or layers may be scaled using _____ tool in GIMP.

- (a) crop tool
- (b) alignment tool
- (c) rotate tool
- (d) *scale tool*

55. Selected region or layer may be distorted using _____ tool in GIMP.

- (a) *shear*
- (b) perspective

- (c) flip
(d) cage transform tool
- 56.** Selected region or layer converted to 3D appearance using _____ tool in GIMP.
(a) shear
(b) *perspective*
(c) flip
(d) cage transform tool
- 57.** Selected portions may be distorted inside a cage using _____ tool in GIMP.
(a) shear
(b) perspective
(c) flip
(d) *cage transform tool*
- 58.** Image may be flipped (horizontally or vertically) using _____ tool in GIMP.
(a) shear
(b) perspective
(c) *flip*
(d) cage transform tool
- 59.** Text can be inserted into an image using _____ tool in GIMP.
(a) *text* (b) bucket fill
(c) blend (d) pencil
- 60.** Filling can be done using _____ tool in GIMP.
(a) text (b) *bucket fill*
(c) blend (d) pencil
- 61.** Colour difference between adjacent portions can be healed through proper gradient using _____ tool in GIMP.
(a) text (b) bucket fill
(c) *blend* (d) pencil

- 62.** Pencil drawing can be done using _____ tool in GIMP.
(a) text (b) bucket fill
(c) blend (d) *pencil*
- 63.** Simple painting can be done using _____ tools in GIMP.
(a) brush/ airbrush
(b) eraser
(c) ink
(d) *all of them*
- 64.** GIMP permits manipulation at _____ levels.
(a) image (b) layer
(c) color space (d) *all of them*

Answers (1211 - 1274)

- | | | | |
|----------------|----------------|----------------|----------------|
| 1. (a) | 2. (a) | 3. (b) | 4. (c) |
| 5. (d) | 6. (d) | 7. (a) | 8. (b) |
| 9. (b) | 10. (c) | 11. (d) | 12. (d) |
| 13. (a) | 14. (c) | 15. (a) | 16. (d) |
| 17. (a) | 18. (b) | 19. (c) | 20. (d) |
| 21. (a) | 22. (a) | 23. (d) | 24. (a) |
| 25. (c) | 26. (b) | 27. (a) | 28. (d) |
| 29. (d) | 30. (a) | 31. (b) | 32. (b) |
| 33. (c) | 34. (a) | 35. (c) | 36. (b) |
| 37. (d) | 38. (a) | 39. (c) | 40. (b) |
| 41. (c) | 42. (c) | 43. (c) | 44. (c) |
| 45. (a) | 46. (a) | 47. (b) | 48. (c) |
| 49. (d) | 50. (d) | 51. (a) | 52. (b) |
| 53. (c) | 54. (d) | 55. (a) | 56. (b) |
| 57. (d) | 58. (c) | 59. (a) | 60. (b) |
| 61. (c) | 62. (d) | 63. (d) | 64. (d) |

1.8 Database Management Systems

- (a) *integrity* (b) *duplicity*
(c) *multiplicity* (d) *atomicity*

1.8.1 Data, Information and Database

1. _____ refers to collection, storage, manipulation, reporting and mining of available information.
 - (a) *Database management*
 - (b) Presentation
 - (c) Charting
 - (d) Document preparation
2. A database contains _____ to help management of information.
 - (a) schemes
 - (b) tables
 - (c) queries/ views
 - (d) *all of them*
3. SQL stands for _____.
 - (a) Synchronized Query Language
 - (b) *Structured Query Language*
 - (c) Simplified Query Language
 - (d) Structured Question Language
4. Creation and modification of databases and tables is called _____.
 - (a) update
 - (b) retrieval
 - (c) *data definition*
 - (d) administration
5. Inserting data and modifying values in previously inserted data in tables of a database is called _____.
 - (a) *data update*
 - (b) data retrieval
 - (c) data definition
 - (d) database administration
6. Querying and selecting data from a table is called _____.
 - (a) data update
 - (b) *data retrieval*
 - (c) data definition
 - (d) database administration
7. Defining the users, passwords and roles for users to control a database is called _____.
 - (a) data update
 - (b) data retrieval
 - (c) data definition
 - (d) *database administration*
8. Maintaining data in error free manner is called data _____.

1.8.2 Overview of popular databases systems

9. DBMS stands for _____.
 - (a) Database Maintenance System
 - (b) Database Management Syntax
 - (c) *Database Management System*
 - (d) Digital Management System
10. Oracle, IBM DB2, SAP HANA, MySQL, PostgreSQL, Microsoft SQL server, Sybase, MongoDB, MariaDB & SQLite are the most popular _____ tools.
 - (a) graphics & animation
 - (b) image editing
 - (c) document typesetting
 - (d) *database management*
11. Oracle, IBM DB2, SAP HANA & Microsoft SQL server are _____ database management tools.
 - (a) *professional (paid)*
 - (b) free/ open source
 - (c) outdated
 - (d) unsuitable
12. MySQL, PostgreSQL, MariaDB & SQLite are _____ database management tools.
 - (a) professional (paid)
 - (b) *free/ open source*
 - (c) outdated
 - (d) unsuitable
13. Among the open source and free database management systems, _____ is the most popular.
 - (a) *MySQL*
 - (b) PostgreSQL
 - (c) MariaDB
 - (d) SQLite
14. Among the professional (paid) database management systems, _____ is the most popular.
 - (a) IBM DB2
 - (b) SAP HANA
 - (c) *Oracle*
 - (d) Microsoft SQL Server
15. _____ is the most popular database management system in the embedded (mobile phones/ tablets) category.
 - (a) MySQL
 - (b) *SQLite*
 - (c) Oracle
 - (d) PostgreSQL

RDBMS

- 16.** RDBMS stands for _____.
- Relational Digital Base Management System
 - Restricted Data Base Management System
 - Relational Data Base Management System*
 - Relational Data Binary Management System
- 17.** Relational database model was proposed by _____.
- Bill Gates
 - Steve Jobs
 - Dennis Ritchie
 - Edgar F Codd*
- 18.** A database management system requires to fulfill _____ to be called a relational database system.
- Codd's 12 Rules*
 - 10 commandments of Moses
 - 3 laws of Isac Newton
 - 2 laws of Kirchoff
- 19.** Codd's Rule 0 defines a relational database system as the one which manages data through _____ capabilities.
- hierarchical database
 - network database
 - relational database*
 - none of them
- 20.** Codd's Rule 1 is otherwise called _____ rule and specifies that all information should be held in tables.
- information*
 - access
 - null value
 - database description
- 21.** Codd's Rule 2 is otherwise called _____ rule and it guarantees that each and every information stored in a database is accessible.
- information
 - access
 - null value
 - database description
- 22.** Codd's Rule 3 is otherwise called _____ rule and it specifies that there should be unique NULL value to denote missing information.
- information
 - access
 - null value*
 - database description
- 23.** Codd's Rule 4 is otherwise called _____ rule and it states that meta data should also be stored as normal data.
- information
 - access
 - null value
 - database description*
- 24.** Codd's Rule 5 is otherwise called _____ rule and it permits commands for creating, managing, rolling back and authorizing data access.
- data sublanguage*
 - view updating
 - insert, update, delete
 - independence from physical storage
- 25.** Codd's Rule 6 is otherwise called _____ rule and it specifies that every view which is theoretically updateable should be updateable through the system.
- data sublanguage
 - view updating*
 - insert, update, delete
 - independence from physical storage
- 26.** Codd's Rule 7 is otherwise called _____ rule and it specifies that insertion, delete and update of data should also be based on relational principles.
- data sublanguage
 - view updating
 - insert, update, delete*
 - independence from physical storage
- 27.** Codd's Rule 8 is otherwise called _____ rule and it specifies that the type of physical storage media should not affect the access methods of data through the database management system.
- data sublanguage
 - view updating
 - insert, update, delete
 - independence from physical storage*
- 28.** Codd's Rule 9 is otherwise called _____ rule and application programs are unaffected by changes to the data unless it impairs the results of the application program.
- logical data independence*
 - integrity independence
 - distribution independence
 - non-subversion

29. Codd's Rule 10 is otherwise called _____ rule and it specifies that data integrity conditions should be defined in the database management system and not in the application program.
- logical data independence
 - integrity independence*
 - distribution independence
 - non-subversion
30. Codd's Rule 11 is otherwise called _____ rule and it specifies that the end user should feel that the data is stored at one place, although the storage may be distributed on several computers.
- logical data independence
 - integrity independence
 - distribution independence*
 - non-subversion
31. Codd's Rule 12 is otherwise called _____ rule and it specifies that data access should be provided only through the relational model, without exposing the low level storage APIs to the end user.
- logical data independence
 - integrity independence
 - distribution independence
 - non-subversion*
32. API stands for _____.
- Applied Programming Interface
 - Application Programming Interface*
 - Application Programming Integration
 - Application Provider Interface

OODB

33. Object oriented databases are based on the concept of _____, similar to object oriented programming.
- SQL
 - table
 - objects*
 - column
34. Relational databases are _____ oriented.
- method
 - table*
 - objects
 - program
35. OODB stands for _____.
- Object Oriented Digital Base
 - Offset Oriented Data Base
 - Object Oriented Data Binary
 - Object Oriented Data Base*
36. OODB is more accessible from _____.
- SQL
 - Object Oriented Programming Languages like C++, Java, Smalltalk, Delphi, etc.*
 - pen drive
 - wired connection
37. OODB with support for SQL (like relational database) is called _____.
- hybrid object relational database*
 - programming
 - pure relational database
 - NOSQL database
38. Objects of OODB may be accessed using _____.
- NOSQL
 - SQL
 - Object Query Language (OQL)*
 - none of them
39. Object schema in OODB use data types _____ to object oriented programming languages.
- unrelated
 - unconnected
 - similar*
 - not connected
40. ODMG stands for _____, which is the consortium in charge of the standardizing the development of Object Oriented Data Base.
- Object Data Management General
 - Object Data Management Group*
 - Object Digital Management Group
 - Object Data Maintenance Group
41. OMG in object oriented database stands for _____.
- Object Maintenance Group
 - Oh My God
 - Object Management Group*
 - Object Management Gimmick
42. XQuery is _____ language.
- XML based Query*
 - Structured Query
 - programming
 - object oriented programming
43. Object Oriented Data Base is suitable for cases in which relational tables are _____ to design and manipulate.
- too complex*
 - too easy
 - too simple
 - too plain
44. ORM in database management stands for _____.
- Object Reverse Mapping
 - Offset Relational Mapping
 - Object Relational Mapping*
 - Object Restricted Mapping

NOSQL

45. The system of managing databases using models other than tables and retrieving data using methods other than or related to SQL is called _____ data management system.
- relational database
 - table oriented
 - Query oriented
 - NOSQL*
46. NOSQL is suitable for social media sites because it _____.
- permits fast queries
 - permits ad-hoc joins
 - compromises data integrity rules in favour of speed
 - all of them*
47. NOSQL databases permit updates which _____ and are prone to data loss.
- may be incomplete*
 - are complete
 - which are immediately effected
 - which are subject to strict rules of integrity

1.8.3 Rules for designing good tables

48. A good database table has _____ naming.
- inconsistent
 - consistent*
 - unrelated
 - haphazard
49. The name of table and column should be in _____.
- plural
 - vernacular
 - incoherent words
 - singular*
50. In a well defined database, names of database, table and column _____ contain space.
- do
 - may
 - should not*
 - should
51. If the name of database, table or column should have separation, use _____ instead of the space character.
- &
 -
 - @
 - \$
52. As a good practice in the design of database tables, passwords should be stored in _____ format.
- numeric
 - random
 - plain text
 - encrypted*
53. As a good practice in design of database tables, it is advisable to have _____ for indexing.

- Integer ID column*
 - no column
 - all columns
 - none of them
54. As a good practice, each user should have _____ user id and password.
- same
 - different*
 - root
 - admin
55. As a good practice, select queries should have contain _____ column names.
- * for
 - blank for
 - required field names*
 - none of them
56. In defining a database table, it is a good practice to define frequently searched columns with _____.
- primary key
 - foreign key
 - either a or b*
 - neither a nor b
57. When a column value cannot be null, it is a good practice to include _____ declaration for that column when creating the table.
- DEFAULT 0
 - DEFAULT < *SOME_VALUE* >
 - NULL
 - NOT NULL*
58. When a column value should be filled with a default of 0 or any other value, it is a good practice to include _____ declaration for that column when creating the table.
- DEFAULT 0
 - DEFAULT < *SOME_VALUE* >
 - either a or b*
 - NOT NULL
59. For mission critical databases, _____ should be created to avoid data loss.
- backup*
 - program
 - SQL
 - table
60. The process of dividing the data in suitable tables to avoid repetition of data is called _____.
- normalization*
 - data insertion
 - data deletion
 - data updation

1.8.4 Integrity rules and constraints in a table

61. The database rule which permits inserting a row without any specific value for a column is called _____.
- null rule*
 - unique column rule
 - primary key rule
 - referential integrity rule
62. _____ in database management permits inserting a new value only if there is no previous entry having the same value.
- null rule
 - unique column rule*
 - primary key rule
 - referential integrity rule
63. _____ in database management permits unique values to be used for searching and indexing of data.
- null rule
 - unique column rule
 - primary key rule*
 - referential integrity rule
64. _____ in database management ensures that key values in one table are referenced in a related table.
- null rule
 - unique column rule
 - primary key rule
 - referential integrity rule*
65. _____ in database management ensures that user defined constraints are enforced to restrict deletion or updating of rows.
- Complex integrity checking rule*
 - unique column rule
 - primary key rule
 - referential integrity rule
66. _____ rule in data reference integrity ensures that referred data is not deleted or updated.
- restrict*
 - set to null
 - set to default
 - cascade
67. _____ rule in data reference integrity ensures that whenever data is deleted, all dependencies to deleted data are set to null value.
- restrict
 - set to null*
 - set to default

- cascade
68. _____ rule in data reference integrity ensures that whenever data is deleted, all dependencies are set to their default value.
- restrict
 - set to null
 - set to default*
 - cascade
69. _____ rule in data reference integrity ensures that whenever data is updated or deleted, all dependency rows are correspondingly updated or deleted.
- restrict
 - set to null
 - set to default
 - cascade*
70. _____ rule in data reference integrity ensures that whenever data is updated or deleted, all dependency rows are correspondingly updated or deleted.
- restrict
 - set to null
 - set to default
 - cascade*
71. _____ rule in data reference integrity ensures that no action is taken when attempt is made to delete or update referenced data.
- No action*
 - Set to null
 - Set to default
 - Cascade
72. The practice of specifying only specified values are entered in particular column (like NOT NULL, DEFAULT 0) is called _____.
- integrity rule
 - integrity constraint*
 - upadation rule
 - relational rule

1.8.5 Relationships in tables

73. Creating relationship for data in one table with that in another table in database is called _____.
- integrity
 - constraint
 - relationship*
 - none of them
74. _____ is used to relate data in one table to that in another table.
- key*
 - column
 - row
 - table

75. A key which is unique to a table is called _____.

- (a) *primary key* (b) foreign key
- (c) unique (d) none of them

76. A key which helps to connect data in one secondary table to that in a primary table is called _____.

- (a) primary key (b) *foreign key*
- (c) unique (d) none of them

77. A key which helps to connect data in one secondary table to that in a primary table is called _____.

- (a) primary key
- (b) *foreign key*
- (c) alternate key or candidate key
- (d) none of them

78. A key which can be used as a prospective primary key (in the future) is called _____.

- (a) primary key
- (b) foreign key
- (c) *alternate key or candidate key*
- (d) none of them

79. A key which can be used as a prospective primary key (in the future) is called _____.

- (a) primary key
- (b) foreign key
- (c) *alternate key or candidate key*
- (d) none of them

1.8.6 Introduction to various types of Queries and their uses

80. SQL stands for _____.

- (a) *Structured Query Language*
- (b) Standard Query Language
- (c) Synchronized Query Language
- (d) Structured Question Language

81. A query which creates database, table, inserts rows, deletes rows & updates existing values is called _____.

- (a) *update query*
- (b) select query
- (c) both a & b
- (d) neither a nor b

82. A query which selects values based from a table is called _____.

- (a) update query
- (b) *select query*
- (c) both a & b
- (d) neither a nor b

83. A query which selects values from a table is called _____.

- (a) update query
- (b) *select query*
- (c) both a & b
- (d) neither a nor b

84. The clause which specifies constraints for selecting or updating data is called _____ clause.

- (a) GROUP BY (b) HAVING
- (c) ORDER BY (d) *WHERE*

85. The clause which specifies rule for data aggregation is called _____ clause.

- (a) *GROUP BY* (b) HAVING
- (c) ORDER BY (d) WHERE

86. The clause which specifies rule for selecting data needed for aggregation is called _____ clause.

- (a) GROUP BY (b) *HAVING*
- (c) ORDER BY (d) WHERE

87. The clause which specifies the rule for sorting of data is called _____ clause.

- (a) GROUP BY (b) HAVING
- (c) *ORDER BY* (d) WHERE

88. The clause which specifies that data should be sorted in descending order is called _____ clause.

- (a) *DESC* (b) HAVING
- (c) ORDER BY (d) WHERE

89. Which of the following queries creates a table named contact with name and mobile columns?

- (a) *create table contact (name varchar(30), mobile varchar(20), primary key(name));*
- (b) insert into contact values('Desiga','329842893');
- (c) update contact set mobile='322312112' where name='Desiga';
- (d) select * from contact;

90. Which of the following queries selects all records from a table named contact?

- (a) create table contact (name varchar(30), mobile varchar(20), primary key(name));
- (b) insert into contact values('Desiga','329842893');
- (c) update contact set mobile='322312112' where name='Desiga';
- (d) *select * from contact;*

91. Which of the following queries sets a new mobile number (322312112) for a person named Desiga in the contact table?

- (a) create table contact (name varchar(30), mobile varchar(20), primary key(name));
- (b) insert into contact values('Desiga','329842893');

- (c) *update contact set mobile='322312112' where name='Desiga';*
 (d) *select * from contact;*
- 92.** Which of the following queries inserts a new record in a table named contact?
 (a) *create table contact (name varchar(30), mobile varchar(20), primary key(name));*
 (b) *insert into contact values('Desiga','329842893');*
 (c) *update contact set mobile='322312112' where name='Desiga';*
 (d) *select * from contact;*
- 93.** The following query creates column named *name*, with a data type _____
create table contact (name varchar(30), mobile varchar(20), primary key(name));
 (a) *varchar* (b) *int*
 (c) *double* (d) *blob*
- 94.** The following query creates column named *name*, having varchar type with maximum length of _____ characters.
create table contact (name varchar(30), mobile varchar(20), primary key(name));
 (a) 10 (b) 20
 (c) 30 (d) 40
- 95.** The following query creates column named *mobile*, having varchar type with maximum length of _____ characters.
create table contact (name varchar(30), mobile varchar(20), primary key(name));
 (a) 10 (b) 20
 (c) 30 (d) 40
- 96.** The following query designates _____ as primary key.
create table contact (name varchar(30), mobile varchar(20), primary key(name));
 (a) *name* (b) *mobile*
 (c) *contact* (d) *primary key*
- 97.** Adding _____ keyword to an integer field permits automatic increment to the record number.
 (a) *primary key*
 (b) *key*
 (c) *auto_increment*
 (d) *automatic*
- 98.** The following query inserts _____ in the mobile column.
insert into contact (name, mobile) values ('Nathiya', '2332323423');
- (a) 2332323423 (b) 34234242234
 (c) 33423423242 (d) 2342342323
- 99.** The following query inserts _____ in the name column.
insert into contact (name, mobile) values ('Nathiya', '2332323423');
 (a) *values* (b) *contact*
 (c) *name* (d) *Nathiya*
- 100.** The following query updates the mobile column to new value if the name is _____
update contact set mobile='453453445343' where name='Girija';
 (a) *name* (b) *Girija*
 (c) *mobile* (d) *contact*
- 101.** The following query updates the mobile to _____ where the name is Girija.
update contact set mobile='453453445343' where name='Girija';
 (a) 453453445343 (b) 435353453453
 (c) 56454646544 (d) 23424234233
- 102.** The following query deletes a row if the name is _____
delete from contact where name='Gayathri';
 (a) *contact* (b) *name*
 (c) *Gayathri* (d) *delete*
- 103.** The following query _____ a table named contact.
drop table contact;
 (a) *deletes*
 (b) *creates*
 (c) *updates*
 (d) *adds new column to*
- 104.** The following query selects data in _____ order.
*select * from contact order by name DESC;*
 (a) *ascending* (b) *descending*
 (c) *unordered* (d) *none of them*

1.8.7 Designing Access Reports and Forms

- 105.** Microsoft Access provides visual environment for design of _____.

- (a) tables (b) reports
- (c) forms (d) *all of them*

106. MS Access creates files are stored with _____ extension.

- (a) .docx (b) .xlsx
- (c) .accdb (d) .pptx

107. New database created in MS Access has got a default table named _____.

- (a) *Table1* (b) Database1
- (c) Column1 (d) Row1

108. By default, new table is displayed in _____ view.

- (a) *Datasheet View*
- (b) Design View
- (c) Report View
- (d) Form View

109. _____ is an alternate to datasheet view for design of table in MS Access.

- (a) Datasheet View
- (b) *Design View*
- (c) Report View
- (d) Form View

110. _____ can be created to help easy data entry in MS Access tables.

- (a) *Form* (b) Report
- (c) database (d) spreadsheet

111. _____ view permits selection of datatypes, default values and constraints for each column.

- (a) Datasheet (b) *Design*
- (c) Report (d) Form

112. By default, first column of an MS Access table is named _____ and it has auto increment property.

- (a) NAME (b) DATE
- (c) NULL (d) *ID*

113. An ordinary form for data entry in MS Access tables may be created using _____ menu.

- (a) *Create— >Form*
- (b) Create— >Split Form
- (c) Create— >Multiple Items
- (d) Create— >Blank Form

114. In MS Access, a form with data records at one half and entry format at the other half may be created using _____ menu.

- (a) Create— >Form
- (b) *Create— >Split Form*
- (c) Create— >Multiple Items
- (d) Create— >Blank Form

115. In MS Access, multiple rows of data may be created using _____ menu.

- (a) *Create— >Form*

- (b) Create— >Split Form
- (c) *Create— >Multiple Items*
- (d) Create— >Blank Form

116. In MS Access, blank form may be created using _____ menu.

- (a) Create— >Form
- (b) Create— >Split Form
- (c) Create— >Multiple Items
- (d) *Create— >Blank Form*

117. In MS Access, form may created through a wizard using _____ menu.

- (a) *Create— >More Forms— >Form Wizard*
- (b) Create— >Split Form
- (c) Create— >Multiple Items
- (d) Create— >Blank Form

118. In MS Access, data sheet may be created using _____ menu.

- (a) Create— >More Forms— >Form Wizard
- (b) *Create— >More Forms— >Data Sheet*
- (c) Create— >More Forms— >Modal Dialog
- (d) Create— >Blank Form

119. In MS Access, form dialog may be created using _____ menu.

- (a) Create— >More Forms— >Form Wizard
- (b) Create— >More Forms— >Data Sheet
- (c) *Create— >More Forms— >Modal Dialog*
- (d) Create— >Blank Form

120. In MS Access, form may be manually designed through available components (like textfield, datapicker, combo-box, etc.) using _____ menu.

- (a) Create— >More Forms— >Form Wizard
- (b) Create— >More Forms— >Data Sheet
- (c) Create— >More Forms— >Modal Dialog
- (d) *Create— >Form Design*

121. In MS Access, default report may be created using _____ menu.

- (a) *Create— >Report*
- (b) Create— >Blank Report
- (c) Create— >Report Wizard
- (d) Create— >Report Design

122. In MS Access, blank report may be created using _____ menu.

- (a) Create— >Report
- (b) *Create— >Blank Report*
- (c) Create— >Report Wizard
- (d) Create— >Report Design

123. In MS Access, report may be created through wizard using _____ menu.

- (a) Create— >Report
- (b) Create— >Blank Report

- (c) *Create— >Report Wizard*
 (d) *Create— >Report Design*

124. In MS Access, report may be designed using components like combobox, text field, text area, list, etc. using _____ menu.

- (a) *Create— >Report*
 (b) *Create— >Blank Report*
 (c) *Create— >Report Wizard*
 (d) *Create— >Report Design*

1.8.8 Macros in MS Access

125. In MS Access, macro may be recorded to carry out different actions using _____ menu.

- (a) *Create— >Report*
 (b) *Create— >Blank Report*
 (c) *Create— >Report Wizard*
 (d) *Create— >Macro*

126. In MS Access, a macro can be activated by pressing, _____ button.

- (a) *Form* (b) *Report*
 (c) *Run* (d) *Table*

127. In MS Access, macros can automate

- (a) *program flow/ data entry*
 (b) *data import/ data export*
 (c) *filter/ query/ search*
 (d) *all of them*

Answers (1275 - 1401)

- | | | | |
|----------|----------|----------|----------|
| 1. (a) | 2. (d) | 3. (b) | 4. (c) |
| 5. (a) | 6. (b) | 7. (d) | 8. (a) |
| 9. (c) | 10. (d) | 11. (a) | 12. (b) |
| 13. (a) | 14. (c) | 15. (b) | 16. (c) |
| 17. (d) | 18. (a) | 19. (c) | 20. (a) |
| 21. (b) | 22. (c) | 23. (d) | 24. (a) |
| 25. (b) | 26. (c) | 27. (d) | 28. (a) |
| 29. (b) | 30. (c) | 31. (d) | 32. (b) |
| 33. (c) | 34. (b) | 35. (d) | 36. (b) |
| 37. (a) | 38. (c) | 39. (c) | 40. (b) |
| 41. (c) | 42. (a) | 43. (a) | 44. (c) |
| 45. (d) | 46. (d) | 47. (a) | 48. (b) |
| 49. (d) | 50. (c) | 51. (b) | 52. (d) |
| 53. (a) | 54. (b) | 55. (c) | 56. (c) |
| 57. (d) | 58. (c) | 59. (a) | 60. (a) |
| 61. (a) | 62. (b) | 63. (c) | 64. (d) |
| 65. (a) | 66. (a) | 67. (b) | 68. (c) |
| 69. (d) | 70. (d) | 71. (a) | 72. (b) |
| 73. (c) | 74. (a) | 75. (a) | 76. (b) |
| 77. (b) | 78. (c) | 79. (c) | 80. (a) |
| 81. (a) | 82. (b) | 83. (b) | 84. (d) |
| 85. (a) | 86. (b) | 87. (c) | 88. (a) |
| 89. (a) | 90. (d) | 91. (c) | 92. (b) |
| 93. (a) | 94. (c) | 95. (b) | 96. (a) |
| 97. (c) | 98. (a) | 99. (d) | 100. (b) |
| 101. (a) | 102. (c) | 103. (a) | 104. (b) |
| 105. (d) | 106. (c) | 107. (a) | 108. (a) |
| 109. (b) | 110. (a) | 111. (b) | 112. (d) |
| 113. (a) | 114. (b) | 115. (c) | 116. (d) |
| 117. (a) | 118. (b) | 119. (c) | 120. (d) |
| 121. (a) | 122. (b) | 123. (c) | 124. (d) |
| 125. (d) | 126. (c) | 127. (d) | |

1.9 Networking

1.9.1 Computer Networks, Necessity and Advantages

1. Connecting several computers and devices using wired or wireless technology is called _____.
 - (a) hard disk
 - (b) RAM
 - (c) pen drive
 - (d) *networking*
2. Internet is constituted of _____.
 - (a) *network of networks*
 - (b) hard disk
 - (c) DVD
 - (d) pen drive
3. Computers and devices can be connected using _____ technology to create a network.
 - (a) wired
 - (b) wireless
 - (c) *both a & b*
 - (d) neither a nor b
4. The systematic design (like radial, ring, etc.) of connecting computers in a network is called network _____.
 - (a) *topology*
 - (b) protocol
 - (c) firewall
 - (d) antivirus
5. The procedure used by computers connected in a network for data exchange is called network _____.
 - (a) topology
 - (b) *protocol*
 - (c) firewall
 - (d) antivirus
6. The computer which separates a local network from external Internet is called network _____.
 - (a) topology
 - (b) protocol
 - (c) *firewall*
 - (d) antivirus
7. The piece of software which prevents malicious software from entering a computer is called network _____.
 - (a) topology
 - (b) protocol
 - (c) firewall
 - (d) *antivirus*
8. Most of the wired network connections use _____.
 - (a) *Optical Fibre Cable (OFC)*
 - (b) USB cable
 - (c) pen drive
 - (d) hard drive
9. The port for connecting broadband cable to a computer is called _____.
 - (a) ethernet port
 - (b) Registered Jack 45 (RJ-45)
 - (c) *both a & b*

- (d) none of them
10. Wireless network connections use _____ technologies.
 - (a) Wireless Fidelity (WiFi)
 - (b) Bluetooth
 - (c) *both a & b*
 - (d) neither a nor b
11. _____ are the hardware devices that help the computer to connect to a network.
 - (a) Routers
 - (b) MODEMs
 - (c) Wireless MODEMs
 - (d) *all of them*
12. MODEM stands for _____.
 - (a) MODulation DEMocracy
 - (b) *MODulation DEModulation*
 - (c) MODern DEModulation
 - (d) MODerate DEModulation
13. Routers help in _____.
 - (a) transmission of data between networks
 - (b) connecting different devices using appropriate protocol
 - (c) *both a & b*
 - (d) neither a nor b

1.9.2 Client Server and peer to Peer networking concepts

14. A network connection requires _____ important components to connect to each other.
 - (a) IP address
 - (b) Port number
 - (c) *both a & b*
 - (d) none of them
15. IP address helps to _____ a computer connected to a network.
 - (a) *uniquely identify*
 - (b) format
 - (c) reset
 - (d) reject
16. Port number on a computer host connected to a network denotes a _____.
 - (a) background server program
 - (b) client program
 - (c) *both a & b*
 - (d) none of them
17. A program which runs in the background and sends results requested by a client is called a _____.
 - (a) *server*
 - (b) client
 - (c) port
 - (d) IP address

18. A program which runs in the foreground, communicates with server and displays results sent by the server is called a _____.

- (a) server (b) *client*
(c) port (d) IP address

19. Computers connected to a network without any client or server system (all hosts are equally important) are in _____ network.

- (a) client server
(b) *peer to peer*
(c) firewall
(d) proxy server

1.9.3 Concept of Proxy Server and proxy firewall server

20. The intermediary host which communicates with the clients on behalf of another server is called _____.

- (a) *proxy server* (b) firewall
(c) ethernet (d) WiFi

21. The intermediary host which protects a network from any communication with prohibited hosts outside the protected network is called _____.

- (a) proxy server (b) *firewall*
(c) ethernet (d) WiFi

22. Firewall can _____.

- (a) deny access to specific sites
(b) allow access to only white listed sites
(c) *both a & b*
(d) none of them

23. A proxy server which simply forwards messages from one network to another network is called _____ proxy.

- (a) *gateway/ tunneling*
(b) forward proxy
(c) reverse proxy
(d) all of them

24. A proxy server which communicates with the Internet and retrieves data from the Internet is called _____ proxy.

- (a) *gateway/ tunneling*
(b) *forward proxy*
(c) reverse proxy
(d) all of them

25. A proxy server which communicates with the servers in a local network (for services like decryption, authentication, etc.) is called _____ proxy.

- (a) *gateway/ tunneling*

- (b) forward proxy
(c) *reverse proxy*
(d) all of them

26. Firewall can be implemented through _____.

- (a) hardware (b) software
(c) *both a & b* (d) none of them

1.9.4 Network topologies

27. Each computer or device connected to a network is generally called _____.

- (a) node
(b) host
(c) *both a & b*
(d) neither a nor b

28. The design adopted for connecting several hosts on a network is called _____.

- (a) telephony (b) wiring
(c) connection (d) *topology*

29. When 2 devices are connected through a dedicated line, it is _____ topology.

- (a) *point to point*
(b) bus
(c) star
(d) ring

30. When all nodes are connected a common transmission line (backbone line with 2 or more end points), it is _____ topology.

- (a) point to point
(b) *bus*
(c) star
(d) ring

31. When all nodes are connected to a central hub, it is _____ topology.

- (a) point to point
(b) bus
(c) *star*
(d) ring

32. When all nodes are connected in a circular form (the first node becomes the last node), it is _____ topology.

- (a) point to point
(b) bus
(c) star
(d) *ring*

33. When each host has a dedicated line connected to any other host on the network, it is _____ topology.

- (a) *fully connected*
(b) Daisy chain

- (c) tree
(d) partly connected
34. For fully connected topology, the number of connections (c) required for n hosts is -----.
- (a) $c = \frac{n(n-2)}{2}$
(b) $c = \frac{n(n-1)}{4}$
(c) $c = \frac{n(n-1)}{2}$
(d) $c = \frac{(n-1)(n-2)}{2}$
35. When each host has a dedicated line connected to any other host on the network, it is ----- topology.
- (a) *fully connected*
(b) daisy chain
(c) tree
(d) partly connected
36. When computers are connected in chain (from one host to another) and data hops between hosts till it reaches the intended host, it is ----- topology.
- (a) fully connected
(b) *daisy chain*
(c) tree
(d) partly connected
37. When data travels in branching connections to reach intended host, the network topology is called -----.
- (a) fully connected
(b) daisy chain
(c) *tree*
(d) partly connected
38. When hosts are connected in a part fully connected manner (with many missing connections), it is ----- topology.
- (a) fully connected
(b) daisy chain
(c) tree
(d) *partly connected*

LAN, WAN and MAN

39. LAN stands for -----.
- (a) Local Area Number
(b) *Local Area Network*
(c) Local Assignment Network
(d) Lead Area Network
40. MAN stands for -----.
- (a) Metropolitan Area Number
(b) Metropolitan Assignment Network
(c) *Metropolitan Area Network*

- (d) Medium Area Network
41. WAN stands for -----.
- (a) Wide Area Number
(b) Wide Assignment Network
(c) Wise Area Network
(d) *Wide Area Network*
42. Usually, the network connecting hosts inside a single building is called -----.
- (a) *LAN* (b) WAN
(c) MAN (d) none of them
43. Usually, the network connecting hosts inside a city/ metropoliton limit is called -----.
- (a) *LAN* (b) WAN
(c) *MAN* (d) none of them
44. Usually, the network connecting hosts located in several cities or nations is called -----.
- (a) *LAN* (b) *WAN*
(c) *MAN* (d) none of them
45. WLAN stands for -----.
- (a) *Wireless Local Area Network*
(b) Wired Local Area Network
(c) Wireless Local Area Number
(d) Wireless Local Arithmetic Network
46. When network hosts are connected without wires, ----- protocol is used.
- (a) *LAN* (b) *WAN*
(c) *MAN* (d) *WLAN*

1.9.5 Network components

Modem

47. MODEM is a device used for converting -----.
- (a) digital signal to analog
(b) analog signal to digital
(c) *both a & b*
(d) neither a nor b
48. MODEM stands for -----.
- (a) *MOdulation DEmodulation*
(b) MOdulation DEclaration
(c) MOdern DEmodulation
(d) MOdulation DEcision
49. MODEM is used to convey data over -----.
- (a) *air*
(b) *telephone line*
(c) train track
(d) bus route

Hub

50. The device which repeats a signal on all lines except incoming one is called

- (a) *hub* (b) switch
(c) MODEM (d) router

51. Hub is _____ to switch/ bridge since it repeats data even to the unwanted connections.

- (a) *inferior* (b) *superior*
(c) *equivalent* (d) none of them

Switch

52. The networking device which receives a packet and repeats it to just the intended recipient lines is called a

- (a) *hub* (b) *switch*
(c) MODEM (d) none of them

53. Switch is _____ to a hub since unwanted repetitions are curtailed.

- (a) *inferior* (b) *superior*
(c) *equivalent* (d) none of them

Router

54. The device used to transfer data from one network to another network on the Internet is called _____.

- (a) *hub* (b) *switch*
(c) MODEM (d) *router*

Bridge

55. The device which connects one Local Area Network to another Local Area Network is called _____.

- (a) *hub* (b) *switch*
(c) MODEM (d) *bridge*

Gateway

56. The node which connects one large network (a WAN, MAN, etc.) to another large network is called _____.

- (a) *hub* (b) *switch*
(c) *gateway* (d) MODEM

1.9.6 Network Cables

57. The cable containing 4 pairs of twisted wires without any shielding foil for data transmission is called _____.

- (a) *unshielded twisted cable*
(b) shielded twisted cable
(c) coaxial cable
(d) fibre optic cable

58. The cable containing 4 pairs of twisted wires with shielding foil to control interference with other electrical signals and used for data transmission is called

- (a) *unshielded twisted cable*
(b) *shielded twisted cable*
(c) coaxial cable
(d) fibre optic cable

59. A cable with single copper core and braided metal shield is called _____.

- (a) *unshielded twisted cable*
(b) shielded twisted cable
(c) *coaxial cable*
(d) fibre optic cable

60. A cable with single fibre optic core line surrounded by several layers of protective materials is called _____.

- (a) *unshielded twisted cable*
(b) shielded twisted cable
(c) coaxial cable
(d) *fibre optic cable*

61. Fibre optic cables are _____ interferences from electric cables and electromagnetic waves.

- (a) prone to
(b) *unaffected by*
(c) susceptible to
(d) affected by

62. Out of the several cable options, _____ cable provides high speed over long distances without being affected by local interferences.

- (a) *fibre optic*
(b) *unshielded twisted pair*
(c) shielded twisted pair
(d) none of them

1.9.7 Wireless networks

63. Wireless networks communicate using _____ signal instead of cables.

- (a) infrared
(b) low frequency radio wave
(c) Wireless Fidelity (WiFi - IEEE 802.11 standard)
(d) *all of them*

64. In the modern days, _____ is the best choice for wireless networking.

- (a) *WiFi* (b) *infrared*
 (c) *radio waves* (d) *micro-wave*
65. The WiFi standard which permits transmission distance of 50m with data rate of 54MBPS is -----
 (a) *IEEE 802.11a* (b) *IEEE 802.11b*
 (c) *IEEE 802.11g* (d) *IEEE 802.11n*
66. The WiFi standard which permits transmission distance of 100m with data rate of 11MBPS is -----
 (a) *IEEE 802.11a* (b) *IEEE 802.11b*
 (c) *IEEE 802.11g* (d) *IEEE 802.11n*
67. The WiFi standard which permits transmission distance of 100m with data rate of 54MBPS is -----
 (a) *IEEE 802.11a* (b) *IEEE 802.11b*
 (c) *IEEE 802.11g* (d) *IEEE 802.11n*
68. The WiFi standard which permits transmission distance of more than 100m with data rate of 100MBPS is -----
 (a) *IEEE 802.11a* (b) *IEEE 802.11b*
 (c) *IEEE 802.11g* (d) *IEEE 802.11n*
69. Wireless networks are ----- wired networks.
 (a) *slower than* (b) *faster than*
 (c) *as fast as* (d) *none of them*
70. In terms of data safety, wireless networks are ----- wired networks.
 (a) *more secure than*
 (b) *less secure than*
 (c) *as safe as*
 (d) *none of them*
71. Normally, WiFi signal reach -----m distance.
 (a) *50 to 100m* (b) *1 to 2m*
 (c) *0.5 to 1.0m* (d) *2 to 3m*
72. WiFi networks have ----- for connecting.
 (a) *name* (b) *password*
 (c) *both a & b* (d) *none of them*
73. Name of a WiFi network may be -----
 (a) *visible* (b) *invisible*
 (c) *both a & b* (d) *none of them*
74. Open WiFi networks have -----
 (a) *a visible name*
 (b) *no password*
 (c) *visible name without any password*
 (d) *none of them*

1.9.8 Bluetooth technology

75. The technology which permits data transmission between devices like computers, mobile phones, tablets, headsets, etc. is called -----.

- (a) *bluetooth*
 (b) *coaxial cable*
 (c) *fibre optic cable*
 (d) *twisted pair cable*
76. The network established using bluetooth technology is called a -----
 (a) *Local Area Network (LAN)*
 (b) *Wide Area Network (WAN)*
 (c) *Metropolitan Area Network (MAN)*
 (d) *Personal Area Network (PAN)*
77. Bluetooth signals have a range of -----
 (a) *1m* (b) *5m*
 (c) *10m* (d) *100m*
78. Bluetooth permits -----
 (a) *pairing by acceptance*
 (b) *pairing by password authentication*
 (c) *pairing by verification*
 (d) *all of them*

1.9.9 OSI 7 Layer Model

79. The 7 layer model of OSI stands for -----
 (a) *Open System Interconnection*
 (b) *Open System Interface*
 (c) *Open Synchronous Interconnection*
 (d) *Ordered System Interconnection*
80. The first layer of the OSI model is ----- layer and it controls transmission of bits of data.
 (a) *physical*
 (b) *data link layer*
 (c) *network*
 (d) *transport*
81. The second layer of the OSI model is ----- layer and it controls reliable transmission of data frames.
 (a) *physical* (b) *data link*
 (c) *network* (d) *transport*
82. The third layer of the OSI model is ----- layer and it controls addressing, routing and traffic control for data frame transmission.
 (a) *physical* (b) *data link*
 (c) *network* (d) *transport*
83. The fourth layer of the OSI model is ----- layer and it controls transmission of data using particular protocols like TCP or UDP.
 (a) *physical* (b) *data link*

- (c) network (d) *transport*
84. The fifth layer of the OSI model is _____ layer and it controls connection between 2 hosts (like client and server) during data communication.
- (a) *session* (b) presentation
(c) application (d) transport
85. The sixth layer of the OSI model is _____ layer and it takes care of encryption, decryption, compression, decompression and data encoding.
- (a) session (b) *presentation*
(c) application (d) transport
86. The seventh layer of the OSI model is _____ layer and it deals with file sharing, video sharing, audio sharing, browsing, etc. using specific programs.
- (a) session (b) presentation
(c) *application* (d) transport

1.9.10 Various Network protocols

87. TCP stands for _____.
- (a) *Transmission Control Protocol*
(b) Transmission Control Procedure
(c) Transit Control Protocol
(d) Transmission Convergence Protocol
88. UDP stands for _____.
- (a) Unified Datagram Protocol
(b) *User Datagram Protocol*
(c) User Datagram Procedure
(d) User Digital Protocol
89. IP stands for _____.
- (a) Information Protocol
(b) Internet Procedure
(c) Identity Protocol
(d) *Internet Protocol*
90. DNS stands for _____.
- (a) Domain Name Synchronized
(b) Data Name System
(c) *Domain Name System*
(d) Domain Network System
91. _____ allows for mapping IP address to an ethernet or hardware address.
- (a) *Address Resolution Protocol (ARP)*
(b) Reverse Address Resolution Protocol (RARP)
(c) Open System Interconnection (OSI)
(d) none of them
92. _____ allows for mapping an ethernet or hardware address to an IP address.
- (a) *Address Resolution Protocol (ARP)*

- (b) *Reverse Address Resolution Protocol (RARP)*
(c) Open System Interconnection (OSI)
(d) none of them
93. _____ is the version of Internet Protocol now being phased out.
- (a) IP version 1 (IPV1)
(b) IP version 2 (IPV2)
(c) *IP version 4 (IPV4)*
(d) IP version 6 (IPV6)
94. _____ is the version of Internet Protocol now being introduced to handle increased size of the Internet.
- (a) IP version 1 (IPV1)
(b) IP version 2 (IPV2)
(c) IP version 4 (IPV4)
(d) *IP version 6 (IPV6)*
95. IPV4 addresses have a _____ by numeric address.
- (a) 4 (b) 6
(c) 8 (d) 16
96. The addresses 216.58.213.36 (www.google.com), 209.191.88.254 (www.yahoo.com) belong to IP version _____.
- (a) 1 (b) 2
(c) 3 (d) 4

TCP/IP

97. In a client server network, the ports in the range of 0 to 1023 are called _____ ports.
- (a) relational ports
(b) general ports
(c) *well known ports*
(d) user ports
98. Network protocols are standardized through _____.
- (a) *Request For Comment (RFC)*
(b) email
(c) web server
(d) telnet
99. RFC in networking stands for _____.
- (a) Rejection For Comment
(b) *Request For Comment*
(c) Request For Contest
(d) Request Freight Comment
100. W3C in networking stands for _____.
- (a) World Wide Winter Consortium
(b) World Wide Web Contest
(c) World White Web Consortium

(d) *World Wide Web Consortium*

101. TCP/IP port number 7 is assigned for _____ protocol.

- (a) *daytime*
- (b) *echo*
- (c) *quote of the day*
- (d) *message send*

102. TCP/IP port number 13 is assigned for _____ protocol.

- (a) *daytime*
- (b) *echo*
- (c) *quote of the day*
- (d) *message send*

103. TCP/IP port number 17 is assigned for _____ protocol.

- (a) *daytime*
- (b) *echo*
- (c) *quote of the day*
- (d) *message send*

104. TCP/IP port number 18 is assigned for _____ protocol.

- (a) *daytime*
- (b) *echo*
- (c) *quote of the day*
- (d) *message send*

105. TCP/IP port number 20 is assigned for _____

- (a) *Telnet*
- (b) *Simple Mail Transfer Protocol (SMTP)*
- (c) *File Transfer Protocol Protocol (FTP)*
- (d) *Trivial File Transfer Protocol (TFTP)*

106. TCP/IP port number 23 is assigned for _____

- (a) *Telnet*
- (b) *Simple Mail Transfer Protocol (SMTP)*
- (c) *File Transfer Protocol Protocol (FTP)*
- (d) *Trivial File Transfer Protocol (TFTP)*

107. TCP/IP port number 25 is assigned for _____

- (a) *Telnet*
- (b) *Simple Mail Transfer Protocol (SMTP)*
- (c) *File Transfer Protocol Protocol (FTP)*
- (d) *Trivial File Transfer Protocol (TFTP)*

108. TCP/IP port number 69 is assigned for _____

- (a) *Telnet*
- (b) *Simple Mail Transfer Protocol (SMTP)*
- (c) *File Transfer Protocol Protocol (FTP)*
- (d) *Trivial File Transfer Protocol (TFTP)*

109. TCP/IP port number 80 is assigned for _____

- (a) *Hyper Text Transfer Protocol (HTTP)*
- (b) *Post Office Protocol (POP)*

(c) *Structured Query Language (SQL)*

(d) *Network News Transfer Protocol (NNTP)*

110. TCP/IP port number 109 is assigned for _____

- (a) *Hyper Text Transfer Protocol (HTTP)*
- (b) *Post Office Protocol (POP)*
- (c) *Structured Query Language (SQL)*
- (d) *Network News Transfer Protocol (NNTP)*

111. TCP/IP port number 118/ 156 is assigned for _____

- (a) *Hyper Text Transfer Protocol (HTTP)*
- (b) *Post Office Protocol (POP)*
- (c) *Structured Query Language (SQL)*
- (d) *Network News Transfer Protocol (NNTP)*

112. TCP/IP port number 119/ 443 is assigned for _____

- (a) *Hyper Text Transfer Protocol (HTTP)*
- (b) *Post Office Protocol (POP)*
- (c) *Structured Query Language (SQL)*
- (d) *Network News Transfer Protocol (NNTP)*

113. TCP/IP port number 143/ 220 is assigned for _____

- (a) *Internet Message Access Protocol (IMAP)*
- (b) *Simple Network Management Protocol (SNMP)*
- (c) *Internet Relay Chat (IRC)*
- (d) *Precision Time Protocol (PTP)*

114. TCP/IP port number 161 is assigned for _____

- (a) *Internet Message Access Protocol (IMAP)*
- (b) *Simple Network Management Protocol (SNMP)*
- (c) *Internet Relay Chat (IRC)*
- (d) *Precision Time Protocol (PTP)*

115. TCP/IP port number 194 is assigned for _____

- (a) *Internet Message Access Protocol (IMAP)*
- (b) *Simple Network Management Protocol (SNMP)*
- (c) *Internet Relay Chat (IRC)*
- (d) *Precision Time Protocol (PTP)*

116. TCP/IP port number 319 is assigned for _____

- (a) *Internet Message Access Protocol (IMAP)*
- (b) *Simple Network Management Protocol (SNMP)*
- (c) *Internet Relay Chat (IRC)*
- (d) *Precision Time Protocol (PTP)*

117. TCP/IP port number 319 is assigned for _____

- (a) *Internet Message Access Protocol (IMAP)*
- (b) *Simple Network Management Protocol (SNMP)*
- (c) *Internet Relay Chat (IRC)*

(d) Precision Time Protocol (PTP)

118. TCP/IP port number 443 is assigned for

- (a) *HTTP over Secure Socket Layer HTTPS*
- (b) Remote Procedure Call (RPC)
- (c) Dynamic Host Configuration Protocol (DHCP)
- (d) Internet Message Access Protocol over Secure Socket Layer (IMAPS)

119. TCP/IP port number 530 is assigned for

- (a) *HTTP over Secure Socket Layer HTTPS*
- (b) *Remote Procedure Call (RPC)*
- (c) Dynamic Host Configuration Protocol (DHCP)
- (d) Internet Message Access Protocol over Secure Socket Layer (IMAPS)

120. TCP/IP port number 546/ 547 is assigned for _____.

- (a) *HTTP over Secure Socket Layer HTTPS*
- (b) Remote Procedure Call (RPC)
- (c) *Dynamic Host Configuration Protocol (DHCP)*
- (d) Internet Message Access Protocol over Secure Socket Layer (IMAPS)

121. TCP/IP port number 993 is assigned for

- (a) *HTTP over Secure Socket Layer HTTPS*
- (b) Remote Procedure Call (RPC)
- (c) Dynamic Host Configuration Protocol (DHCP)
- (d) *Internet Message Access Protocol over Secure Socket Layer (IMAPS)*

FTP

122. The TCP/IP protocol which permits sharing of large files over the Internet is called _____.

- (a) *File Transfer Protocol (FTP)*
- (b) Hyper Text Transmission Protocol (HTTP)
- (c) Simple Mail Transfer Protocol (SMTP)
- (d) Network Time Protocol (NTP)

123. FTP runs on port number _____.

- (a) 7
- (b) 13
- (c) 20
- (d) 23

124. The FTP server which does not require login process is called _____.

- (a) Hyper Text Transmission Protocol
- (b) Simple Mail Transfer Protocol
- (c) Network Time Protocol
- (d) *Anonymous File Transfer Protocol*

125. Using FTP, a file can be copied from remote system to the local system using the command _____.

- (a) *get*
- (b) *put*
- (c) *cd*
- (d) *lcd*

126. Using FTP, a file can be copied from local host to remote host using the command _____.

- (a) *get*
- (b) *put*
- (c) *cd*
- (d) *lcd*

127. Using FTP, working directory on the remote host can be changed using the command _____.

- (a) *pwd*
- (b) *put*
- (c) *cd*
- (d) *lcd*

128. Using FTP, working directory on the local host can be changed using the command _____.

- (a) *pwd*
- (b) *bye*
- (c) *cd*
- (d) *lcd*

129. Using FTP, list of files on the remote host can be viewed using the command

- (a) *pwd*
- (b) *bye*
- (c) *cd*
- (d) *lcd*

130. Using FTP, a file on the remote host may be deleted using the command

- (a) *delete*
- (b) *bye*
- (c) *cd*
- (d) *lcd*

131. Using FTP, connection to remote FTP server may be terminated using the command _____.

- (a) *delete*
- (b) *bye/ quit*
- (c) *cd*
- (d) *lcd*

132. Popular FTP clients are _____.

- (a) CoreFTP
- (b) FireFTP
- (c) FileZilla
- (d) *all of them*

Telnet

133. The network protocol which permits a person to login to a remote computer, access files, execute commands on the remote computer, etc. is called

- (a) *FTP*
- (b) *HTTP*
- (c) *Telnet*
- (d) *SMTP*

134. Port No. _____ is reserved for telnet protocol.

- (a) 7
- (b) 13
- (c) 20
- (d) 23

135. Usually, telnet connection is established using _____ command followed by name of host.

- (a) *ftp*
- (b) *telnet*
- (c) *ping*
- (d) *ls*

1.9.11 Logical and Physical Addresses

- 136.** The address of the physical networking component (like ethernet, WiFi, etc.) is called _____ address.
 (a) virtual (b) logical
 (c) *physical* (d) imaginary
- 137.** The address assigned to a host on getting connected to a network (like the Internet) is called _____ address.
 (a) virtual (b) *logical*
 (c) physical (d) imaginary
- 138.** In networking, MAC stands for _____.
 (a) Media Address Control
 (b) Machine Access Control
 (c) Media Access Contact
 (d) *Media Access Control*
- 139.** Logical address of a host connected to a network is otherwise called _____ address.
 (a) IP address
 (b) IP version 4 address
 (c) IP version 6 address
 (d) *all of them*

1.9.12 Classes of Networks

- 140.** The addresses of class A network has subnet mask of _____.
 (a) *255.0.0.0*
 (b) 255.255.0.0
 (c) 255.255.255.0
 (d) none of them
- 141.** The addresses of class B network has subnet mask of _____.
 (a) 255.0.0.0
 (b) *255.255.0.0*
 (c) 255.255.255.0
 (d) none of them
- 142.** The addresses of class C network has subnet mask of _____.
 (a) 255.0.0.0
 (b) 255.255.0.0
 (c) *255.255.255.0*
 (d) none of them
- 143.** First byte of class A network is in the range of _____.
 (a) *1 - 126* (b) 128 - 191
 (c) 192 - 223 (d) none of them
- 144.** First byte of class B network is in the range of _____.
 (a) 1 - 126 (b) *128 - 191*
 (c) 192 - 223 (d) none of them

- (c) 192 - 223 (d) none of them
- 145.** First byte of class C network is in the range of _____.
 (a) 1 - 126 (b) 128 - 191
 (c) *192 - 223* (d) none of them
- 146.** Each class A network supports _____ hosts.
 (a) *1,67,77,214* (b) 65,534
 (c) 254 (d) none of them
- 147.** Each class B network supports _____ hosts.
 (a) 1,67,77,214 (b) *65,534*
 (c) 254 (d) none of them
- 148.** Each class C network supports _____ hosts.
 (a) 1,67,77,214 (b) 65,534
 (c) *254* (d) none of them
- 149.** IPV4 has got _____ bits for addressing of hosts.
 (a) 128 (b) 64
 (c) 32 (d) 16
- 150.** IPV6 has got _____ bits for addressing of hosts.
 (a) *128* (b) 64
 (c) 32 (d) 16
- 151.** IPV4 has got _____ bytes for addressing of hosts.
 (a) 16 (b) 8
 (c) 4 (d) 2
- 152.** IPV6 has got _____ bytes for addressing of hosts.
 (a) *16* (b) 8
 (c) 4 (d) 2
- 153.** The address 2001:db8:a0b:12f0::1 is formatted in _____.
 (a) IPV0 (b) IPV2
 (c) IPV4 (d) *IPV6*

1.9.13 Network Security & Firewall

- 154.** Connection to the Internet requires enforcement of _____ security.
 (a) low (b) *high*
 (c) zero (d) no
- 155.** Filtering connections and disallowing prohibited connections is carried out using _____.
 (a) MODEM (b) router
 (c) *firewall* (d) bridge
- 156.** First general firewalls operated at layer _____ of the OSI model.
 (a) 3 (b) 4
 (c) 5 (d) 7

157. Second generation firewalls operated at layer _____ of the OSI model.

- (a) 3 (b) 4
- (c) 5 (d) 7

158. Third generation firewalls operated at layer _____ of the OSI model.

- (a) 3 (b) 4
- (c) 5 (d) 7

159. First generation firewalls were otherwise called _____.

- (a) *packet filters*
- (b) stateful filters
- (c) application filters
- (d) none of them

160. Second generation firewalls were otherwise called _____.

- (a) packet filters
- (b) *stateful filters*
- (c) application filters
- (d) none of them

161. Third generation firewalls were otherwise called _____.

- (a) packet filters
- (b) stateful filters
- (c) *application filters*
- (d) none of them

162. IPS in firewall stands for _____.

- (a) Intrusion Protection System
- (b) Intrusion Prevention Software
- (c) Internet Prevention System
- (d) *Intrusion Prevention System*

163. The identity management system binds logical addresses to _____ for reputed servers.

- (a) *MAC address*
- (b) specific programs
- (c) other computers
- (d) none of them

164. Third generation of firewall offers _____ to prevent web fingerprint attacks.

- (a) *web application firewall*
- (b) packet filter
- (c) stateful filter
- (d) none of them

1.9.14 DHCP Server

165. The protocol used to automatically assign IP address to a newly connected host in a network is called _____.

- (a) *Dynamic Host Configuration Protocol (DHCP)*

- (b) Transmission Control Protocol (TCP)
- (c) User Datagram Protocol (UDP)
- (d) File Transfer Protocol (FTP)

1.9.15 Internet

166. The global network of networks is called _____.

- (a) Local Area Network
- (b) *Internet*
- (c) Intranet
- (d) Metropolitan Area Network

167. The global network established for a particular business (not for public access) is called _____.

- (a) Local Area Network
- (b) Internet
- (c) *Intranet*
- (d) Metropolitan Area Network

1.9.16 Introduction to the Internet

168. Internet may be used for _____.

- (a) sharing information through World Wide Web
- (b) sending and receiving emails
- (c) sharing of large files
- (d) *all of them*

169. Internet may be used for _____.

- (a) cloud storage of data in remote computers
- (b) secure operation of bank accounts through netbanking and mobile banking
- (c) secure operation of wallet payments
- (d) *all of them*

170. Internet helps scientists to _____.

- (a) share their research results with other scientists
- (b) learn what happens in the state of the arch research
- (c) download articles published by other researchers
- (d) *all of them*

171. Internet helps in _____.

- (a) conducting online examinations
- (b) conducting online classes
- (c) conducting online interaction sessions to clear the doubts of students
- (d) *all of them*

172. Internet helps to _____.

- (a) update correct time using Network Time Protocol (NTP)
- (b) e-commerce
- (c) job search
- (d) *all of them*

1.9.17 Introduction to WWW

- 173.** WWW stands for _____.
- World Wide Web*
 - World Wire Web
 - Work Wide Web
 - World Wise Web
- 174.** The World Wide Web requires a _____ for page navigation.
- document editor
 - browser*
 - drawing program
 - image editor
- 175.** Microsoft Internet Explorer, Microsoft Edge, Firefox, Chrome, Safari, Konqueror, Seamonkey, etc. are _____ applications.
- word processing
 - spreadsheet
 - browser*
 - presentation
- 176.** The space at the top of browser for entering the address of web site is called _____.
- bookmarks bar
 - history bar
 - status bar
 - address bar*
- 177.** The list of addresses visited by a person during browsing is called _____.
- history*
 - bookmark
 - private browsing
 - home page
- 178.** The list of addresses saved by a person for easy revisit is called _____.
- history
 - bookmark*
 - private browsing
 - home page
- 179.** The method of browsing the web without storing any session information on the local device is called _____.
- history
 - bookmark
 - private browsing*
 - home page
- 180.** The web page which loads just as the browser opens is called _____.
- history
 - bookmark
 - private browsing
 - home page*

- 181.** _____ holds information about files downloaded from the Internet.
- history
 - downloads*
 - tab
 - home page
- 182.** A _____ opens new web page inside the current browser window itself.
- history
 - downloads*
 - tab*
 - home page

1.9.18 Web Browsers

- 183.** The software used for viewing web pages is called _____.
- browser*
 - media player
 - anti-virus
 - virus
- 184.** Microsoft Internet Explorer, Firefox, Chrome, Opera, Microsoft Edge, Apple Safari, etc. are _____ software.
- browser*
 - media player
 - anti-virus
 - virus
- 185.** A browser has _____ for typing the address.
- address bar*
 - security lock icon
 - history tab
 - bookmarks
- 186.** A browser shows _____ icon when an encrypted connection is present.
- address bar
 - security lock icon*
 - history tab
 - bookmarks
- 187.** A browser shows the list of web pages visited in the recent past at _____.
- address bar
 - security lock icon
 - history tab*
 - bookmarks
- 188.** A browser has _____ for storing important pages likely to be revisited in the future.
- address bar
 - security lock icon
 - history tab
 - bookmarks*
- 189.** A browser has _____ for monitoring downloads.
- address bar
 - downloads tab*
 - history tab
 - bookmarks
- 190.** When visiting unprotected websites, the lock icon is shown with _____.

- (a) *red X to denote unsafe connection*
- (b) Green tick to denote safe connection
- (c) both a and b
- (d) none of them

1.9.19 Internet servers

191. The computers which run software packages for web pages (HTTP), email (SMTP), file transfer (FTP), network time protocol (NTP), etc are called

- (a) *Internet servers*
- (b) clients
- (c) browsers
- (d) media players

192. Apache web server & Internet Information Server are examples of _____ servers.

- (a) *web*
- (b) email
- (c) file transfer
- (d) none of them

1.9.20 Search engines

193. An Internet service which helps on-line searching of information is called

- (a) *steam engine*
- (b) *search engine*
- (c) email server
- (d) video stream

194. Google, Bing, Yahoo, Rediff, Ask, AOL etc. are some of the well known

- (a) *spread sheet programs*
- (b) *search engines*
- (c) image editors
- (d) video players

195. To get a particular type of files in the result list, one should use _____ option at the end of the search string.

- (a) *mailto*
- (b) *address*
- (c) *filetype*
- (d) *option*

196. To get only PDF files in the result list, _____ may be used.

- (a) *filetype:pdf*
- (b) *filetype:mp3*
- (c) *filetype:3gp*
- (d) *filetype:docx*

197. Before clicking the link provided in the result list of search engines, one should

- (a) *believe that the URL is correct*
- (b) *naively click all links*
- (c) *ensure that the URL is authentic*
- (d) *click the links without consideration and pay the sums demanded therein*

198. If the user wants a complete phrase to be included in verbatim search, the phrase should be _____.

- (a) *deleted*
- (b) *enclosed in double quotes*
- (c) *enclosed in brackets*
- (d) *enclosed in curly braces*

199. Clicking on links from untrusted search engines might take an innocent user to

- (a) *video sharing websites*
- (b) *audio streaming web sites*
- (c) *social media websites*
- (d) *hackers web site which extracts login ID and password*

200. Search terms entered in a search engine

- (a) *can be traced back to the original source*
- (b) *cannot be traced back to the source*
- (c) *can never be traced back to the source*
- (d) *may not be traced to the source*

1.9.21 Domain naming Systems

201. All computers on a network are uniquely identified by _____.

- (a) *IP address*
- (b) *mobile number*
- (c) *landline number*
- (d) *none of them*

202. Since IP address is difficult to remember, easy to remember names are assigned to _____.

- (a) *server hosts*
- (b) *clients*
- (c) *mobile phones*
- (d) *none of them*

203. _____ server offers name for given IP address or IP address for given server name.

- (a) *Domain Name Service (DNS) server*
- (b) *web server*
- (c) *email server*
- (d) *FTP server*

1.9.22 E-mail

204. Transmission and delivery of information containing text, image, video, documents etc. to targeted recipient(s) over the Internet is called _____.

- (a) *email*
- (b) world wide web
- (c) e-commerce
- (d) social media

205. An email address contains _____ parts separated by a @ symbol.

- (a) 5
- (b) 4
- (c) 3
- (d) 2

206. The first part of email address identifies

- (a) _____
- (b) name of the email server
- (c) name of the mobile phone operator
- (d) name of bank

207. The second part of email address identifies _____.

- (a) name of individual user
- (b) *name of the email server*
- (c) name of the mobile phone operator
- (d) name of bank

208. The user name and email server parts of an email address are separated by _____ symbol.

- (a) @
- (b) #
- (c) \$
- (d) &

209. Gmail.com, yahoo.com, yahoo.co.in, ymail.com, rediff.com, rediffmail.com, fastmail.fm, etc. are popular _____.

- (a) FTP servers
- (b) social media sites
- (c) *email servers*
- (d) none of them

210. Content found in the web can be _____ to the local computer/ device for reading at leisure.

- (a) uploaded
- (b) *downloaded*
- (c) transmitted
- (d) erased

211. An email may contain non-text information which may be _____.

- (a) uploaded
- (b) *downloaded*
- (c) transmitted
- (d) erased

212. To download an email attachment, the user _____ the attachment.

- (a) clicks
- (b) right clicks and chooses save
- (c) *both a & b*
- (d) neither a nor b

213. An image displayed on web page can be _____ to download the file.

- (a) *right click and choose save image as*
- (b) left click
- (c) double click
- (d) press delete button

214. Electronic communication between 2 persons having unique identifiers over the Internet is called _____.

- (a) India post
- (b) Speed post
- (c) Registered post
- (d) *email*

215. _____ is a technology that allows you to send and receive messages over the Internet without the delay of traditional postal services.

- (a) India post
- (b) Speed post
- (c) Registered post
- (d) *email*

216. Each user of a email communication should possess _____.

- (a) *a unique identifier, called email ID*
- (b) pen drive
- (c) external hard disk
- (d) DVD writer

217. The email ID of a person contains _____ parts.

- (a) 2
- (b) 3
- (c) 4
- (d) 5

218. The first part of an email ID contains _____.

- (a) name of the city
- (b) name of the owner of the email service provider
- (c) *name/identifier of the email user*
- (d) name of the email server

219. The second part of an email ID contains _____.

- (a) name of the city
- (b) name of the owner of the email service provider
- (c) name/identifier of the email user
- (d) *name of the email server*

220. In email communication, CC stands for _____.

- (a) *carbon copy*
- (b) cold coffee
- (c) blind carbon copy
- (d) casual copy

221. In email communication, BCC stands for _____.

- (a) carbon copy
- (b) cold coffee

- (c) *blind carbon copy*
(d) casual copy
- 222.** The email ID of the primary recipient of email is entered in _____ field.
(a) *To* (b) *CC*
(c) *BCC* (d) *Subject*
- 223.** The email ID of the secondary recipient of email is entered in _____ field.
(a) *To* (b) *CC*
(c) *BCC* (d) *Subject*
- 224.** The email ID of the anonymous recipient of email is entered in _____ field.
(a) *To* (b) *CC*
(c) *BCC* (d) *Subject*
- 225.** The crisp essence of email message is entered in _____ field.
(a) *To* (b) *CC*
(c) *BCC* (d) *Subject*
- 226.** The actual message of an email is called the _____.
(a) *content* (b) *attachment*
(c) *subject* (d) *BCC*
- 227.** The file attached to an email is called the _____.
(a) *content* (b) *attachment*
(c) *subject* (d) *BCC*
- 228.** An email sent from unknown persons for improving the sale, image, appeal or other characteristics of a product is called _____.
(a) *Junk* (b) *Important*
(c) *Virus* (d) *Trojan*
- 229.** _____ mail refers to e-mail messages sent by an unknown sender, usually for commercial purposes.
(a) *Junk* (b) *Important*
(c) *Virus* (d) *Trojan*
- 230.** Unsolicited emails may be filtered and separated into _____.
(a) *spam bin* (b) *inbox*
(c) *sent mails* (d) *draft*
- 231.** The primary place for receiving an email is _____.
(a) *spam bin* (b) *inbox*
(c) *sent mails* (d) *draft*
- 232.** All emails sent by the user may be saved in _____.
(a) *spam bin* (b) *inbox*
(c) *sent mails* (d) *draft*
- 233.** A half completed email may be saved for later editing and transmission to the receiver in _____ folder.
(a) *spam bin* (b) *inbox*
(c) *sent mails* (d) *draft*
- 234.** Before entering user ID and password, one should ensure that the browser displays _____ icon for safe communication with the server.
(a) *print* (b) *lock*
(c) *clock* (d) *lens*
- 235.** Logging into an email server from a dedicated application (APP) installed on a smartphone helps to _____ email messages.
(a) *auto delete*
(b) *hide*
(c) *periodically check, retrieve and notify*
(d) *purge*
- 236.** It is a good practice to _____ email messages from unknown senders to avoid virus infection of computer.
(a) *avoid opening attachments in*
(b) *open message and all attachments of*
(c) *sit looking for*
(d) *invite more spammers to send*
- 237.** Images and videos attached to a junk email may _____.
(a) *contain anti-virus*
(b) *repair troubles in the operating system*
(c) *help fast working of computers*
(d) *contain trojens and virusses to attack a computer*
- 238.** Opening a new email ID requires entry of _____ in the email opening form.
(a) *name and address*
(b) *date of birth and father name*
(c) *alternate email ID if necessary*
(d) *all of them*

1.9.23 Video chatting tools

- 239.** The exchange of audio, video and text over the Internet is called _____.
(a) *video chat* (b) *audio chat*
(c) *text chat* (d) *SMS*
- 240.** _____ are some of the video chat applications.
(a) *Google video chat*
(b) *Skype/ Viber*
(c) *iChat/VSee*
(d) *all of them*

1.9.24 VOIP

241. VOIP stands for _____.
- Voice Over Internet Procedure
 - Voice Over Internet Protocol*
 - Voice Over Instant Protocol
 - Virtue Over Internet Protocol
242. VOIP permits _____.
- calling of mobile and telephone numbers through Internet*
 - browsing web
 - exchanging email
 - text chat
243. VOIP can reduce the cost of long distance International calls when _____.
- call charges are zero
 - data charges are very high
 - calls charges are cheaper than data charges
 - data is cheaper than call charges*

1.9.25 Social Media

244. The Internet repository for sharing casual information (text, documents, audio, images, videos, etc.) is called _____.
- multi-media
 - social media*
 - storage media
 - email
245. Information stored in social media _____.
- is highly secure
 - encrypted and secured with password
 - strongly secured
 - not secure*
246. The services like Facebook, Twitter, Linked-In are categorized under _____.
- social media*
 - MS Officer
 - PDF reader
 - video player
247. Most of the social media websites require _____ as user ID.
- Postal code
 - PAN number
 - email address*
 - Adhar ID number
248. Sharing personal information on social media is _____.
- right
 - unsafe*
 - appreciable
 - commendable
249. Interacting with strangers on social media might _____.
- result in great future

- might fetch good employment
 - might result in unknown dangers to innocent users
 - all of them*
250. During natural calamities like earthquake, floods, Tsunami, etc., _____ plays a vital role in damage assessment and rescue efforts.
- multi-media
 - email
 - social media*
 - SMS
251. Professional sites like Linked-In offer _____ to its users.
- no benefits
 - respectable job opportunities*
 - no profiles
 - no professional contacts
252. A professional should _____ the time allotted for social media, lest she/he begins to waste productive working hours in the social media.
- restrict*
 - increase
 - not worry about
 - be liberal about
253. Nowadays, it is possible to carry out little _____ on social media sites like Facebook.
- exchange of legal papers
 - financial transactions with the support of bank*
 - legal arguments
 - trading of goods
254. An innocent user interacting with strangers in social media may be _____ to share forbidden content with those stranger.
- commanded
 - coerced
 - threatened
 - persuaded*
255. Interaction with strangers on social media is as _____ as it is exciting.
- appreciable
 - happy
 - dangerous*
 - laudable

1.9.26 Cloud storage

256. Permitting storage of files on a web based server is called _____.
- cloud storage*
 - local storage
 - email storage
 - had disk storage
257. Cloud storage can be accessed from any host having a _____.
- RS232 port

(b) *Internet connection*

(c) USB port

(d) VGA port

258. Popular cloud storages are

(a) Microsoft One Drive

(b) Google Drive

(c) Dropbox/ Apple iCloud

(d) *all of them*

259. Documents in Microsoft One Drive can be edited using

(a) online version of Microsoft office tools using browser

(b) installed version of Microsoft office tools

(c) *both a & b*

(d) none of them

260. Cloud storage can be accessed from

(a) computers

(b) mobile devices

(c) *both a & b*

(d) none of them

1.9.27 Internet Security

Threats, attacks & Malicious Software

261. A malicious server posing as an authentic server is called

(a) *spoofing*

(b) phishing

(c) botnet

(d) Distributed Denial of Service

262. A malicious email or SMS communication inviting the user to click a link and taking the user to a malicious web site is

(a) spoofing

(b) *phishing*

(c) botnet

(d) Distributed Denial of Service

263. A malicious email or SMS communication inviting the user to click a link and taking the user to a malicious web site is

(a) spoofing

(b) *phishing*

(c) botnet

(d) Distributed Denial of Service

264. A group of malware infected computers controlled by a remote system to carry out malicious tasks is called

(a) spoofing

(b) phishing

(c) *botnet*

(d) Distributed Denial of Service

265. A group of sending fake service requests to a server to such an extent that the server buckles due to overloading is called

(a) spoofing

(b) phishing

(c) botnet

(d) *Distributed Denial of Service*

266. An intrusive login to a protected system from a remote system to carry out malicious acts is called

(a) *hacking* (b) malware

(c) pharming (d) ransomware

267. A piece of software designed for ill intentions (virus), to steal user id/ password (trojan), erase data on computer (virus), etc. is called

(a) hacking (b) *malware*

(c) pharming (d) ransomware

268. Redirecting a legitimate web address to a malicious host is called

(a) hacking (b) malware

(c) *pharming* (d) ransomware

269. The malicious software which enters a computer, locks files and threatens to destroy files unless payment is made to a particular account is called

(a) hacking (b) malware

(c) pharming (d) *ransomware*

270. The piece of malware which spreads through attachments to emails is called

(a) *worm* (b) spam

(c) spyware (d) trojan

271. The piece of malware which keeps sending junk message advertising certain products is called

(a) worm (b) *spam*

(c) spyware (d) trojan

272. The simply records computer activities and transmits them to a malicious site is called

(a) worm (b) spam

(c) *spyware* (d) trojan

273. The poses as an authenticator but steals login data is called

(a) worm (b) spam

(c) spyware (d) *trojan*

274. The method of stealing user information by allowing the user to connect to a free WiFi network (as in a Coffee shop, Hotel, etc.) is called

- (a) *WiFi evesdropping*
- (b) spam
- (c) spyware
- (d) trojen

Internet security products

275. Anti-virus software packages help to

- (a) protect files
- (b) protect login data
- (c) protect against online phishing, spoofing, pharming, etc.
- (d) *all of them*

276. Internet security products mainly concentrate on _____.

- (a) firewall
- (b) anti-spam
- (c) parental control
- (d) *all of them*

277. Popular internet security products are

- (a) McAfee livescan/ Internet security
- (b) Kaspersky Internet Security
- (c) Trend Micro Internet security/ Bit defender Internet security
- (d) *all of them*

278. A total security software protects a computer against _____ attacks.

- (a) offline attacks
- (b) online attacks
- (c) *both a & b*
- (d) neither a nor b

279. Examples of total security software packages are _____.

- (a) Norton total security
- (b) Kaspersky Total Security
- (c) *both a & b*
- (d) none of them

280. In addition to offering firewall, anti-spam control and parental control, total security software offers _____.

- (a) backup and restoration options for data
- (b) tuning up the computer for better performance
- (c) *both a & b*
- (d) none of them

Answers (1402 - 1681)

- 1. (d) 2. (a) 3. (c) 4. (a)
- 5. (b) 6. (c) 7. (d) 8. (a)
- 9. (c) 10. (c) 11. (d) 12. (b)
- 13. (c) 14. (c) 15. (a) 16. (c)

- 17. (a) 18. (b) 19. (b) 20. (a)
- 21. (b) 22. (c) 23. (a) 24. (b)
- 25. (c) 26. (c) 27. (c) 28. (d)
- 29. (a) 30. (b) 31. (c) 32. (d)
- 33. (a) 34. (c) 35. (a) 36. (b)
- 37. (c) 38. (d) 39. (b) 40. (c)
- 41. (d) 42. (a) 43. (c) 44. (b)
- 45. (a) 46. (d) 47. (c) 48. (a)
- 49. (b) 50. (a) 51. (a) 52. (b)
- 53. (b) 54. (d) 55. (d) 56. (c)
- 57. (a) 58. (b) 59. (c) 60. (d)
- 61. (b) 62. (a) 63. (d) 64. (a)
- 65. (a) 66. (b) 67. (c) 68. (d)
- 69. (a) 70. (b) 71. (a) 72. (c)
- 73. (c) 74. (d) 75. (a) 76. (d)
- 77. (c) 78. (d) 79. (a) 80. (a)
- 81. (b) 82. (c) 83. (d) 84. (a)
- 85. (b) 86. (c) 87. (a) 88. (b)
- 89. (d) 90. (c) 91. (a) 92. (b)
- 93. (c) 94. (d) 95. (a) 96. (d)
- 97. (c) 98. (a) 99. (b) 100. (d)
- 101. (b) 102. (a) 103. (c) 104. (d)
- 105. (c) 106. (a) 107. (b) 108. (d)
- 109. (a) 110. (b) 111. (c) 112. (d)
- 113. (a) 114. (b) 115. (c) 116. (c)
- 117. (c) 118. (a) 119. (b) 120. (c)
- 121. (d) 122. (a) 123. (c) 124. (d)
- 125. (a) 126. (b) 127. (c) 128. (d)
- 129. (a) 130. (a) 131. (b) 132. (d)
- 133. (c) 134. (d) 135. (b) 136. (c)
- 137. (b) 138. (d) 139. (d) 140. (a)
- 141. (b) 142. (c) 143. (a) 144. (b)
- 145. (c) 146. (a) 147. (b) 148. (c)
- 149. (c) 150. (a) 151. (c) 152. (a)
- 153. (d) 154. (b) 155. (c) 156. (a)
- 157. (b) 158. (d) 159. (a) 160. (b)
- 161. (c) 162. (d) 163. (a) 164. (a)
- 165. (a) 166. (b) 167. (c) 168. (d)
- 169. (d) 170. (d) 171. (d) 172. (d)
- 173. (a) 174. (b) 175. (c) 176. (d)
- 177. (a) 178. (b) 179. (c) 180. (d)
- 181. (b) 182. (c) 183. (a) 184. (a)
- 185. (a) 186. (b) 187. (c) 188. (d)
- 189. (b) 190. (a) 191. (a) 192. (a)
- 193. (b) 194. (b) 195. (c) 196. (a)
- 197. (c) 198. (b) 199. (d) 200. (a)
- 201. (a) 202. (a) 203. (a) 204. (a)
- 205. (d) 206. (a) 207. (b) 208. (a)
- 209. (c) 210. (b) 211. (b) 212. (c)
- 213. (a) 214. (d) 215. (d) 216. (a)
- 217. (a) 218. (c) 219. (d) 220. (a)
- 221. (c) 222. (a) 223. (b) 224. (c)
- 225. (d) 226. (a) 227. (b) 228. (a)

229. (a)	230. (a)	231. (b)	232. (c)	257. (b)	258. (d)	259. (c)	260. (c)
233. (d)	234. (b)	235. (c)	236. (a)	261. (a)	262. (b)	263. (b)	264. (c)
237. (d)	238. (d)	239. (a)	240. (d)	265. (d)	266. (a)	267. (b)	268. (c)
241. (b)	242. (a)	243. (d)	244. (b)	269. (d)	270. (a)	271. (b)	272. (c)
245. (d)	246. (a)	247. (c)	248. (b)	273. (d)	274. (a)	275. (d)	276. (d)
249. (d)	250. (c)	251. (b)	252. (a)	277. (d)	278. (c)	279. (c)	280. (c)
253. (b)	254. (d)	255. (c)	256. (a)				

1.10 Web Design

1.10.1 Web server

1. Web pages are designed primarily in _____
 (a) *HTML* (b) C++
 (c) Basic (d) Fortran
2. Web pages are stored in a remote host called the _____.
 (a) client
 (b) email server
 (c) database server
 (d) *web server*
3. The client of a web server uses _____ for display of the page.
 (a) word processor
 (b) spreadsheet
 (c) *web browser*
 (d) power point
4. _____ is the name of the software which fulfills the request of a browser based client.
 (a) email server
 (b) *web server*
 (c) database server
 (d) FTP server
5. Apache HTTP, Microsoft Internet Information Sever (IIS), IBM Websphere, etc. are some of the popular _____.
 (a) email servers
 (b) *web servers*
 (c) database servers
 (d) FTP servers
6. _____ is the consortium responsible for maintaining the web standards.
 (a) *World Wide Web Consortium*
 (b) World Wide Water Consortium
 (c) Write Wide Web Consortium
 (d) World Wide Web Condition
7. W3C (the International body for web standards) stands for _____.
 (a) *World Wide Web Consortium*
 (b) World Wide Water Consortium
 (c) Write Wide Web Consortium
 (d) World Wide Web Condition
8. Web pages containing script to be processed by the web server (in languages like PHP, Perl, Python, ASP.NET, etc.) are said to contain _____ side script.
 (a) client (b) *server*

- (c) machine (d) binary
9. Web pages containing script to be processed by the browser (in languages like Javascript, VisualBasic.NET, etc.) are said to contain _____ side script.
 (a) *client* (b) server
 (c) machine (d) binary

1.10.2 Static and Dynamic Web pages

10. HTML stands for _____.
 (a) Hyper Text Machine Language
 (b) Higher Text Markup Language
 (c) *Hyper Text Markup Language*
 (d) Hyper Tension Markup Language
11. Web pages which do not change to interact with user are called _____ HTML pages.
 (a) intrinsic (b) righteous
 (c) dynamic (d) *static*
12. Web pages which interact with user are called _____ HTML pages.
 (a) intrinsic (b) extrinsic
 (c) *dynamic* (d) static
13. Dynamic HTML pages can be coded using _____.
 (a) Adobe Flash (b) Javascript
 (c) VBScript (d) *all of them*
14. The portion of script code (written in Javascript/ VBScript) executed inside a browser is called _____ side scripting.
 (a) *client* (b) server
 (c) right (d) left
15. Most of the dynamic pages deploy _____ to create dynamic interaction.
 (a) server side script
 (b) *client side script*
 (c) shell script
 (d) SQL script
16. DHTML stands for _____.
 (a) Dynamic Hyper Text Machine Language
 (b) Drastic Hyper Text Markup Language
 (c) *Dynamic Hyper Text Markup Language*
 (d) Dynamic Higher Text Markup Language
17. CSS in web scripting stands for _____.
 (a) Cascading System Sheet
 (b) Crisp Style Sheet
 (c) Cascading Style Set

- (d) *Cascading Style Sheet*
- 18.** CSS helps to
 (a) alter the colour of the document
 (b) alter the font size of the document
 (c) alter the default font faces of the document
 (d) *all of them*
- 19.** DOM stands for
 (a) *Document Object Model*
 (b) Different Object Model
 (c) Dynamic Object Model
 (d) Document Offset Model
- 20.** The method of treating document elements (like input, button, etc.) as program elements is called
 (a) Different Object Model
 (b) Dynamic Ooutput Model
 (c) *Document Object Model*
 (d) Desktop Object Model
- 21.** Ajax is a side scripting system for creating user interaction.
 (a) client (b) *server*
 (c) right (d) left
- 22.** Dynamic web pages provide interaction through
 (a) input response
 (b) keyboard response
 (c) mouse response
 (d) *all of them*
- (a) Brian Kernighan
 (b) *Tim Berners-Lee*
 (c) Dennis Ritchie
 (d) James Gosling
- 29.** SGML stands for
 (a) Standard Grand Markup Language
 (b) Synchronized Generalized Markup Language
 (c) *Standard Generalized Markup Language*
 (d) Simple Generalized Markup Language
- 30.** DTD stands in markup language for
 (a) *Document Type Definition*
 (b) Data Type Definition
 (c) Digital Type Definition
 (d) Design Type Definition
- 31.** DDL stands for
 (a) *Data Description Libray*
 (b) Data Description Language
 (c) Data Description Liberty
 (d) Data Description License
- 32.** Most of the HTML tags have a corresponding closing tag, which begins with symbol.
 (a) `<!--` (b) `< /`
 (c) `< .` (d) `<  `
- 33.** If a HTML tag does not have explicit closing tag, the tag may be closed with symbol instead of a simple `>` symbol.
 (a) `>` (b) `. >`
 (c) `/ >` (d) `@ >`

1.10.3 Introduction to HTML

- 23.** Default extension for a HTML document is
 (a) .htm (b) .html
 (c) *both a & b* (d) none of them
- 24.** HTML tag begins with symbol.
 (a) `<` (b) `>`
 (c) `<!--` (d) `-- >`
- 25.** HTML tag ends with symbol.
 (a) `<` (b) `>`
 (c) `<!--` (d) `-- >`
- 26.** HTML comment begins with symbol.
 (a) `<` (b) `>`
 (c) `<!--` (d) `-- >`
- 27.** HTML comment ends with symbol.
 (a) `<` (b) `>`
 (c) `<!--` (d) `-- >`
- 28.** HTML was created by

1.10.4 Various tags in HTML

- 34.** HTML document is contained inside a set of tags.
 (a) `< HTML > ... < /HTML >`
 (b) `< HEAD > ... < /HEAD >`
 (c) `< TITLE > ... < /TITLE >`
 (d) `< BODY > ... < /BODY >`
- 35.** The top portion of a HTML document containing many meta items and script functions is called
 (a) `< HTML > ... < /HTML >`
 (b) `< HEAD > ... < /HEAD >`
 (c) `< TITLE > ... < /TITLE >`
 (d) `< BODY > ... < /BODY >`
- 36.** The title to be displayed at the top of the browser window or browser tab is enclosed in
 (a) `< HTML > ... < /HTML >`
 (b) `< HEAD > ... < /HEAD >`

- (c) `< TITLE > ... < /TITLE >`
 (d) `< BODY > ... < /BODY >`
- 37.** The main portion of a HTML document is contained between _____ tags.
 (a) `< HTML > ... < /HTML >`
 (b) `< HEAD > ... < /HEAD >`
 (c) `< TITLE > ... < /TITLE >`
 (d) `< BODY > ... < /BODY >`
- 38.** Paragraph is contained inside _____ HTML tags.
 (a) `< p > ... < /p >`
 (b) `< center > ... < /center >` or `< div align = "center" > ... < /div >`
 (c) `< div align = "left" > ... < /div >`
 (d) `< div align = "right" > ... < /div >`
- 39.** Elements to be centre aligned in browser display are enclosed inside _____ HTML tags.
 (a) `< p > ... < /p >`
 (b) `< center > ... < /center >` or `< div align = "center" > ... < /div >`
 (c) `< div align = "left" > ... < /div >`
 (d) `< div align = "right" > ... < /div >`
- 40.** Elements to be left aligned in browser display are enclosed inside _____ HTML tags.
 (a) `< div align = "justified" > ... < /div >`
 (b) `< center > ... < /center >` or `< div align = "center" > ... < /div >`
 (c) `< div align = "left" > ... < /div >`
 (d) `< div align = "right" > ... < /div >`
- 41.** Elements to be right aligned in browser display are enclosed inside _____ HTML tags.
 (a) `< div align = "justified" > ... < /div >`
 (b) `< center > ... < /center >` or `< div align = "center" > ... < /div >`
 (c) `< div align = "left" > ... < /div >`
 (d) `< div align = "right" > ... < /div >`
- 42.** Elements to be justified (aligned flush with left and right edges) in browser display are enclosed inside _____ tags in HTML.
 (a) `< div align = "justified" > ... < /div >`
 (b) `< center > ... < /center >` or `< div align = "center" > ... < /div >`
 (c) `< div align = "left" > ... < /div >`
 (d) `< div align = "right" > ... < /div >`
- 43.** _____ HTML tag displays an image in HTML page.
 (a) `< img src = "file.jpg" >`
 (b) `< tableborder = 1 > ... < /table >`
 (c) `< tableborder = 0 > ... < /table >`
- (d) `< ahref = "target.htm" > ... < /a >`
- 44.** _____ HTML tag displays a table without border.
 (a) `< img src = "file.jpg" >`
 (b) `< tableborder = 1 > ... < /table >`
 (c) `< tableborder = 0 > ... < /table >`
 (d) `< ahref = "target.htm" > ... < /a >`
- 45.** _____ HTML tag creates a click-able hyper link for navigation inside the same page or between different pages.
 (a) `< img src = "file.jpg" >`
 (b) `< tableborder = 1 > ... < /table >`
 (c) `< tableborder = 0 > ... < /table >`
 (d) `< ahref = "target.htm" > ... < /a >`
- 46.** _____ HTML tag displays a table with border thickness of 1 pixel.
 (a) `< img src = "file.jpg" >`
 (b) `< table border = 1 > ... < /table >`
 (c) `< table border = 0 > ... < /table >`
 (d) `< a href = "target.htm" > ... < /a >`
- 47.** _____ HTML tag can control font face, size and colour.
 (a) `< font face = "Arial" size = " + 1" color = "red" > ... < /font >`
 (b) `< H1 > ... < /H1 >`
 (c) `< H2 > ... < /H2 >`
 (d) `< H3 > ... < /H3 >`
- 48.** _____ HTML tag displays headings of the largest size.
 (a) `< font face = "Arial" size = "+1" color = "red" > ... < /font >`
 (b) `< H1 > ... < /H1 >`
 (c) `< H2 > ... < /H2 >`
 (d) `< H3 > ... < /H3 >`
- 49.** _____ HTML tag displays headings of the second largest size.
 (a) `< H4 > ... < /H4 >`
 (b) `< H1 > ... < /H1 >`
 (c) `< H2 > ... < /H2 >`
 (d) `< H3 > ... < /H3 >`
- 50.** _____ HTML tag displays headings of the third largest size.
 (a) `< H4 > ... < /H4 >`
 (b) `< H1 > ... < /H1 >`
 (c) `< H2 > ... < /H2 >`
 (d) `< H3 > ... < /H3 >`
- 51.** _____ HTML tag displays headings of the smallest size.
 (a) `< H4 > ... < /H4 >`
 (b) `< H1 > ... < /H1 >`
 (c) `< H2 > ... < /H2 >`
 (d) `< H3 > ... < /H3 >`

52. In HTML, text size _____ represents the normal size of text.

- (a) -4 (b) 0
(c) +4 (d) +8

53. In HTML5, font tag has been _____

- (a) appreciated (b) reinstated
(c) deprecated (d) beautified

54. In HTML5, font name can be controlled using _____ tag sets.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - size : 16px" > ... < /span >`
(c) `< span style = "color : red" > ... < /span >`
(d) `< span style = "font - family : verdhana" > ... < /span >`

55. In HTML5, font colour can be controlled using _____ tag sets.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - size : 16px" > ... < /span >`
(c) `< span style = "color : red" > ... < /span >`
(d) `< span style = "font - family : verdhana" > ... < /span >`

56. In HTML5, font size can be controlled using _____ tag sets.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - size : 16px" > ... < /span >`
(c) `< span style = "color : red" > ... < /span >`
(d) `< span style = "font - family : verdhana" > ... < /span >`

57. _____ among the given HTML5 tags sets font size to 16px.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - size : 16px" > ... < /span >`
(c) `< span style = "color : red" > ... < /span >`
(d) `< span style = "font - family : verdhana" > ... < /span >`

58. _____ among the given HTML5 tags sets font weight to bold.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - weight : normal" > ... < /span >`
(c) `< span style = "font - weight : 1200" > ... < /span >`

(d) `< span style = "font - weight : 900" > ... < /span >`

59. _____ among the given HTML5 tags sets font weight to normal.

- (a) `< span style = "font - weight : bold" > ... < /span >`
(b) `< span style = "font - weight : normal" > ... < /span >`
(c) `< span style = "font - weight : 1200" > ... < /span >`
(d) `< span style = "font - weight : 900" > ... < /span >`

Colour coding in HTML

60. Colour can be specified using colour name (like red, gray, blue, cyan, magenta, etc.) or numeric value in _____ colour order.

- (a) Red-Green-Blue
(b) Blue-Green-Red
(c) Green-Red-Blue
(d) Blue-Green-Blue

61. Colour code of #FF0000 stands for _____ colour.

- (a) blue (b) green
(c) red (d) black

62. Colour code of #00FF00 stands for _____ colour.

- (a) blue (b) green
(c) red (d) black

63. Colour code of #0000FF stands for _____ colour.

- (a) blue (b) green
(c) red (d) black

64. Colour code of #000000 stands for _____ colour.

- (a) blue (b) green
(c) red (d) black

65. Colour code of #FFFFFF stands for _____ colour.

- (a) white (b) green
(c) red (d) black

66. In HTML, the two digit color code value ranges from 00 to _____ in hexadecimal.

- (a) AA (b) 11
(c) FF (d) CC

67. _____ tag is used to display different HTML pages in a single window (not recommended for mobile viewing).

- (a) font (b) frameset
(c) table (d) img

68. Width of elements like image, table, etc. can be controlled using _____ attribute.
- (a) *width* (b) *height*
(c) *length* (d) *breadth*
69. Height of elements like image, table, etc. can be controlled using _____ attribute.
- (a) *width* (b) *height*
(c) *length* (d) *breadth*
70. Width and height value can be specified in _____ or in pixels.
- (a) *metre* (b) *kilometre*
(c) *percentage* (d) *inches*
71. _____ HTML tag creates a break.
- (a) `< center > ... < /center >`
(b) `< table > ... < /table >`
(c) `< img width = "80%" src = "globe.jpg" >`
(d) `< br / >`
72. _____ HTML tag displays an image named globe.jpg at 80% of the total width available in the browser.
- (a) `< center > ... < /center >`
(b) `< table > ... < /table >`
(c) `< img width = "80%" src = "globe.jpg" >`
(d) `< br / >`
73. Scrolling text may be created using _____ tag in HTML.
- (a) `< marquee > ... < /marquee >`
(b) `< span > ... < /span >`
(c) `< p > ... < /p >`
(d) `< font > ... < /font >`
74. Text scrolling to left may be created using _____ tag in HTML.
- (a) `< marquee direction = "left" > ... < /marquee >`
(b) `< marquee direction = "right" > ... < /marquee >`
(c) `< marquee direction = "up" > ... < /marquee >`
(d) `< marquee direction = "down" > ... < /marquee >`
75. Text scrolling to right may be created using _____ tag in HTML.
- (a) `< marquee direction = "left" > ... < /marquee >`
(b) `< marquee direction = "right" > ... < /marquee >`
(c) `< marquee direction = "up" > ... < /marquee >`
(d) `< marquee direction = "down" > ... < /marquee >`
76. Text scrolling upwards may be created using _____ tag in HTML.

- (a) `< marquee direction = "left" > ... < /marquee >`
(b) `< marquee direction = "right" > ... < /marquee >`
(c) `< marquee direction = "up" > ... < /marquee >`
(d) `< marquee direction = "down" > ... < /marquee >`
77. Text scrolling downwards may be created using _____ tag in HTML.
- (a) `< marquee direction = "left" > ... < /marquee >`
(b) `< marquee direction = "right" > ... < /marquee >`
(c) `< marquee direction = "up" > ... < /marquee >`
(d) `< marquee direction = "down" > ... < /marquee >`

Hyperlink in HTML

78. _____ tag in HTML creates a clickable hyperlink.
- (a) `< p > ... < /p >`
(b) `< img src = "globe.png" >`
(c) `< table border = 1 > ... < /table >`
(d) `< a href = "page.html" > ... < /a >`

Table in HTML

79. _____ HTML tag displays a table without border.
- (a) `< tr > ... < /tr >`
(b) `< th > ... < /th >`
(c) `< table border = 1 > ... < /table >`
(d) `< table border = 0 > ... < /table >`
80. _____ HTML tag displays a table with border thickness of 1 pixel.
- (a) `< tr > ... < /tr >`
(b) `< th > ... < /th >`
(c) `< table border = 1 > ... < /table >`
(d) `< table border = 0 > ... < /table >`
81. _____ HTML tag is used to mark header column for a table.
- (a) `< tr > ... < /tr >`
(b) `< th > ... < /th >`
(c) `< table border = 1 > ... < /table >`
(d) `< table border = 0 > ... < /table >`
82. _____ HTML tag is used to mark a row for a table.
- (a) `< tr > ... < /tr >`
(b) `< th > ... < /th >`
(c) `< table border = 1 > ... < /table >`
(d) `< table border = 0 > ... < /table >`

83. _____ HTML tag is used to mark a column inside a row.
- `<td> ... </td>`
 - `<th> ... </th>`
 - `<table border = 1> ... </table>`
 - `<table border = 0> ... </table>`
84. Among the following options, _____ HTML tag merges 3 columns to create a large column.
- `<tr> ... </tr>`
 - `<td> ... </td>`
 - `<td colspan = 3> ... </td>`
 - `<td rowspan = 4> ... </td>`
85. Among the following options, _____ HTML tag merges 4 rows to create a large row.
- `<tr> ... </tr>`
 - `<td> ... </td>`
 - `<td colspan = 3> ... </td>`
 - `<td rowspan = 4> ... </td>`
86. _____ creates an ordered list.
- `<ul> ... </ul>`
 - `<ol> ... </ol>`
 - `<li> ... </li>`
 - none of them
87. _____ creates an unordered list.
- `<ul> ... </ul>`
 - `<ol> ... </ol>`
 - `<li> ... </li>`
 - none of them
88. _____ declares a list item which may be part of ordered list or unordered list.
- `<ul> ... </ul>`
 - `<ol> ... </ol>`
 - `<li> ... </li>`
 - none of them

1.10.5 Creating Forms with controls using HTML

89. HTML form controls commonly use _____ tag for taking form input.
- `<input>`
 - `<table> ... </table>`
 - `<img>`
 - `<form> ... </form>`
90. HTML form is contained inside _____ tag.
- `<input>`
 - `<form> ... </form>`
 - `<img>`
 - `<form> ... </form>`

91. Input tag in HTML supports _____ attribute.
- type
 - value
 - name/ID
 - all of them
92. _____ among the following tags displays a text field named address.
- `<input type = "text" name = "address" value = "" autocomplete = "on">`
 - `<input type = "number" name = "height" value = "" autocomplete = "on">`
 - `<input type = "email" name = "email" value = "" autocomplete = "on">`
 - `<input type = "tel" name = "phone" value = "" autocomplete = "on">`
93. _____ among the following tags displays a text field named phone.
- `<input type = "text" name = "address" value = "" autocomplete = "on">`
 - `<input type = "number" name = "height" value = "" autocomplete = "on">`
 - `<input type = "email" name = "email" value = "" autocomplete = "on">`
 - `<input type = "tel" name = "phone" value = "" autocomplete = "on">`
94. _____ among the following tags displays a text field named height.
- `<input type = "text" name = "address" value = "" autocomplete = "on">`
 - `<input type = "number" name = "height" value = "" autocomplete = "on">`
 - `<input type = "email" name = "email" value = "" autocomplete = "on">`
 - `<input type = "tel" name = "phone" value = "" autocomplete = "on">`
95. _____ among the following tags displays a text field named email.
- `<input type = "text" name = "address" value = "" autocomplete = "on">`
 - `<input type = "number" name = "height" value = "" autocomplete = "on">`
 - `<input type = "email" name = "email" value = "" autocomplete = "on">`

- (d) `< input type = "tel" name = "phone" value = "" autocomplete = "on" >`
- 96.** To display a button in HTML form, _____ attribute is used in the input tag.
 (a) *button* (b) *checkbox*
 (c) *color* (d) *date*
- 97.** To display a checkbox in HTML form, _____ attribute is used in the input tag.
 (a) *button* (b) *checkbox*
 (c) *color* (d) *date*
- 98.** To display a colour selection input in HTML form, _____ attribute is used in the input tag.
 (a) *button* (b) *checkbox*
 (c) *color* (d) *date*
- 99.** To display a date input in HTML form, _____ attribute is used in the input tag.
 (a) *button* (b) *checkbox*
 (c) *color* (d) *date*
- 100.** To display a date and time input in HTML form, _____ attribute is used in the input tag.
 (a) *button* (b) *checkbox*
 (c) *color* (d) *datetime*
- 101.** To display a field for email input in HTML form, _____ attribute is used in the input tag.
 (a) *email* (b) *file*
 (c) *hidden* (d) *image*
- 102.** To display a file input input dialog in HTML form, _____ attribute is used in the input tag.
 (a) *email* (b) *file*
 (c) *hidden* (d) *image*
- 103.** To create a hidden field in HTML form, _____ attribute is used in the input tag.
 (a) *email* (b) *file*
 (c) *hidden* (d) *image*
- 104.** To create an image selection tool in HTML form, _____ attribute is used in the input tag.
 (a) *email* (b) *file*
 (c) *hidden* (d) *image*
- 105.** To create month selection field in HTML form, _____ attribute is used in the input tag.
 (a) *month* (b) *number*
 (c) *password* (d) *radio*
- 106.** To create number input field in HTML form, _____ attribute is used in the input tag.
 (a) *month* (b) *number*
 (c) *password* (d) *radio*
- 107.** To create password input field in HTML form, _____ attribute is used in the input tag.
 (a) *month* (b) *number*
 (c) *password* (d) *radio*
- 108.** To create radio button input field in HTML form, _____ attribute is used in the input tag.
 (a) *month* (b) *number*
 (c) *password* (d) *radio*
- 109.** To create an input field to display numbers with specific start, end and step values in HTML form, _____ attribute is used in the input tag.
 (a) *range* (b) *reset*
 (c) *search* (d) *tel*
- 110.** To create an input field to reset all input elements of a form in HTML form, _____ attribute is used in the input tag.
 (a) *range* (b) *reset*
 (c) *search* (d) *tel*
- 111.** To create search field (behaviour depends upon server implementation) in HTML form, _____ attribute is used in the input tag.
 (a) *range* (b) *reset*
 (c) *search* (d) *tel*
- 112.** To create field for telephone number input in HTML form, _____ attribute is used in the input tag.
 (a) *range* (b) *reset*
 (c) *search* (d) *tel*
- 113.** To create a field for submitting the contents of HTML form to the server, _____ attribute is used in the input tag.
 (a) *submit* (b) *text*
 (c) *time* (d) *url*
- 114.** To create a text input field in HTML, _____ attribute is used in the input tag.
 (a) *submit* (b) *text*
 (c) *time* (d) *url*
- 115.** To create a time input in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text
(c) *time* (d) *url*
- 116.** To create a field for taking a web address in HTML, _____ attribute is used in the input tag.
(a) submit (b) text
(c) time (d) *url*
- 117.** To create a field for taking a web address in HTML, _____ attribute is used in the input tag.
(a) *week* (b) text
(c) time (d) *url*

1.10.6 Concepts of CSS

- 118.** CSS stands for _____.
(a) Cascading System Sheet
(b) Crisp Style Sheet
(c) Cascading Style Set
(d) *Cascading Style Sheet*
- 119.** CSS is used to control _____ of a HTML document.
(a) content
(b) *styles aspects like colour, size, background, etc.*
(c) server type
(d) browser type
- 120.** CSS definitions are contained inside _____ tags.
(a) `< style > ... < /style >`
(b) `< h1 > ... < /h1 >`
(c) `< table > ... < /table >`
(d) `< form > ... < /form >`
- 121.** CSS may be defined _____.
(a) at the header section
(b) in a separate file
(c) inline as an attribute to a HTML tag
(d) *all of them*
- 122.** External style sheet may be embedded in HTML header section using the _____ tag.
(a) `< linkrel = "stylesheet" href = "stylesheet.css" >`
(b) `< ahref = "stylesheet.css" >`
(c) `< imgsrc = "globe.gif" >`
(d) `< p > ... < /p >`
- 123.** A CSS tag has _____ main components.
(a) 1 (b) 2
(c) 3 (d) 6
- 124.** _____ component(s) are important for marking CSS in HTML.
(a) Selector (b) Property
- (c) Value (d) *all of them*
- 125.** Selector in CSS means _____.
(a) the browser
(b) *the tag which uses a particular CSS component*
(c) the property which is modified
(d) the new value assigned to the given property
- 126.** Property in CSS means _____.
(a) the browser
(b) the tag which uses a particular CSS component
(c) *the property which is modified*
(d) the new value assigned to the given property
- 127.** Value in CSS means _____.
(a) the browser
(b) the tag which uses a particular CSS component
(c) the property which is modified
(d) *the new value assigned to the given property*
- 128.** The format for applying CSS style to selector is _____.
(a) `selector{property:value;}`
(b) `value{property:selector;}`
(c) `property{selector:value;}`
(d) `selector{value:property;}`
- 129.** _____ among the following CSS elements declares that headings shall have red colour.
(a) `*{color : blue;}`
(b) `h1{color:red;}`
(c) `< span class = "center bold" > ... < /span >`
(d) `body{bgcolor: gray;}`
- 130.** _____ among the following CSS elements declares that the entire document will be rendered in blue colour.
(a) `*{color : blue;}`
(b) `h1{color:red;}`
(c) `< span class = "center bold" > ... < /span >`
(d) `body{bgcolor: gray;}`
- 131.** The method of applying CSS attribute using an identifier (number/alphanumeric) is called _____ selector method.
(a) class (b) attribute
(c) *ID* (d) style
- 132.** _____ CSS tag among the defines blue colour for headings having ID of blue.
(a) `h1#blue {color:blue;}`
(b) `#black h2 {color:red;}`
(c) `p#redpara{color:red; text-align:justified;}`

- (d) `p#centerpara{color=blue; text-align=center;}`
- 133.** _____ CSS tag among the defines red colour for all h2 tags enclosed in a block of red ID.
- (a) `h1#blue {color:blue;}`
 (b) `#red h2 {color:red;}`
 (c) `p#redpara{color:red; text-align:justified;}`
 (d) `p#centerpara{color=blue; text-align=center;}`
- 134.** _____ CSS tag among the makes a paragraph justified and having red colour text.
- (a) `h1#blue {color:blue;}`
 (b) `#red h2 {color:red;}`
 (c) `p#redpara{color:red; text-align:justified;}`
 (d) `p#centerpara{color=blue; text-align=center;}`
- 135.** _____ CSS tag among the makes a paragraph centre aligned and having blue colour text.
- (a) `h1#blue {color:blue;}`
 (b) `#red h2 {color:red;}`
 (c) `p#redpara{color:red; text-align:justified;}`
 (d) `p#centerpara{color=blue; text-align=center;}`
- 136.** _____ in CSS applies given style to direct child elements.
- (a) *Child selector*
 (b) ID selector
 (c) class selector
 (d) none of them
- 137.** _____ among the following child selector makes all paragraphs which are direct children of body HTML tag to have green text with justified alignment and bold style.
- (a) `body > p{color : green;text-align = justified;font-style : bold}`
 (b) `table > td{color : green;text-align = center;font-style : italic}`
 (c) `ul > li{color : magenta;text-align = left;font-style : normal}`
 (d) `ol > li{color : magenta;text-align = left;decoration : underline}`
- 138.** _____ among the following child selector makes all columns in a table to have green colour text, centre alignment and italic style.
- (a) `body > p{color : green;text-align = justified;font-style : bold}`
 (b) `table > td{color : green;text-align = center;font-style : italic}`
 (c) `ul > li{color : magenta;text-align = left;font-style : normal}`
- (d) `ol > li{color : magenta;text-align = left;decoration : underline}`
- 139.** _____ among the following child selector makes all items of an unordered list to have magenta colour text, left alignment and normal font style.
- (a) `body > p{color : green;text-align = justified;font-style : bold}`
 (b) `table > td{color : green;text-align = center;font-style : italic}`
 (c) `ul > li{color : magenta;text-align = left;font-style : normal}`
 (d) `ol > li{color : magenta;text-align = left;decoration : underline}`
- 140.** _____ among the following child selector makes all items of an ordered list to have red colour text, left alignment and underline decoration.
- (a) `body > p{color : green;text-align = justified;font-style : bold}`
 (b) `table > td{color : green;text-align = center;font-style : italic}`
 (c) `ul > li{color : magenta;text-align = left;font-style : normal}`
 (d) `ol > li{color : red;text-align = left;decoration : underline}`

1.10.7 Applying CSS to HTML

141. CSS may be applied to HTML using

- (a) `< linktype = "text/css" rel = "stylesheet" href = "sylesheetname.css" >` in the header section of HTML document
 (b) declaration through class and ID selectors
 (c) inline application of styles
 (d) *all of them*

1.10.8 Open source CMS

142. CMS in web content stands for

- (a) *Content Maintenance System*
 (b) Content Management Symbol
 (c) *Content Management System*
 (d) Client Management System

143. Open source stands for software for which _____.

- (a) *source code is available*
 (b) source code is not available
 (c) source code is lost
 (d) source code is bugged

144. Joomla, wordpress, Apache Roller, OpenCMS, AmetysCMS, Dot CMS, Drupal, Django CMS, etc. are some of the _____ software packages.

- (a) professional/ paid
- (b) escrow source
- (c) none of them
- (d) *open source*

Joomla

145. Joomla is a Content Management System based on _____ scripting language.

- (a) Python
- (b) *PHP*
- (c) Ruby
- (d) Perl

146. Joomla requires creation of a _____ in MySQL database for effective CMS with data support.

- (a) database
- (b) user
- (c) *both database and user*
- (d) none of them

147. To begin working with Joomla, the contents of the zip file need to be _____.

- (a) deleted
- (b) extracted to Downloads folder
- (c) *copied to the web server root directory (htdocs/html)*
- (d) divided into several pieces

Wordpress

148. Wordpress files need to be copied to _____ to start creating a website.

- (a) Documents
- (b) *root directory of the web server*
- (c) Downloads
- (d) Pictures

149. After copying Wordpress, the URL `< wordpress_root >/_____` should be opened to start the configuration process.

- (a) index.html
- (b) index.php
- (c) readme.html
- (d) *wp-admin/install.php*

1.10.9 Web authoring tools

Kompozer

150. KompoZer is a _____ tool.

- (a) web page creation

(b) web page editing

(c) *both a & b*

(d) none of them

151. Development work on KompoZer stopped in the year _____.

- (a) 2017
- (b) *2010*
- (c) 2015
- (d) 2014

FrontPage

152. Frontpage is a _____ tool.

- (a) web page creation
- (b) web page editing
- (c) *both a & b*
- (d) none of them

153. Frontpage was part of Microsoft _____ package.

- (a) *Office*
- (b) Visual Studio
- (c) Windows
- (d) none of them

154. Frontpage was discontinued from Microsoft office version _____.

- (a) 1997
- (b) *2001*
- (c) 2003
- (d) 2007

Answers (1682 - 1835)

- | | | | |
|---------|---------|---------|---------|
| 1. (a) | 2. (d) | 3. (c) | 4. (b) |
| 5. (b) | 6. (a) | 7. (a) | 8. (b) |
| 9. (a) | 10. (c) | 11. (d) | 12. (c) |
| 13. (d) | 14. (a) | 15. (b) | 16. (c) |
| 17. (d) | 18. (d) | 19. (a) | 20. (c) |
| 21. (b) | 22. (d) | 23. (c) | 24. (a) |
| 25. (b) | 26. (c) | 27. (d) | 28. (b) |
| 29. (c) | 30. (a) | 31. (a) | 32. (b) |
| 33. (c) | 34. (a) | 35. (b) | 36. (c) |
| 37. (d) | 38. (a) | 39. (b) | 40. (c) |
| 41. (d) | 42. (a) | 43. (a) | 44. (c) |
| 45. (d) | 46. (b) | 47. (a) | 48. (b) |
| 49. (c) | 50. (d) | 51. (a) | 52. (b) |
| 53. (c) | 54. (d) | 55. (c) | 56. (b) |
| 57. (b) | 58. (a) | 59. (b) | 60. (a) |
| 61. (c) | 62. (b) | 63. (a) | 64. (d) |
| 65. (a) | 66. (c) | 67. (b) | 68. (a) |
| 69. (b) | 70. (c) | 71. (d) | 72. (c) |
| 73. (a) | 74. (a) | 75. (b) | 76. (c) |
| 77. (d) | 78. (d) | 79. (d) | 80. (c) |
| 81. (b) | 82. (a) | 83. (a) | 84. (c) |
| 85. (d) | 86. (b) | 87. (a) | 88. (c) |
| 89. (a) | 90. (b) | 91. (d) | 92. (a) |
| 93. (d) | 94. (b) | 95. (c) | 96. (a) |

97. (b)	98. (c)	99. (d)	100. (d)	129. (b)	130. (a)	131. (c)	132. (a)
101. (a)	102. (b)	103. (c)	104. (d)	133. (a)	134. (c)	135. (d)	136. (a)
105. (a)	106. (b)	107. (c)	108. (d)	137. (a)	138. (b)	139. (c)	140. (d)
109. (a)	110. (b)	111. (c)	112. (d)	141. (d)	142. (c)	143. (a)	144. (d)
113. (a)	114. (a)	115. (c)	116. (d)	145. (b)	146. (c)	147. (c)	148. (b)
117. (a)	118. (d)	119. (b)	120. (a)	149. (d)	150. (c)	151. (b)	152. (c)
121. (d)	122. (a)	123. (c)	124. (d)	153. (a)	154. (d)		
125. (b)	126. (c)	127. (d)	128. (a)				